



LIBRARY
OF THE
UNIVERSITY
OF ILLINOIS

551.05

UNNJ

1956-57



Digitized by the Internet Archive
in 2013

http://archive.org/details/climatologicalda6162unit_1

551105
UNVS
cop. 1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

JANUARY 1956
Volume LXI No. 1



ASHEVILLE: 1956

RECEIVED
MAR 1 1956
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

The most outstanding feature of January's weather in New Jersey was the continued precipitation deficiency, which has been the prevailing pattern during the past three months. Temperatures, for the State as a whole, averaged almost 1° below normal and snowfall was slightly below usual expectancy.

Following the driest December of record this month became the twelfth driest January since 1885, and it is interesting to remember that one year ago the State experienced the driest January since 1885. All stations having established normals showed negative departures, averaging about 1-1/3 inches below normal. Extreme monthly totals ranged from 1.23 inches at Canoe Brook to 4.56 inches at Clayton, which also reported the greatest daily amount, 1.97 inches on the 10th.

Snowfall over the State averaged slightly less than usual, with Clayton and Trenton 2 reporting 10.0 inches for the greatest monthly total, followed closely by 9.5 inches at Audubon.

In keeping with temperatures in January that averaged about 1° below normal, there were slightly more than the usual number of days on which the minimum dropped to freezing or below. There were 23 such days at Atlantic City WB and Cape May 3 W and 29 days at Charlotteburg and Newton. Individual station averages ranged from 26.1° at Layton 3 NW to 33.7° at Cape May 3 W, while extreme temperatures varied from -3° at Layton 3 NW on the 2nd to 59° at Millville CAA Airport on the 30th. A rather interesting sidelight concerning these extreme readings is that one year ago these same two stations occupied the same places with Layton 3 NW having a 1° lower reading, but the dates of these occurrences were exactly reversed.

Based on available reports, sunshine and daytime cloudiness did not depart too far from usual, except in the Atlantic City area where sunshine was less than usual and cloudiness was correspondingly greater than average.

WEATHER DETAILS

Subnormal temperatures that prevailed as December ended continued during the first two days of the new year. Rising temperatures and cloudy skies set in on the 2nd, with some light precipitation occurring rather generally over the State on the 3rd. Temperatures for the period 3rd to 6th averaged slightly above normal. Cold Arctic air began moving into the State on the 7th and maximum readings for the 8th were in the middle 20's.

Beginning on the 9th, the strong counter-clockwise winds north of a large stationary low pressure system centered between the

United States coast and Bermuda, drove warm, moist air over cold air at the surface and caused general precipitation over New Jersey with some freezing rain and sleet. This Atlantic low-pressure system moved slowly northward and the State received almost continuous light precipitation for the period 9th to 14th, and temperatures that averaged well above normal from the 9th to 13th.

Pressure movements during the remainder of January caused rather frequent fluctuations in temperature, with readings for the period 17th to 28th averaging slightly below normal. Precipitation occurrences on the 17th and 19th-20th were mostly in the form of light snow. Cold weather persisting at this time caused some snow to be held on the ground in some localities until near the month's end. The circulation around a storm that moved into the area from the Southwest raised temperatures over the State to about 10° above normal on the 30th, and precipitation which began as light sleet or snow early on the 29th changed into rain and continued falling until the afternoon of the 30th. Most stations reported a moderate amount for the two days. With the passage of a cold front late on the 30th, cold Arctic air became predominant, reducing temperatures on the 31st to just about normal as January ended.

WEATHER EFFECTS

Aside from some orchard pruning, outside farm activities during January were mostly limited to routine winter chores. The primary concern was the effect of the persistent droughty condition of the past several weeks. This dry condition retarded growth of small grains and pastures, but some relief was afforded by general precipitation that occurred from the 9th to 20th, which brought a protective cover of light snow from the 17th to 20th that remained on the ground in some areas for several days.

Although precipitation in January brought some relief, there is still a substantial moisture deficiency resulting from the prolonged dry weather. Small grains and pastures have shown some recovery, but are in need of warmer weather and sunshine for any material improvement.

DESTRUCTIVE STORMS

There were no severe storms in January, but glazing of roads and pavements from freezing rain and some sleet was general on the 9th, causing numerous accidents. There was also minor glazing on the 10th, 13th, and 29th.

FLOODS

None were reported during the month.
Franklin W. Long

SUPPLEMENTAL DATA

NEW JERSEY
JANUARY 1956

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	17.6	54	NE	10	-	-	-	-	3	2	8	1	0	0	14	41	7.1
LONG BRANCH	NW	16	16.1	56	NW	30	-	76	68	67	3	4	7	1	0	0	15	48	6.3
NEWARK WB AIRPORT	NNW	22	14.4	33*	WNW	31	70	73	59	65	7	4	5	1	0	0	17	-	6.5
TRENTON WB CITY	-	-	11.4	30	NW	30	-	-	-	-	2	3	8	1	0	0	14	47	6.5

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

CLIMATOLOGICAL DATA

TABLE 2

Station		Temperature										Precipitation																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Average Maximum	Average Minimum	Average	Departure	Highest	Date	Lowest	Date	Degree Days	No. of Days					Total	Departure	Greatest Day	Date	Snow, Sleet			No. of Days																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
																				Total	Max. Depth on Ground	Date	.10 or More	.50 or More	1.00 or More																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
											90° or Above	32° or Below	32° or Below	0° or Below																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

DAILY PRECIPITATION

NEW JERSEY
JANUARY 1956

Table 3

Station		Total	Day of month																														
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY WB	R	2.07								T	.24	.30	.32	.26	.12	T		.80	.40		.33	.25			T						.24	.83	
AUDUBON		2.72									.28	.44	.35	.18	.14	T			.35		.15	.10									.82	.42	
BASS RIVER ST FOREST		2.00			T						.10	.60	.34	.20	.10	.02			.40		T	.40									.15	.25	T
BELLEPLAIN	D	8.33									.12	.80	.43	.20	.16	D.05			0.38			0.20									1.08		
BELMAR		3.07			.82						1.02	.86	.02	.43	.10						.05	1.02									.03	.02	
BELVIDERE		1.43	T		.05	.02					.27	.12	.07	.27	.11			.11		T	.60			T	T						.04	.60	
BERLIN 1 W		2.44									.15	.50	.52	.15				.25			.42										T	.32	.43
BOONTON		1.45			.07		T				.02	.14	.08	.30	.00	.01			.02		.04										T	.15	.40
BRANCHVILLE		2.03			T		.11				T	.47	.00	.28	T	.88			.43		.04	.04									.03	.07	.43
BURLINGTON		2.13		.02	T						.14	.43	.49	.23	.12	T			.53		T	.30									.30	.06	
CANISTEAR RESERVOIR		1.93	T	T	.00	.03					.10	.21	.11	.84	.00	T			.00			T	T								T	.17	.40
CANOE BROOK		1.23			.12						.02	.13	.02	.46	.11	.80			.01		.50										T	.22	
CANTON		1.76									.12	.30	.18	.36	T				.30			.43									T	.27	.03
CAPE MAY 3 W		4.07							T		-	-	-	1.35	.13	.03			.36	.01	.01	.44			.08	T				.03	.17		
CEDAR GROVE		-			.05						-	-	-	-	-	-			-	-	-	-									.23	.17	
CHARLOTTEBURG		1.00		T	.00	.05					.12	.23	.10	.85	.80	.03			.61		.05	T									T	.80	.81
CHATHAM		1.00			.00						.12	.22	.83	.40	.34	.00			.01		.63										T	.23	.90
CHATSWORTH 5 S			RECORD MISSING																														
CLAYTON		4.58									.15	1.07	.31	.18	.23	T			.87		.10	.44									.43	.23	
CLINTON		1.50			.02						.08	.04	.05	.24	.15				.12			.08										.32	.66
DEEPWATER		-									.00	.10	.11	-	-				-		.08	.02									.17	.08	
ELIZABETH		1.08	T		.15						.18	.15	.15	.35	.21	.01			T		.82				.01						.10	.69	
ELIZABETHPORT		1.83			.12						.24	.11	.16	.28	.06	T			.11		.21										.34	.81	
ESSEX FELS SERV BLDG		2.10			.04						.12	.29	.10	.54	.14	T			T		.34										.20	.83	
FLEMINGTON 1 NE		1.88	T		.02	T					.15	.03	.03	.40	.23	T	T		.80		.01	.15			T					.19	.57		
FRESHOLD		2.49			.10						.15	.88	.27	.20	.08	T			.08		.25										.19	.62	
GREENWOOD LAKE		1.90		.01	.05	.00					.20	.18	.00	.00	.08	.03			.02		.01					T					.82	.04	.84
HAMMONTON 2 NNE		2.30									.80	.45	.05	.02	.12	.01			.25		.45										.13	.02	.20
HIGHTSTOWN 1 N		2.37			.02						.14	.81	.16	.22	.15	T			.00	T	.20				T						.18	.80	
INDIAN HILLS 2 W		2.85			T						.15	.57	.34	.21	.13	T			.38		.00	.44									.30	.32	
IRVINGTON		1.54			.00						.07	.10	.13	.36	.08				.01		.04										.20	.46	
JERSEY CITY		1.94	T		.15					T	.30	.11	.02	.47	.05	.01			T		.85										.38	.80	
LAKEWOOD 2 ENE		2.51	T								.20	.52	.36	.18	.05	T			T		.23										.21	.64	
LAMBERTVILLE		2.38	T		.02						.27	.30	.00	.27	.18	.02			.12		.20	.27									.20	.87	
LAYTON 3 NW		1.70	.03		.15						.44	.05	.04	.20	.15				.02		.23										.02	.49	
LEESBURG STATE FARM		2.80									T	.88	.40	.22	.00	.14	.03		.37		.54										.02	.23	.03
LITTLE FALLS WATER CD		1.05	.01	.01	.11	.01					.10	.15	.08	.64	.17	.02			T		.02				T						.02	.25	.36
LONG BRANCH		2.32			.14						.28	.42	.17	.17	.03	.01			.07		.00	.20			T						.17	.30	
LONG VALLEY		2.13			.20						.12	.20	.04	.21	.11	.05			0.20		0.18										.25	.47	
MACOPIN INTAKE	D	1.61		T	.09						.14	.18	.07	.48	.00				.01		.03				T	T					.82	.10	.32
MANVILLE		2.21									.22	.19	.18	.47	.11	.02					T										.38	.64	
MARLTON 1 W		2.75									.10	.59	.48	.28	.11	.01			.12		.10	.30									.23	.45	
MAYS LANDING		2.50									.10	.02	.29	.08	.07	T			.37		.00	.36									.34	.08	.02
MIDLAND PARK		2.05	.01		.11						.30	.14	.03	.80	.17	T			.01												.10	.60	
MILLVILLE		2.22									.21	.67	.18	.12	.07	.02		.12	.36		.32	.12									.23		
MILLVILLE CAA AIRPORT		2.98									.28	.00	.33	.17	.12	.11		.20	.15		.24	.14									.22	.12	
MILTON		2.44			.05	.30	.00				.15	.48	.12	.48	.34				.12		.10										.83	.28	.42
MOORESTOWN		2.62									T	.37	.72	.39	.62	.00			.08		.26										.46	.22	
MORRIS PLAINS		1.87	T		.00						.11	.21	.13	.26	.25	.02	T		.03		.07				T						.17	.31	
NEWARK WB AIRPORT	R	1.50			.00					.01	.08	.05	.10	.21	.11						.12										.18	.88	
NEW BRUNSWICK EXP STA		2.22			.13	T					.16	.20	.12	.30	.20	T			.02		.18										.20	.88	
NEW MILFORD		2.21			.14						.48	.11	.16	.34	.00																.14	.52	.04
NEWTON		1.73		.02		.01					.32	.22	.03	.33	.07	.01			.02		.15					T					.01	.13	.33
OAK RIDGE RESERVOIR	D	2.22	.05	.03	.04	.10					.24	.29	.11	.30	.11	.01			.00		.08	.01	T	.08							.02	.14	.43
ORANGE		1.76			.10						.05	.12	.01	.48	.21																.71		
PATERSON		1.48			.01	.02	.01				.05	.20	.08	.05	.20	.01			T		T	T									T	.22	
PEMBERTON 3 E		3.23									.11	.65	.59	.22	.12				.31		.31										.34	.40	
PHILLIPSBURG		2.11			.04						.15	-	-	.22	.07				.25		T	.26									.28	.74	T
PHILLIPSBURG BRIDGE		-			T																												

DAILY TEMPERATURES

NEW JERSEY
JANUARY 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	42 25	40 21	43 36	45 34	46 32	38 29	33 26	27 19	42 20	44 40	40 39	42 39	39 35	42 33	39 30	42 33	36 28	30 25	34 26	34 28	34 22	43 24	37 24	32 19	35 20	33 21	34 19	23 22	42 32	52 35	41 29	38.6 27.7
AUDUBON	MAX MIN	39 15	39 19	43 24	45 30	44 34	48 25	35 24	26 17	44 17	47 43	45 30	44 30	39 36	42 33	44 28	36 25	41 20	34 25	33 25	35 22	42 21	35 25	32 20	34 21	32 10	34 10	26 10	27 10	54 38	38 28	30.1 25.5	
BELLEPLAIN	MAX MIN	38 9	39 12	40 32	30 20	44 30	45 15	34 22	33 13	42 22	47 40	45 41	42 34	43 34	39 27	45 34	40 20	38 20	37 20	34 22	38 14	43 12	41 22	30 10	33 10	31 10	31 10	37 10	40 18	52 31	43 32	39.3 21.5	
BELVIDERE	MAX MIN	35 18	31 10	35 25	30 24	41 21	35 24	20 18	12 13	40 13	49 40	46 30	43 37	40 31	34 24	20 14	44 24	36 25	40 18	33 20	32 12	42 19	34 16	33 13	37 13	34 15	33 16	26 12	33 22	29 29	41 27	36.8 21.7	
BGOMTONT	MAX MIN	32 19	31 5	32 8	37 28	41 28	43 27	31 21	32 14	37 15	46 37	46 38	41 35	37 31	33 26	41 30	35 29	35 23	36 19	34 20	32 20	35 22	42 26	32 26	32 19	26 16	33 17	32 18	37 19	36 30	45 29	37.2 23.1	
BURLINGTON	MAX MIN	37 10	30 14	38 29	45 27	44 23	48 28	40 23	32 15	45 17	47 42	46 39	44 38	41 32	35 27	43 30	51 28	35 24	46 20	37 21	31 24	34 19	30 24	39 16	33 14	34 17	35 16	23 18	26 17	35 21	52 31	46 31	39.7 24.4
CANOE BROOK	MAX MIN	31 17	33 13	30 11	36 26	42 28	44 25	45 14	39 14	30 15	48 34	52 39	47 38	46 34	38 26	34 26	42 22	36 26	48 20	34 21	36 19	38 21	43 22	33 18	33 18	35 13	34 16	33 16	37 18	27 29	44 29	38.0 21.7	
CAPE MAY 3 W	MAX MIN	38 20	41 22	43 36	41 30	42 34	40 32	37 28	34 21	20 20	47 42	39 37	42 37	39 29	37 26	40 21	40 20	37 18	38 28	35 26	48 26	41 28	38 24	30 25	31 26	32 26	31 26	32 26	42 28	46 30	45 28	38.8 28.5	
CHARLOTTEBURG	MAX MIN	30 18	28 1	28 1	40 27	44 27	41 23	40 19	20 12	33 12	44 32	43 37	39 36	40 32	34 23	31 23	47 27	47 25	40 10	36 19	34 19	30 17	39 21	40 25	37 15	30 15	32 13	31 13	29 10	36 11	38 30	44 26	36.6 20.3
CHATSORTH 5 S	MAX MIN	34 16	36 15	43 31	45 32	43 23	44 29	35 24	33 17	40 18	47 39	45 41	42 40	40 28	37 29	42 31	42 26	39 27	38 19	32 23	32 17	42 22	40 21	38 19	31 14	31 16	30 16	37 16	34 17	38 25	50 36	42 31	38.5 25.0
CLAYTON	MAX MIN	33 23	31 13	37 23	46 31	46 32	45 26	34 25	31 16	46 18	48 43	47 40	44 40	43 34	36 28	46 25	47 25	39 20	44 25	38 20	37 25	37 20	45 19	35 21	37 18	41 19	39 17	37 18	38 17	35 24	45 35	45 29	40.4 29.3
ESSEX FELLS SERV BLDG	MAX MIN	31 16	28 5	30 10	35 29	40 30	36 24	32 14	31 15	34 11	45 34	45 39	43 38	41 34	40 25	39 25	41 25	45 28	35 22	35 18	34 20	35 12	40 16	43 28	32 15	32 17	35 12	38 12	35 15	42 28	31 28	36.5 21.6	
FLEMINGTON 1 NE	MAX MIN	31 18	33 6	37 24	44 32	43 28	48 40	40 16	30 14	45 11	48 40	46 39	44 39	41 34	36 26	43 29	47 20	40 26	40 22	36 19	32 17	32 14	37 21	33 14	34 13	33 14	32 15	36 14	35 19	46 30	46 29	38.0 22.2	
FREEMOLD	MAX MIN	36 12	30 10	38 25	42 31	44 32	44 24	31 20	29 14	41 17	46 38	44 38	42 33	41 34	36 26	42 29	43 24	36 20	40 21	34 21	32 15	34 18	35 25	33 14	35 14	33 15	35 15	37 25	54 34	45 29	38.3 23.5		
HAMMONTON 2 NNE	MAX MIN	39 17	40 13	36 28	45 32	45 32	45 27	46 21	34 17	33 19	48 34	45 30	51 38	43 34	38 28	38 31	44 26	40 23	45 23	32 15	40 19	42 28	35 15	32 13	33 16	33 14	32 14	36 19	36 28	45 30	39.3 24.3		
HIGHTSTOWN 1 N	MAX MIN	36 19	36 10	36 26	43 30	44 24	42 20	34 15	30 15	43 17	46 42	45 39	43 38	41 34	42 26	41 24	35 28	41 24	32 28	32 24	32 15	40 18	36 26	32 18	32 14	34 17	35 15	50 22	46 34	38.2 24.0			
INDIAN MILLS 2 W	MAX MIN	37 15	36 8	45 29	45 24	44 26	33 18	31 16	48 17	47 14	44 33	40 31	43 27	34 21	38 25	38 21	37 25	39 24	33 19	31 25	31 25	41 10	35 21	30 15	32 16	31 16	34 17	55 34	42 29	38.6 22.9			
JERSEY CITY	MAX MIN	28 20	30 11	36 28	40 32	43 31	36 27	31 20	27 18	45 20	46 43	42 39	42 38	39 33	34 27	42 31	41 26	35 24	39 24	33 24	36 22	42 28	33 25	36 21	32 25	32 25	35 25	32 28	35 28	42 33	36 26	36.5 26.4	
LAKEWOOD 2 ENE	MAX MIN	36 12	38 12	41 33	43 28	45 19	41 19	34 19	26 16	45 18	47 42	42 38	38 32	35 28	42 29	45 23	36 26	42 24	34 21	31 25	34 17	43 19	36 16	33 15	35 17	35 12	35 12	30 12	52 20	38 28	38.5 23.0		
LAMBERTVILLE	MAX MIN	26 21	27 19	37 27	44 38	43 30	35 26	31 20	46 16	47 17	48 39	45 33	42 30	42 27	35 20	43 30	37 26	40 25	33 18	33 24	42 16	35 24	33 17	32 14	35 17	32 14	32 14	35 17	49 31	42 31	38.9 24.2		
LAYTON 3 NW	MAX MIN	32 4	27 -3	35 16	35 28	40 22	42 11	31 6	29 10	41 10	43 35	47 36	42 37	40 28	31 20	40 26	45 17	35 17	35 17	33 16	30 17	34 15	40 15	39 17	30 9	30 6	31 6	30 6	36 15	34 10	24 16	35.5 16.6	
LEESBURG STATE FARM	MAX MIN	34 16	39 14	40 24	40 26	41 29	44 21	40 21	34 18	33 18	40 33	49 40	42 40	40 34	26 28	42 32	44 23	33 28	33 24	33 25	33 19	32 19	40 19	36 13	30 12	31 10	31 10	32 10	43 20	52 35	38.5 23.8		
LITTLE FALLS WATER CO	MAX MIN	33 20	31 7	33 13	37 28	46 30	43 26	40 20	35 17	48 17	48 36	47 36	44 31	41 26	38 26	46 21	48 30	36 24	42 21	36 24	38 22	35 28	38 28	45 23	36 28	36 26	37 16	37 18	38 21	45 30	34 23	39.2 24.3	
LONG BRANCH	MAX MIN	34 21	39 19	39 31	42 30	42 31	37 24	28 18	21 11	43 21	45 41	40 38	41 38	39 32	34 28	42 30	42 25	39 27	40 25	34 22	30 25	34 22	40 28	35 21	32 16	32 17	32 19	32 19	35 25	53 34	36 29	37.3 25.4	
LONG VALLEY	MAX MIN	36 16	29 6	36 19	45 25	42 30	22 19	30 14	25 12	43 12	46 41	44 37	41 30	32 22	46 26	45 23	36 23	39 21	30 19	35 18	30 17	41 17	36 23	35 15	32 17	32 15	35 12	31 8	42 17	39 32	37.1 21.2		
MILLVILLE CAA AIRPORT	MAX MIN	29 31	41 16	42 28	45 37	44 30	47 20	34 20	27 19	44 19	48 46	44 40	42 37	39 32	35 27	40 30	45 23	34 28	38 23	33 25	41 22	36 18	36 15	30 18	30 15	31 13	31 13	34 9	50 27	48 24	38.5 23.4		
MOORESTOWN	MAX MIN	37 22	36 19	42 30	44 30	43 24	49 24	34 21	25 17	46 18	48 43	43 40	43 36	38 32	36 31	39 27	44 26	34 25	39 23	32 24	30 24	33 18	41 21	35 18	30 18	31 19	31 18	37 18	52 34	37 27	37.9 29.0		
MORRIS PLAINS	MAX MIN	32 19	29 6	28 20	44 27	42 33	44 27	38 21	24 11	43 14	44 42	44																					

DAILY TEMPERATURES

NEW JERSEY
JANUARY 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SANDY HOOK	MAX	32	31	36	39	40	38	34	28	43	44	42	42	40	36	40	42	36	42	35	25	35	39	35	36	35	35	33	26	37	31	42	37.7
	MIN	21	17	30	33	35	28	27	20	20	41	39	39	31	29	33	32	32	28	29	25	23	23	28	18	25	21	23	27	30	36	32	28.2
SOMERVILLE	MAX	36	31	37	46	45	47	37	29	46	47	46	44	40	37	43	45	37	40	34	32	36	41	34	36	36	35	34	37	35	48	40	38.9
	MIN	16	9	24	27	33	27	22	14	17	44	39	40	37	26	29	24	28	24	21	29	19	17	24	17	16	15	16	15	28	35	28	24.5
SUSSEX 3 N	MAX	26	25	33	34	41	38	29	32	45	45	43	40	38	31	36	43	35	34	30	27	32	39	33	30	31	30	29	33	33	40	41	34.7
	MIN	13	2	20	30	30	22	17	11	11	40	37	36	30	23	20	28	24	18	16	18	16	21	20	14	16	10	16	16	23	31	24	21.1
TRENTON 2	MAX	36	35	38	45	44	45	26	26	45	46	45	43	40	35	44	43	35	40	33	32	35	42	35	33	35	34	33	34	27	50	27	36.4
	MIN	18	11	28	31	32	27	22	15	18	43	39	38	32	27	30	25	26	23	21	24	18	20	21	15	18	16	19	18	23	33	26	24.5
TRENTON WB CITY	MAX	35	34	38	44	43	46	35	25	47	47	44	44	38	35	43	43	36	39	33	31	35	41	35	32	32	32	31	39	37	32	37	36.0
	MIN	21	14	31	35	32	27	20	15	21	44	39	37	31	29	32	29	26	26	24	24	21	23	22	18	20	18	21	21	26	34	29	26.1
TUCKERTON 2 SW	MAX																																
	MIN																																
WOODSTOWN 2 NW	MAX	35	35	35	37	38	40	44	38	38	48	47	50	41	40	30	40	46	35	38	36	35	36	42	40	36	31	30	39	37	40	44	38.8
	MIN	19	15	27	28	29	25	28	21	19	38	42	39	30	25	24	24	24	22	25	25	16	20	26	20	13	13	16	14	30	35	24	24.4

SNOWFALL AND SNOW ON GROUND

Table 7

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	SNOWFALL SN ON GND								T						T			3.4 3	1	2.7 T	.5 2		2	2	T 1	1	1	T	T	T	T		
BELVIDERE	SNOWFALL SN ON GND	T		T						T								2.5 -	-	-	T -	1.0 -		T								T	
CHARLOTTEBURG	SNOWFALL SN ON GND			.5 T														T T			1.0 1	T T				T T						.5 T	
CLAYTON	SNOWFALL SN ON GND									T					T T			4.5 4	4	.5 4	5.0 8	6	5	4	4	4	4	3	1		T T		
FLEMINGTON 1 NE	SNOWFALL SN ON GND	T T													T T	T		4.0 3	2	.5 2	4.0 4		4	2	T 2	2	2	2	2	1	.5 1	1	T
FREEBOLD	SNOWFALL SN ON GND									T					T T			.6 T			4.8 4	3	2	2	2	2	2	2	1		.4 T		
HIGHTSTOWN 1 N	SNOWFALL SN ON GND														.2			1.7 1	T	T	3.4 3	3	1	T 1	1	1	1	1	1	.5 1			
INDIAN MILLS 2 W	SNOWFALL SN ON GND														T T			3.2 2		.9 T	3.9 4	4	3	2	2	2	2	2	2	T 1			
LAKEWOOD 2 ENE	SNOWFALL SN ON GND	T												T T	T T			1.9 2	1	2.8 3	2.5 5	4	4	T 3	2	2	2	2	2	T 2			
LONG VALLEY	SNOWFALL SN ON GND			T														2.0 -			1.0 -											T	
MILLVILLE CAA AIRPORT	SNOWFALL SN ON GND									T T				T T	1.1 1		2.0	1.5 4	2	2.4 1	1.4 4		2	2	1	1	1	1	1		T 1		
MOORESTOWN	SNOWFALL SN ON GND									.2 T					T T						4.3 4		4	3	2	2	1	1	1	T T	T T		
MORRIS PLAINS	SNOWFALL SN ON GND	T		.6 -						T					.1 T	T		.5 -			1.4 -			T							T		
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV			.3																	2.0 2		1								.1		
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND														T T			T T			2.5 2		2	T T	T T	T T	T T	T T	T T		T T		
NEWTON	SNOWFALL SN ON GND																	5.0 5	3	2	1.0 3		3	2	1	1	1	1	1	1			
PATERSON	SNOWFALL SN ON GND		.1 T	.3 T	.1 T					T								T T			T T				T T						T T		
PEMBERTON 3 E	SNOWFALL SN ON GND																	3.5 4	2	2	4.5 6	5	3	2	2	2	2	2	2	1			
PLAINFIELD	SNOWFALL SN ON GND	T		.2 T											.1 T			.1 T			2.0 2		1	1	T 1	T T	T T	T T	T T		.1 T		
RIDGEFIELD	SNOWFALL SN ON GND	.1 T		.3 T	T										T T	T		.1 T		T T	.3 T										T		
SOMERVILLE	SNOWFALL SN ON GND														.2			1.5 1			1.7										.2		
SUSSEX 3 N	SNOWFALL SN ON GND	T								.3 -								- 5	5	5	4	4	2										
TRENTON WB CITY	SNOWFALL SN ON GND	T T		T											.1 T			3.5 4	3	2.5 1	1.5 4		4	3	1	1	1	T	T	T	.3 T		

STATION INDEX

NEW JERSEY
JANUARY 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elev. (ft.)	Time of observation			Years of record			Observer	Refer to tables
							Zone	Temp.	Precip.	Temp.	Precip.	Evap.		
ALLENDALE	0100	BERGEN	PASSAIC	41 02	74 08	270	EST	MID	MID				BERGEN COUNTY ENGINEERS	
# ATLANTIC CITY WB	0325	ATLANTIC	COASTAL	39 22	74 25	8	EST	MID	MID	82	82		U. S. WEATHER BUREAU	2 3 5 7 C
AUOBON	0346	CAMDEN	DELAWARE	39 54	75 04	50	EST	11P	11P				IRVIN J. NYGREN	2 3 5
BASS RIVER STATE FOREST	0528	BURLINGTON	COASTAL	39 37	74 26	20	EST		6P				N. Y. FORESTRY SERVICE	3
BELLEPLAIN	0690	CAPE MAY	COASTAL	39 16	74 52	49	EST	5P	5P	61	61		MRS. EO C. HOFFMAN	2 3 5
BELMAR	0721	MONMOUTH	COASTAL	40 10	74 02	19	EST		MID				CITY WATER DEPT	3
BELVIDERE	0729	WARREN	DELAWARE	40 50	75 05	289	EST	5P	5P	63	63		MISS C. S. HIXSON	2 3 5 7
BERLIN 1 W	0787	CAMDEN	MULLICA	39 48	74 57	150	EST		7A				SAMUEL H. MC CULLEY	2 3 5
BOONTON	0907	MORRIS	PASSAIC	40 54	74 24	280	EST	8A	8A	47	65		JERSEY CITY WATER WORKS	2 3 5
BRANCHVILLE	0978	SUSSEX	DELAWARE	41 09	74 47	570	EST		7A				ALBERT M. DAVENPORT	3
BRIDGETON 2 SSE	1028	CUMBERLAND	OELAWARE	39 24	75 13	25	EST	9A	9A	67	72		DR. WOLF'S AGRI LABS	CLOSED 9/55
BURLINGTON	1211	BURLINGTON	OELAWARE	40 04	74 53	12	EST	6P	6P	43	69		PUBLIC SERVICE E & G CO	2 3 5
CANISTEAR RESERVOIR	1327	SUSSEX	PASSAIC	40 07	74 30	1040	EST		8A				NEWARK WATER DEPT	3
CANOE BROOK	1335	ESSEX	PASSAIC	40 45	74 21	180	EST	9A	9A	25	25	25	COMMONWEALTH WATER CO	2 3 5 6
CANTON	1343	SALEM	DELAWARE	39 28	75 25	8	EST		9A				GERTRUDE S. WILLIS	3
CAPE MAY 3 W	1351	CAPE MAY	COASTAL	38 56	74 57	17	EST	5P	5P	30	67		NORTHWEST MAGNESITE CO	2 3 5 C
CEAR GROVE	1472	ESSEX	PASSAIC	40 52	74 13	400	EST		8A				J. A. PLUNKETT	3
CENTERTON	1512	SALEM	MAURICE	39 31	75 10	80	EST		MID				JOHN HOPKINS UNIVERSITY	C
CHARLOTTEBURG	1582	PASSAIC	PASSAIC	41 03	74 26	760	EST	7A	7A	63	63		NEWARK WATER DEPT	2 3 5 7
CHATHAM	1590	MORRIS	PASSAIC	40 44	74 23	185	EST		8A				EDWARD P. MOLITOR	3
CHATEAUX 5 S	1598	BURLINGTON	COASTAL	39 44	74 32	90	EST	5P	5P	15	15		WILLIAM S. HAINES	2 3 5 7
CLAYTON	1708	GLOUCESTER	MAURICE	39 39	75 06	120	EST	6P	6P	42	62		HARRY P. CAMPBELL	2 3 5 7
CLINTON	1749	HUNTERDON	RARITAN	40 38	74 55	300	EST		6P				L. W. KLOCKNER	3
DEEPWATER	2209	SALEM	DELAWARE	39 41	75 30	12	EST		MID				OU PONT DE NEMOURS CO	3
ELIZABETH	2644	UNION	COASTAL	40 40	74 14	33	EST	5P	5P	76	76		UNION CO PARK COMMISSION	2 3 5
ELIZABETHPORT	2652	UNION	PASSAIC	40 39	74 12	30	EST		MID				SEWAGE TREATMENT PLANT	3
ESSEX FELS SERVICE BLOC.	2768	ESSEX	PASSAIC	40 50	74 18	250	EST	8A	8A	7	7		BOROUGH ESSEX FELS	2 3 5 C
FLEMINGTON 1 NE	3029	HUNTERDON	RARITAN	40 31	74 51	134	EST	5P	5P	58	69		ONALD YOUNG	2 3 5 7
FORTESCUE	3102	CUMBERLAND	DELAWARE	39 14	75 10	5	EST		5P				F. A. RODENBAUGH	INACTIVE 10/55
FREEHOLD	3181	MONMOUTH	RARITAN	40 15	74 17	194	EST	6P	6P	51	51		FRANK J. MOREAU	2 3 5 7 C
GLASSBORO	3291	GLOUCESTER	DELAWARE	39 42	75 07	150	EST		MID				PROF. J. B. SANGREE	C
GREENWOOD LAKE	3516	PASSAIC	PASSAIC	41 09	74 20	660	EST		7A				WATER SUPPLY COMMISSION	3
HACKENSACK	3572	BERGEN	HACKENSACK	40 53	74 03	10	EST		MID				BERGEN COUNTY ENGINEERS	C
HAMMONTON 2 NNE	3662	ATLANTIC	MULLICA	39 39	74 48	85	EST	8A	8A	23	49		W. HUBBARD PARKHURST	2 3 5
HIGHTSTOWN 1 N	3951	MERCER	RARITAN	40 16	74 31	100	EST	8P	8P	59	62		JAMES R. PICKERING	2 3 5 7
HIGHTSTOWN PUMPING STATION	3956	MERCER	RARITAN	40 17	74 32	75	EST		MID				DEPT WATER AND SEWAGE	C
INDIAN MILLS 2 W	4229	BURLINGTON	MULLICA	39 48	74 47	100	EST	7P	7P	65	66		EDWARD ENTWISTLE	2 3 5 7
IRVINGTON	4260	ESSEX	COASTAL	40 43	74 15	120	EST		MID				JOINT MEETING GARAGE	C
JERSEY CITY	4339	HUDSON	COASTAL	40 44	74 04	135	EST	MID	MID	57	57		JERSEY CITY WATER DEPT	2 3 5
LAKEWOOD 2 ENE	4627	OCEAN	COASTAL	40 06	74 11	54	EST	MID	MID	51	51		GEORGE G. WADDILL	2 3 5 7 C
LAMBERTVILLE	4635	HUNTERDON	DELAWARE	40 22	74 57	75	EST	6P	6P	68	68		E. E. CASE	2 3 5
LAYTON 3 NW	4735	SUSSEX	DELAWARE	41 15	74 51	480	EST	6P	6P	54	54		A. M. DEPUÉ	2 3 5
LEESBURG STATE FARM	4762	CUMBERLAND	MAURICE	39 14	74 58	10	EST	8A	8A	5	5		CHARLES L. CALDWELL	2 3 5
LITTLE FALLS WATER CO	4887	PASSAIC	PASSAIC	40 53	74 14	157	EST	9A	9A	41	52		PASSAIC VALLEY WATER CO	2 3 5 C
LONG BRANCH	4987	MONMOUTH	COASTAL	40 18	74 00	34	EST	MID	MID	47	47		STORM WARNING DISPLAY STA	2 3 5 C
LONG VALLEY	5003	MORRIS	RARITAN	40 48	74 46	660	EST	6P	6P	25	25		ARTHUR BARKMAN	2 3 5 7
LUMBERTON	5055	BURLINGTON	DELAWARE	39 58	74 48	25	EST		MID				JAMES LAWTON	C
MACOPIN INTAKE	5071	PASSAIC	RARITAN	41 01	74 24	1020	EST		9A				NEWARK WATER DEPT	3
MANVILLE	5197	SOMERSET	RARITAN	40 33	74 34	50	EST		MID				JOHN L. RADCLIFFE	3
MARLBORO SCS	5244	MONMOUTH	COASTAL	40 20	74 14	120	EST		MID				GEROW BRILL	C
MARLTON 1 W	5252	BURLINGTON	DELAWARE	39 54	74 57	90	EST		6P				DAVID GRISCOM	3
MAYS LANDING	5346	ATLANTIC	GREAT EGG HARBOR	39 27	74 44	50	EST		5P				ELMER EARLE	3
MIDLAND PARK	5503	BERGEN	PASSAIC	40 59	74 09	210	EST		MID				CORNELIUS HOWARD	3
MILLVILLE	5576	CUMBERLAND	MAURICE	39 24	75 03	60	EST		MID				L. J. GALLAHER	C
MILLVILLE CAA AIRPORT	5581	CUMBERLAND	MAURICE	39 22	75 04	68	EST	MID	MID	9	9		CIVIL AERO. ADM.	2 3 5 7
MILTON	5597	MORRIS	PASSAIC	41 01	74 32	950	EST		7A				JERSEY CITY WATER WORKS	2 3 5 7
MOORESTOWN	5728	BURLINGTON	DELAWARE	39 58	74 58	55	EST	MID	8A	92	92		H. J. WILLARD	2 3 5 7
MORRIS PLAINS	5769	MORRIS	PASSAIC	40 50	74 30	500	EST	4P	4P	10	14		JAMES C. LONG	2 3 5 7
NEWARK WB AIRPORT	6026	ESSEX	COASTAL	40 42	74 10	11	EST	MID	MID	56	101		U. S. WEATHER BUREAU	2 3 5 7 C
NEW BRUNSWICK EXPERIMENT STA	6062	MIDDLESEX	RARITAN	40 28	74 26	80	EST	5P	5P	98	101		ARTHUR H. AHLQUIST	2 3 5 7
NEW MILFORD	6146	BERGEN	HACKENSACK	40 57	74 02	12	EST		MID				HACKENSACK WATER CO	3
NEWTON	6177	SUSSEX	DELAWARE	41 03	74 45	565	EST	8A	8A	72	72		C. M. WHEELER	2 3 5 7
OAK RIDGE RESERVOIR	6460	PASSAIC	PASSAIC	40 02	74 30	870	EST		8A				NEWARK WATER DEPT	3
ORANGE	6560	ESSEX	PASSAIC	40 47	74 14	140	EST		MID				COUNTY ENGINEER	C
PATERSON	6775	PASSAIC	PASSAIC	40 55	74 09	100	EST	8A	8A	85	84		P. J. DEL VECCHIO	2 3 5 7
PEMBERTON 3 E	6843	BURLINGTON	DELAWARE	39 58	74 38	60	EST	5P	5P	26	26		CHARLES A. DOEHLERT	2 3 5 7
PHILLIPSBURG	6974	WARREN	DELAWARE	40 41	75 12	182	EST	3P	3P	64	72		SEWAGE DISPOSAL PLANT	2 3 5
PHILLIPSBURG BRIDGE	6979	WARREN	DELAWARE	40 42	75 12	196	EST		9A				JOINT TOLL BRIDGE COMM	3
PLAINFIELD	7079	UNION	RARITAN	40 36	74 25	120	EST	8P	8P	64	67		S. K. PEARSON	2 3 5 7
PLEASANTVILLE 1 N	7131	ATLANTIC	COASTAL	39 25	74 31	8	EST	8A	8A	32	57	32	ATLANTIC CITY WATER WKS	2 3 5 6
PRINCETON WATER WORKS	7328	MERCER	RARITAN	40 19	74 40	90	EST		MID				PRINCETON WATER CO	3
RAHWAY	7393	UNION	RAHWAY	40 36	74 15	20	EST		MID				RAHWAY VLY SWG AUTH	C
RIDGEFIELD	7545	BERGEN	HACKENSACK	40 50	74 01	80	EST	MID	MID	38	38		GEORGE P. KIRSTEN	2 3 5 7
RINGWOOD	7587	PASSAIC	PASSAIC	41 08	74 16	305	EST		10A				NO JERSEY WATER SUPPLY	3
RUNYON	7825	MIDDLESEX	COASTAL	40 26	74 20	18	EST	6P	6P	31	32	32	N. J. WATER COMMISSION	2 3 5 6
SANJOY HOOK	7869	MONMOUTH	COASTAL	40 28	74 01	22	EST	7P	7P	57	57		U. S. COAST GUARD	2 3 5
SOMERVILLE	8194	SOMERSET	RARITAN	40 34	74 37	75	EST	6P	6P	69	72		W. E. HAVER	2 3 5 7
SPLIT ROCK POND	8402	MORRIS	PASSAIC	40 58	74 28	800	EST		10A				JERSEY CITY D P W	3
SPRINGFIELD	8423	UNION	COASTAL	40 43	74 18	55	EST		MID				N. J. DEPT OF CONSERVA.	C
SUSSEX 3 N	8644	SUSSEX	HUDSON	41 14	74 35	530	EST	6P	6P	57	60		BRICE B. STANTON	2 3 5 7
SWEDSBORO 5 NW	8685	GLOUCESTER	DELAWARE	39 47	75 24	10	EST		NOON				SUN OIL CO	3
TOMS RIVER	8816	OCEAN	COASTAL	39 57	74 14	10	EST		5P				ROBERT F. SNYDER	3
TRENTON 2	8878	MERCER	DELAWARE	40 14	74 46	105	EST	MID	MID	25	25		E. H. RISTOW	2 3 5
# TRENTON WB CITY	8883	MERCER	DELAWARE	40 13	74 46	56	EST	MID	MID	83	83		U. S. WEATHER BUREAU	2 3 5 7 C
TUCKERTON 2 SW	8899	OCEAN	COASTAL	39 35	74 22	45	EST	8A	8A	56	61		VERNON W. MOTT	2 3 5
VINELAND	9135	CUMBERLAND	MAURICE	39 29	75 00	110	EST		8A				ROBERT JONES	3
WANAUKE RAYMOND DAM	9187	PASSAIC	PASSAIC	41 02	74 18	320	EST		8A				WATER SUPPLY COMMISSION	C
WATCHUNG	9271	UNION	PASSAIC	40 40	74 25	-	EST		MID				BONNIE BURN SANITARIUM	C
WESTFIELD	9455	UNION	RAHWAY	40 39	74 21	135	EST		5P				TOWN ENGINEER	3
WOODCLIFF LAKE	9832	BERGEN	HACKENSACK	41 01	74 03	103	EST		MID				HACKENSACK WATER CO	C
WOODSTOWN 2 NW	9910	SALEM	DELAWARE	39 40	75 20	16	EST	6A	6A	9	19		CHARLES CLARK	2 3 5
NEW STATIONS														
GREAT MEADOWS	3416	WARREN	DELAWARE	40 53	74 55	560	EST		MID				EDWARD KOWALICK	C

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 A.M. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

o Data in the column formerly headed No. of Days .01 or more have been changed to No. of Days .10 or more effective January 1, 1954.

Thermometers are generally exposed in a shelter located a few feet above sod-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AW Data based on observational day ending before noon.

B Adjusted to a full month.

C Data for recorder stations denoted by "C" are processed for special purposes and published in Hourly Precipitation Data. Length of record for recorder-only stations may be found in the Annual issue of Hourly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

M One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).

T Trace, an amount too small to measure.

V Include total for previous month.

Additional information regarding the climate of New Jersey may be obtained by writing to any Weather Bureau Office or to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC., Asheville, N. C. --- 3/8/56 --- 775

05
NNJ
P.1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

FEBRUARY 1956
Volume LXI No. 2



ASHEVILLE: 1956

THE LIBRARY OF THE
MAY 5 1958
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

In contrast to the past three months, February was warmer and wetter than usual, but snowfall was considerably less than usual.

This month ranked among the warmest Februarys since 1885. The number of days on which the minimum temperature was freezing or below ranged from 9 such days at Atlantic City WB to 28 days at Boonton, Canoe Brook and Long Valley. Individual station averages varied from 30.6° at Layton 3 NW to 39.4° at Cape May 3 W, while extreme temperatures ranged from 5° at Fleming-ton 1 NE on the 24th and Layton 3 NW on the 4th and 24th to 64° at Long Branch on the 25th.

This month was one of the wettest in New Jersey since 1885. In sharp contrast to January, all stations having long-term averages showed positive departures which in most cases were well above usual expectancy. The greatest monthly total was 8.69 inches at Clayton, while the least was 1.45 inches at Belmar. Clayton also reported the greatest daily amount, 1.91 inches on the 25th. Snowfall averaged 3.1 inches which was about 5 inches less than is usually expected in New Jersey during February. The greatest monthly total of 7.5 inches occurred at Long Valley and Macopin Intake.

Based on available reports, the percentage of sunshine was less than usual expectancy, which was reflected in the greater than usual daytime cloudiness.

WEATHER DETAILS

The month opened with temperatures just about normal on the 1st, but a slight rise which began on the 2nd continued through the 3rd with readings a few degrees above normal. Cooler air moved across the State on the 3rd and temperatures on the 4th dropped to slightly below normal in most areas.

A prolonged period of above normal readings began on the 5th and continued through the 16th, with daily average temperatures as much as 10° or more above normal on several days during the period in most areas. The remain-

der of the month was marked by rather frequent fluctuations in temperature with alternating periods of cold and warmth. The coldest weather during this period was the 21st to 24th, while the warmest was the 25th to 27th. With the passage of a cold front on the 28th cold air again prevailed lowering temperatures to slightly below normal as the month ended.

Pressure patterns that controlled the State's weather during February caused rather frequent occurrences of precipitation, with measurable amounts being reported on about one-half of the days during the month. There were few dates on which heavy amounts occurred, but many stations reported over an inch on the 18th. Snowfall accounted for very little of the month's precipitation, with the heaviest fall occurring at most stations on the 17th which was generally between one and two inches. The length of time that snow lay on the ground during the month was of very short duration, being generally from one to two days.

WEATHER EFFECTS

Precipitation during February was welcomed in most areas and soil moisture conditions improved considerably. Prevailing conditions were quite beneficial to fall seeded grains. Farm work during the month was relatively limited, except for the usual chores connected with dairy and poultry farms. Wet fields interfered with early plowing in some areas, but generally farm work was abreast with the amount usually accomplished by the end of February.

DESTRUCTIVE STORMS

On the 25th, a cold front passage caused minor statewide damage. Large store windows, trees, and wires were broken. At least one large building collapsed, and many roofs were partially stripped. Property damage was estimated at \$90,000, with \$15,000 of this amount reported as being to trees.

FLOODS

There were none reported during the month.

Franklin W. Long

SUPPLEMENTAL DATA

NEW JERSEY
FEBRUARY 1956

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation						Percent of possible sunshine	Average sky cover 1.00 or more
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total	
ATLANTIC CITY WB	-	-	15.6	49	SW	25	-	-	-	-	8	3	5	4	0	0	20	48
LONG BRANCH	NW	16	15.2	62	NW	25	-	73	67	69	3	3	8	2	2	0	18	53
NEWARK WB AIRPORT	WNW	17	11.0	40*	W	25	72	75	61	67	8	2	7	2	1	0	20	-
TRENTON WB CITY	-	-	9.8	43	W	25	-	-	-	-	4	6	5	2	1	0	18	46

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

CLIMATOLOGICAL DATA

TABLE 2

Station		Temperature														Precipitation									
		Average Maximum	Average Minimum	Average	Departure From Long-term Mean	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long-term Mean	Greatest Day	Date	Snow, Sleet			No. of Days			
											Max.	Min.	90° or Above	32° or Below					Total	Max. Depth on Ground	Date	1.00 or More	1.00 or More		
ATLANTIC CITY WB	R	45.2	33.2	39.2	3.8	55	10+	15	22	741	0	0	9	0	3.58	.23	.67	6	.6	1	17	9	4	0	
AUDUBON		45.7	29.9	37.8		63	25	16	22	781	0	1	18	0	4.95		1.06	18		1	17	10	5	1	
BELLEPLAIN															4.52	1.52	.93	2				10	3	0	
BELVOIERE		41.9	26.1M	34.0M	2.8	57	26	12	22	891	0	1	26	0	5.32	2.29	1.07	18	4.5			11	4	2	
BOONTON	AM	41.1	24.2	32.7	3.4	51	26+	13	22	932	0	1	28	0	4.34	1.77	1.02	7				10	3	1	
BURLINGTON		46.3	28.2M	37.3M	2.5	62	25	14	22+	807	0	0	20	0	5.43	2.69	1.17	18	T	0		12	4	1	
CANOE BROOK	AM	42.8	23.1	33.0	3.7	59	26	11	1	920	0	2	28	0	5.26	2.44	1.60	18	3.9	2	17+	9	3	2	
CAPE MAY 3 W		46.1M	32.7M	39.4M		58	25+	21	24	734	0	0	14	0	3.21		T		0					0	
CHARLOTTEBURG	AM	40.0	21.5	30.8	1.6	55	26+	10	22+	987	0	5	27	0	4.44	1.42	1.33	7	6.9	2	28	8	3	1	
CHATSWORTH 5 S																									
CLAYTON		45.4	30.6	38.0		61	25	17	22+	777	0	0	14	0	8.69		1.91	25	.5	T	17+	10	6	4	
ELIZABETH		45.3	28.1	36.7	3.5	61	25	14	22	814	0	0	21	0	6.65	3.59	1.68	18	4.0	1	17	11	5	2	
ESSEX FIELDS SERV BLDG	AM	41.2	24.2	32.7		58	26	11	22	930	0	2	24	0	4.00	.98	.7		6.0	3	17+	9	4	0	
FLEMINGTON 1 NE		43.8	24.9	34.4	2.1	62	25	5	24	883	0	2	26	0	4.77	2.14	1.53	18	6.6	2	17	10	2	1	
FREEMOLD		44.5	28.2	36.4	3.6	62	25	12	22	822	0	1	20	0	6.03	3.08	1.55	18	2.5	1	17	11	6	1	
HAMMONTON 2 NNE	AM	47.4	28.5	38.0	3.6	62	29	12	22+	778	0	3	23	0	5.29	2.23	1.00	3+					9	5	
HIGHTSTOWN 1 N		44.2	28.3	36.3	3.6	61	25	14	22	826	0	1	21	0	4.62	2.03	1.24	18	1.7	1	17	9	4	1	
INDIAN MILLS 2 W		45.3	27.1	36.2	2.4	62	25	7	24	828	0	1	19	0	4.88	1.96	1.29	18	1.3	T	17+	9	4	1	
JERSEY CITY		40.7	29.9	35.3	2.6	58	25	15	22	857	0	5	17	0	3.49	.73	.95	6				12	1	0	
LAKEWOOD 2 ENE		45.0	26.1	35.6	2.2	63	25	8	24	847	0	1	22	0	6.52	3.42	1.55	18	2.0	2	17	13	5	1	
LAMBERTVILLE		44.0	27.1	35.6	3.3	60	25	13	22+	844	0	1	22	0	4.77	2.18	1.13	18	1.0	1	17	11	4	1	
LAYTON 3 NW		40.3	20.9	30.6	4.2	54	26	5	4+	991	0	5	27	0	4.83	2.55	.95	18	7.1	3	4	10	3	0	
LEESBURG STATE FARM	AM	47.3	29.7	38.5		58	16	14	24	759	0	0	21	0	3.84	.85	.7		T	0		9	3	0	
LITTLE FALLS WATER CO	AM	43.9	26.7	35.3	3.8	60	26	13	22	856	0	1	24	0	4.41	1.48	1.06	18	4.5	2	17+	9	2	2	
LONG BRANCH		43.0	29.1	36.1	3.2	64	25	14	22	832	0	1	19	0	6.71	3.34	1.50	18	2.2	2	17	12	4	2	
LONG VALLEY		41.5	23.8	32.7		56	25	10	22+	933	0	2	28	0	4.38	1.52	1.06	18	7.5			10	4	1	
MILLVILLE CAA AIRPORT		46.6	28.4	37.5		61	25	13	24	791	0	0	21	0	4.13		.87	6	T			8	5	0	
MOORESTOWN		44.3	29.0	36.7	3.5	61	25	15	24	812	0	2	20	0	5.27	2.70			1.1	1	17				
MORRIS PLAINS		43.0	25.1	34.1		58	25	12	22+	889	0	1	25	0	4.72		1.22	18	5.8			12	3	1	
NEWARK WB AIRPORT	R	43.0	29.0	36.0	4.3	61	25	14	22	833	0	2	19	0	4.47	1.26	1.23	18	2.4	1	17	10	3	1	
NEW BRUNSWICK EXP STA		45.0	28.4	36.7	4.1	61	25+	13	22	812	0	1	19	0	5.09	2.49	1.25	18	1.5	1	17	11	4	1	
NEWTON	AM	39.7	22.0	30.9	2.8	56	26	9	24	986	0	3	27	0	4.21	1.70	.93	7	7.0	4	28	11	3	0	
PATERSON	AM	43.3	27.3	35.3	3.3	60	26	12	22	852	0	2	22	0	6.36	3.46	1.88	7	3.0	1	17+	9	4	2	
PEMBERTON 3 E		46.9	26.1	36.5	2.3	62	25	11	24	817	0	0	26	0	5.79	3.17	1.49	18	1.5	1	17	10	5	1	
PHILLIPSBURG		45.0	28.9	37.0	6.1	60	25	13	22	807	0	0	18	0	5.85	2.85	1.29	18	6.7	2	2+	13	6	1	
PLAINFIELD		43.4	27.7	35.6	3.2	60	25	13	22	848	0	1	24	0	5.16	2.32	1.28	18	3.8	2	17	12	4	1	
PLEASANTVILLE 1 N	AM	46.9	25.5	36.2	2.4	60	16	9	24	825	0	1	23	0	3.84	.59	.75	7	2.7	3	17	8	4	0	
RIDGEFIELD		43.2	27.7	35.5	4.2	58	25	14	22	844	0	2	21	0	4.09	1.20	.78	6	6.0	3	28	10	3	0	
RUNYON		45.4	25.3	35.4	4.4	62	25	9	1+	850	0	0	26	0	5.32	2.45	1.27	18				12	5	1	
SANJOY HOOK		42.4	31.5	37.0	4.0	60	25	14	22	809	0	2	13	0	5.56	3.06	1.39	18	1.7	2	17	10	4	1	
SOMERVILLE		42.8	26.6	34.7	2.8	60	25	12	24	872	0	2	24	0	4.76	2.12	1.20	18	3.1	1	17	10	6	8	
SUSSEX 3 N		39.8	24.1	32.0	2.9	57	25	10	22	953	0	4	27	0	3.65	.91	.67	18	5	28	10	2	0	0	
TRENTON 2		43.9	28.3	36.1		60	25	13	22	832	0	1	21	0	5.23	2.37	1.22	18	.3	T	17+	11	2	0	
TRENTON WB CITY	R	43.3	30.7	37.0	4.3	61	25	15	22	806	0	2	16	0	4.81	2.06	1.14	18	2.0	1	17	8	7	0	
TUCKERTON 2 SW	AM																								
WOODSTOWN 2 NW	AM																								
AVERAGE				35.5											4.96				3.1						

DAILY PRECIPITATION

NEW JERSEY
FEBRUARY 1956

Table 3

Station	Total	Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY W8	R 3.58	.58	.01	.62	.67	.14	T				.33	T		T	.01		.31	.53		T	T	T		.15	.17		T	.06	T			
AUGUBON	4.96	.84		.42	.76		T				.33		.06	T	.12		.60	1.06							.12	.50	T	.20				
BASS RIVER ST FOREST	4.36	.63	.37	.32	T	.34	.58			.04	.45	.07			.12		.48	.58		T	T	T			.15	.17		T	.06	T		
BELLEPLAIN	4.52	.93		.54	.50	.40				.05	.47						.40	.40							.40	.30			.13			
BELMAR	1.45	.02		.08	.15						.50						.06	.14							.22	.14		.02	.10			
BELVIOERE	5.32	.84		.26	.43	1.06					.25	.13			.12		.20	1.07					.01	T	.39	T		.56				
BERLIN 1 W	5.36	T	.80		.50		.85					.82					T	1.62		.42						.30		.25	T			
BOONTON	4.34	.07	.63		.23	1.02						.40					.08	.11	.51	.43		T			.32	.21		.33	T			
BRANCHVILLE	RECORO MISSING																															
BURLINGTON	5.43	.92		.45	1.0	.62	.31				.30	.60			.10		.16	1.17							T	.30		.36	.04			
CANISTEAR RESERVOIR	4.08	.07	.54	T	.26	.95				.03	.27						.12	.07	.58	.42	T				.23	.18		.35	.01			
CANOE BROOK	5.26	.02	.90		.24	1.06					.17						.06	.14	1.60						.36	.26		.45				
CANTON	3.60	.29	.49		.37	.75				.01	.10	.33			.11	.02	.12	.66							.20	.06		.09	T			
CAPE MAY 3 W	3.21	.18	.54	.56	.04		.64				.29	.02			.02	.01	.12	.28		.15	.07	T			.25	.16		.03				
CEDAR GROVE	4.21		.35		.40		1.12											.16		1.15		.05			.25	.19		.54				
CHARLOTTEBURG	4.44	.06	.64			1.33	.01				.39				T	.07	.12	.72	.36	T	T				.29			.41	.02			
CHATHAM	4.83	T	.64		.27	1.10					.21				T	.06	.20	.65	.45						.38	.35		.49	.03			
CHATSWORTH 5 S	RECORO MISSING																															
CLAYTON	8.69	1.24	T	1.23	.94	.34					.18	.72	T	T	T	T	.15	1.82							T	1.91	T		.16	T		
CLINTON	5.19	.68	T	.18	.06	.40	.65				.13	.08				.12	T	.21	1.20						.93			.55				
DEEPWATER	1.64	.27		.13	.13						.11					.09	.62					T			.10	.19						
ELIZABETH	6.65	.01	.55	.04	.10	1.25	.38	.82			.18	.10			.09		.25	1.68							.23	.20		.39				
ELIZABETHPORT	4.84	.62		.15	.10	.92	.12				.24	.02			.09		.26	1.29							.20			.38	.18		.70	
ESSEX FELS SERV BLOC	4.00		.55		.24	.98						.50					.22	.62		T	T				.38		.12		.39			
FLEMINGTON 1 NE	4.77	.77	T	.22	.02	.49	.45	T		.01	1.0	.02			.10		.12	1.53				T	T		.46			.48	T			
FREEHOLD	6.03	.84		.48	.45	.52					.60	.10			T	.10	.20	1.55		.01					.58			.60				
GREENWOOD LAKE	4.36	.01	.05	.65	.25	1.04	T				.08	.05	.40			.08	.05	.40	.70	.01	.01				.22	.15		.41	.05			
HAMMONTON 2 NNE	5.29	.09	1.00		.53	.90					.02	.32	1.00			.15	.24			.15		T	T	T	T	.34	.05		.19			
HIGHTSTOWN 1 N	4.62	.77	.03	.29	T	.55	.33			T	.23	.03			.09	.15	1.24			T	T	T	T	T	.40		.51	T				
INDIAN MILLS 2 W	4.88	.80	T	T	.56	.30	T			T	.62	.06			T	.23	.27	1.29			T	T	T	T	.38		.37	T				
IRVINGTON	4.98	.08		.80	.05	1.08	.12				.20				.09		.12	1.33		.02					.22	.35		.08	.44			
JERSEY CITY	3.49	.35		.30	.95	.16					.27	.07			.10		.15	.20		.03					.11	.30		.37	.13			
LAKEWOOD 2 ENE	6.52	.73		.46	.03	.99	.16				.14				T	.14	.35	1.55		.01	T	T	T	T	.15	.11	.13	.15				
LAMBERTVILLE	4.77	.74		.22	.19	.50	.42				.16	.07			T	.12	.01	.19	1.13						T	.42						
LAYTON 3 NW	4.83	.49		.33	.05	.74	.36				.29	T				.20	.17	.95		.05					.30	T		.90				
LEESBORN STATE FARM	3.84	.15	.66	.03	.66	.85					.14	.33			.02	.06	.14	.55	.05	T	T	T	T	T	.27	.06		.07				
LITTLE FALLS WATER CO	4.41	.07	.42		.19	T	1.01				.38				T	.07	.13	1.06	.07	.01	T				.32	.21		.47				
LONG BRANCH	6.71	.79		.48	.01	1.03	.13	T			.92	.05			T	.10	.33	1.50		.02	T				.15	.38		.33	.49			
LONG VALLEY	0.438	.57		.24	.65	.32					.25	.06			.10		.025	1.06							.50			.38				
MACOPIN INTAKE	4.39	.14	.52		.27	1.08					.43				T	.05	.12	1.02	.04	.01	T				.34	.04		.33				
MANVILLE	5.62	.67	.11	.24	.84	.17								T	.10			.24	.23						.14	.31		.06	.75			
MARLTON 1 W	5.47	.81	.06	.43	.07	.53	.36			T	.41	.09		.01	.15		.40	1.22							T	.56			.37			
MAYS LANDING	4.11	.70	.11	.33	.10	.80	.15			.01	.40	.07			.02		.25	.68							.40	T	.10					
MIDLAND PARK	4.40	.63	.02	.18	.01	1.01					.06					.06	.06	1.17		.01					.49			.35				
MILLVILLE	3.74	.64	.01	.46	.69	.06					.64	.41			.07		.28	.56				T			.21	.04		.02	.06			
MILLVILLE CAA AIRPORT	4.13	.70	.01	.52	T	.87	.02			.08	.81		T		.06		.18	.57							.15	.10		.01	.05			
MILTON	4.80	.78		.06	.18	.98				.03	.10	.25				.15	.30	.16		.91						.32	.15		.43			
MOORESTOWN	5.27	.09	.72		.41	.91					.40					T	.14	.22		1.44		T				.42	.36		.37		.01	
MORRIS PLAINS	4.72	.61		.12	.14	.20	.80			T	.23	.11			.06		.10	1.22			T	T	T	T	T	.42	.18		.44			
NEWARK W8 AIRPORT	4.47	.57		.24	T	.90	.13	T		T	.15	T			.09		.20	1.23			T	T	T	T	.20	.28	T	.07	.41			
NEW BRUNSWICK EXP STA	5.09	.70		.32	.05	.45	.62	T			.30	.15			.15		.20	1.25			T	T			T	.30		.60				
NEW MILFORD	4.34	.60		.16	.04	.82	.14				.26	.08			.10		.08	1.16							.14	.38		.38				
NEWTON	4.21	.15	.54		.25	.93						.30				.13	.07	.80		.16		T			.28	.13		.45	.02			
OAK RIDGE RESERVOIR	4.44	.06	.68		.26	1.00					.35					.13	.07	.79	.23	.01	.02				.24	.10		.50				
ORANGE	4.64	.39		.39		1.16					.22				.07		.13	.35		.05					.39			.62				
PATERSON	6.36	T	.68		.18	1.88				T					T	.58	.25	1.70	.03	T					.40	.23		.30	.08			
PEMBERTON 3 E	5.79	.69	.05	.45	.09	.57	.34				.61	.09			.16		.28	1.49							.53			.44				
PHILLIPSBURG	5.																															

DAILY TEMPERATURES

NEW JERSEY
FEBRUARY 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX	36	45	43	38	51	45	49	52	49	55	41	50	47	45	53	44	40	52	43	44	37	33	36	43	55	51	47	52	36		45.2	
	MIN	25	35	33	33	35	31	38	35	38	35	37	40	38	34	41	30	34	40	34	33	25	15	22	24	42	38	42	30	26		33.2	
AUDUBON	MAX	39	42	43	34	47	41	47	54	50	56	45	50	47	54	52	43	35	50	47	47	37	32	36	42	63	50	48	49	36		45.7	
	MIN	25	29	31	27	32	27	34	29	33	35	36	39	31	26	38	28	28	33	34	33	25	16	22	18	32	35	37	29	24		29.9	
BELLEPLAIN	MAX																																
	MIN																																
BELVIDERE	MAX	38	34	39	31	38	37	45	49	46	48	42	47	43	47	45	43	35	42	47	45	36	33	35	35	57	46	51	46	35		41.9	
	MIN	16	26	29	17	26	23	33	25	29	31	31	37	26	23	29	32		26	29	38	22	12	19	14	30	30	30	28	19		26.1	
BOONTON	MAX	36	38	38	38	39	43	37	44	47	47	48	40	45	43	44	45	39	34	43	47	43	34	29	33	38	51	43	51	35		41.1	
	MIN	14	15	28	17	21	21	24	28	30	32	32	36	25	23	24	26	22	22	31	27	23	13	15	16	19	32	32	32	21		24.2	
BURLINGTON	MAX	38	46	41	37	46	42	47	55	51	55	46	49	47	54	52	47	39	49	48	46	40	33	37	40	62	49	58	54	35		46.3	
	MIN	22	28	33	26	30	25	35	29	31	32	34	37	29	25	25	26	26	31	29	35	24	14	20	14		33	34	34	28		28.2	
CANDE BROOK	MAX	36	39	38	42	39	44	39	45	50	47	49	41	47	43	46	44	41	40	45	48	45	32	30	33	45	59	48	52	36		42.8	
	MIN	11	17	31	16	22	21	24	24	22	28	31	36	22	18	27	25	22	25	23	26	23	13	17	12	22	31	26	32	20		23.1	
CAPE MAY 3 W	MAX	39	47	43	42	43		48	49	50	48	47	46	45	45	53	49	41	53	50	44	45	36	35	39	58	58	49	49	41		46.1	
	MIN	28	29	36	33	34		31	32	38	33	37	38	29	29	40	30	34	37	36	37	32	22	26	21	32	36	40	36	29		32.7	
CHARLOTTEBURG	MAX	34	35	39	37	36	40	35	41	49	48	45	39	45	43	43	44	37	32	40	45	42	32	26	30	42	55	42	55	28		40.0	
	MIN	15	15	25	19	13	16	16	27	30	30	30	34	31	16	17	23	20	20	29	24	20	10	10	13	14	27	33	31	16		21.5	
CHATSWORTH 5 S	MAX																																
	MIN																																
CLAYTON	MAX	34	45	38	35	45	40	47	53	51	55	44	47	46	52	54	49	40	50	49	43	40	33	35	39	61	49	57	49	37		45.4	
	MIN	21	28	28	31	31	33	34	33	38	37	37	35	32	27	37	29	30	33	31	35	22	17	21	17	33	37	34	34	33		30.6	
ELIZABETH	MAX	41	40	40	35	47	40	48	54	55	52	48	50	46	49	45	44	39	42	49	45	43	33	33	39	61	60	54	45	38		45.3	
	MIN	17	30	33	24	30	25	35	22	35	34	38	38	27	23	37	26	27	30	30	31	24	14	19	16	31	32	34	32	21		28.1	
ESSEX FELS SERV BLDG	MAX	34	35	37	34	33	44	39	45	50	45	44	48	43	45	48	45	42	34	41	44	45	34	30	32	58	58	45	51	35		41.2	
	MIN	14	14	28	25	22	22	25	26	27	33	33	34	24	29	28	32	22	24	33	28	21	11	13	14	15	24	34	31	15		24.2	
FLEMINGTON 1 NE	MAX	38	35	39	30	43	40	45	54	53	51	44	49	44	51	44	45	39	45	48	45	40	31	34	39	62	52	51	44	35		43.8	
	MIN	15	27	32	22	22	20	33	25	25	29	31	33	24	19	34	23	24	27	31	30	23	10	16	5	30	29	32	32	19		24.9	
FREEHOLD	MAX	37	46	39	36	44	36	47	52	46	51	46	49	45	52	50	45	38	43	47	44	39	28	33	40	62	56	58	50	35		44.5	
	MIN	19	27	33	25	31	26	35	29	33	33	35	38	30	26	36	25	25	32	30	34	22	12	18	15	31	32	35	31	21		28.2	
HAMMONTON 2 NNE	MAX	31	40	47	45	49	47	45	45	45	50	57	50	49	47	52	55	44	44	51	48	50	32	35	32	51	61	50	60	62		47.4	
	MIN	20	23	36	28	31	26	29	30	32	30	25	40	32	27	30	28	28	30	30	37	24	12	19	12	22	44	38	40	23		28.5	
HIGHTSTOWN 1 N	MAX	36	43	38	34	44	37	45	50	46	53	47	47	45	51	47	45	36	44	45	35	39	30	35	40	61	58	55	51	34		44.2	
	MIN	20	28	34	24	28	24	35	29	32	32	36	38	30	26	36	26	25	30	30	33	24	14	19	16	31	33	33	32	23		28.3	
INDIAN MILLS 2 W	MAX	39	46	39	36	46	39	46	53	51	54	44	47	47	53	55	47	34	48	48	45	40	31	34	39	62	50	58	50	34		45.3	
	MIN	14	26	33	25	31	21	34	26	30	29	34	39	27	20	33	26	28	33	29	35	18	13	18	7	32	38	36	33	22		27.1	
JERSEY CITY	MAX	36	42	38	30	44	39	44	50	46	43	40	48	45	45	48	40	30	42	44	43	29	31	32	33	58	43	49	40	33		40.7	
	MIN	24	30	28	26	32	32	36	36	37	37	36	38	34	30	38	31	24	32	36	29	17	15	20	20	34	33	39	22	22		29.9	
LAKEWOOD 2 ENE	MAX	38	47	39	36	46	45	43	53	48	53	42	50	47	52	53	41	35	46	48	42	35	32	35	43	63	51	56	49	36		45.0	
	MIN	15	27	26	25	28	21	33	24	29	33	32	36	27	20	32	26	26	35	30	29	20	13	19	8	36	34	38	21	12		26.1	
LAMBERTVILLE	MAX	37	37	38	34	43	37	46	53	49	52	45	50	45	50	46	44	37	47	47	46	38	31	36	38	60	50	55	49	36		44.0	
	MIN	16	28	33	22	30	22	35	26	29	30	34	37	26	22	35	26	26	29	30	35	22	13	20	13	30	33	30	32	23		27.1	
LAYTON 3 NW	MAX	37	35	37	30	41	38	40	51	47	45	40	47	41	40	43	35	31	39	42	43	37	29	30	38	51	54	50	46	32		40.3	
	MIN	8	15	26	5	18	10	30	22	25	31	30	33	27	12	35	19	25	20	27	22	17	8	15	5	30	20	29	30	11		20.9	
LEESBURG STATE FARM	MAX	40	40	45	40	40	49	49	50	51	52	56	45	49	46	49	58	46	44	56	47	45	38	35	35	50	57	50	55	55		47.3	
	MIN	20	25	32	31	33	21	31	28	32	31	28	32	30	23	37	28	31	31	34	38	25	19	22	14	30	32	40	44	24			

DAILY TEMPERATURES

NEW JERSEY
FEBRUARY 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SANDY HOOK	MAX MIN	37 25	42 33	42 34	41 28	45 33	38 32	45 36	50 40	50 40	54 41	42 37	47 38	44 36	43 34	44 37	42 28	38 24	42 26	46 34	43 36	38 24	26 14	34 22	30 23	60 30	45 35	48 38	38 30	35 25		42.4 31.5	
SOMERVILLE	MAX MIN	37 13	37 29	39 30	31 21	44 29	36 21	47 35	51 24	47 39	51 32	45 34	48 38	44 24	50 20	44 36	43 26	35 24	44 29	47 29	45 31	35 23	31 13	34 19	38 12	60 30	48 32	52 29	44 30	35 20		42.8 26.6	
SUSSEX 3 N	MAX MIN	34 18	34 25	39 29	30 12	41 22	34 17	40 30	47 30	42 30	44 32	40 32	46 33	41 30	42 23	43 37	41 24	33 19	39 22	44 30	41 27	35 20	27 10	30 16	37 11	57 28	49 27	49 27	42 24	32 13		39.8 24.1	
TRENTON 2	MAX MIN	37 21	40 29	39 27	33 25	45 30	41 25	47 34	53 30	50 34	52 34	40 35	50 37	47 31	52 28	48 37	42 26	34 25	45 31	47 30	45 30	35 21	32 13	35 19	40 18	60 36	48 32	56 36	45 25	36 22		43.9 28.3	
TRENTON WB CITY	MAX MIN	37 25	40 31	39 29	33 26	44 32	41 29	47 36	53 33	49 37	51 38	42 37	48 39	45 35	52 32	48 36	40 28	32 26	46 32	45 34	33 19	30 15	35 22	39 23	61 39	47 34	56 39	42 27	35 25		43.3 30.7		
TUCKERTON 2 SW	MAX MIN																																
WOOSTOWN 2 NW	MAX MIN																																

SNOWFALL AND SNOW ON GROUND

Table 7

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	SNOWFALL SN ON GND																	.6 1				T	T T										
BELVIDERE	SNOWFALL SN ON GND		2.0 -		T		T											1.5	T				T					T	1.0				
CHARLOTTEBURG	SNOWFALL SN ON GND		.7 T	1.5 1														1.5 1	.2 1							1.0 T			2.0 2		1		
CLAYTON	SNOWFALL SN ON GND		T		T													.5 T							T T						T		
FLEMINGTON 1 NE	SNOWFALL SN ON GND	T	.8 T		1.0 T		T	T										1.8 2	T			T	T			1.5			1.5	T			
FREEHOLD	SNOWFALL SN ON GND																	2.0 1								.5			T				
HIGHTSTOWN 1 N	SNOWFALL SN ON GND		T		T													1.0 1				T		T	T	.7			T	T			
INDIAN MILLS 2 W	SNOWFALL SN ON GND																	1.3 T				T	T		T T	T			T	T			
LAKEWOOD 2 ENE	SNOWFALL SN ON GND																	1.7 2		T			T	T	T	.3							
LONG VALLEY	SNOWFALL SN ON GND		2.0 -		T													2.5 -								1.0 -			2.0 -				
MILLVILLE CAA AIRPORT	SNOWFALL SN ON GND																	T T							T								
MOORESTOWN	SNOWFALL SN ON GND		T															.8 1	.3				T				T		T	T			
MORRIS PLAINS	SNOWFALL SN ON GND		1.0 -		T	T												2.2 -	T			T	T	T	-	.6 -			2.0 -				
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV		T		T		T											1.9 1				T	T		T	.5			T				
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND		T															1.5 1					T		T				T				
NEWTON	SNOWFALL SN ON GND		2.0 2															1.0 1					T							4.0 4			
PATERSON	SNOWFALL SN ON GND		T	T		T												1.0 1	.5 1							1.0 1			.5 1				
PEMBERTON 3 E	SNOWFALL SN ON GND																	1.5 1															
PLAINFIELD	SNOWFALL SN ON GND		.1		T T		T						T					2.0 2				T	T			1.2 1			.5				
RIDGEFIELD	SNOWFALL SN ON GND		.1		.1 T													2.0 2	1.0 T				T			.3 T			2.5 3	T			
SOMERVILLE	SNOWFALL SN ON GND		1.0															1.4 1								.5			.2				
SUSSEX 3 N	SNOWFALL SN ON GND					-		-										- 2											- 5	4			
TRENTON WB CITY	SNOWFALL SN ON GND		.2 T		T													1.2 1					.1		T	.5			T T				

STATION INDEX

NEW JERSEY
FEBRUARY 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elev. (ft.)	Time of observation			Years of record			Observer	Refer to tables
							Zone	Temp.	Precip.	Temp.	Precip.	Evap.		
ALLENDALE	D100	BERGEN	PASSAIC	41 02	74 08	270	EST		MID				BERGEN COUNTY ENGINEERS	
ATLANTIC CITY WB	D325	ATLANTIC	COASTAL	39 22	74 25	8	EST	MID	MID	82	82		U. S. WEATHER BUREAU	2 3 5 7 C
AUDUBON	0346	CAMDEN	DELAWARE	39 54	75 04	50	EST	11P	11P		6		IRVIN J. NYGREN	2 3 5
BASS RIVER STATE FOREST	0528	BURLINGTON	COASTAL	39 37	74 26	20	EST		6P		9		N. Y. FORESTRY SERVICE	2 3 5
BELLERPLAIN	0690	CAPE MAY	COASTAL	39 16	74 52	49	EST	5P	5P	61	61		MRS. ED. C. HOFFMAN	2 3 5
BELMAR	D721	MONMOUTH	COASTAL	40 10	74 02	19	EST		MID	14	14		CITY WATER DEPT	2 3 5 7
BELVIDERE	0729	WARREN	DELAWARE	40 50	75 05	289	EST	5P	5P	63	63		MISS C. S. HIXSON	2 3 5
BERLIN 1 W	D787	CAMDEN	MULLICA	39 48	74 57	150	EST		7A		14		SAMUEL H. MC CULLEY	3
BOONTON	D907	MORRIS	PASSAIC	40 54	74 24	280	EST	8A	47	65			JERSEY CITY WATER WORKS	2 3 5
BRANCHVILLE	D978	SUSSEX	DELAWARE	41 09	74 47	570	EST		7A				ALBERT M. DAVENPORT	3
BRIDGETON 2 SSE	1028	CUMBERLAND	DELAWARE	39 24	75 13	25	EST	9A	9A	67	72		DR. WOLF'S AGRI LABS	CLOSED 9/55
BURLINGTON	1211	BURLINGTON	DELAWARE	40 04	74 53	12	EST	6P	6P	43	69		PUBLIC SERVICE E & G CO	2 3 5
CANISTEAR RESERVOIR	1327	SUSSEX	PASSAIC	41 07	74 30	1040	EST		8A		15		NEWARK WATER DEPT	3
CANOE BROOK	1335	ESSEX	PASSAIC	40 45	74 21	180	EST	9A	9A	25	25	25	COMMONWEALTH WATER CO	2 3 5 6
CANTON	1343	SALEM	DELAWARE	39 28	75 25	8	EST		9A		9		GERTRUDE S. WILLIS	3
CAPE MAY 3 W	1351	CAPE MAY	COASTAL	38 56	74 57	17	EST	5P	5P	30	67		NORTHWEST MAGNESITE CO	2 3 5 C
CEDAR GROVE	1472	ESSEX	PASSAIC	40 52	74 13	400	EST		8A		15		J. A. PLUNKETT	3
CENTERTON	1512	SALEM	MAURICE	39 31	75 10	80	EST		MID				JOHN HOPKINS UNIVERSITY	2 3 5 C
CHARLOTTEBURG	1582	PASSAIC	PASSAIC	41 03	74 26	760	EST	7A	7A	63	63		NEWARK WATER DEPT	2 3 5 7
CHATHAM	1590	MORRIS	PASSAIC	40 44	74 23	185	EST		8A		51		EDWARD P. MOLITOR	3
CHATSORTH 5 S	1598	BURLINGTON	COASTAL	39 44	74 32	90	EST	5P	5P	15	15		WILLIAM S. HAINES	2 3 5 7
CLAYTON	1708	GLOUCESTER	MAURICE	39 39	75 06	120	EST	6P	6P	42	62		HARRY P. CAMPBELL	2 3 5 7
CLINTON	1749	HUNTERDON	RARITAN	40 38	74 55	300	EST		6P		12		L. W. KLOCKNER	3
DEEPWATER	2209	SALEM	DELAWARE	39 41	75 30	12	EST		MID		15		DU PONT DE NEMOURS CO	3
ELIZABETH	2644	UNION	COASTAL	40 40	74 14	33	EST	5P	5P	76	76		UNION CO PARK COMMISSION	2 3 5
ELIZABETHPORT	2652	UNION	PASSAIC	40 39	74 12	30	EST		MID		16		SEWAGE TREATMENT PLANT	3 C
ESSEX FELLO 5 SERVICE BLDG.	2768	ESSEX	PASSAIC	40 50	74 18	250	EST	8A	8A	7	7		BOROUGH ESSEX FELLO	2 3 5 C
FLEMINGTON 1 NE	3029	HUNTERDON	RARITAN	40 31	74 51	134	EST	5P	5P	58	69		DONALD YOUNG	2 3 5 7
FORTESCUE	3102	CUMBERLAND	DELAWARE	39 14	75 10	5	EST		5P		11		F. A. RODENBAUGH	1NACTIVE 10/55
FREEHOLD	3181	MONMOUTH	RARITAN	40 15	74 17	194	EST	6P	6P	51	51		FRANK J. MOREAU	2 3 5 7 C
GLASSBORO	3291	GLOUCESTER	DELAWARE	39 42	75 07	150	EST		MID				PROF. J. B. SANGREE	3 C
GREENWOOD LAKE	3516	PASSAIC	PASSAIC	41 09	74 20	660	EST		7A		13		WATER SUPPLY COMMISSION	3
HACKENSACK	3572	BERGEN	HACKENSACK	40 53	74 03	10	EST		MID				BERGEN COUNTY ENGINEERS	3
HAMMONTON 2 NNE	3662	ATLANTIC	MULLICA	39 49	74 48	85	EST	8A	8A	23	49		W. HUBBARD PARKHURST	2 3 5 C
HIGHTSTOWN 1 N	3951	MERCER	RARITAN	40 16	74 31	100	EST	8P	8P	59	62		JAMES R. PICKERING	2 3 5 7
HIGHTSTOWN PUMPING STATION	3956	MERCER	RARITAN	40 17	74 32	75	EST		MID				DEPT WATER AND SEWAGE	3 C
INDIAN MILLS 2 W	4229	BURLINGTON	MULLICA	39 48	74 47	100	EST	7P	7P	65	66		EDWARD ENTWISTLE	2 3 5 7
IRVINGTON	4260	ESSEX	COASTAL	40 43	74 15	120	EST		MID		16		JOINT MEETING GARAGE	3 C
JERSEY CITY	4339	HUDSON	COASTAL	40 44	74 04	135	EST	MID	MID	57	57		JERSEY CITY WATER DEPT	2 3 5
LAKEWOOD 2 ENE	4627	OCEAN	COASTAL	40 06	74 11	54	EST	MID	MID	51	51		GEORGE G. WOODILL	2 3 5 7 C
LAMBERTVILLE	4635	HUNTERDON	DELAWARE	40 22	74 57	75	EST	6P	6P	68	68		E. E. CASE	2 3 5
LAYTON 3 NW	4735	SUSSEX	DELAWARE	41 15	74 51	480	EST	6P	6P	54	54		A. M. DEPU	2 3 5
LEESBURG STATE FARM	4762	CUMBERLAND	MAURICE	39 14	74 58	10	EST	8A	8A	5	5		CHARLES L. CALDWELL	2 3 5
LITTLE FALLS WATER CO	4887	PASSAIC	PASSAIC	40 53	74 14	157	EST	9A	9A	41	52		PASSAIC VALLEY WATER CO	2 3 5 C
LONG BRANCH	4987	MONMOUTH	COASTAL	40 18	74 00	34	EST	MID	MID	47	47		STORM WARNING DISPLAY STA	2 3 5 C
LONG VALLEY	5003	MORRIS	RARITAN	40 48	74 46	660	EST		6P	25	25		ARTHUR BARKMAN	2 3 5 7
LUMBERTON	5055	BURLINGTON	DELAWARE	39 58	74 48	25	EST		MID				JAMES LAWTON	3 C
MACOPIN INTAKE	5071	PASSAIC	PASSAIC	41 01	74 24	1020	EST		9A		15		NEWARK WATER DEPT	3
MANVILLE	5197	SOMERSET	RARITAN	40 33	74 34	50	EST		MID		15		JOHN L. RADCLIFFE	3
MARLBORO 5C5	5244	MONMOUTH	COASTAL	40 20	74 14	120	EST		MID				GEROW BRILL	3 C
MARLTON 1 W	5252	BURLINGTON	DELAWARE	39 54	74 57	90	EST		6P		14		DAVID GRISCOM	3
MAYS LANDING	5346	ATLANTIC	GREAT EGG HARBOR	39 27	74 44	50	EST		SP		11		ELMER EARLE	3
MIDLAND PARK	5503	BERGEN	PASSAIC	40 59	74 09	210	EST		MID		9		CORNELIUS HOWARD	3
MILLVILLE	5576	CUMBERLAND	MAURICE	39 24	75 03	60	EST		MID		15		L. J. GALLAHAN	3 C
MILLVILLE CAA AIRPORT	5581	CUMBERLAND	MAURICE	39 22	75 04	68	EST	MID	MID	9	9		CIVIL AERO. ADM.	2 3 5 7
MILTON	5597	MORRIS	PASSAIC	41 01	74 32	950	EST		7A		15		JERSEY CITY WATER WORKS	3
MOORESTOWN	5728	BURLINGTON	DELAWARE	39 58	74 58	55	EST	MID	8A	92	92		H. J. WILLARD	2 3 5 7
MORRIS PLAINS	5769	MORRIS	PASSAIC	40 50	74 30	500	EST	4P	4P	10	14		JAMES C. LONG	2 3 5 7
NEWARK WB AIRPORT	6026	ESSEX	COASTAL	40 42	74 10	11	EST	MID	MID	56	101		U. S. WEATHER BUREAU	2 3 5 7 C
NEW BRUNSWICK EXPERIMENT STA	6062	MIDDLESEX	RARITAN	40 28	74 26	80	EST	SP	SP	98	101		ARTHUR H. AHLQUIST	2 3 5 7
NEW MILFORD	6146	BERGEN	HACKENSACK	40 57	74 02	12	EST		MID		37		HACKENSACK WATER CO	3 C
NEWTON	6177	SUSSEX	DELAWARE	41 03	74 45	565	EST	8A	8A	72	72		C. M. WHEELER	2 3 5 7
OAK RIDGE RESERVOIR	6460	PASSAIC	PASSAIC	41 02	74 30	870	EST		8A		15		NEWARK WATER DEPT	3
ORANGE	6560	ESSEX	PASSAIC	40 47	74 14	140	EST		MID		15		COUNTY ENGINEER	3 C
PATERSON	6775	PASSAIC	PASSAIC	40 55	74 09	100	EST	8A	8A	85	84		P. J. DEL VECCHIO	2 3 5 7
PEMBERTON 3 E	6843	BURLINGTON	DELAWARE	39 58	74 38	60	EST	5P	5P	26	26		CHARLES A. DOEHLERT	2 3 5 7
PHILLIPSBURG	6974	WARREN	DELAWARE	40 41	75 12	182	EST	3P	3P	64	72		SEWAGE DISPOSAL PLANT	2 3 5
PHILLIPSBURG BRIDGE	6979	WARREN	DELAWARE	40 42	75 12	196	EST		9A		16		JOINT TOLL BRIDGE COMM	3
PLAINFIELD	7079	UNION	COASTAL	40 36	74 25	120	EST	8P	8P	64	67		S. K. PEARSON	2 3 5 7
PLEASANTVILLE 1 N	7131	ATLANTIC	COASTAL	39 25	74 31	8	EST	8A	8A	32	57	32	ATLANTIC CITY WATER WKS	2 3 5 6
PRINCETON WATER WORKS	7328	MERCER	RARITAN	40 19	74 40	90	EST		MID		7		PRINCETON WATER CO	3
RAHWAY	7393	UNION	RAHWAY	40 36	74 15	20	EST		MID		16		RAHWAY VLY SWG AUTH	3 C
RIDGEFIELD	7545	BERGEN	HACKENSACK	40 50	74 01	80	EST	MID	MID	38	38		GEORGE P. KIRSTEN	2 3 5 7
RINGWOOD	7587	PASSAIC	PASSAIC	41 08	74 16	305	EST		1DA		15		NO JERSEY WATER SUPPLY	3
RUNYON	7825	MIDDLESEX	COASTAL	40 26	74 20	18	EST	6P	6P	31	32	32	N. J. WATER COMMISSION	2 3 5 6
SANDY HOOK	7869	MONMOUTH	COASTAL	40 28	74 01	22	EST	7P	7P	57	57		U. S. COAST GUARD	2 3 5
SOMERVILLE	8194	SOMERSET	RARITAN	40 34	74 37	75	EST	6P	6P	69	72		W. E. HAYES	2 3 5 7
SPLIT ROCK POND	8402	MORRIS	PASSAIC	40 58	74 28	800	EST		1DA		15		JERSEY CITY D P W	3
SPRINGFIELD	8423	UNION	COASTAL	40 43	74 18	-	EST		MID				N. J. DEPT OF CONSERVA.	3 C
SUSSEX 3 N	8644	SUSSEX	HUDSON	41 14	74 35	530	EST	6P	6P	57	60		BRICE B. STANTON	2 3 5 7
SWEDSBORO 5 NW	8685	GLOUCESTER	DELAWARE	39 47	75 24	10	EST		NOON		9		SUN OIL CO	3
TOMS RIVER	8816	OCEAN	COASTAL	39 57	74 14	10	EST		5P		34		ROBERT F. SNYDER	3
TRENTON 2	8878	MERCER	DELAWARE	40 16	74 46	105	EST	MID	MID	25	25		E. H. RISTON	2 3 5
TRENTON WB CITY	8883	MERCER	DELAWARE	40 13	74 46	56	EST	MID	MID	83	83		U. S. WEATHER BUREAU	2 3 5 7 C
TUCKERTON 2 SW	8899	OCEAN	COASTAL	39 35	74 22	45	EST	8A	8A	56	61		VERNON W. MOTT	2 3 5
VINELAND	9135	CUMBERLAND	MAURICE	39 29	75 00	110	EST		8A	61	75		ROBERT JONES	3
WANAQUE RAYMOND DAM	9187	PASSAIC	PASSAIC	41 02	74 18	320	EST		8A		15		WATER SUPPLY COMMISSION	3 C
WATCHUNG	9271	UNION	PASSAIC	40 40	74 25	-	EST		MID				BONNIE BURN SANITARIUM	3 C
WESTFIELD	9455	UNION	RAHWAY	40 39	74 21	135	EST		SP		16		TOWN ENGINEER	3
WOODCLIFF LAKE	9832	BERGEN	HACKENSACK	41 01	74 03	103	EST		MID		36		HACKENSACK WATER CO	3 C
WOOSTOWN 2 NW	9910	SALEM	DELAWARE	39 40	75 20	16	EST	6A	6A	9	19		CHARLES CLARK	2 3 5
NEW STATIONS														
GREAT MEADOWS	3416	WARREN	DELAWARE	40 53	74 55	560	EST		MID				EDWARD KOWALICK	3 C

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 A.M. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

© Data in the column formerly headed No. of Days .01 or more have been changed to No. of Days .10 or more effective January 1, 1954.

Thermometers are generally exposed in a shelter located a few feet above and-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C Data for recorder stations denoted by "C" are processed for special purposes and published in Hourly Precipitation Data. Length of record for recorder-only stations may be found in the Annual Issue of Hourly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

M One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).

T Trace, an amount too small to measure.

V Includes total for previous month.

Additional information regarding the climate of New Jersey may be obtained by writing to any Weather Bureau Office or to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscription should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 4/4/56 --- 775

551.05
UNN J
Cap. 1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

MARCH 1956

Volume LXI No. 3



ASHEVILLE: 1956

THE LIBRARY OF THE
MAY 3, 1956
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Heavy snowfall was the most outstanding feature during March but temperatures were cooler than any March since 1950 and precipitation exceeded the usual expectancy.

Station temperature averages varied from 31.6° at Layton 3 NW to 41.7° at Cape May 3 W. In sharp contrast to last month, all stations having long-term averages showed negative departures. The extreme temperatures ranged from -5° on the 1st at Layton 3 NW to 68° at Lakewood 2 ENE on the 5th and Belleplain on the 7th.

Nearly three-fourths of the stations having long-term precipitation averages showed positive departures. The greatest monthly total of 7.66 inches occurred at Elizabeth, while the least monthly amount was 1.97 inches at Belmar. The greatest daily amount, 2.15 inches, was at Jersey City on the 19th.

This was the third snowiest March since 1895, being slightly exceeded in 1914 and 1916. Four stations received in excess of 30 inches during the month being topped by 32.3 inches at Oak Ridge Reservoir.

Based on available reports the percentage of sunshine was deficient during the month, which reflected the generally greater than usual daytime cloudiness.

WEATHER DETAILS

High pressure and near normal temperatures prevailed as March made its advent. The flow of warm southerly winds in advance of an approaching disturbance caused a quick warm-up on the 2nd and readings through the 11th averaged above normal, however, interspersed into this period was a cool spell on the 8th and 9th. During the remainder of the month pressure patterns that controlled the State's weather resulted in temperatures that averaged well below normal, but during the period there were several warming trends when readings were raised to near normal levels. The most intense cold spell was the 16th to 21st when temperatures generally averaged more than 10° below usual expectancy.

Most of the State's precipitation occurred during the 6th to 19th period, but light amounts also fell on the 2nd, 4th, 24th, and 29th. Other occurrences were not worthy of mention. Heavy snow fell over the State during the period 16th to 19th. The snowfall of the 16th occurred when a low pressure area moved northward from the southeastern section of the country, while another low cell developed in Wisconsin on the 17th and moved southeastward to the Atlantic Coast and then northeastward resulting in snow conditions unequaled in many

years on the 18th and 19th. There was also some scattered thunderstorm activity during the month.

WEATHER EFFECTS

Farm work in New Jersey during March was intermittent, due chiefly to frequent and heavy precipitation. Heavy precipitation and snowfalls during February and March greatly improved the subsoil moisture situation. There was very little plowing or other field work done because of wet soils. Farm activity was confined primarily to routine chores and repairing machinery.

Grains made fair progress during March. The moisture situation was adequate, but cool weather retarded growth. Wheat fields generally looked good, but some damage was caused to low fields by standing water.

DESTRUCTIVE STORMS

On the afternoon of the 2nd, general thunderstorm activity was scattered throughout the State during a thunderstorm-squall line passage. There was little or no damage to persons or property and only slight damage to crops.

On the 7th-8th, scattered thunderstorms associated with a deepening low moving across the State caused slight damage to crops but damage to property was unknown.

On the 16th, snow, sleet, and wind associated with a deepening low pressure system occurred over the State with the greatest damage due to wind and weight of snow on poles, wires, and buildings. There were also innumerable injuries and deaths due to traffic accidents. Winds reached 50-55 mph in exposed places and the coastal areas. Lightning caused some damage in northern regions. No dollar estimate of damages resulting from this storm was given.

On the 18th-19th, snow and wind caused extensive damage over the State. The greatest snowfall in many years occurred with over 18 inches at Newark. Schools were closed and business was at a virtual standstill for several days. There were many injuries and some deaths as a result of traffic accidents. Wires and poles, as well as some trees, were down with weight of snow. Winds reached 40-48 mph in gusts in exposed areas drifting snow over 6 feet. No dollar estimate of damages was given, but crops were reported to be damaged slightly, while property damage to buildings, wires, and poles was extensive.

FLOODS

There were no reports received of flooding in New Jersey during the month.

Franklin W. Long

SUPPLEMENTAL DATA

NEW JERSEY
MARCH 1956

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation						Percent of possible sunshine	Average sky cover at sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total	
ATLANTIC CITY WB	-	-	16.5	57	NE	19	-	-	-	-	3	4	6	2	1	0	16	46
LONG BRANCH	NW	16	16.2	61	E	16	-	75	65	63	3	7	4	3	1	0	18	54
NEWARK WB AIRPORT	NNE	12	12.0	36*	NNE	16	70	71	59	62	2	5	4	3	3	0	17	-
TRENTON WB CITY	-	-	11.2	34	N	16	-	-	-	-	2	5	5	3	1	0	16	51

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

CLIMATOLOGICAL DATA

TABLE 2

Station		Temperature													Precipitation												
		Average Maximum	Average Minimum	Average	Departure from Long- Term Mean	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure from Long- Term Mean	Greatest Day	Date	Snow, Sleet			No. of Days					
											Max.		Min.						Total	Max. Depth on Ground	Date	10 or More	50 or More	100 or More			
											90° or Above	32° or Below	32° or Below	0° or Below													
ATLANTIC CITY W8	R	45.8	34.1	40.0	- 1.5	55	23	23	25	768	0	0	12	0	4.40	.87	1.09	14	10.2	5	20	9	3	1			
AUDUBON		47.7	30.7	39.2		66	5	21	20+	792	0	2	17	0	3.69		1.45	14	12.0	10	19	9	1	1			
BELLEPLAIN		51.7	28.7	40.2		68	7	15	25	758	0	0	21	0	5.19	.88	1.20	14	10.5			12	4	1			
BELVIOERE		46.9	27.0	37.0	- 2.7	64	5	12	18+	861	0	1	23	0	4.18	.06	1.00	19	15.5			10	3	1			
BOONTON	AM	42.1	25.7	33.9	- 3.8	60	6	12	18	956	0	3	25	0	3.69	.32	.89	19				7	3	0			
BRIDGETON 1 NE	AM																										
BURLINGTON		46.9	28.8	37.9	- 4.8	60	11	11	22	832	0	1	21	0	3.93	.58	1.37	14				7	3	1			
CANOE BROOK	AM	44.2	24.8	34.5	- 3.4	63	6	10	20	938	0	3	23	0	6.30	1.94			25.5								
CAPE MAY 3 W		48.7	34.6	41.7		65	3	22	1	716	0	0	10	0	4.47		.93	16				10	4	0			
CHARLOTTEBURG	AM	41.0	22.5	31.8	- 5.5	60	6	3	1	1022	0	6	28	0	4.24	.35	.84	19	29.5	24	20	9	3	0			
CHATSWORTH 5 S		50.4M	28.7M	39.6M		66	5	15	20+	781	0	1	22	0	5.32		1.30	14	15.8			10	4	2			
CLAYTON		49.0	30.4	39.7		66	5	17	20	777	0	1	18	0	7.56		2.10	14	13.4	8	19	13	8	1			
ELIZABETH		46.7	26.5M	36.6M	- 4.8	65	5	11	20	884	0	2	24	0	7.66	3.19	1.28	16	25.0	21	19	13	4	4			
ESSEX FIELDS SERV BLDG	AM	44.0	26.9	35.5		64	6	13	1	908	0	0	27	0	5.20		1.78	19				9	4	1			
FLEMINGTON 1 NE		46.0	24.0	35.0	- 5.8	67	5	- 3	21	921	0	2	24	1	4.63	.50	1.17	14	30.5	22	19	11	2	2			
FREEHOLD		46.5	28.0	37.3	- 3.1	65	5	11	20	853	0	2	21	0	4.26	.06	1.18	14	14.8	12	19		1	1			
HAMMONTON 2 NNE	AM	48.8	30.2	39.5	- 2.9	67	6	15	20	782	0	2	19	0	4.45	.15	.70	15			11	5	0	0			
HIGHTSTOWN 1 N		45.9	28.3	37.1	- 3.6	63	5	12	20	857	0	2	21	0	4.16	.26	1.33	14	13.5	11	19	9	2	1			
INDIAN MILLS 2 W		47.7	27.7	37.7	- 3.6	67	5	10	21	837	0	2	21	0	4.88	.64	1.20	14	15.0	10	19	10	4	1			
JERSEY CITY		43.2	29.8	36.5	- 3.8	62	5	18	25	876	0	2	18	0	6.62	2.62	2.15	19			9	4	2				
LAKEWOOD 2 ENE		46.0	26.9	36.5	- 4.3	68	5	12	1	877	0	2	21	0	4.25	.02	1.00	14	14.4	14	19	11	3	1			
LAMBERTVILLE		46.4	27.3	36.9	- 3.3	65	5	7	21	865	0	2	22	0	5.49	1.38	1.38	14	22.0	20	19	10	4	1			
LAYTON 3 NW		43.5	19.7	31.6	- 4.7	60	5	- 5	1	1028	0	4	28	1	4.06	.58	.99	14	23.7	15	19	9	4	0			
LEESBURG STATE FARM	AM	47.9	30.5	39.2		65	6	17	1	791	0	1	19	0	4.54		.81	19	11.0	11	19	12	5	0			
LITTLE FALLS WATER CO	AM	44.9	27.9	36.4	- 3.3	65	6	13	18	879	0	1	22	0	4.30	.10	.89	19	22.6	20	20	9	4	0			
LONG BRANCH		44.6	29.4	37.0	- 3.2	66	5	19	1+	859	0	2	22	0	4.73	.44	1.04	14	16.3	13	19	8	4	1			
LONG VALLEY		44.2	23.5	33.9		62	5	5	18+	960	0	2	27	0	6.08	1.73	1.40	19	26.5					1			
MILLVILLE CAA AIRPORT		49.0	28.7	38.9		67	5	14	1	803	0	2	24	0	4.84		1.28	14	11.2	7	20	10	4	1			
MOORESTOWN		45.4	29.8	37.6	- 3.5	64	5	19	20+	844	0	3	20	0	4.69	.82			11.5	9	20			0			
MORRIS PLAINS		45.7	25.1	35.4		63	5	8	21	910	0	2	26	0	4.00		.95	14	30.7			7	3	0			
NEWARK WB AIRPORT	R	44.6	29.1	36.9	- 3.6	65	5	18	17+	864	0	2	20	0	6.29	2.51	1.27	19	26.0	18	19	10	6	3			
NEW BRUNSWICK EXP STA		46.8	28.4	37.6	- 3.0	64	5	15	21	843	0	2	21	0	3.31	.55	.92	8	18.9	15	19	9	1	0			
NEWTON	AM	41.3	23.3	32.3	- 4.6	61	6	1	21	1005	0	5	26	0	3.40	.18	.63	17	24.0	17	20	9	2	0			
PATERSON	AM	44.2	28.6	36.4	- 3.5	63	6	17	18+	881	0	2	20	0	5.32	.86	1.40	19	29.1	22	19	10	4	2			
PEMBERTON 3 E		49.0	27.9	38.5	- 3.8	67	5	12	20	814	0	1	21	0	4.92	1.19	1.15	14	12.4	9	19	10	3	1			
PHILLIPSBURG		48.0	28.0	38.0	- 1.3	65	5+	13	18	831	0	0	23	0	5.69	1.45	1.43	19	15.5	14	19	11	4	1			
PLAINFIELD		46.1	26.9	36.5	- 3.7	65	5	11	20	877	0	2	24	0	6.05	1.76	1.21	19	22.5	17	19	12	4	3			
PLEASANTVILLE 1 N	AM	47.3	28.4	37.9	- 2.9	65	6	13	1	837	0	1	22	0	5.32	1.06	.96	19	10.5	10	20	11	5	0			
RIDGEFIELD		44.9	27.6	36.3	- 3.4	63	5	16	18	883	0	1	24	0	6.05	1.54	1.20	16	24.2	16	19	11	4	3			
RUNYON		46.3	25.2	35.8	- 3.5	65	5	7	20	898	0	2	24	0	6.05	1.80	1.43	19	23.0								
SANDY HOOK		43.4	32.6	38.0	- 2.0	60	5	19	25	829	0	2	14	0	3.81	.18	.87	14	11.5	8	19	10	3	0			
SOMERVILLE		46.5	26.1	36.3	- 3.7	65	5	5	20	882	0	2	22	0	4.62	.54	1.24	14	23.7	21	19	8	4	2			
SUSSEX 3 N		41.8	22.9	32.4	- 5.5	58	5	4	1+	1003	0	3	27	0	2.31	1.32	.82	14		20	19	8	1	0			
TRENTON 2		46.1	28.6	37.4		65	5	18	17+	849	0	2	20	0	6.77	2.36	1.59	14	22.2	15	19	12	6	2			
TRENTON WB CITY	R	45.1	30.9	38.0	- 3.3	64	5	20	17	832	0	3	16	0	5.54	2.34	1.56	14	18.8	12	19+	9	4	1			
TUCKERTON 2 SW	AM																										
WOODSTOWN 2 NW	AM																										
STATE				36.9											4.94				19.0								

DAILY PRECIPITATION

NEW JERSEY
MARCH 1956

Table 3

Station	Total	Day of month																																			
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
ATLANTIC CITY WB	4.40	.14			.05	T			T	.30			.02	.03	.37	1.00		.74		.70	.41				.18		T				.36	.01					
AUDUBON	3.60	.14							T	.35			T	T	.28	1.45		.33		.32	.35											.27					
BASS RIVER ST FOREST	4.02	.11	.10		.04	T							T	T	.60	.95		1.12	.16	.62	T											.20					
BELLEPLAIN	5.10	.50			.18					.50					.41	1.20		.60	.20	D .45												.20					
BELMAR	1.07	.14			.02					.09	.08			.12		.06	.04	.08		.10	.06	.00										.32					
BELVIDERE	4.18	.07					.15	.15	.63				.13	.01	.00	.92		.12	.41	.02	1.00											.13					
BERLIN 1 W	5.59				.10				.30	.62	T	1.30			.32	.62	.50	T	.40		1.16											.15					
BOONTON	3.60		T	.04					T	.07	.33	.31		T	.07	.05	.41	.52		.58		.80	.07								.05	T					
BRANCHVILLE	3.47				.04				.10	.17	.30				.23	.05	.35	.40		.62		.64									T	.10					
BRIDGETON 1 NE																																					
BURLINGTON	3.93	.18			.07		.19	.03	.70				.02		.16	1.37		.61	.00	.07	.05	.05	.02									.06	.01				
CANISTEAR RESERVOIR	4.84				.01			T	.14	.27	.36		T	.06	.04	.43	.55	T	.68		.56	1.28											.10				
CANDE BROOK	6.30	T	.08	.10		.04		.11	.05	.31		T	.02	.11	.55	.51		.70		.2	.42											.04					
CANTON	3.60	T	.12						.50	.16					.22	1.17	.15		.23	.41	.10											.02					
CAPE MAY 3 W	4.47	.51		.21			T	.64					.03		.26	.92		.03	.04	.46	.15	.13										.02					
CEADAR GROVE	3.32		.04				.12	.15	.22				.17	.52	.15	.10	.42		.30		.78	.24															
CHARLOTTEBURG	4.24							.08	.34	.27		T	.08		.09	.37	.66		.81		.84	.20										.14		.02			
CHATHAM	5.11	T	.11	.10			.01	.13	.00	.40			.03	.02		.51	.52		.40	.21	.50	1.02											.05				
CHATSORTH 5 S	5.32	.18		.06		.01	T	.66					.02	T	.37	1.30			.40	.21	.50	1.02											.15				
CLAYTON	7.58	.53		.60		.02	.06	.24				T	.23	.64	.21	.17		.61	.52	.47	.54												.15				
CLINTON	4.82	.04		.05		.12	*	1.08				.12			.08	1.08	.20		.35	*	1.30																
DEEPWATER																																					
ELIZABETH	7.66	.12	.10		.00		.28	.15	1.16				.04	.01	.15	1.10	.02		1.28	.33	.35	1.00	.08									.17					
ELIZABETHPORT	4.33	.08		.11		.28		.33	.72			T	.06	.04	1.10			.74		.25	.11											.13					
ESSEX FELS SERV BLDG	5.20							.05	.61	.30					.18	.43	.58		.85			1.78											.12				
FLEMINGTON 1 NE	4.63	T		.12		.14	.33	1.07				.06	.02		.14	1.17	T		.30	.31	.18	.31															
FREEDHLO	4.26	.10			.02		.00	.20	.67			.01			.17	1.18			.46	.23	*	.68											.06				
GREENWOOD LAKE	4.08		T	.01			T	.10	.26	.27			.05		.05	.40	.60		.86		.51	.47											.10				
HANMONTON 2 NNE	4.45		.30		.09			.20	.65				.01	T	.53	.55	.70		.63	.16	.20												.11				
HIGHTSTOWN 1 N	4.16	.05		.05		.15	.00	.86							.10	1.33																					
INJOIAN MILLS 2 W	4.88	.27		.10	T		.04	.70				T	.02		.42	1.20		.48	.18	.50	.60																
IRVINGTON	5.74	.10		.11		.11	.50	.61					.01	.08	.13	.08		.80	.30	1.50																	
JERSEY CITY	6.62	.07		.07		.22	.40	.70				.03	.00		.06	1.10		.76		.48	2.15																
LAKEWOOD 2 ENE	4.25	.16		.15		.11	.18	.58				T	.08	.20		1.00		.78	.01	.31	.32																
LAMBERTVILLE	5.49	.06		.08		.22	.44	.05					.08	.04	.13	1.38		.60	.23	.15	.75																
LAYTON 3 NW	4.06					.08	.20	.60				.13			.05	.90	.02		.64	.23	.02	.60															
LEESBURG STATE FARM	4.54	.03	.20	.14		.02	.03	.50				.10			.40	.72	.50		.14	.52		.81															
LITTLE FALLS WATER CD	4.30	T	.05				.01	.11	.50	.28		T	.01		.00	.56	.34		T	.86		.89	.10														
LONG BRANCH	4.73	.10		.00		.10	.09	.85				.03	.06	T	1.04			.86	.01	.57	.40																
LONG VALLEY	6.08	.08		.05		.08	.30	.57				.42	.05		.10	.02		*	D .65	D .60	1.40																
MACOPIN INTAKE	3.88		T	T		T	.10	.23	.21			T	.05		.10	.51	.45		.56	0.20	1.00																
MANVILLE	6.48	.90		.11		.20	.60	.58				.04	.00		.01	1.22		.56	0.20	1.00	0.20																
MARLTON 1 W	4.79	.21		.11		.05	.06	.84							.63	.10	.24		.43		.24	.43															
MAYS LANDING	4.46	.25	.20				.20					.03	.20		.22	.57		.52	.10	.75	1.00																
MIDLAND PARK	4.76	.02		.03	*	.22	.70					*	.62		.05	1.03		*	.70	*	.84																
MILLVILLE	3.00	.18	.04	.04			.07	.46				.04	.09		.30	1.22		.64			.36																
MILLVILLE CAA AIRPORT	4.84	.12	.02	T			.03	.67				.05	.13		.25	1.28		.80	T	.71	.41																
MILTON	5.16						.06	.06	.43	.41		.12	.11		.26	.45			.75		1.25	.81															
MOORESTOWN	4.60	.01	.16	.14		.00	.23	.35				T	.22	.75	.62			.01	.60	*	.80	.05															
MORRIS PLAINS	4.90	.01				.07	.07	.86				.00	T		.10	.95		.31	.38		.75																
NEWARK WB AIRPORT	6.20	.15		.09		.23	.62	.56				.01	.08		.05	1.03		1.21	.01	.54	1.27																
NEW BRUNSWICK EXP STA	3.21	.04		.12		.18	.27	.02				.02	.02		.00	.24		.36	.15	.05	.41	T															
NEW MILFORD	3.74	.04	.08			.06	.16	.60				.04	.04		.06	.02		.76		.18	.40																
NEWTON	3.40					T	.20	.17	.26			.04	.10																								

DAILY TEMPERATURES

NEW JERSEY
MARCH 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX	42	44	52	50	50	49	54	53	49	51	50	41	40	50	43	42	37	34	34	37	43	53	55	50	38	54	52	37	39	48	49	45.8
	MIN	26	42	41	41	40	40	40	33	32	40	42	37	33	40	35	31	26	29	26	24	26	30	38	29	23	37	36	31	35	37	36	34.1
AUDUBON	MAX	50	55	63	51	66	53	53	45	49	58	61	56	39	49	45	37	35	31	31	41	47	53	53	44	38	52	50	41	38	49	47	47.7
	MIN	25	40	36	39	33	38	38	31	29	32	39	33	31	36	34	25	23	23	23	21	24	23	35	27	21	32	29	29	33	35	34	30.7
BELLEPLAIN	MAX	53	61	60	58	66	62	68	65	50	59	59	57	39	49	49	32	17	22	21	20	19	22	37	32	15	25	21	27	30	30	22	28.7
	MIN	20	40	35	38	22	45	34	35	27	30	40	32	25	40	35	41	42	35	35	37	44	58	57	53	42	55	54	50	49	49	47	51.7
BELVIDERE	MAX	46	53	56	49	64	54	50	46	48	56	52	52	37	36	45	37	38	30	38	50	50	53	51	45	38	51	47	46	42	47	46	46.9
	MIN	21	32	31	35	34	39	35	35	28	29	36	32	30	33	30	24	18	12	21	13	12	13	31	29	17	28	26	21	28	33	32	27.0
BOONTON	MAX	34	42	48	55	44	60	39	44	42	44	52	49	39	35	36	41	30	37	29	28	40	48	50	47	39	37	47	43	45	36	45	42.1
	MIN	15	21	33	36	25	28	35	34	29	29	30	32	29	31	31	26	18	12	21	18	14	21	26	34	16	19	27	19	25	31	33	25.7
BRIDGETON 1 NE	MAX																																
	MIN																																
BURLINGTON	MAX	41	46	54	48	57	56	45	46	48	55	60	59	40	45	48	44	43	34	31	42	48	51	51	48	33	51	51	43	40	48	47	46.9
	MIN	24	35	32	37	31	31	31	30	29	34	36	33	31	35	32	22	28	21	22	17	27	11	34	29	20	28	28	27	33	33	33	28.8
CANOE BROOK	MAX	33	45	54	59	45	63	52	49	41	46	52	53	39	37	42	43	38	32	30	29	40	50	49	47	35	38	48	44	46	39	51	44.2
	MIN	12	23	27	36	22	35	35	35	28	25	36	33	30	32	31	26	18	18	14	10	12	16	25	33	11	21	21	18	23	33	30	24.8
CAPE MAY 3 W	MAX	44	51	65	48	60	56	57	55	49	56	54	50	40	49	50	44	46	38	37	40	43	53	53	49	37	53	51	48	42	47	46	48.7
	MIN	22	37	39	41	32	43	40	39	34	41	42	39	35	39	37	39	28	27	27	27	28	35	33	31	25	36	31	33	33	37	42	34.6
CHARLOTTEBURG	MAX	32	40	49	55	40	60	39	49	45	44	52	52	38	34	38	38	28	30	26	31	40	46	48	46	33	32	44	40	44	35	44	41.0
	MIN	3	17	35	34	21	23	33	32	25	26	32	29	28	29	28	22	15	12	22	18	11	12	22	24	12	15	24	17	20	28	30	22.5
CHATSWORTH 5 S	MAX	49	58	62	53	66	63	57	60	60				60	50	40	38	40	40	32	40	46	52	52	53	38	54	50	52	51	48	51	50.4
	MIN	19	37	28	37	31	40	40	36	27				32	35	32	31	32	30	20	20	15	17	15	28	27	32	36	35	35	28	28.7	
CLAYTON	MAX	47	53	61	57	66	59	58	54	49	60	60	60	39	46	45	45	37	35	31	36	47	53	53	45	37	53	53	45	40	49	46	49.0
	MIN	20	42	35	35	31	41	38	38	29	35	35	35	31	35	34	31	22	23	23	17	19	20	32	30	23	30	29	29	32	35	33	30.4
ELIZABETH	MAX	44	52	59	54	65	56	44	44	47	55	59	46	41	39	45	42	36	31	28	43	48	51	50	45	35	50	48	48	45	50	49	46.7
	MIN	19	31	29	38	27	38	32	38					35	35	32	28	16	17	22	11	18	16	27	27	17	28	28	24	28	34	29	26.5
ESSEX FIELDS SERV BLDG	MAX	35	44	45	55	45	64	41	43	40	45	49	55	28	35	40	43	34	42	35	34	48	55	52	46	39	40	45	48	47	38	45	44.0
	MIN	13	15	28	30	22	32	34	34	28	31	37	28	28	33	32	25	22	20	22	28	28	29	29	25	20	28	29	25	28	32	28	26.9
FLEMINGTON 1 NE	MAX	45	54	60	47	67	65	46	44	47	55	52	51	38	40	44	40	34	29	30	44	47	48	48	46	35	48	45	44	40	47	46	46.0
	MIN	12	28	26	36	22	38	35	35	25	28	33	29	29	34	30	28	17	9	20	9	3	5	27	28	13	23	20	20	25	33	31	24.0
FREEHOLD	MAX	46	51	61	48	65	59	51	42	47	55	61	56	39	40	45	39	36	31	28	41	48	50	50	46	34	49	46	44	38	49	47	46.5
	MIN	18	35	35	37	29	37	36	36	28	31	36	34	31	35	31	31	18	16	22	11	15	20	31	26	18	28	29	23	27	33	32	28.0
HAMMONTON 2 NNE	MAX	36	49	52	62	51	67	60	60	62	50	61	60	43	40	51	42	41	36	29	30	39	45	54	56	48	38	59	50	42	45	56	48.8
	MIN	22	26	34	38	32	40	39	40	19	35	39	36	32	33	35	30	22	22	28	15	19	19	31	22	31	32	29	32	31	36	31	30.2
HIGHTSTOWN 1 N	MAX	45	51	59	55	63	59	48	42	46	55	60	57	38	39	45	40	33	31	29	40	45	47	48	45	34	49	47	43	39	47	45	45.9
	MIN	19	35	34	38	29	37	36	37	29	31	37	35	31	35	32	30	18	17	22	12	13	20	30	27	19	28	28	25	28	33	32	28.3
INOIAN MILLS 2 W	MAX	48	54	61	52	67	57	57	49	47	58	60	56	39	48	48	38	36	30	30	40	45	51	51	49	35	52	49	41	38	47	46	47.7
	MIN	14	36	29	38	25	40	37	36	28	29	38	35	31	35	31	27	22	18	23	11	10	14	27	28	20	27	25	26	33	34	31	27.7
JERSEY CITY	MAX	41	48	56	44	62	47	41	40	43	53	53	46	40	42	42	33	33	28	25	39	44	49	48	42	35	47	45	43	37	47	45	43.2
	MIN	23	33	38	37	27	36	36	32	29	38	40	30	36	33	30	22	22	20	20	22	24	29	36	23	18	32	31	26	33	33	34	29.8
LAKEWOOD 2 ENE	MAX	48	52	62	48	68	42	52	46	48	55	62	47	39	47	43	36	34	30	26	40	45	51	50	45	36	50	48	43	37	49	47	46.0
	MIN	12	38	33	39	23	37	37	30	29	33	39	33	32	38	29	22	18	16	19	15	15	14	32	22	19	27	23	22	23	35	29	26.9
LAMBERTVILLE	MAX	46	53	60	55	65	57	48	46	48	55	56	55	39	40	45	41	34	30	31	43	49	50	49	45	35	50	46	41	38	42	45	46.4
	MIN	17	35	29	38	26	38	37	36	29	29	36	32	30	35	33	29	20	16	22	10	7	12										

DAILY TEMPERATURES

NEW JERSEY
MARCH 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	48	54	61	55	65	60	43	44	42	45	62	60	40	40	39	36	35	34	30	44	50	52	54	34	32	46	44	49	44	44	49	46.3
	MIN	9	31	28	38	21	37	34	36	29	25	36	35	32	36	32	32	18	11	22	7	9	10	21	25	16	22	23	21	27	27	30	25.2
SANDY HOOK	MAX	39	50	54	50	60	50	40	40	44	46	55	50	39	40	41	39	34	30	26	37	43	47	46	43	35	48	46	44	39	44	46	43.4
	MIN	29	37	45	42	35	37	34	37	28	38	38	38	34	37	39	32	22	24	23	24	30	31	37	26	19	31	30	30	35	35	34	32.6
SOMERVILLE	MAX	45	54	59	50	65	54	46	46	48	55	55	52	39	39	45	33	35	30	29	46	50	51	50	44	48	50	45	45	38	47	47	46.5
	MIN	13	32	31	37	23	38	36	36	29	28	36	33	30	36	33	28	16	12	22	5	6	10	21	29	28	28	25	21	25	33	30	26.1
SUSSEX 3 N	MAX	40	50	50	44	58	49	44	42	45	54	50	49	37	35	39	35	28	27	25	37	44	48	47	42	33	45	40	40	36	44	40	41.8
	MIN	4	35	32	29	26	33	32	34	26	29	33	32	28	31	28	17	13	6	19	13	4	12	30	20	13	20	23	15	20	29	25	22.9
TRENTON 2	MAX	47	52	60	50	65	49	48	43	48	55	59	48	40	45	43	35	35	30	30	43	47	50	51	43	37	52	49	44	37	48	47	46.1
	MIN	21	37	35	36	32	36	36	30	28	37	37	30	30	35	32	21	18	18	21	19	19	21	32	23	19	33	30	25	33	33	31	28.6
TRENTON WB CITY	MAX	46	51	60	51	64	47	49	43	47	55	59	46	39	47	42	34	32	28	29	41	45	50	50	43	35	49	47	41	37	46	45	45.1
	MIN	25	43	38	38	35	37	37	31	30	38	39	32	31	37	33	22	20	21	23	22	25	26	36	24	21	34	31	27	35	34	33	30.9
TUCKERTON 2 SW	MAX																																
	MIN																																
WOODSTOWN 2 NW	MAX																																
	MIN																																

SNOWFALL AND SNOW ON GROUND

Table 7

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV													T T				.4 T	T	4.4 4	5.4 .7	5 .7	2 .3	T	T	T		T					
SELVIDERE	SNOWFALL SN ON GND																1.0 -	1.0 -	1.0 -	11.0 -	-	-	-	-	1.0 -	-	-	-	-	.5 -	-		
CHARLOTTEBURG	SNOWFALL SN ON GND	1													.5 1	1.5 1		7.0 7	7	12.0 19	5.0 24	19	16	14	1.0 15	1.5 15	15	14	12	8	1.0 7	6	
CHATSWORTH 5 S	SNOWFALL SN ON GND												2.0 -					.8 4	4.0 4	9.0 13	9	6	1	T	T	T							
CLAYTON	SNOWFALL SN ON GND											T	3.6 T	T			T	1.5 T	3.5 4	4.8 8	4	2	T	T	T								
FLEMINGTON 1 NE	SNOWFALL SN ON GND											T	1.5 T				3.5 4	2.5 4	3.0 7	17.0 22	14	10	8	6	2.5 8	7	5	4	3	T	3	2	.5 1
FREEHOLD	SNOWFALL SN ON GND													.8 T			.5 1	2.0 4	3.0 12	8.0 9	6	2	T	T	.5 T	T							
HIGHTSTOWN 1 N	SNOWFALL SN ON GND											T	1.0 T				.7 T	1.3 4	3.0 11	7.0 11	8	6	3	1	.5 T	T			T		T		
INDIAN MILLS 2 W	SNOWFALL SN ON GND											T	2.6 T				.2 T	.9 5	5.0 10	6.3 7	4	1	T	T								T	
LAKEWOOD 2 ENE	SNOWFALL SN ON GND											T	1.1 1	1	1	1	1.0 2	2	6.0 8	6.3 14	12	8	5	3	T	T	T	T			T		
LONG VALLEY	SNOWFALL SN ON GND																*	6.5 -	6.0 -	14.0 -	-	-	-	-									
MILLVILLE CAA AIRPORT	SNOWFALL SN ON GND												2.2 2				.9 1	T	3.3 6	4.4 6	7	2			.4 T				T				
MOORESTOWN	SNOWFALL SN ON GND								T				1.5 2				T	1.0 1	* T	8.0 8	1.0 9	6	3	1	T	T							
MORRIS PLAINS	SNOWFALL SN ON GND		T				T		T				.9 T	-	-	-	2.7 -	3.3 -	23.0 -	-	-	-	-	-	.8 T	-	-	-	-	T	T	T	
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV						T						.9 1	.5 T	T		5.6 5	.1 3	5.5 18	12.7 17	10	8	3		.7 T	T							
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND													.3 T			3.5 4	1.5 3	1.5 4	10.8 15	9	6	5	3	1.3 4	3	T						
NEWTON	SNOWFALL SN ON GND	1	1									T	T	2.0 2	2		6.0 6	4	12.0 16	1.0 17	15	10	7	1.0 6	5	5	4	2			2.0 2		
PATERSON	SNOWFALL SN ON GND											T	.5 1	.1 T	T	T	7.0 7	5 5	18.0 22	1.5 19	14	12	8	.5 5	1.5 2	1					T	T	
PEMBERTON 3 E	SNOWFALL SN ON GND												2.3 T				.5 T	.6 3	3.5 3	5.5 21	9	4	3	1									
PLAINFIELD	SNOWFALL SN ON GND						T		T				.3 T	1.0 T			4.0 4	1.4 3	3.2 5	11.8 17	9	7	5	1	.8 1	1	T			T		T	
RIDGEFIELD	SNOWFALL SN ON GND											1.2 1	T				6.0 6	5	4.0 16	12.0 14	14	9	5	4	1.0 3	2	1	1			T		
SOMERVILLE	SNOWFALL SN ON GND								T				T	.3 T			2.6 3	1.8 3	1.0 3	18.0 21	1.5 18	9	5	3	T 3						T		
SUSSEX 3 N	SNOWFALL SN ON GND															- 5	3.0 6	- 10	T 10	10.0 20	18	16	14	12	10	- 12	12	10	6	1.5 8	5		
TRENTON WB CITY	SNOWFALL SN ON GND											1.0 T	T				5.0 T	.2 3	7.0 1	5.2 12	12	6	3	1	.4 T	T	T					T	

See Reference Notes Following Station Index

STATION INDEX

NEW JERSEY
MARCH 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elev. (ft.)	Time of observation			Years of record			Observer	Refer to tables
							Zone	Temp.	Precip.	Temp.	Precip.	Evap.		
ALLENDALE	0100	BERGEN	PA55A1C	41 02	74 08	270	EST		MID	MID			BERGEN COUNTY ENGINEERS	
ATLANTIC CITY W8	0325	ATLANTIC	COASTAL	39 22	74 25	8	EST	MID	MID	82	82		U. S. WEATHER BUREAU	2 3 5 7 C
AUDUBON	0346	CAMDEN	DELAWARE	39 54	75 04	50	EST	11P	11P				IRVIN J. NYGREN	2 3 5
BA55 RIVER STATE FDRST	0528	BURLINGTON	COASTAL	39 37	74 26	20	EST		6P				N. Y. FORESTRY SERVICE	2 3 5
BELLEPLAIN	0640	CAPE MAY	COASTAL	39 16	74 52	49	EST	5P		61	61		MRS. ED C. HOFFMAN	2 3 5
BELMAR	0721	MONMOUTH	COASTAL	40 10	74 02	19	EST	5P	MID		14		CITY WATER DEPT	3
BELVIDERE	0729	WARREN	DELAWARE	40 50	75 05	289	EST	5P	5P	63	63		MISS C. S. HIXSON	2 3 5 7
BERLIN 1 W	0787	CAMDEN	MULLICA	39 48	74 57	150	EST		7A				SAMUEL H. MC CULLEY	3
BOONTON	0907	MORRIS	PA55A1C	40 54	74 24	280	EST	8A	8A	47	65		JERSEY CITY WATER WORKS	2 3 5
BRANCHVILLE	0978	SUSSEX	DELAWARE	41 09	74 47	570	EST		7A				ALBERT M. DAVENPORT	3
BRIDGETON 1 NE	1028	CUMBERLAND	DELAWARE	39 28	75 12	114	EST	9A	9A	67	72		RADIO STATION WSNJ	2 3 5
BURLINGTON	1211	BURLINGTON	DELAWARE	40 04	74 52	15	EST	6P	6P	43	69		PUBLIC SERVICE E & G CO	2 3 5
CANISTEER RESERVOIR	1327	SUSSEX	PASSAIC	41 07	74 30	1040	EST	8A			15		NEWARK WATER DEPT	3
CANDE BROOK	1335	ESSEX	PASSAIC	40 45	74 21	180	EST	9A	9A	25	25	25	COMMONWEALTH WATER CO	2 3 5 6
CANTON	1343	SALEM	DELAWARE	39 28	75 25	10	EST	9A	9A		9		GERTRUDE S. WILLIS	3
CAPE MAY 3 W	1351	CAPE MAY	COASTAL	38 56	74 57	17	EST	5P	5P	30	67		NORTHWEST MAGNESITE CO	2 3 5 C
CEDAR GROVE	1472	ESSEX	PASSAIC	40 52	74 13	400	EST		8A		15		J. A. PLUNKETT	3
CENTERTON	1512	SALEM	MAURICE	39 31	75 10	80	EST		MID				JOHN HOPKINS UNIVERSITY	2 3 5 7 C
CHARLOTTEBURG	1582	PA55A1C	PASSAIC	41 03	74 26	760	EST	7A	7A	63	63		NEWARK WATER DEPT	2 3 5 7
CHATHAM	1590	MORRIS	PASSAIC	40 44	74 23	185	EST		8A		51		EDWARD P. MDLITOR	3
CHATSORTH 5 S	1598	BURLINGTON	COASTAL	39 44	74 32	90	EST	5P	5P	15	15		WILLIAM S. HAINES	2 3 5 7
CLAYTON	1708	GLOUCESTER	MAURICE	39 39	75 06	120	EST	6P	6P	42	62		HARRY P. CAMPBELL	2 3 5 7
CLINTON	1749	HUNTERDON	RARITAN	40 38	74 55	300	EST		6P		12		L. W. KLOCKNER	3
DEEPWATER	2209	SALEM	OELAWARE	39 41	75 30	12	EST		MID		15		DU PONT DE NEMOURS CO	2 3 5
ELIZABETH	2644	UNION	COASTAL	40 40	74 14	33	EST	5P	5P	76	76		UNION CO PARK COMMISSION	2 3 5
ELIZABETHPORT	2652	UNION	PASSAIC	40 39	74 12	30	EST		MID		16		SEWAGE TREATMENT PLANT	2 3 5 C
ESSEX FIELDS SERVICE BLDG.	2769	ESSEX	PASSAIC	40 50	74 18	250	EST	8A	8A	7	7		BROUUGH ESSEX FIELDS	2 3 5 C
FLEMINGTON 1 NE	3029	HUNTERDON	RARITAN	40 31	74 51	134	EST	5P	5P	58	69		DONALD YOUNG	2 3 5 7
FORTESCUE	3102	CUMBERLAND	DELAWARE	39 14	75 10	5	EST		5P		11		F. A. RODENBAUGH	INACTIVE 10/55
FREHOLD	3181	MONMOUTH	RARITAN	40 15	74 17	194	EST	6P	6P	51	51		FRANK J. MDREAU	2 3 5 7 C
GLASSBORO	3291	GLOUCESTER	DELAWARE	39 42	75 07	150	EST		MID				PROF. J. B. SANGREE	3 C
GREENWOOD LAKE	3516	PASSAIC	PASSAIC	41 09	74 20	660	EST		7A		13		WATER SUPPLY COMMISSION	3
HACKENSACK	3572	BERGEN	HACKENSACK	40 53	74 03	174	EST		MID				BERGEN COUNTY ENGINEERS	2 3 5 C
HAMMONTON 2 NNE	3662	ATLANTIC	MULLICA	39 39	74 48	85	EST	8A	8A	23	49		W. HUBBARD PARKHURST	2 3 5
HIGHTSTOWN 1 N	3951	MERCER	RARITAN	40 16	74 31	100	EST	8P	8P	59	62		JAMES R. PICKERING	2 3 5 7
HIGHTSTOWN PUMPING STATION	3956	MERCER	RARITAN	40 17	74 32	75	EST		MID				DEPT WATER AND SEWAGE	2 3 5 C
INDIAN MILLS 2 W	4229	BURLINGTON	MULLICA	39 48	74 47	100	EST	7P	7P	65	66		EDWARD ENTWISTLE	2 3 5 7
IRVINGTON	4260	ESSEX	COASTAL	40 43	74 15	120	EST		MID		16		JOINT MEETING GARAGE	3 C
JERSEY CITY	4239	HUDSON	COASTAL	40 44	74 04	135	EST	MID	MID	57	57		JERSEY CITY WATER DEPT	2 3 5
LAKEWOOD 2 ENE	4627	OCEAN	COASTAL	40 06	74 11	54	EST	MID	MID	51	51		GERGIE G. WADOILL	2 3 5 7 C
LAMBERTVILLE	4635	HUNTERDON	DELAWARE	40 22	74 57	75	EST	6P	6P	68	68		E. E. CASE	2 3 5
LAYTON 3 NW	4735	SUSSEX	DELAWARE	41 15	74 51	480	EST	6P	6P	54	54		A. M. DEPUÉ	2 3 5
LEESBURG STATE FARM	4762	CUMBERLAND	MAURICE	39 14	74 58	10	EST	8A	8A	5	5		LEESBURG STATE FARM	2 3 5
LITTLE FALLS WATER CO	4887	PASSAIC	PASSAIC	40 53	74 14	157	EST	9A	9A	41	52		PASSAIC VALLEY WATER CO	2 3 5 C
LONG BRANCH	4987	MONMOUTH	COASTAL	40 18	74 00	34	EST	MID	MID	47	47		STORM WARNING DISPLAY STA	2 3 5 C
LONG VALLEY	5003	MORRIS	RARITAN	40 48	74 46	660	EST	6P	6P	25	25		ARTHUR BARKMAN	2 3 5 7
LUMBERTON	5055	BURLINGTON	DELAWARE	39 58	74 48	25	EST		MID				JAMES LAWTON	3 C
MACOPIN INTAKE	5071	PASSAIC	PASSAIC	41 01	74 24	1020	EST		9A		15		NEWARK WATER DEPT	3
MANVILLE	5197	SOMERSET	RARITAN	40 33	74 34	50	EST		MID		15		JOHN L. RADCLIFFE	3
MARLBORO SCS	5244	MONMOUTH	COASTAL	40 20	74 14	120	EST		MID				GEROW BRILL	3 C
MARLTON 1 W	5252	BURLINGTON	DELAWARE	39 54	74 57	90	EST		6P		14		DAVID GRISCOM	3
MAYS LANDING	5346	ATLANTIC	GREAT EGG HARBOR	39 27	74 44	50	EST	5P			11		ELMER EARLE	3
MIDLAND PARK	5503	BERGEN	PASSAIC	40 59	74 09	210	EST		MID		9		CORNELIUS HOWARD	3
MILLVILLE	5576	CUMBERLAND	MAURICE	39 24	75 03	60	EST		MID		15		L. J. GALLAHER	2 3 5 C
MILLVILLE CAA AIRPORT	5581	CUMBERLAND	MAURICE	39 22	75 04	68	EST	MID	MID	9	9		CIVIL AERO. ADM.	2 3 5 7
MILTON	5597	MORRIS	PASSAIC	41 01	74 32	950	EST		7A		15		JERSEY CITY WATER WORKS	3
MOORESTOWN	5728	BURLINGTON	DELAWARE	39 58	74 58	55	EST	MID	8A	92	92		H. J. WILLARD	2 3 5 7
MORRIS PLAINS	5769	MORRIS	PASSAIC	40 50	74 30	500	EST	4P	4P	10	14		JAMES C. LONG	2 3 5 7
NEWARK W8 AIRPORT	6026	ESSEX	COASTAL	40 42	74 10	11	EST	MID	MID	56	101		U. S. WEATHER BUREAU	2 3 5 7 C
NEW BRUNSWICK EXPERIMENT STA	6062	MIDDLESEX	RARITAN	40 28	74 26	80	EST	5P	5P	98	101		ARTHUR H. AHLQUIST	2 3 5 7
NEW MILFORD	6146	BERGEN	HACKENSACK	40 57	74 02	12	EST		MID		37		HACKENSACK WATER CO	3 C
NEWTON	6177	SUSSEX	DELAWARE	41 03	74 45	565	EST	8A	8A	72	72		NEWTON WTR SWR COMM	2 3 5 7 C
OAK RIDGE RESERVOIR	6460	PASSAIC	PASSAIC	40 52	74 30	870	EST		8A		15		NEWARK WATER DEPT	3
ORANGE	6560	ESSEX	PASSAIC	40 47	74 14	140	EST		MID		15		COUNTY ENGINEER	3 C
PATERSON	6775	SALEM	PASSAIC	40 55	74 09	100	EST	8A	8A	85	84		P. J. DEL VECCHIO	2 3 5 7
PEMBERTON 3 E	6843	BURLINGTON	DELAWARE	39 58	74 38	60	EST	5P	5P	26	26		CHARLES A. OOEHLERT	2 3 5 7
PHILLIPSBURG	6974	WARREN	DELAWARE	40 41	75 12	182	EST	3P	3P	64	72		SEWAGE DISPOSAL PLANT	2 3 5
PHILLIPSBURG BRIDGE	6979	WARREN	OELAWARE	40 42	75 12	196	EST		9A		16		JOINT TOLL BRIDGE COMM	3
PLAINFIELD	7079	UNION	RARITAN	40 36	74 25	120	EST	8P	8P	64	67		S. K. PEARSON	2 3 5 7
PLEASANTVILLE 1 N	7131	ATLANTIC	COASTAL	39 25	74 31	8	EST	8A	8A	32	57	32	ATLANTIC CITY WATER WKS	2 3 5 6
PRINCETON WATER WORKS	7328	MERCER	RARITAN	40 19	74 40	90	EST		MID		7		PRINCETON WATER CO	3
RAHWAY	7393	UNION	RAHWAY	40 36	74 15	20	EST		MID		16		RAHWAY VLY SWG AUTH	3 C
RIDGEFIELD	7545	BERGEN	HACKENSACK	40 50	74 01	80	EST	MID	MID	38	38		GEORGE P. KIRSTEN	2 3 5 7
RINGWOOD	7587	PASSAIC	PASSAIC	41 08	74 16	305	EST		10A		15		NO JERSEY WATER SUPPLY	3
RUNYON	7825	MIDDLESEX	COASTAL	40 26	74 20	18	EST	6P	6P	31	32	32	N. J. WATER COMMISSION	2 3 5 6
SANJOY HOOK	7869	MONMOUTH	COASTAL	40 28	74 01	22	EST	7P	7P	57	57		U. S. COAST GUARD	2 3 5
SOMERVILLE	8194	SOMERSET	RARITAN	40 34	74 37	75	EST	6P	6P	69	72		W. E. HAVER	2 3 5 7
SPLIT ROCK POND	8402	MORRIS	PASSAIC	40 58	74 28	800	EST		10A		15		JERSEY CITY O P W	3
SPRINGFIELD	8423	UNION	COASTAL	40 43	74 18		EST		MID				N. J. DEPT OF CONSERVA.	3 C
SUSSEX 3 N	8644	SUSSEX	HUDSON	41 14	74 35	530	EST	6P	6P	57	60		BRICE B. STANTON	2 3 5 7
SWEDSBORO 5 NW	8685	GLOUCESTER	OELAWARE	39 47	75 24	10	EST		NOON		9		SUN OIL CO	3
TOMS RIVER	8816	OCEAN	COASTAL	39 57	74 14	10	EST		5P		34		ROBERT F. SNYDER	3
TRENTON 2	8878	MERCER	OELAWARE	40 14	74 46	105	EST	MID	MID	25	25		E. H. RISTOW	2 3 5
TRENTON WB CITY	8883	MERCER	OELAWARE	40 13	74 46	56	EST	MID	MID	83	83		U. S. WEATHER BUREAU	2 3 5 7 C
TUCKERTON 2 SW	8899	OCEAN	COASTAL	39 35	74 22	45	EST	8A	8A	56	61		VERNON W. MOTT	2 3 5
VINELAND	9135	CUMBERLAND	MAURICE	39 29	75 00	110	EST		8A		61		ROBERT JONES	3
WANAQUE RAYMOND DAM	9187	PASSAIC	PASSAIC	41 02	74 18	320	EST		8A		15		WATER SUPPLY COMMISSION	3
WATCHUNG	9271	UNION	PASSAIC	40 40	74 25		EST		MID				BONNIE BURN SANITARIUM	3 C
WESTFIELD	9455	UNION	RAHWAY	40 39	74 21	135	EST		5P		16		TOWN ENGINEER	3
WOODCLIFF LAKE	9832	BERGEN	HACKENSACK	41 01	74 03	103	EST		MID		36		HACKENSACK WATER CO	3 C
WOODSTOWN 2 NW	9910	SALEM	OELAWARE	39 40	75 20	16	EST	6P	8A	9	19		WOODROW W. HALTER	2 3 5
NEW STATIONS														
GREAT MEADOWS	3416	WARREN	DELAWARE	40 53	74 55	560	EST		MID				EDWARD KOWALICK	3 C
TRANQUILITY 2 W	8858	WARREN	DELAWARE	40 57	74 50	551	EST		MID				H. J. ERVEY	3 C

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 55° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 A.M. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

© Data in the column formerly headed No. of Days .01 or more have been changed to No. of Days .10 or more effective January 1, 1954.

Thermometers are generally exposed in a shelter located a few feet above sod-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C Data for recorder stations denoted by "C" are processed for special purposes and published in Hourly Precipitation Data. Length of record for recorder-only stations may be found in the

Annual issue of Hourly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

M One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).

T Trace, an amount too small to measure.

V Include total for previous month.

Additional information regarding the climate of New Jersey may be obtained by writing to any Weather Bureau Office or to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWBC., Asheville, N. C. --- 5/1/56 --- 775

UNNJ
cop. 1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

APRIL 1956
Volume LXI No. 4



WEATHER SUMMARY

GENERAL

This month's weather was characterized by a deficiency in both precipitation and temperature, but snowfall was considerably in excess of most past April's.

Cold weather of the month placed this as the coldest April since 1943 and among the coldest since 1885. As was the case last month all stations having long-term averages showed negative departures, with -4.7° at Lakewood 2 ENE being greatest. Extreme readings ranged from a high of 88° on the 28th at Lakewood 2 ENE to a low of 14° on the 8th at Phillipsburg.

Further evidence of April's deficient precipitation was indicated by the fact that more stations having long-term averages showed negative departures than positive. The extreme monthly totals varied from 1.81 inches at Belleplain to 6.29 inches at Canistear Reservoir. The greatest daily amount was 2.65 inches at Canistear Reservoir on the 30th.

Snowfall this month was unusual, ranking with 1944 as the sixth snowiest April since 1895. The greatest monthly total was 20.0 inches at Canistear Reservoir.

WEATHER DETAILS

High pressure and slightly below normal temperatures prevailed as April began, however, warmer weather began on the 3rd and continued through the 6th with readings averaging several degrees above normal for the period. This period was somewhat unsettled with very light amounts of precipitation on the 2nd, 3rd and 4th.

A prolonged cold spell which persisted from the 7th to 27th was interrupted twice, on the 16th and 22nd, as warm southerly winds in advance of approaching disturbances raised temperatures to normal or somewhat above. The 28th to 30th was the warmest period of the month and all stations reported their maximum readings for the month on one of these dates.

Rain began falling in the State late on the 6th as a disturbance moved into the area from the lower Mississippi Valley. Incoming cold air associated with another disturbance that moved into the State from the Great Lakes Region began changing the rain to snow late on the 7th, and precipitation continued falling until late on the 8th. The next appreciable precipitation began on the 15th and pressure patterns that controlled the State's weather during the remainder of the month caused frequent light amounts over the State but occurrences were mostly of short duration.

WEATHER EFFECTS

Cool weather in April retarded crop growth

and resulted in plant development being about two weeks behind usual. Frequent light rains hindered farm work and progress was somewhat behind schedule.

As the month ended the asparagus season was reported as being ten days to two weeks late due to prolonged cold weather. Snap beans have been planted in the Vineland and Cedarville acreage, and planting was continuing. Transplanting of early beets was underway in the Northern Sections, but work was later than usual. Early plantings of cabbage have made only slow progress due to cold weather. Soil in many northern areas was too wet and cold to work satisfactorily until the last week in the month. "Frame" cauliflower made very slow progress due to the late spring. Some transplanting of out-of-door crop has started, but most growers reported that progress was at least two weeks behind schedule. "Frame" celery was also making slow growth, and field planting in both Great Meadows and Bergen Counties was getting started, but warmer weather was needed. Early plantings of spring lettuce have made slow progress due to cold weather, but stands in most sections were good and warmer weather would improve conditions materially within a short time. Planting of onion sets was about completed in the Great Meadows area but seeding still continued. Normal progress was reported in the Cedarville area. Potato planting has been completed in most commercial sections. Tomato planting continued in all areas after being retarded by cold weather.

The U. S. Geological Survey reported that streamflow was excessive in northern New Jersey and that Wanaque Reservoir was spilling at end of month.

DESTRUCTIVE STORMS

On April 7-8 during a 36-hour period a sleet and snow storm caused minor crop damage and property damage estimated at \$100,000. The greatest damage was to telephone and power lines. The heavy, wet snow clung to wires, froze, then offered great resistance to the 25-45 mph winds. Wires were snapped and telephone service and power were interrupted in hundreds of homes. A few large trees were downed, and one actually fell on a moving vehicle causing much damage. Five and possibly more persons were injured in traffic accidents mostly in North Jersey where up to 20 inches of snow fell. Central and South Jersey had mostly slushy conditions, but the large, wet flakes made visibility near zero for drivers on the night of the 7th.

FLOODS

There were none reported during the month.

Franklin W. Long

SUPPLEMENTAL DATA

NEW JERSEY
APRIL 1956

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB	-	-	17.2	56	SW	16	-	-	-	-	4	4	5	1	0	0	14	46	6.2
LONG BRANCH	NW	14	15.6	64	E	7	-	78	60	64	6	2	5	0	2	0	15	58	6.5
NEWARK WB AIRPORT	WNW	11	11.1	39*	SSW	16	72	70	52	60	4	5	6	2	0	0	17	-	6.4
TRENTON WB CITY	-	-	10.4	38	NW	16	-	-	-	-	7	5	4	1	1	0	18	57	6.1

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

CLIMATOLOGICAL DATA

TABLE 2

Station		Temperature												Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Dole	Lowest	Dole	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days			
											Max		Min.						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More	
											30° or Above	32° or Below	32° or Below	0° or Below											
ATLANTIC CITY W8	R	53.2	40.9	47.1	- 2.3	79	30	31	1	533	0	0	1	0	2.71	- .69	.90	7	.4	0		6	1	0	
AUOUBON		61.0	39.0	50.0		85	28	29	25	451	0	0	4	0	2.16		.44	4	0	0		7	0	0	
BELLEPLAIN		60.5	36.2	48.4		82	28	26	1+	494	0	0	12	0	1.81	- 1.75	.48	7	2.0	0		6	0	0	
BEVIDERE		59.6	36.6	48.1	- 2.8	86	29	27	25	508	0	0	13	0	4.05	- .11	1.37	8	T	0		7	2	1	
BOONTON	AM	55.5	35.1	45.3	- 3.4	82	29+	25	2	590	0	0	14	0	3.30	- .40	1.18	8	0	0		6	3	1	
BRIOGETON 1 NE	AM	59.8M	38.8M	49.3M		84	29	29	1+	482	0	0	9	0	2.28		.63	7	.0	0		6	1	0	
BURLINGTON		60.7	40.7	50.7	- 2.3	86	28	29	1+	426	0	0	4	0	3.18	- .24	1.00	8	0	0		9	3	1	
CANOE BROOK	AM	56.1	33.4	44.8	- 3.5	85	29	22	25	612	0	0	18	0	3.22	- .64	1.03	8		0		6	3	1	
CAPE MAY 3 W		57.0	41.5	49.3		73	28	33	24	461	0	0	0	0	2.30		.60	8		0		7	1	0	
CHARLOTTEBURG	AM	54.2	32.5	43.4	- 4.6	83	29	20	2	648	0	0	19	0	3.77	- .32	1.10	8	13.5	9	8	6	3	1	
CHATSWORTH 5 S		59.7M	36.2M	48.0M		84	28	25	1	503	0	0	11	0	2.98		.96	16	T	0		6	3	0	
CLAYTON		61.0	38.4	49.7		85	28	29	1	460	0	0	7	0	2.93		.64	8	T	8		8	2	0	
ELIZABETH		59.8	35.9	47.9	- 3.8	85	28	26	25	519	0	0	13	0	3.43	- .43	1.51	8	3.0	2	8	5	2	1	
ESSEX FIELDS SERV BLDG	AM	56.7	34.4	45.6		85	29	25	2+	588	0	0	13	0	2.91		1.21	8		9	8	5	2	1	
FLEMINGTON 1 NE		59.5	34.2	46.9	- 4.2	84	28	21	25	546	0	0	13	0	4.05	- .40	1.36	8	7.0	2	8	7	3	1	
FREEHOLD		58.4	36.8	47.6	- 2.9	85	29	27	1	522	0	0	9	0	3.15	- .41	1.20	8	4.0	2	8	6	2	1	
HAMMONTON 2 NNE	AM	60.8	38.3	49.6	- 2.4	86	29	28	1+	471	0	0	5	0	3.08	- .89	.60	8	.0	0					
HIGHTSTOWN 1 N		58.4	37.4	47.9	- 2.7	83	28+	27	1	514	0	0	11	0	2.58	- .72	1.16	8	3.5	2	8	5	2	1	
INDIAN MILLS 2 W		59.8	35.3	47.6	- 3.6	86	28	23	1	524	0	0	15	0	2.60	- .86	.77	7	T	0		5	2	0	
JERSEY CITY		53.9	39.7	46.8	- 3.6	82	28	32	21+	542	0	0	2	0	3.33	- .12	1.26	7		0		7	2	2	
LAKEWOOD 2 ENE		57.5	34.3	45.9	- 4.7	88	28	23	13	574	0	0	16	0	3.93	- .21	1.64	8	1.8	2	8	6	2	1	
LAMBERTVILLE		59.4	36.8	48.1	- 2.6	84	28	26	25	511	0	0	11	0	3.04	- .55	1.25	8	1.0	0		6	2	1	
LAYTON 3 NW		57.8	29.9	43.9	- 3.5	83	28	17	2+	630	0	0	19	0	5.19	1.42	1.18	8	7.3			9	5	1	
LEESBURG STATE FARM	AM	57.8	38.0	47.9		79	29	27	10	514	0	0	10	0	2.62		.56	26	.5	T	25	7	2	0	
LITTLE FALLS WATER CO	AM	58.4	36.8	47.6	- 2.8	86	29	27	2	523	0	0	10	0	3.19	- 1.05	1.20	8	5.2	5	8	6	2	1	
LONG BRANCH		55.1	37.2	46.2	- 3.3	86	28	29	1+	564	0	0	10	0	3.78	- .24	1.50	8	3.5	1	8	7	2	2	
LONG VALLEY		57.3	33.5	45.4		84	28	23	21+	587	0	0	17	0	3.81	.00	1.00	7	9.0					1	
MILLVILLE CAA AIRPORT		60.5	37.4	49.0		85	28	26	10	485	0	0	9	0	2.91		.72	7	.9	0		7	1	0	
MOORESTOWN		59.3	38.2	48.8	- 2.2	83	28	28	25	490	0	0	5	0	2.98	- .49	.65	T	.5	T	8				
MORRIS PLAINS		58.9	34.8	46.9		83	28+	23	2+	548	0	0	13	0	4.21		1.38	8	9.0			7	4	1	
NEWARK WB AIRPORT	R	56.9	38.7	47.8	- 2.2	85	28	32	1+	516	0	0	3	0	3.04	- .23	.86	7	3.4	3	8	8	2	0	
NEW BRUNSWICK EXP STA		58.9	37.3	48.1	- 2.7	84	28	28	1+	512	0	0	9	0	3.23	- .11	1.38	8	1.8	T	8	7	2	1	
NEWTON	AM	55.0	33.9	44.5	- 3.7	82	29	22	2	618	0	0	17	0	5.09	1.49	2.33	30		6	8	8	3	1	
PATERSON	AM	57.4	39.1	48.3	- 2.6	85	29	30	2	513	0	0	5	0	4.49	.53	1.90	8	3.5	3	8	7	3	1	
PEMBERTON 3 E		61.1	35.7	48.4	- 3.7	85	28	23	21	502	0	0	13	0	3.17	- .27	.97	7	1.5	T	8	7	2	0	
PHILLIPSBURG		60.8	36.0	48.4	- 1.8	85	28+	14	8	504	0	0	14	0	3.90	.00	.77	16	2.0	T	8	8	4	0	
PLAINFIELD		58.6	36.1	47.4	- 3.3	85	28	26	21	530	0	0	12	0	4.00	.25	1.56	8	4.0	2	8	6	2	2	
PLEASANTVILLE 1 N	AM	56.0	36.0	46.0	- 4.0	74	29+	22	21	563	0	0	12	0	2.60	- .99	.59	6	1.0	T	24	6	2	0	
RIDGEFIELD		58.4	37.5	48.0	- 2.2	85	28	28	1	507	0	0	8	0	3.46	- .20	1.17	7	5.0	5	8	5	3	1	
RUNYON		60.6	34.9	47.8	- 1.3	87	28+	22	1+	524	0	0	14	0	3.38	- .18	1.60	8	3.0	3	8	6	2	1	
SANDY HOOK		54.2	39.3	46.8	- 2.8	85	28	32	8	543	0	0	1	0	2.62	.35	.97	8	2.5	0		6	2	0	
SOMERVILLE		59.3	35.4	47.4	- 2.9	84	28+	24	21+	528	0	0	12	0	3.13	.41	1.17	8	5.0	T	8	6	2	1	
SUSSEX 3 N		55.9	34.9	45.4	- 3.9	82	28	22	2	581	0	0	13	0	4.78	1.04	1.09	30	12.0	12	8	9	3	1	
TRENTON 2		59.6	38.0	48.8		84	28+	29	1+	488	0	0	6	0	3.55	.18	1.45	7	5.1	2	7+	6	2	1	
TRENTON W8 CITY	R	58.2	40.1	49.2	- 1.5	83	28	33	1+	476	0	0	0	0	2.72	.28	1.00	7	4.2	2	8	6	2	1	
AVERAGE				47.5											3.31				3.5						

↑ DATA RECEIVED TOO LATE TO BE INCLUDED IN DIVISION AVERAGES

DAILY PRECIPITATION

NEW JERSEY
APRIL 1956

Table 3

Station		Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	R	2.71			.05			.35	.00	.06				T		.12	.33	T	T		.04						.38					.02		
AUGUBDN		2.16				T	.44		.28	.22	.20					.20	.31	T	T		T				.46	T		.38						
BASS RIVER ST FOREST		4.12			.04	.03	.00									.03	.27	.39	.06	.02		.07	.02	.02			.17	.98			.50	.02		
BELLEPLAIN		1.01			.14					.48	.62						.23										.36							
BELMAR		3.65				.34		.34	1.11	.60					.26	.32	.18	.11	.17							.40								
BELVIOERE		4.05			.05					.76	1.37			.02		.43	.40	.01	T							.20		.23			T	.40		
BERLIN 1 W		2.70								.25	1.75	.30					.25	.15																
BOONTON		3.30				T	T	.02		.66	1.18	.04					.64	.10									.16	.00	T			.36		
BRANCHVILLE		5.05								.10	.80	T					.64	.08			.05		.01	T	.06	.54		.22		.31	2.30			
BRIDGETON 1 NE		2.28				.12	T			.63	.45	.04	T				.40	.00	T			T				.16	.34					.05		
BURLINGTON		3.18								.00	1.00			.02		.27	.55						.04					.30		.01	.36			
CANISTEAR RESERVOIR		6.20					.26			.43	1.00	.04					.64	.12						.06	.26	.11		.36			.23	2.65		
CANDE BROOK		3.22			T		.01			.80	1.03	.02				.01	.33	.53	.10					.06	.26	.11		.36			.23			
CANTON		1.07				.12	.03			.52	.45					.01	.33	.53	.10				.01				.15	.25		.05	T	.36	.25	
CAPE MAY 3 W		2.30		.06			.04	.07		.40	.60	.06				.11	.15	.03	.02			.06				.37		.20			.13			
CEDAR GROVE		2.27			.08		.05			.35	.65						.46	.07																
CHARLOTTEBURG		3.77			T		.02			.49	1.10	.04					.65	.07					.01	.01	.18	.02		.24	.00		.03	.86		
CHATHAM		3.35								.80	1.10	.02					.53	.11					.01		.08	.01		.20	.10			.27		
CHATS WORTH 5 S		2.98			T	.02		.03	T	.71	.65	.04			T	.04	.16	.96	T	.04	.12		.08											
CLAYTON		2.03			T	.04	T	.01	.11	.61	.64						.38										.38							
CLINTON		3.62				.05				.06	.88			.05	.38	.30	.30	.05						.04	.11		.36					.44		
DEEPWATER		2.70			.14	.04		.56		.88	.04			.02	.16	.38	T	.03	T	T				T	.14		.38	T			.02			
ELIZABETH		3.43			.01					.07	1.51						.18	.01	.03		T	T					.41					.24		
ELIZABETHPORT		3.34		T					.28	1.46	.64					.19	.11						.01				.36				.10	.06		
ESSEX FELS SERV BLOC		2.01								.65	1.21	T					.41	.05								.14	.08				.37			
FLEMINGTON 1 NE		4.05	T	.01	.02	.05	T			.84	1.36	T		.05	.35	.58	.02	.01		.02	.04			.01	.10	.01		.33	.02	.02	T	.21		
FREEMOLD		3.15								.95	1.20			.02	.10	.21					.12							.43						
GREENWOOD LAKE		6.08			.16		.05			.33	1.55	.30					.70	.00		.01	.01		.05	.23	.04		.27	.12	T	.17	1.01			
HAMMONTON 2 NNE		3.08				.05	.14			*	1.17						.32	.33								.20	.35	.40						
HIGHTSTOWN 1 N		2.58		T		.01	T			.72	1.16			.01	.17	.14	T				.01		.01	.03	T		.31				.01			
INDIAN MILLS 2 W		2.60			T	.05	T			.77	.57	T		T	.23	.35	T	T		T	.08				T	.00								
IRVINGTON		2.08			.01	.02		.08	.23	.60				.02	.20	.23								.06	.02		.32			.04	.06	T		
JERSEY CITY		3.33			T			.22	1.26	1.05				.06	.21	.10					.01		.10	.03			.20							
LAKEWOOD 2 ENE		3.03			T		.06			.06	1.04	.04		.01	.35	.18	T	.08			.15		T	T			.46							
LAMBERTVILLE		3.04				.03	T			.71	1.25			.01	.30	.27	T		T	T			T	.16		.26	.01	.02		.02				
LAYTON 3 NW		5.10				.04				.87	1.18				.18	.33	.08	.02																
LEESBURG STATE FARM		2.62			.04		.14			.37	.50	.08					.28	.13	T	T						.44	.56	.04			.04			
LITTLE FALLS WATER CD		3.10			.01	T	.02			.58	1.20	.13			.06		.45	.04				.27	.01		.03		.10	.06	T	T	.41			
LONG BRANCH		3.78			T			.20		1.01	1.50			.04	.15	.24	T				.27	.01		.01	T		.36							
LONG VALLEY	D	3.81				.08				1.00	0.00			.05	.38	.30		.17			.02		.04	.15		*					.63			
MACOPIN INTAKE		3.68			T	.01	T			.42	1.10	.03				.71	.05						.03		.12		.32	.05				.84		
MANVILLE		4.02				.04		.30	1.03	.58					.15	.30											.40					.23		
MARLTON 1 W		3.37			.02	.28			1.04	1.02				T	.20	.26	.05	.11		.02	T		.02	T	.04		.33							
MAYS LANDING		2.50			.02	.03	.05			.46	.55				.10	.51	.10			.10	.10		.32			.25								
MIDLAND PARK		3.71		.06						.35	1.30			.02	.20	.40	.05	.01		.10	.08	.04	.07			.34		.01			.54			
MILLVILLE		2.35			.10	.04		.36	.61	.07				.02	.10	.20		.04			.02				.28		.32			.01				
MILLVILLE CAA AIRPORT		2.01		T	.12	T		.40	.72	.02				T	.27	.48	T	T	T						.43		.45					.02		
MILTON		4.51					.07			.60	.30	1.05				.75	.15																	
MOORESTOWN		2.08			.03	T	.22			* 1.67	.02				.04	.04	.44	.16	T	.01	.03	.14	.05	.11	.22		.36	.02		.17	.71			
MORRIS PLAINS		4.21			T		.04			.77	1.38	T		.02	.20	.62	T			T	.14	.05	.07	T		.31	T		T	.52				
NEWARK W8 AIRPORT	R	3.04			T	T	.02		.24	.86	.77			.04	.24	.16	T	T					.00	.01			.33		.01	.15	.12			
NEW BRUNSWICK EXP STA		3.23			T	T				.87	1.38			.14	.20	.15	T	T									.33					.10		
NEW MILFORD		3.06		.04		.04				.80	.76			.04	.40	.24											.26					.44		
NEWTON		5.00						.06		.20	.80	.02				.67	.07	T		T		.02	.03	.31	.10		.24	T	.01	.14	2.33			
DAK RIDGE RESERVOIR		5.03			.05					.50	1.60	.38				.60	.11				T	.02	.07	.20	.08		.25	.11		.08	.08			
ORANGE		3.92		.01						.78	1.75			.04	.08	.04	.43											.47				.34		
PATERSON		4.40	T				T	.03		.40	1.00	.03				.01	.24	.22	.10	.03	.02	.03	.05				.07		.22	.12	T	T	.72	
PEMBERTON 3 E		3.17					.46	</																										

DAILY TEMPERATURES

NEW JERSEY
APRIL 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX	55	47	47	62	66	54	47	43	57	48	44	46	47	48	51	55	55	51	51	49	54	63	55	44	47	61	53	45	48	58	79	53.2
	MIN	31	38	41	41	46	45	41	35	33	36	41	38	40	39	46	46	43	41	37	40	34	46	43	34	35	43	45	48	51	51	40.9	
AUGUBON	MAX	56	58	59	73	67	69	51	40	55	60	59	63	65	60	62	73	54	54	52	52	57	66	53	46	58	57	65	85	84	76	61.0	
	MIN	30	34	42	42	45	42	34	32	34	35	36	33	36	36	41	46	41	36	38	35	32	45	42	36	29	40	38	47	64	50	39.0	
BELLEPLAIN	MAX	54	55	50	76	73	65	50	43	56	60	58	53	60	57	59	70	59	56	51	52	55	64	62	52	52	65	63	82	81	81	60.5	
	MIN	26	29	40	43	40	40	52	34	37	27	35	33	26	31	43	41	42	29	30	32	26	42	41	29	29	36	31	46	52	51	36.2	
BELVIOERE	MAX	56	51	59	56	68	69	56	41	53	60	55	62	60	61	57	67	54	55	51	50	56	63	57	51	58	53	62	85	86	77	59.6	
	MIN	28	29	39	42	45	36	39	31	32	29	31	32	33	29	40	47	37	32	31	32	45	44	36	31	27	37	36	47	58	42	36.6	
BOONTON	MAX	45	50	49	54	52	64	66	46	39	50	56	53	51	58	57	60	69	52	53	48	48	54	61	50	50	54	48	63	82	82	55.5	
	MIN	32	25	35	41	40	35	42	32	32	32	32	33	29	29	34	46	40	31	35	30	31	33	37	32	27	35	30	39	45	60	35.1	
BRIDGETON 1 NE	MAX	47	50	57	57	79	67	69	47	44	55	59		58	62	57	65	71	55	53	52	51	57	64	54	49	56	63	70	84	82	59.8	
	MIN	29	32	42	44	44	39	46	34	33	29	35		29	31	43	50	41	35	35	32	31	38	40	32	31	40	39	46	62	64	38.8	
BURLINGTON	MAX	56	56	57	70	69	69	54	41	54	60	57	55	63	61	60	74	55	54	54	45	55	64	58	52	58	54	66	86	84	79	60.7	
	MIN	29	31	41	42	50	47	43	36	36	38	42	39	38	40	46	48	45	40	40	40	29	43	42	40	32	39	39	47	49	51	40.7	
CANOE BROOK	MAX	46	52	48	51	53	65	60	42	42	51	58	51	57	60	58	62	71	53	55	49	47	56	61	51	50	55	48	64	85	83	56.1	
	MIN	25	23	30	41	38	30	41	32	32	26	28	27	26	25	34	47	37	28	31	28	26	38	38	25	22	35	31	42	53	62	33.4	
CAPE MAY 3 W	MAX	62	49	54	67	66	60	51	45	52	54	47	54	53	51	56	61	56	54	50	52	54	63	57	54	50	64	64	73	68	70	57.0	
	MIN	37	39	44	42	45	45	44	36	35	39	40	37	38	38	44	47	45	37	41	42	38	38	44	33	37	43	43	47	53	54	41.5	
CHARLOTTEBURG	MAX	43	45	48	52	52	63	65	45	43	47	53	52	57	58	57	58	67	50	50	45	46	54	58	48	48	55	45	60	83	80	54.2	
	MIN	26	20	29	36	39	30	39	30	28	31	25	30	28	26	34	43	37	30	34	26	28	34	37	32	24	32	29	35	51	60	32.5	
CHATSWORTH 5 S	MAX	56	56	58	77	73	69	58	41	55	61	52	55	62	57	55	72	60	56	53	50	60	62	55	50	53		73	84			59.7	
	MIN	25	26	41	43	42	39	39	32	30	29	34	36	30	35	42	53	40	31	34	38	27	32	42	38	30		42	48			36.2	
CLAYTON	MAX	55	56	57	76	73	70	60	41	51	60	55	57	64	59	59	71	55	53	53	52	57	64	57	48	57	59	64	85	83	78	61.0	
	MIN	29	35	42	48	42	41	40	32	37	31	37	35	31	33	42	46	41	33	34	34	31	40	40	32	30	40	38	46	61	52	38.4	
ELIZABETH	MAX	57	51	52	53	71	65	55	40	55	61	55	60	59	60	55	75	56	57	53	52	59	66	60	51	58	49	62	85	84	77	59.8	
	MIN	28	28	40	35	41	38	35	32	32	30	31	35	29	29	37	47	38	31	34	31	28	38	39	31	26	37	34	46	57	60	35.9	
ESSEX FELS SERV BLDG	MAX	45	55	53	54	50	65	60	45	45	52	55	54	56	59	60	59	72	64	54	45	44	53	58	60	52	52	46	66	85	82	56.7	
	MIN	29	25	34	35	30	35	34	28	29	28	33	32	30	33	37	45	38	34	39	30	32	34	31	28	25	34	35	44	48	62	34.4	
FLEMINGTON 1 NE	MAX	55	52	58	60	67	67	54	41	52	59	56	60	62	60	55	70	54	54	51	51	54	63	58	52	55	54	64	84	83	80	59.5	
	MIN	28	24	38	37	39	34	38	31	32	30	30	34	25	24	34	46	35	28	35	27	25	40	38	28	21	35	33	46	53	58	34.2	
FREEHOLD	MAX	54	51	53	66	66	41	53	39	52	58	52	54	61	58	56	72	55	55	51	49	55	63	58	48	54	50	62	84	85	78	58.4	
	MIN	27	33	40	40	44	41	37	32	30	31	35	35	30	30	38	49	38	31	33	33	28	40	41	33	29	36	34	44	61	52	36.8	
HAMMONTON 2 NNE	MAX	51	57	51	57	72	75	72	46	40	55	61	50	56	67	61	62	76	55	56	63	58	62	67	57	45	56	60	66	86	83	60.8	
	MIN	28	33	42	43	44	40	38	34	33	33	35	34	31	31	42	52	46	36	35	28	34	42	42	33	31	39	36	45	52	65	38.3	
HIGHTSTOWN 1 N	MAX	54	53	54	68	65	63	53	39	52	57	52	57	62	58	58	72	54	53	50	50	56	63	52	48	56	50	63	83	83	75	58.4	
	MIN	27	29	41	41	43	38	38	32	32	32	35	34	30	30	39	52	41	34	33	32	28	42	40	32	30	38	34	45	62	57	37.4	
INDIAN MILLS 2 W	MAX	54	55	57	77	67	70	51	41	53	59	51	56	64	60	58	73	54	54	51	50	55	65	52	46	56	55	63	86	83	77	59.8	
	MIN	23	27	40	42	38	35	39	32	32	26	32	33	26	30	39	45	37	31	32	32	25	40	41	27	24	36	32	45	61	58	35.3	
JERSEY CITY	MAX	53	44	47	49	65	62	46	38	52	55	51	54	50	49	50	69	52	51	48	45	54	62	50	47	47	46	55	82	72	72	53.9	
	MIN	33	34	39	43	43	48	37	33	34	37	33	34	37	38	42	50	42	41	38	36	32	45	38	38	36	38	36	42	62	62	39.7	
LAKEWOOD 2 ENE	MAX	56	48	50	64	66	62	49	37	54	55	47	50	59	57	55	71	55	55	51	49	56	67	53	46	50	53	58	88	85	78	57.5	
	MIN	26	24	40	40	45	35	34	32	32	30	29	28	23	25	41	42	32	28	30	28	27	44	38	30	26	36	33	48	57	47	34.3	
LAMBERTVILLE	MAX	56	55	56	67	66	65	55	41	52	58	56	59	62	59	56	69	54	53	51	50	57	63	52	50	56	53	65	84	82	80	59.4	
	MIN	27	27	40	43	43	36	40	33	33	30	33	31	30	29	40	47	40	32	35	32	27	43	40	31	26	39	36	47	54</			

DAILY TEMPERATURES

NEW JERSEY
APRIL 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	52	50	54	56	76	74	60	50	55	62	52	59	66	55	56	75	56	54	52	52	58	65	54	52	59	54	56	87	87	80	60.6	
	MIN	22	22	39	42	38	44	39	32	30	27	28	28	25	25	32	46	40	38	34	28	28	38	38	27	30	36	34	41	54	61	34.9	
SANDY HOOK	MAX	53	45	47	46	63	58	47	40	51	55	46	50	51	53	49	65	52	52	54	49	54	60	58	48	46	46	56	85	75	72	54.2	
	MIN	33	34	34	37	36	42	33	32	35	35	35	35	37	35	42	44	43	48	42	39	34	44	40	39	38	37	37	46	56	56	39.3	
SOMERVILLE	MAX	56	52	55	58	68	63	54	41	53	61	54	60	61	60	55	72	54	55	52	51	58	64	56	49	56	51	64	84	84	79	59.3	
	MIN	25	26	38	42	42	34	39	32	31	30	35	34	29	26	38	49	42	30	33	29	24	38	39	28	24	37	34	47	55	52	35.4	
SUSSEX 3 N	MAX	47	42	50	56	65	56	55	36	49	55	54	59	56	57	55	66	50	51	52	48	55	58	52	49	56	48	64	82	77	77	55.9	
	MIN	29	22	33	39	44	39	35	30	30	27	30	30	39	28	39	47	37	29	31	29	35	39	33	30	33	34	30	45	55	45	34.9	
TRENTON 2	MAX	56	55	55	70	67	66	49	40	53	59	52	61	62	60	58	72	55	54	52	52	58	64	53	47	57	54	65	84	84	75	59.6	
	MIN	29	33	41	43	45	42	32	32	32	33	34	34	34	34	41	44	40	37	35	35	29	44	40	33	30	38	37	47	63	48	38.0	
TRENTON WB CITY	MAX	54	54	56	70	66	63	48	37	52	58	49	58	60	58	58	71	54	52	50	50	56	62	51	47	56	53	64	83	82	74	58.2	
	MIN	33	37	42	43	49	46	33	33	34	36	36	36	36	37	42	46	42	39	38	37	33	46	41	38	35	39	39	47	65	46	40.1	

Table 7

SNOWFALL AND SNOW ON GROUND

NEW JERSEY
APRIL 1956

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV								T																.4							
BELVIDERE	SNOWFALL SN ON GND																	T														
CHARLOTTEBURG	SNOWFALL SN ON GND	5	5	4	3	1			9.0 9	4.5 5	4	2	1											T			T					
CLAYTON	SNOWFALL SN ON GND								T T																T							
FLEMINGTON 1 NE	SNOWFALL SN ON GND	T T	T	T					7.0 2	T T	T																					
FREEHOLD	SNOWFALL SN ON GND								4.0 2																							
HIGHTSTOWN 1 N	SNOWFALL SN ON GND								3.5 2																							
INDIAN MILLS 2 W	SNOWFALL SN ON GND								T	T															T							
LAKESWOOD 2 ENE	SNOWFALL SN ON GND								1.8 2		T																					
LONG VALLEY	SNOWFALL SN ON GND								9.0 -																							
MILLVILLE CAA AIRPORT	SNOWFALL SN ON GND							T	T																.9							
MOORESTOWN	SNOWFALL SN ON GND							T	.5 T															T								
MORRIS PLAINS	SNOWFALL SN ON GND								9.0 -	T -										T				T			T					
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV							T	3.4 3		T														T							
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND								1.8 T																							
NEWTON	SNOWFALL SN ON GND								6.0 6		4														-							
PATERSON	SNOWFALL SN ON GND	T	T						3.5 3	T																						
PEMBERTON 3 E	SNOWFALL SN ON GND								1.5 T																							
PLAINFIELD	SNOWFALL SN ON GND			T				T	4.0 2		T																					
RIDGEFIELD	SNOWFALL SN ON GND							T	5.0 5		T																					
SOMERVILLE	SNOWFALL SN ON GND								5.0 T																							
SUSSEX 3 N	SNOWFALL SN ON GND								12.0 12		4																					
TRENTON WH CITY	SNOWFALL SN ON GND							1.2	3.0 2		T																					

STATION INDEX

NEW JERSEY
APRIL 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS				HILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS			3
ATLANTIC CITY W8	0325	ATLANTIC	1 30 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 5	7	C	MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	MID	BA H. J. WILLARD			2 3 5
AUDUBON	0346	CAMDEN	2 30 54	75 04	90	11P	IRVIN J. NYGREN	2 3 5			MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	900	4P	JAMES C. LONG			2 3 5
BASS RIVER ST FOREST	0528	BURLINGTON	1 30 37	74 26	20	6P	N.Y. FORESTRY SVC				NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU			2 3 5
BELLEPLAIN	0690	CAPE MAY	1 30 18	74 52	40	5P	MRS. ED C. HOFFMAN	2 3 5			NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR H. AHLQUIST			2 3 5
BELMAR	0721	MONTMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT				NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO			3
BELVIDERE	0729	WARREN	2 40 50	75 05	289	5P	MISS. C. S. HIXSON	2 3 5	7		NEWTON	6177	SUSSEX	2 41 03	74 45	765	8A	NEWTON WTR SWR COMM			2 3 5
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	190	7A	SAMUEL H. MC CULLY	3			OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT			3
BOONTON	0907	MORRIS	8 40 54	74 24	280	8A	JERSEY CITY WTR WKS	2 3 5			ORANGE	6500	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER			3
BRANCHVILLE	0978	SUSSEX	2 74 47	74 09	570	7A	ALBERT M. DAVENPORT	3			PATERSON	6775	PASSAIC	8 40 55	74 09	100	8A	PA J. DEL VECCHIO			2 3 5
BRIDGETON 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WSNJ	2 3 5			PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. OEHLERT			2 3 5
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC E + 6 CO	2 3 5			PHILLIPSBURG	6974	SUSSEX	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT			2 3 5
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	9A	NEWARK WATER DEPT	2 3 5			PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	166	9A	JOINT TOLL BRIDGE COM			3
CANDE BROOK	1345	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5	6		PLAINFIELD	7079	UNION	10 40 36	74 25	120	8P	SA K. PEARSON			2 3 5
CANTON	1343	SALEM	2 39 28	75 25	10	9A	GERTRUDE S. WILLIS				PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	8A	ATLANTIC CITY WTR WK			2 3 5
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P	N. WEST MAGNETIC CO	2 3 5		C	PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO			3
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	40	5P	HA. A. PLUNKETT	2 3 5			RANNEY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH			3
CENTERTON	1512	SALEM	6 39 31	75 10	80	8A	JOHN HOPKINS UNIV.	3			RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN			2 3 5
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7		RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	N. J. WATER SUPPLY			2 3 5
CHATHAM	1590	MORRIS	8 40 44	74 23	185	6P	EDWARD P. MOLITOR	3			RUNTON	7625	MIDDLESEX	1 40 26	74 20	18	6P	HA. J. WATER COMM			2 3 5
CHATSORTH 3 S	1598	BURLINGTON	1 39 44	74 32	90	5P	WILLIAM S. HAINES	2 3 5	7		SANDY HOOK	7869	MONTMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD			2 3 5
CLAYTON	1708	GLoucester	6 39 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7		SEMERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	HA. E. HAVER			2 3 5
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLODNER	3			SPLIT ROCK POND	8402	MORRIS	8 40 56	74 28	800	10A	JERSEY CITY D P W			2 3 5
DEEPWATER	2209	SALEM	2 39 41	75 30	12	MID	DU PONT DE NEMOURS	2 3 5			SPRINGFIELD	8423	UNION	1 40 43	74 18	—	MID	N. J. DEPT OF CONS			2 3 5
ELIZABETH	2444	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5			SUSSEX 3 N	8646	SUSSEX	5 41 14	74 35	930	6P	BRICE B. STANTON			2 3 5
ELIZABETHPORT	2682	UNION	8 40 39	74 12	30	MID	SEWAGE TREATMENT PL	3		C	SWEDENBORO 5 NW	8685	GLoucester	2 39 47	75 24	10	12N	SUN DIL CO			3
ESSEX FIELDS SERV BLDG	2708	ESSEX	8 40 50	74 18	250	8A	BROADWAY ESSEX FELLOWS	2 3 5			TRENTON 2	8816	OCEAN	1 39 57	74 14	10	MID	ROBERT F. SNYDER			3
FLEMING 1 NE	3029	HUNTERDON	10 40 31	74 15	134	5P	DONALD YOUNG	2 3 5	7		THOMS RIVER	8878	MERCER	2 40 14	74 46	105	MID	HA. E. RISTOW			2 3 5
FORTESCUE	3162	CUMBERLAND	2 39 14	75 10	5	5P	F. A. RODENBAUGH	INAC 10/55			VIENLAND	9135	CUMBERLAND	8 39 29	75 00	110	8A	STATE HOME FOR WOMEN			2 3 5
FREEDHOLD	3181	MONTMOUTH	10 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7	C	TUCKERTON 2 SW	8890	OCEAN	1 39 35	74 22	45	8A	VERNON W. NOTT			INACTIVE 1/55
GLASSBORO	3291	GLoucester	2 39 42	75 07	150	MID	PROF. J. B. SANGREE				VIENLAND	9135	CUMBERLAND	8 39 29	75 00	110	8A	STATE HOME FOR WOMEN			3
GREAT MEADOWS	3416	WARREN	2 40 53	74 56	540	MID	EDWARD KOWALICK				WANDUE RAYMOND DAM	9187	PASSAIC	8 41 02	74 18	320	8A	WATER SUPPLY COMM			3
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	7A	WATER SUPPLY COMM	3			WATCHUNG	9271	UNION	8 40 40	74 25	—	MID	BONNIE BURN SAN			3
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS	2 3 5			WESTFIELD	9455	UNION	8 40 39	74 21	135	3P	TOWN ENGINEER			3
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 30	74 43	85	8A	W. HUBBARD PARKHURST	2 3 5			WODDCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO			3
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P	JAMES R. PICKERING	2 3 5	7		WODDSTOWN 2 NW	9910	SALEM	2 39 40	75 20	16	6P	WOODROW W. HALTER			INACTIVE 2/56
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE	2 3 5		C	NEW STATIONS										
INOIAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7												
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MID	JOINT MEETING GARAGE	3			TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551	MID	HA. J. ERVEY			C
JERSEY CITY	4339	HUDSON	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5													
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	MID	GEORGE G. WADLOTT	2 3 5	7	C											
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5													
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. DEPUCE	2 3 5													
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	8A	LEESBURG STATE FARM	2 3 5													
LITTLE FALLS WATER CO	4887	PASSAIC	8 40 53	74 14	157	9A	PASSAIC VLY WTR CO	2 3 5													
LONG BRANCH	4987	MONTMOUTH	1 40 18	74 00	34	MID	STORM WARN. DSPL STA	2 3 5		C											
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	6P	ARTHUR BARKMAN	2 3 5	7												
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LAWTON	3		C											
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	1020	9A	NEWARK WATER DEPT	3													
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADCLIFFE	3													

1-1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-RUDDON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figure and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Oelayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 A.M. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational data ending before noon.

B Adjusted to a full month.

C Data for recorder stations denoted by "C" are processed for special purposes and published in Hourly Precipitation Data. Length of record for recorder-only stations may be found in the Annual Issue of Hourly Precipitation Data.

O Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

M One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (these amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).

T Trace, an amount too small to measure.

V Include total for previous month.

Additional information regarding the climate of New Jersey may be obtained by writing to any Weather Bureau Office or to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscription should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC., Asheville, N. C. --- 5/28/58 --- 775

551-05

UNNJ

Copy 1

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

THE LIBRARY OF THE

JUL 24 1956

UNIVERSITY OF ILLINOIS

CLIMATOLOGICAL DATA

NEW JERSEY

MAY 1956

Volume LXI No. 5



WEATHER SUMMARY

GENERAL

The month was featured by frequent outbreaks of unseasonably cold air, and became the third consecutive month with temperatures that were cooler than usual, thus rounding out a cool Spring season.

The unusually cold weather placed this month along with May 1954 as the tenth coldest May since 1885. For the third consecutive month, all stations in the State that have long-term means showed negative departures. Departures this month ranged from -0.4° at Runyon to -5.4° at Charlotteburg. Extreme temperatures varied from 93° on the 31st at Belvidere and Indian Mills 2 W to 22° on the 9th at Layton 3 NW. This low reading of 22° , along with three other years, ranked as the fourth lowest minimum since 1885.

For the second consecutive month precipitation has been deficient. Only about one-fourth of the years since 1885 have been drier. Of the stations which have long-term means, only one (Long Branch with $+0.04$ inch) showed a positive departure. Monthly totals ranged from 1.26 inches at Deepwater to 4.12 inches at Milton. The greatest daily amount was 1.80 inches at Audubon on the 7th. It was of passing interest that about two-thirds of the stations had greatest daily amounts that were less than one inch, while a few stations were less than 0.50 inch. Only two stations reported frozen type precipitation during the month with only a trace in each instance.

The percentage of possible sunshine was slightly more than usual, while daytime cloudiness was generally deficient except in the Atlantic City area where the average coincided with the expected value.

WEATHER DETAILS

The first half of May was marked by frequent changes in pressure patterns causing temperatures to fluctuate considerably with alternating cool and warm periods. The coldest weather in this period occurred when a strong Canadian High advanced southeastward over the State dropping temperatures to near 10° below normal on the 7th, 8th, and 9th. The warmest weather of this period occurred from the 12th to 14th as a series of disturbances sustained the flow of warm air over the State. Newark WB Airport reported a departure of 20° above normal on the 13th with a maximum reading of 92° . The passage of a cold front brought falling temperatures on the 15th and the pressure distribution from the 16th to 30th kept temperatures predominantly on the cold side for that period, except for brief interruptions on the 19th and 22nd in most areas when readings were near or slightly above normal. Temperatures rose rapidly on the 31st as circulation around a disturbance centered over the Great Lakes caused a flow of warm southerly winds over New Jersey.

Numerous weather disturbances that affected the State during the month caused frequent occurrences of showers and thunderstorms. Some precipitation was reported to have occurred on about two-thirds of the days at some stations. Most stations reported their heaviest precipitation of the month on the 6th or 7th. (See table 3 of this bulletin for the daily distribution of amounts.)

WEATHER EFFECTS

As the month began farm operations appeared to be 7 to 10 days behind schedule due to several weeks of persistently cool weather. The warm and relatively dry weather of the second week marked the first real break in the unfavorable conditions, and afforded farmers an opportunity to make excellent progress with their crops. The third week of the month was cool and relatively dry. Moderate to heavy damage from frost was reported on the 17th to cranberries in bogs that weren't flooded and considerable damage was noted elsewhere to sweet potatoes, tomatoes, strawberries, blueberries, etc. By the end of the fourth week crop growth was fairly good, though still behind schedule, with a general rainfall needed soon. The exceptionally cold weather for so late in the season which occurred on the mornings of the 24th and 25th caused extensive frost damage again to cranberries where the bogs weren't flooded, and to strawberries, snap beans, cucumbers and tomatoes in the uplands.

DESTRUCTIVE STORMS

Thunderstorms associated with an active cold front occurred over the entire State during the afternoon of the 6th and morning of the 7th. The most significant damage to life and property occurred at a seaside resort at Deal, where 5 persons were killed by ensuing fire in a house struck by lightning. Estimated damage to property was between \$20,000 and \$25,000. Several houses and a number of TV antennas were struck by lightning in the Trenton Metropolitan area causing the death of one person and some property damage. There appeared to be little or no wind damage; maximum gusts were estimated to have been 30 - 40 mph. Damage to crops was probably limited to several trees having been struck by lightning. This storm was unusual for its duration rather than its high winds or severity. Damage to crops was negligible, while the estimated damage to property for the entire State was \$25,000 to \$50,000.

A suspected tornado occurred on the 7th at 1:15 a.m. at Woodbine in Cape May County. Its path was 25 to 50 yards in width and 2 blocks in length. There was little or no damage to crops, but approximately \$10,000 to property. Some of the property damage was as follows: 1. Two-thirds of the roof of the local synagogue was blown off, and debris (including many 2" x 12" wood beams) was carried at least 50 yards from the building. 2. A door on the west side of a workshop and storage room was blown in when a 2" x 4" bar snapped, resulting in the blowing out of the entire south wall of the cinder block building. 3. A small frame garage was blown off its original location and moved several yards eastward, but resulted in little or no damage to the automobile that had been within. Other evidence indicated that the storm lasted no more than three minutes before subsiding and giving way to rain and lightning. The wind was reported to have roared like an express train with much pounding for a very short period. It was also noted that there was little or no wind damage anywhere outside the narrow 2 block long path.

FLOODS

There were no floods reported during the month.
Franklin W. Long

CLIMATOLOGICAL DATA

NEW JERSEY
MAY 1956

TABLE 2

Station		Temperature												Precipitation																		
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days										
																			Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More								
											Mo	Max	Min	Below																		
																						50° or Above	32° or Below	32° or Below	32° or Below							
ATLANTIC CITY WB	R	62.0	49.9	56.0	- 3.1	88	13	41	17	284	2	0	0	0	2.36	- .62	.55	27	.0	0		6	1	0								
AUDUBON		73.0	48.6	60.8		92	31	35	9	173	2	0	0	0	3.62		1.80	7	.0	0		8	1	1								
BELLEPLAIN		72.8	47.0	59.9		91	14	30	25	196	2	0	3	0	3.07	- 1.01	.95	27	.0	0		8	2	0								
BELOVEDERE		73.8	46.5	60.2	- 2.1	93	31	31	9+	199	2	0	3	0	3.07	- 1.16	.95	7	.0	0		8	2	0								
BOONTON	AM	67.8	43.5	55.7	- 3.6	87	14	29	9	296	0	0	3	0	2.48	- 1.97	.95	7	.0	0		6	1	0								
BRIGGETON 1 NE		70.4M	46.7M	58.6M		90	15	33	25	219	1	0	0	0	2.22		.85	27	.0	0		5	2	0								
BURLINGTON		73.6	48.0	60.8	- 3.5	92	31	36	9	166	1	0	0	0	2.08	- 2.00	.70	7	.0	0		6	1	0								
CANOE BROOK	AM	69.8	43.8	56.8	- 2.1	89	14	27	25	272	0	0	2	0	2.26	- 2.27	.93	7	.0	0		5	2	0								
CAPE MAY 3 W		67.4	49.7	58.6		84	31	38	25	215	0	0	0	0	2.61		.95	23	.0	0		7	2	0								
CHARLOTTEBURG	AM	67.1	39.9	53.5	- 5.4	88	14	24	9	365	0	0	9	0	3.02	- 1.39	.75	24	.0	0		9	3	0								
CHATSWORTH 5 S																																
CLAYTON		73.7	48.7	61.2		91	14	34	25	168	2	0	0	0	2.67		.85	13	.0	0		5	3	0								
ELIZABETH		72.6	46.5	59.6	- 2.7	92	13	32	9	206	2	0	1	0	2.19	- 2.15	.71	7	.0	0		5	1	0								
ESSEX FIELDS SERV BLDG	AM	71.7	41.7	56.7		90	14	29	25	271	1	0	1	0	2.58		1.00	7	.0	0		8	2	1								
FLEMINGTON 1 NE		71.9	43.9	57.9	- 4.2	91	31	27	9	247	1	0	4	0	2.38	- 1.96	1.12	7	.0	0		5	1	1								
FREEHOLD		71.9	47.1	59.5	- 2.2	90	31	33	9+	198	1	0	0	0	2.77	- 1.36	1.72	7	.0	0		4	1	1								
HAMMONTON 2 NNE	AM	71.6M	44.7M	58.2M	- 4.6	89	14	32	2	223	0	0	1	0	1.99	- 2.16	.82	7	.0	0		4	1	0								
HIGHTSTOWN 1 N		71.1	46.6	58.9	- 2.5	91	31	31	25	220	1	0	1	0	2.72	- 1.12	1.64	7	.0	0		4	1	1								
INJAN MILLS 2 W		73.2	45.7	59.5	- 2.6	93	31	28	25	209	2	0	4	0	1.63	- 2.47	.40	7	.0	0		7	0	0								
JERSEY CITY		65.4	48.8	57.1	- 4.3	88	13	36	8	268	0	0	0	0	2.37	- 1.58	.43	2	.0	0		7	0	0								
LAKEWOOD 2 ENE		69.8	43.9	56.9	- 4.5	93	31	28	9	273	1	0	5	0	2.32	- 1.84	.64	7	.0	0		5	1	0								
LAMBERTVILLE		72.5	46.5	59.5	- 2.1	90	31	31	25	201	1	0	1	0	2.74	- 1.63	1.33	7	.0	0		7	1	1								
LAYTON 3 NW		70.6	39.9	55.3	- 3.1	90	30	22	9	325	1	0	10	0	2.97	- 1.14	.73	7	.0	0		9	1	0								
LEESBURG STATE FARM	AM	68.5	47.3	57.9		90	14	31	25	233	1	0	1	0	2.99		.66	28	T	T	2	8	1	0								
LITTLE FALLS WATER CO	AM	70.3	45.5	57.9	- 3.4	90	14	31	25	237	1	0	2	0	2.15	- 2.43	.81	7	.0	0		5	2	0								
LONG BRANCH		67.2	47.3	57.3	- 2.5	91	31	35	9	262	1	0	0	0	3.68	.04	1.38	6	.0	0		8	1	1								
LONG VALLEY		70.3	42.3	56.3		89	13	26	9	292	0	0	5	0	3.00	- 1.30	.55	6	.0	0		7	1	0								
MILLVILLE CAA AIRPORT		71.3	47.3	59.3		92	14	33	17	214	2	0	0	0	2.33		.94	27	.0	0		6	1	0								
MOORESTOWN		71.8	46.7	59.3	- 2.4	91	31	32	25	208	2	0	1	0	2.44	- 1.89	1.09	7	.0	0		1	1	1								
MORRIS PLAINS		70.9	44.5	57.7		89	13	28	9+	259	0	0	3	0	2.26		1.00	7	.0	0		5	2	1								
NEWARK WB AIRPORT	R	69.1	48.7	58.9	- 2.2	92	13+	38	8+	218	2	0	0	0	2.45	- 1.28	.52	2	T	0		8	1	0								
NEW BRUNSWICK EXP STA		71.6	46.8	59.2	- 2.5	89	31	32	25	211	0	0	1	0	2.84	- 1.15	1.58	7	.0	0		7	1	1								
NEWTON	AM	67.9	42.8	55.4	- 4.0	86	14	27	9+	308	0	0	3	0	3.11	- 1.13	.71	7	.0	0		11	1	0								
PATERSON	AM	71.4	47.5	59.5	- 2.6	91	14	35	9	197	1	0	0	0	2.58	- 1.90	.85	7	.0	0		6	2	0								
PEMBERTON 3 E		73.0	44.9	59.0	- 4.0	91	31	30	9+	218	1	0	4	0	2.62	- 1.36	1.16	7	.0	0		7	1	1								
PHILLIPSBURG		72.8	46.7	59.8	- 1.6	90	31	32	9	190	1	0	1	0	4.11	- .19	1.37	7	.0	0		8	3	1								
PLAINFIELD		70.9	46.7	58.8	- 2.5	90	13+	32	9	211	2	0	1	0	2.48	- 1.90	.86	27	.0	0		6	2	0								
PLEASANTVILLE 1 N	AM	67.3	45.6	56.5	- 3.9	89	14	31	9	274	0	0	4	0	3.42	- .12	.87	20	.0	0		7	3	0								
RIDGEFIELD		71.7	46.6	59.2	- 1.9	91	31	33	24+	218	1	0	0	0	2.89	- 1.38	.75	6	.0	0		8	1	0								
RUNYON		74.4	45.4	59.9	- .4	92	31	27	9+	203	2	0	4	0	3.08	- .66	1.43	7	.0	0		9	1	1								
SANDY HOOK		64.8M	46.9M	55.9M	- 4.3			39	9	276	1	0	0	0			1.57	7	.0	0												
SOMERVILLE		72.1	45.8	59.0	- 2.2	91	31	30	9	215	1	0	3	0	2.17	- 1.95	1.08	7	.0	0		4	1	1								
SUSSEX 3 N		69.2	43.3	56.3	- 4.1	90	31	28	25	291	1	0	4	0	3.24	- .72	.80	7	.0	0		10	2	0								
TRENTON 2		71.9	47.2	59.6		92	31	34	25	197	1	0	0	0	3.61	- .73	1.17	6	.0	0		8	1	1								
TRENTON WB CITY	R	69.9	48.3	59.1	- 2.7	90	31	39	9+	209	1	0	0	0	2.93	- .55	1.22	6	.0	0		5	1	1								
AVERAGE				58.3											2.72				T													

† DATA RECEIVED TOO LATE TO BE INCLUDED IN DIVISION AVERAGES

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB	-	-	17.4	42	SW	27	-	-	-	-	4	7	5	1	0	0	17	64	5.6
LONG BRANCH	S	20	14.3	40	S	22	-	78	63	61	5	5	8	1	1	0	18	68	5.8
NEWARK WB AIRPORT	SSW	20	11.0	27*	NW	4+	68	66	46	57	7	6	7	1	0	0	21	-	8.0
TRENTON WB CITY	-	-	10.4	34	NW	4	-	-	-	-	4	10	4	0	1	0	19	67	5.4

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

DAILY PRECIPITATION

NEW JERSEY
MAY 1956

Table 3

Station		Total	Day of month																																	
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
ATLANTIC CITY WB	R	2:36	.41	.06	.26			.40			T	T	T	.28	T	.01	.93	.02	.01		.07		.01	.24				.55								
AUDUBON		3:52	.42		.18		.20	1.80						.20			T	T			.11	.22		T	.06	.02			.20				T		.40	
BASS RIVER ST FOREST		2:30	.47	.02			.89	.01		.01				.12														.51								
BELLEPLAIN		2:07	.30	.24	.22			.26						.10			.14	.03				.22					.06	.43								
BELMAR		2:17	.42	.06	.07		.16	.73					.04								.20							.63						.06		
BELVIDERE		2:07	T	.50	.11	.28		.05			.07		.04	.02	.08									.20				.49	.11					.24		
BERLIN 1 W		-					.60		.26	-																										
BOONTON		2:48		.7		.06		.06	.03		.06	T	.02			.07	.02		.11	.04	.15				.17			.02	.30							
BRANCHVILLE		2:19		.62				.90			.14					.33	.09		.16	.15					.07			T	.38					T		
BRIDGEPORT 1 NE		2:22		.26	T	.02		.60	T			.02					.06				.15				.10			.85	.07	T						
BURLINGTON		2:58		.20	.17	.06	.02	.70						.09	.05						.10		.99	.24				.32						.94		
CANISTEAR RESERVOIR		3:00		.52		.16		.80			.10	T	.00			.10	.93	T	.16		.22					.10		.14	.30							
CANOE BROOK		2:26		.51		.06		.02	.02		.02	T	.01			.08	.02		.11	.01	.22					.01		.94	.22					T		
CANTON		2:17		.45		.17								.95											.33			.18	.28					.01		
CAPE MAY 3 W		2:61		.28	.17			.15				.01					T		.04		.25			.95			.05	.11								
CEDAR GROVE		3:20						1.20	.01												.25							.36	1.06							
CHARLOTTEBURG		2:02		.62		.18		.62			.11	T	.04			.08	.01		.13	.05	.22					.75	.20	.10								
CHATHAM		2:36		.49		.11		.09	.03		.03	T				.05			.02	.06						.01	.02	.23						T		
CHATSORTH 5 S			RECORD MISSING																																	
CLAYTON		2:87		.23	.14	.08		.66					T	.85			.05							T	T			.60	.06							
CLINTON		2:74		.20	.62	.12		1.00						.10	.22					.06	.09					.52								.99		
DEERWATER		1:26		.36	.01	.13		.19			.02	.04				.12					.94	.02			.02	.05		.48						.02		
ELIZABETH		2:10		.07	.36	.07		.71			.02	.04	.02			.07	.12		.99		.02						.25									
ELIZABETHPORT		2:00		.36	.01	.06		.34	.61		T	.01				.06	.06	T	.08		.01						.02							.03		
ESSEX FELS SERV BLDG		2:58		.51		.20		1.00	.04			.10				.13			.12		.15							.45	.01	.07				.01		
FLEMINGTON 1 NE		2:38		.12	.62	.15	.01	1.12	T			.01	.01	.06	T	.01	.01		.06		.95				.05			.24	.02					.03		
FREEHOLD		2:77		.10	.25	.05		1.72			.02			.02		.06			.06		T				.01			.46						.08		
GREENWOOD LAKE		3:22		.52		.20		.70			.12	T	.06	T	.24	T			.14	.02	.25				.00			.94	.54							
HAMMONTON 2 NNE		1:99		.62				.62			.03		.01	.06	T	.03			.06		.06							.49	.10							
HIGHTSTOWN 1 N		2:72		.12	.26	.04		1.64			.03		.01	.06	T	.03			T		.06							.42						.02		
INDIAN HILLS 2 W		1:62		.19	.14	.19		.40			T			.11	T		.06	T		.09				.08	.11			.24								
IRVINGTON		2:29		.35			.62	.10		.01				.10		.06		.15		.06								.33						.19		
JERSEY CITY		2:37		.42	.03	.08		.29	.30		.01	.02	T	.02		.01	.04		.06	.16	.03	.04														
LAKEWOOD 2 ENE		2:32		.43	.03	.07	.48	.64			.02	T		.05	T		.09	T		.11					.02			.26						.01		
LAMBERTVILLE		2:74		.14	.16	.17		1.33			.02		.02	.27			.91		.05	.24					.09			.17						.03		
LAYTON 3 NW		2:97		.17	.35	.92		.73			.17		.08			.14		.24		.07								.39						.02		
LEESBURG STATE FARM		2:90		.48	.98	.24		.22			.03	.03	.03	.02		.08			.08		.28				.30	.17		.20						.27		
LITTLE FALLS WATER CO		2:16		.27	.93	.09		.81	.01		.03		.01	.03		.05	.02		.12	.14							.07									
LONG BRANCH		3:58		.27	.92	.98	1.38	.48						T	T	T	.06		T	.02	.06							.30	.13					.16		
LONG VALLEY		3:00		.45		.20	.55	.63		.05	.05			.05					.00	.05				.40	.00			.37	.05							
MACOPIN INTAKE		3:53		.60		.21		.72	.02		.08		T			.12	.02		.11	.04	.23							.20	.14							
MANVILLE		2:20		.40	.02	.06	.36	.57						.10			.02											.25								
MARLTON 1 W		2:23		.20	.20	.22		1.02						.80			.10				.94							.02								
NAYS LANDING		2:22		.10	.36	.32		.22			.02			.01			.10											.05						.05		
MIDLAND PARK		2:26		.47		.14		.31			.05		.01		.08		.03		.10	.10								.12						.03		
MILLVILLE		2:74		.42	.03	.17		.39						.04		.02					.18							.78								
MILLVILLE CAA AIRPORT		2:23		.47	.02	.20	.20	.21			T			.02		.02	.92	.01										.04								
MILTON		4:12		.54		.20		.71	.10		.13	.06		.15		.94			.12		.27							.17	.15							
MOORESTOWN		2:44		.40	.04		1.00	T			.01			.16					T		.16															
MORRIS PLAINS		2:26	T	.50	.02	.16	1.00				.06								.11	T								.31	.02							
NEWARK WB AIRPORT	R	2:46	.62	T	.97	.46	.22	T	.92		.01	T	.10	T		.96	T	.11	.03	T								.07								
NEW BRUNSWICK EXP STA		2:84		.06	.24	.10		1.36			T			.01	T		.08		.06		.22							.10								
NEW MILFORD		2:36		.42	.02	.14	.38	.38		.02	.04			.24			.02		.12	.14	.02							.06								
NEWTON		2:11		.45		.20		.71	.01		.12	T		.10		.35	.02		.15	T	.21							.15	.23							
OAK RIDGE RESERVOIR		3:12		.48		.19		.80	.05		.10	.02	.03			.10			.15	.29								.05	.43							
ORANGE		2:55		.34	.01	*	*	1.21			.02				.07		.05		.12	.22									.25							
PATERSON		2:58		.62		.06	.05	T			.06		.02			.17	.03				.28							.95								
PEMBERTON 2 E</																																				

DAILY TEMPERATURES

NEW JERSEY
MAY 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX	51	51	58	59	55	60	52	50	53	71	63	70	88	70	65	73	50	63	64	62	57	62	76	55	86	60	59	76	59	63	71	62.0
	MIN	47	45	52	48	42	48	45	42	45	52	49	50	60	59	53	50	41	49	51	52	48	55	55	44	52	55	53	49	53	58	49.9	
AUDUBON	MAX	66	63	69	77	65	79	73	60	63	77	70	81	88	91	74	72	58	65	80	68	75	85	78	62	65	70	66	75	74	81	92	73.0
	MIN	45	40	48	45	41	48	44	40	35	54	52	50	65	63	57	53	37	47	46	49	45	51	59	42	36	43	51	57	46	52	66	48.6
BELLEPLAIN	MAX	66	58	66	74	67	80	79	58	60	77	72	82	89	91	81	74	65	69	75	69	72	80	78	70	63	67	63	71	74	78	90	72.8
	MIN	45	38	46	53	40	45	47	40	32	51	51	47	64	63	57	53	32	42	40	50	36	51	61	40	30	41	53	62	42	48	63	47.0
BELVIDERE	MAX	67	66	71	74	66	73	67	63	64	73	66	84	92	85	78	71	62	66	80	75	80	88	85	63	68	74	71	72	76	79	93	73.8
	MIN	40	41	43	44	36	50	49	32	31	53	44	40	71	63	52	53	33	42	40	45	47	57	56	38	31	40	52	52	39	53	64	46.5
BOONTON	MAX	70	68	61	69	71	62	72	56	88	62	70	63	80	87	78	75	68	57	56	74	67	71	81	68	60	63	68	66	65	71	73	67.8
	MIN	38	36	41	43	34	44	48	36	29	40	42	50	50	60	53	51	32	39	38	46	43	49	55	37	30	38	46	52	43	50	56	43.5
BRIDGETON 1 NE	MAX	77	64	60	66	78	65	82	53	60	61	78	61	87	90	58	72	71	58	67	79	68	72	81	77	61	64	68	68	78	86	70.4	
	MIN	44	37	46	53	39	47	46	32	39	53	52	49	63	55	54	52	34	42	41	49	39	49	61	37	33	43	54	54	45	51	46.7	
BURLINGTON	MAX	67	65	70	78	69	80	76	62	66	78	73	84	89	88	73	73	64	66	79	80	76	79	78	61	66	68	65	66	72	79	92	73.6
	MIN	45	41	40	51	39	48	48	40	36	54	51	49	65	64	55	57	39	38	46	48	38	48	51	43	40	42	44	49	48	52	66	48.0
CANOE BROOK	MAX	69	62	58	70	73	62	73	53	59	63	74	61	82	89	72	76	79	61	60	83	68	73	84	71	61	69	71	66	69	73	79	69.8
	MIN	36	34	41	43	33	45	50	38	29	46	40	40	52	59	54	52	35	38	38	47	43	52	63	39	27	37	52	49	35	50	61	43.8
CAPE MAY 3 W	MAX	66	56	60	63	61	68	67	55	57	70	67	78	78	81	72	70	64	66	68	70	67	66	70	68	60	62	63	71	71	69	84	67.4
	MIN	48	40	47	52	45	48	48	44	43	50	49	48	59	64	57	58	44	46	50	56	42	54	57	47	38	39	42	59	49	53	62	49.7
CHARLOTTEBURG	MAX	67	63	59	68	72	63	72	52	52	60	70	62	82	88	85	73	67	54	51	74	67	73	81	68	57	62	68	64	61	71	75	67.1
	MIN	36	32	35	38	31	38	46	32	24	30	40	45	48	54	50	49	32	34	34	42	40	50	59	31	27	32	43	50	38	42	61	39.9
CHATSWORTH 5 S	MAX																																
	MIN																																
CLAYTON	MAX	66	64	68	77	68	81	80	61	62	75	70	82	89	91	89	71	63	65	81	68	73	83	75	69	67	67	64	74	74	79	90	73.7
	MIN	43	38	46	53	38	47	48	41	35	52	52	49	64	65	56	53	36	44	45	48	42	49	62	40	34	41	51	61	53	59	65	48.7
ELIZABETH	MAX	63	59	70	70	66	76	71	63	61	75	70	81	92	86	78	79	64	56	77	76	73	85	80	66	67	70	66	71	74	74	91	72.6
	MIN	44	38	42	49	36	49	47	37	32	51	48	50	64	57	52	37	34	46	44	47	46	52	63	38	35	41	54	53	42	49	65	46.5
ESSEX FELS SERV BLDG	MAX	74	70	64	70	74	73	74	54	61	65	72	75	86	90	74	72	78	63	64	80	73	83	85	70	60	67	71	70	67	72	74	71.7
	MIN	35	33	34	38	34	46	46	34	33	35	42	47	42	62	54	46	33	34	45	45	45	49	55	34	29	40	41	40	39	49	54	41.7
FLEMINGTON 1 NE	MAX	66	65	70	78	65	77	73	60	62	75	67	82	87	82	74	70	57	61	78	68	74	83	83	67	65	70	67	70	72	73	91	71.9
	MIN	36	35	43	44	33	45	49	35	27	52	45	48	60	60	49	47	29	40	40	38	42	47	63	32	29	35	54	53	40	51	59	43.9
FREEHOLD	MAX	72	58	68	77	72	77	70	60	62	75	71	81	87	78	73	70	64	62	79	73	70	86	74	65	64	69	65	70	72	78	90	71.9
	MIN	42	38	43	50	37	47	49	37	33	50	47	47	67	62	52	52	34	46	46	47	42	50	62	38	33	42	58	56	43	47	62	47.1
HAMMONTON 2 NNE	MAX	83	65	65	70	78		83	63	62	69	80	58	84	89	84	72	74	60	68	72	70	60	62	78	65	70	72	65	70		84	71.6
	MIN	42	32	44	52	39		45	37	36	45	56	50	54	63	55	53	36	40	35	44	42	43	53	39	34	42	51	45	43		49	44.7
HIGHTSTOWN 1 N	MAX	64	60	68	75	64	78	67	60	63	75	66	81	87	80	72	71	58	64	78	69	74	85	74	63	65	70	64	71	74	74	91	71.1
	MIN	42	36	43	51	36	46	47	36	34	51	48	48	65	61	53	53	33	46	45	46	43	50	60	37	31	42	50	55	42	50	65	46.6
INDIAN MILLS 2 W	MAX	64	62	70	77	65	81	74	60	63	76	69	82	88	92	76	72	60	66	80	69	75	86	77	62	66	70	64	75	74	82	93	73.2
	MIN	42	31	45	51	34	44	45	37	30	52	51	48	64	60	54	53	32	43	46	48	38	46	62	35	28	36	50	58	41	48	66	45.7
JERSEY CITY	MAX	57	53	66	60	57	70	53	60	87	75	62	75	88	80	71	71	52	54	75	63	60	70	70	58	56	61	63	65	67	71	87	65.4
	MIN	41	44	41	45	40	50	46	36	42	50	48	48	68	58	55	49	38	46	47	48	50	54	54	50	40	51	54	52	48	52	68	48.8
LAKEWOOD 2 ENE	MAX	57	57	70	79	62	82	52	58	63	77	58	83	89	66	72	74	57	61	77	66	66	83	78	60	69	69	66	73	68	79	93	69.8
	MIN	37	32	46	44	33	46	37	32	28	54	46	49	66	53	54	43	35	44	44	43	38	49	47	31	30	39	53	59	40	48	61	43.9
LAMBERTVILLE	MAX	64	64	69	75	65	78																										

DAILY TEMPERATURES

NEW JERSEY
MAY 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	62	58	70	68	75	80	70	63	68	80	70	86	90	84	78	73	68	63	79	77	75	88	78	69	68	72	68	73	78	82	92	74.4
	MIN	38	32	43	42	32	47	40	34	27	38	48	48	60	59	56	53	33	40	41	47	43	50	63	33	27	45	61	51	56	60	61	45.4
SANDY HOOK	MAX	55	55	66	69	58	70	53	56	60	71	61	75	84	72	67	70	58	58	73	66	62	72	71	60	58	65						64.8
	MIN	46	42	42	42	43	50	46	40	39	50	48	49	63	52	51	51	40	40	48	50	49	53	53	45	44	44						46.9
SOMERVILLE	MAX	64	62	70	75	66	78	75	62	63	76	66	81	89	80	75	71	60	61	78	75	74	84	78	67	64	70	64	71	72	74	91	72.1
	MIN	39	35	43	45	33	43	48	43	30	53	50	49	63	60	53	53	32	46	41	44	43	50	64	35	31	37	52	51	40	52	63	45.8
SUSSEX 3 N	MAX	63	58	70	72	65	66	57	58	61	68	65	80	86	80	72	69	57	54	74	68	74	82	75	59	63	68	68	64	72	86	90	69.2
	MIN	35	38	39	43	35	48	46	31	29	49	39	46	64	59	50	48	32	42	36	40	45	54	55	37	28	40	49	52	35	48	51	43.3
TRENTON 2	MAX	65	64	70	76	66	78	61	62	64	77	65	84	89	83	74	71	58	65	81	68	75	85	75	63	65	70	65	70	74	75	92	71.9
	MIN	42	39	45	45	37	48	45	38	38	53	48	49	65	56	53	50	35	47	47	47	47	53	51	39	34	45	53	52	45	53	65	47.2
TRENTON WB CITY	MAX	64	61	69	75	64	78	52	60	61	75	63	83	88	79	72	69	57	62	78	66	73	83	73	61	63	68	65	70	71	79	90	69.9
	MIN	44	43	45	46	41	48	46	40	39	55	49	49	65	58	56	46	39	48	47	48	48	53	46	42	40	48	53	51	47	52	66	48.3

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or Avg.					
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31						
CANOE BROOK	EVAP WIND	-	-	-	-	-	-	-	-	-	-	-	22	.07	.20	.22	.17	.19	.13	.11	.10	.19	.13	.14	.23	.09	.18	*	*	.28	.27	.01	-					
PLEASANTVILLE 1 N	EVAP WIND	-	.13	.20	.01	.22	.17	.07	.14	*	.16	*	.20	*	.14	*	.13	.20	.08	.24	.16	.25	.09	.13	.27	.23	.12	.18	-	.45	.29	.22	.19	-	.42	.20	-	85.58 B1449
RUNYON	EVAP WIND	.16	.00	.10	.00	.10	.15	.00	.18	.18	.08	.18	.15	.18	.21	.23	.10	.12	.10	.17	.00	.15	.21	.00	.18	.20	.15	.00	.00	.18	.00	.23	.00	.23	3.87 345			

STATION INDEX

NEW JERSEY
MAY 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	
ALLERDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS			NARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	NID	GEROW BRILL		C	
ATLANTIC CITY W8	0325	ATLANTIC	1 30 22	74 28	8	MID	U. S. WEATHER BUREAU	2 3 9	7 C	NARLBORO 1 W	5252	BURLINGTON	2 39 34	74 57	00	6P	DAVID GRISCON		3	
AUDUBON	0344	CAMDEN	2 30 54	79 04	50	11P	11P IRVIN J. NYGREN	2 3 9		NATS LANDING	5344	ATLANTIC	3 30 27	74 44	50	SP	ELNER EARLE		3	
BASS RIVER ST FOREST	0528	BURLINGTON	1 30 37	74 26	20	6P	NAT. FORESTRY SVC			NIDLAND PARK	5503	BERGEN	8 40 50	74 00	210	NID	CORNELIUS HOWARD		3	
BELLEPLAINE	0680	CAPE MAY	1 30 18	74 52	40	SP	SP MRS. ED C. HOFFMAN	2 3 5		NILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60	NID	L. J. GALLAGHER		3	
BELMAR	0721	MONMOUTH	1 40 10	74 02	10	MID	CITY WATER DEPT	3		NILLVILLE CAA AIRPORT	5581	CUMBERLAND	6 39 22	75 04	60	NID	CIVIL AERO. ADM.	2 3 5	7	
BELLEVILLE	0729	WARREN	2 40 50	75 05	280	SP	SP MISS C. S. HIXSON	2 3 5	7	NILTON	5587	MORRIS	6 41 01	74 32	050	7A	JERSEY CITY WTR WKS		3	
BERLIN 1 W	0787	CANDEN	7 39 48	74 57	150	7A	SAMUEL H. MC CULLEY	2 3 5		MOORESTOWN	5728	BURLINGTON	2 30 58	74 58	55	NID	M. J. WILLARD	2 3 5	7	
BOONTON	0907	MORRIS	8 40 54	74 24	280	8A	BA JERSEY CITY WTR WKS	2 3 5		MORRIS PLAINS	5760	NORRIS	8 40 50	74 30	500	4P	JAMES C. LONG	2 3 5	7	
BRANCHVILLE	0078	SUSSEX	2 41 09	74 47	570	8A	GEORGE S. WILLIS	3		NEWARK MB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	W. S. WEATHER BUREAU	2 3 5	7	
BRIDGETON 1 NE	1028	CUMBERLAND	2 30 28	75 12	134	9A	RAO RADIO STATION WSNJ	2 3 5		NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	SP	ARTHUR H. AHLQUIST	2 3 5	7	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	6P PUBLIC SVC E. G. CO	2 3 5		NILTON	6146	BERGEN	4 40 57	74 02	12	NID	HACKENSACK WATER CO		3	
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	8A	NEWARK WATER DEPT	2 3 5		NEWTON	6177	SUSSEX	2 41 03	74 45	565	8A	NEWTON WTR SWR COMM	2 3 5	7	
CAPE BROOK	1355	ESSEX	8 40 45	74 21	180	0A	COMMONWEALTH WTR CO	2 3 5	6	OKAR RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT		3	
CANTON	1343	SALEM	2 39 28	75 25	10	0A	GEORGE S. WILLIS	3		ORANGE	6590	ESSEX	8 40 47	74 14	140	NID	COUNTY ENGINEER		3	
CAPE MAY 3 W	1351	CAPE MAY	1 36 34	74 57	17	SP	W. WEST MAGNIESTE CO	2 3 5		PATERSON	6775	PASSAIC	8 40 55	74 00	100	8A	P. J. DEL VECCHIO	2 3 5	7	
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	8A	J. A. PLUMKETT	2 3 5		PENBERTON 3 E	6843	BURLINGTON	2 30 58	74 39	80	SP	CHARLES A. DOERFLER	2 3 5	7	
CENTERTON	1512	SALEM	6 40 31	75 10	80	NID	JOHN HOPKINS UNIV.			PHILLIPSBURG	6074	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT	2 3 5		
CHARLOTTEBURG	1562	PASSAIC	8 41 03	74 26	160	7A	NEWARK WATER DEPT	2 3 5	7	PHILLIPSBURG BRIDGE	6070	WARREN	2 40 42	75 12	186	0A	JOINT TOLL BRIDGE COM		3	
CHATHAM	1590	MORRIS	8 40 44	74 23	165	8A	EDWARD P. HOLIFOR			PLAINFIELD	7079	UNION	10 40 36	74 25	120	8P	S. K. PEARSON	2 3 5	7	
CHARTSWORTH 5 S	1598	BURLINGTON	1 30 44	74 32	60	7A	WILLIAM S. HAINES	2 3 5	7	PLEASANTVILLE 1 N	7131	ATLANTIC	1 30 25	74 31	8	8A	ATLANTIC CITY WTR WKS	2 3 5	7	
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7	PRINCETON WATER WORKS	7328	MERCER	10 40 10	74 40	00	NID	PRINCETON WATER CO		3	
CLINTON	1746	HUNTERDON	10 40 38	75 05	300	6P	L. W. KLOCKNER	3		RAYWAY	7393	UNION	9 40 36	74 15	20	NID	RAYWAY VLY SWG AUTH		3	
DEEPWATER	2200	SALEM	2 39 41	75 30	12	NID	DU PONT DE NEMOURS			RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	NID	GEORGE P. KIRSTEN	2 3 5	7	
ELIZABETH	2644	UNION	1 40 40	74 14	33	SP	UNION CO PARK COMM	2 3 5		RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NJ DEPT OF CONSV		3	
ELIZABETHPORT	2852	UNION	8 40 39	74 12	30	NID	SEWAGE TREATMENT PL	3		RYUNTON	7825	MIDDLESEX	1 40 26	74 20	18	6P	N.J. WATER CDM	2 3 5	7	
ESSEX FELS SERV BLDG	2748	ESSEX	8 40 50	74 18	150	8A	BROUUGH ESSEX FELS	2 3 5	7	SANDY HOOK	7880	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD	2 3 5		
FLEMINGTON 1 NE	3020	HUNTERDON	10 40 31	75 11	234	SP	DONALD YOUNG	2 3 5	7	SOMERVILLE	8194	SOMERSET	1 40 26	74 37	75	6P	W. E. HAYES	2 3 5	7	
FORT LEE	3192	CUMBERLAND	10 40 44	74 03	10	SP	A. ROSENBAUGH	INAC 10/55		SPLIT ROCK POND	8402	MORRIS	8 40 38	74 28	800	10A	JERSEY CITY D P W		3	
FREEMOND	3181	MONMOUTH	10 40 15	74 17	104	6P	FRANK J. MOREAU	2 3 5	7	SPRINGFIELD	8423	UNION	1 40 43	74 18	-	NID	N.J. DEPT OF CONSV		3	
GLASSBORO	3291	GLOUCESTER	2 30 42	75 07	150	MID	PROF. J. B. SANGREE			SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	350	6P	BRICE B. STANTON	2 3 5	7	
GREAT MEADOWS	3416	WARREN	2 40 53	74 55	560	MID	EDWARD KOWALIC			SWEDSBORO 5 NW	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN DIL CO		3	
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	7A	WATER SUPPLY COMM	3		TOWNS RIVER	8816	OCEAN	1 39 57	74 14	10	SP	ROBERT F. SNYDER		3	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS			TRANDULITY 2 W	8858	WARREN	2 40 57	74 50	521	NID	M. J. EWEY	2 3 5	7	
HAMMONTON 2 NNE	3642	ATLANTIC	7 39 39	74 48	85	8A	W. HUBBARD PARKURST	2 3 5	7	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	E. H. RISTOW	2 3 5	7	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P	JAMES R. PICKERING	2 3 5	7	TRENTON W8 CITY	8883	MERCER	2 40 13	74 46	56	NID	U. S. WEATHER BUREAU	2 3 5	7	
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE			TUCKERTON 2 SW	8890	OCEAN	1 39 35	74 22	45	8A	VERNON W. MOTT	INAC 1/56		
INDIAN HILLS 2 W	4220	BURLINGTON	7 39 46	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR WOMEN		3	
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	NID	JOINT MEETING GARAGE			WANAUDE RAYMOND DAN	9187	PASSAIC	8 41 02	74 18	320	8A	WATER SUPPLY COMM		3	
JERSEY CITY	4330	HUDSON	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5	7	WATCHUNG	9271	UNION	8 40 40	74 25	-	NID	BONNIE BURN SAN		3	
LAKELAND 2 NE	4627	OCEAN	1 40 06	74 11	34	MID	GEORGE G. WADILL	2 3 5	7 C	WESTFIELD	9455	UNION	9 40 39	74 21	135	SP	TOWN ENGINEER		3	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	75 57	75	6P	E. E. CASE	2 3 5		WOODCLIFF LAKE	9532	BERGEN	4 41 01	74 03	103	10	NID	HACKENSACK WATER CO	3	C
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. H. DEPUIS	2 3 5		WOODSTOWN 2 NW	9510	SALEM	2 39 40	75 20	16	JP	WOODROW W. HALTER	INAC 2/56		
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	8A	BA LEESBURG STATE FARM	2 3 5												
LITTLE FALLS WATER CO	4887	PASSAIC	8 40 53	74 14	157	0A	PASSAIC VLY WTR CO	2 3 5	7											
LONG BRANCH	4987	MONMOUTH	1 40 16	74 00	34	NID	STORM WARM. DSPL STA	2 3 5	7											
LONG VALLEY	5003	MORRIS	10 40 48	74 46	680	6P	ARTHUR BARKMAN	2 3 5	7											
LUMBERTON	5045	BURLINGTON	2 39 58	74 48	25	MID	JAMES LANTON													
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	1020	6P	NEWARK WATER DEPT	3												
MANVILLE	5167	SOMERSET	10 40 33	74 34	80	MID	JOHN L. RACLIFFE	3												

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Tables 3, 5 and 6 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 A.M. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations where the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 5, 6, and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C Data for recorder stations denoted by "C" are processed for special purposes and published in Monthly Precipitation Data. Length of record for recorder-only stations may be found in the Annual Issue of Monthly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

E One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

F Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Monthly Precipitation Data).

T Traced, an amount too small to measure.

Y Includes total for previous month.

Additional information regarding the climate of New Jersey may be obtained by writing to any Weather Bureau Office or to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey.


Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 6/26/56 --- 775

NEW JERSEY

STATUTE MILES

75TH MERIDIAN TIME ZONE



STATION LEGEND

- ● ● ● Precipitation only
- ● ● ● Precipitation, storage
- ● ● ● Precipitation and Temperature
- ● ● ● Precipitation, Temperature and Evaporation

Type of gage: ○ Non-recording;
● Recording, ● Bath types.

Double circle combinations indicate the availability of more detailed meteorological data.

551.05

UNN J

Cap. 1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

THE LIBRARY OF THE
AUG 21 1956
UNIVERSITY OF ILLINOIS

CLIMATOLOGICAL DATA

NEW JERSEY

JUNE 1956
Volume LXI No. 6



WEATHER SUMMARY

GENERAL

June was slightly warmer and wetter than usual. The warmer than usual weather was welcomed by farmers since crops were retarded somewhat by persistently cool weather during the spring season.

Almost three-fourths of the temperature stations that have long-term means showed positive departures. The range of departures was from $+2.7^{\circ}$ at Runyon to -1.5° at Lakewood 2 ENE. Two stations, Hammonton 2 NNE and Runyon, reached 100° on the 14th for the State's highest temperature and two stations, Charlotteburg and Layton 3 NW, dropped to 35° on the 19th for the lowest reading of the month. These extreme readings were well within the range of extremes during the period of record since 1885.

This was the wettest June since 1948. Stations with long-term precipitation means were nearly equally divided between positive and negative departures. These departures ranged from $+6.43$ inches at Belleplain to -1.68 inches at Plainfield. Monthly totals varied from 2.51 inches at Deepwater to 8.86 inches at Belleplain, while the greatest daily amount was 2.90 inches at Berlin 1 W on the 3rd. A large percentage of the stations had greatest daily amounts that exceeded 1 inch, and several stations had between 2 and 3 inches.

Daytime cloudiness was slightly more than usual, while the percentage of possible sunshine was slightly in excess except at Trenton where it was slightly below usual expectancy.

WEATHER DETAILS

As the month began temperatures were slightly above normal, but the passage of a cold front on the 1st brought cooler weather for the remainder of the 1st week with temperatures averaging slightly below normal. Precipitation fell throughout the State on the 1st and 2nd, and continued in most areas until the morning of the 3rd. Most stations reported heavy amounts on the 2nd. On the 8th temperatures were generally slightly above normal, but cloudy and cooler weather with showers and thunderstorms prevailed on the 9th and 10th. A warming trend which began on the 11th produced the warmest weather of the month during the 13th to 17th period. Showers and thunderstorms on the 16th and 17th brought the only significant precipitation during this warm period.

The passage of a cold front across the State on the 17th ushered in cooler weather that persisted the 18th to 21st, with many stations reporting their lowest temperature of the month in this period. General rains occurred on the 21st with amounts ranging from light to heavy. Temperatures for the period 22nd to 27th averaged slightly above normal, but the cold front passage late on the 27th brought cooler weather and the month ended with temperatures just slightly below normal. Scattered showers and thunderstorms occurred on the 23rd, 24th, 27th and 28th.

WEATHER EFFECTS

Adequate precipitation and soil moisture during the early part of the month, except in a few scattered areas, resulted in good general crop progress; but warmer nights were needed for growth to approach normal for the time of year. The first prolonged heat wave of the season, which occurred about mid-month; was accompanied by warm nights and induced excellent growth in most crops. However, the lack of appreciable precipitation in some areas at this time of the month necessitated increased irrigation. As the month ended general crop growth and progress was reported to have been very good during the past few weeks. Still, some areas needed to continue irrigation until a more general rain could furnish a more equal distribution of moisture over the State.

DESTRUCTIVE STORMS

On the 10th from 6 to 9 p.m., in Hunterdon and Warren Counties, a thunderstorm with accompanying hail, wind and lightning caused an estimated \$250,000 damage to crops and other property. The principal damage was due to hail although some was caused by wind and lightning. Extensive damage to crops, houses, trees, shrubbery, greenhouses, and automobiles was reported in the storm area reaching from Belvidere to Clinton and Flemington. Hailstones varying in size from moth balls to golf balls were sighted, and in some places, piled 4 to 5 inches high.

FLOODS

None were reported during June.

Franklin W. Long
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
JUNE 1956

TABLE 2

Station		Temperature												Precipitation														
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days						
											90° or Above	32° or Above	32° or Below	6° or Below					Total	Departure From Long Term Means	Greatest Day	Date	Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
ATLANTIC CITY W8	R	74.4	63.1	68.8	.1	95	13	56	4+	37	1	0	0	0	4.12	1.13	1.50	21	.0	0		7	3	1				
AUDUBON		82.8	61.0	71.9		96	14	48	20	12	7	0	0	0	7.07		1.50	24	.0	0		10	6	1				
BELLEPLAIN		82.0	59.1	70.6		96	14	42	20	24	7	0	0	0	8.86	6.43	1.76	2	.0	0		10	7	4				
BELVIDERE		84.3	58.0	71.2	.4	98	14	46	19+	11	8	0	0	0	8.28	3.88	2.40	24	.0	0		8	6	2				
BOONTON	AM	80.6	55.4	68.0	.1	95	15	42	4+	47	4	0	0	0	3.80	.26	.94	3	.0	0		11	2	0				
BRIDGETON 1 NE	AM	81.0M	59.2M	70.1M		95	15	45	20	32	4	0	0	0	3.67		1.20	3	.0	0		5	5	1				
BURLINGTON		84.7	61.2	73.0	.2	98	14	48	20	4	10	0	0	0	5.67	1.94	1.30	2	.0	0		8	5	1				
CANOE BROOK	AM	82.2M	55.8M	69.0M	1.1	97	15	41	20	39	7	0	0	0	3.76	.45	1.10	28	.0	0		9	2	1				
CAPE MAY 3 W		78.3	59.8	69.1		91	15	42	20	30	2	0	0	0	4.73		1.42	2	.0	0		9	5	1				
CHARLOTTEBURG	AM	79.4	51.9	65.7	- 1.1	94	15	35	19	80	3	0	0	0	3.33	- 1.16	.88	3	.0	0		9	3	0				
CHATSWORTH 5 S																												
CLAYTON		83.3	59.3	71.3		98	15	45	20	13	5	0	0	0	4.80		1.25	2	.0	0		12	3	1				
ELIZABETH		83.1	59.5	71.3	.3	99	14	46	20	12	6	0	0	0	4.29	.38	1.63	24	.0	0		8	2	2				
ESSEX FIELDS SERV 8LOG	AM	82.9	57.8	70.4		97	15	49	5+	10	8	0	0	0	3.07		.81	3	.0	0		9	1	0				
FLEMINGTON 1 NE		83.8	55.8	69.8	- 1.0	96	14	40	20	23	8	0	0	0	3.90	- .02	.96	2	.0	0		8	3	0				
FREEHOLD		82.2	59.4	70.8	.5	97	14	47	19+	11	6	0	0	0	3.61	- .12	1.33	2	.0	0		7	2	1				
HAMMONTON 2 NNE	AM	86.1	60.8	73.5	2.0	100	14	44	20	11	14	0	0	0	6.42	2.38	2.88	3	.0	0		8	5	2				
HIGHTSTOWN 1 N		82.4	58.8	70.6	.8	97	14	44	20	13	5	0	0	0	2.98	- 1.02	1.14	24	.0	0		6	3	1				
INDIAN MILLS 2 W		83.2	57.1	70.2	- .1	99	14	40	20	21	8	0	0	0	4.76	.71	2.33	2	.0	0		9	1	1				
JERSEY CITY		77.9	62.4	70.2	- 1.1	97	14	52	19	27	4	0	0	0	2.83	- .69	1.24	2	.0	0		6	1	1				
LAKEWOOD 2 ENE		80.1	56.6	68.4	- 1.5	95	14+	39	20	53	7	0	0	0	4.06	.55	1.18	3	.0	0		7	4	2				
LAMBERTVILLE		83.3	58.3	70.8	.8	95	14	45	20	16	6	0	0	0	5.27	1.32	1.01	3	.0	0		9	4	1				
LAYTON 3 NW		83.4	52.7	68.1	.8	95	15	35	19	37	8	0	0	0	3.51	- .70	.68	3	.0	0		8	3	0				
LEESBURG STATE FARM	AM	81.0	58.9	70.0		94	14+	48	8	32	6	0	0	0	6.37		1.65	3	.0	0		8	5	3				
LITTLE FALLS WATER CO	AM	83.5	57.6	70.6	.9	99	15	46	20	18	9	0	0	0	4.60	.15	1.23	3	.0	0		11	2	1				
LONG BRANCH		78.7	59.6	69.2	.0	93	14+	46	20	44	5	0	0	0	2.96	- .63	.81	23	.0	0		5	3	0				
LONG VALLEY		80.8	54.8	67.8		95	14	39	20	38	3	0	0	0	3.88	- .41	1.15	2	.0	0		7	3	1				
MILLVILLE CAA AIRPORT		82.4	60.2	71.3		97	14	43	20	17	7	0	0	0	4.51		.99	1	.0	0		6	5	0				
MOORESTOWN		81.4	59.9	70.7	.5	95	13+	45	20	21	6	0	0	0	4.83	1.19	1.30	3	.0	0				1				
MORRIS PLAINS		83.2	56.1	69.7		96	14	39	20	29	7	0	0	0	2.63		.52	2	.0	0		7	1	0				
NEWARK W8 AIRPORT	R	81.6	62.1	71.9	1.4	99	14	52	20	19	6	0	0	0	3.31	- .49	1.01	2	.0	0		7	2	1				
NEW BRUNSWICK EXP STA		82.2	59.2	70.7	.7	95	14	46	20	15	6	0	0	0	3.15	- .68	1.12	24	.0	0		8	2	1				
NEWTON	AM	80.7	54.1	67.4	- .1	94	15+	38	19	59	5	0	0	0	3.96	- .51	.76	27	.0	0		9	4	0				
PATERSON	AM	82.9	60.3	71.6	.9	99	15	49	20	17	8	0	0	0	4.03	- .32	1.72	3	.0	0		10	1	1				
PEMBERTON 3 E		84.0	57.0	70.5	- .7	97	14	39	20	19	8	0	0	0	2.94	- .95	.79	2	.0	0		6	2	0				
PHILLIPSBURG		84.9	57.7	71.3	1.5	95	14+	46	20	15	11	0	0	0	6.86	2.47	1.79	24	.0	0		7	5	3				
PLAINFIELD		81.8	58.7	70.3	.4	97	14	45	20	17	5	0	0	0	2.89	- 1.68	.53	24	.0	0		7	2	0				
PLEASANTVILLE 1 N	AM	79.1M	59.4M	69.3M	- .1	96	14	48	5	43	4	0	0	0	4.50	1.36	1.14	22	.0	0		6	5	2				
RIDGEFIELD		82.2	60.0	71.1	1.1	99	14	48	20	18	7	0	0	0	4.19	.43	1.25	2	.0	0		9	3	2				
RUNYON		86.9	57.0	72.0	2.7	100	14	40	20	14	14	0	0	0	4.06	.21	1.57	17	.0	0		7	2	1				
SANDY HOOK LBSTA		78.0	63.3	70.7	1.0	95	15	53	9	18	4	0	0	0	3.50	.38	1.35	2	.0	0		6	2	2				
SOMERVILLE		83.2	57.8	70.5	.7	96	14	42	20	17	5	0	0	0	3.96	- .04	1.35	24	.0	0		8	3	1				
SUSSEX 3 N		81.4	55.4	68.4	- .5	96	15	42	19	35	4	0	0	0	3.84	- .36	1.28	16	.0	0		8	3	1				
TRENTON 2		83.1	60.9	72.0		96	14	48	20	10	8	0	0	0	4.46	.21	1.88	2	.0	0		8	2	1				
TRENTON W8 CITY	R	81.5	61.8	71.7	.9	96	14	51	20	16	6	0	0	0	5.01	1.14	2.03	2	.0	0		7	3	2				
AVERAGE				70.3											4.39				.0									

DAILY PRECIPITATION

NEW JERSEY
JUNE 1996

Table 3

Station		Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	R	4.12	.83	.46	.01					.03	.29	.01				.01		.20	T			1.50	T	.66				.12	T					
AUDUBON		7.07	.22	.94	.40						.86						.84	.96					1.15	.00	1.30				.28					
BASS RIVER ST FDRST		4.36	.56	1.74				.21									.51						.32	.61				.06	.37					
BELLEPLAIN		6.86	1.56	1.76	1.25							.92					.05	.65	.17			1.00	.58	.38				.04	.03	.31				
BELMAR		3.67	.61	.70	.12						.13											.06	1.60					.04	.61					
BELVIDERE		6.28	.31	.81	.80					T	T	2.20	.55				T		T			.26		2.40				.93						
BERLIN 1 W		5.87	.30	.60	2.90							.62					.25					.50	1.00											
BOONTON		3.80	.34	.20	.94							.36						.19				.04	.29	.20	.03		.38	.53	.11					
BRANCHVILLE		4.85	.16	.22	.75			.04		T	.10	.07	.15				T	2.19				.04	.04	.18	T		.59	.16						
BRIGGETON 1 NE		3.67	.03	.50	1.20	.01						.55	T				.04	.04	.01	.01			.63	.64	.01									
BURLINGTON		5.67	.95	1.30	.83							.05					.30	.56			.09			.90				.19	.48					
CANISTEAR RESERVOIR		3.10	.20	.02	.81	T						.03	.14					.72	T			T	.26	.12			.38	.45						
CANOE BROOK		3.76	.36	.08	.07					T		.03	.21					.03	.01			.10	.22	.25	.10		.30	1.10	.01					
CANTON		2.68		.16	.84							.55					.05		.35			.01	.35	.55	.06									
CAPE MAY 3 W		4.73	.50	1.42	.32						.01	.34			.33				.33			.59	.55	.52				.02						
CEDAR GROVE		5.66	.48	.24	1.28							1.66					.16	.16				.07	.34	.10	.52		.13	.33	.17					
CHARLOTTEBURG		3.33	.53	.12	.88	.03						.03	.13				.24					.01	.22	.22			.66	.26						
CHATHAM		3.41	.36	.07	.92							.02	.18				.04					.08	.26	.20	.20		.19	.69						
CHATSWORTH 5 S																																		
CLAYTON		4.60										.62					.00		.33			.29	.13	.42	.31		.52	.11	.15					
CLINTON		5.93	.22	.85	1.07					T		2.12							T			.32		.77			.54	.04						
DEEPWATER		2.51	.12	.41	.06							.63	.01			.01	.40					.02	.18	.02	.44		.02	.19						
ELIZABETH		4.20	.31	1.06	.34							.02	.10				.01					.32	.08	1.63			.24	.18						
ELIZABETHPORT		6.40	.31	1.20	.22					T		.04					.01	.15				.01	.33	.02	.05	1.29	.64	.28						
ESSEX FELLS SERV BLDG		3.07	.32	.20	.81							.03	.30				.15					.45	.24				.22	.35						
FLEMINGTON 1 NE		3.90	.42	.96	.75	T		T				.01	.42				.16	T	T			.36		.30	T		.93	T						
FREEHOLD		3.61	.47	1.33	.06						.03	.12					.23	.17				.17		.01			.27							
GREENWOOD LAKE		3.16	.41	.10	1.28	.01						T	.20				.15	.01				.11	.10	.10			.66	.03						
HAMMONTOWN 2 NNE		6.42		.54	2.88							1.02				.01	.01				.03	.30	.23	.57			.32	.51						
HIGHTSTOWN 1 N		2.96	.25	.72						T	T	.50					.19	T				.14		1.14			T	.04						
INDIAN MILLS 2 W		4.76	.23	2.33	.34					T	T	.28					.24	.26	T			.18		.42	.48			T						
IRVINGTON		3.46	.27	.88	.23						.02	.16	.01				T					.33	.62	.13			.80	.01						
JERSEY CITY		2.83	.33	1.24	.25						.01	.11					.04	.04				.35	.02	.36			.06							
LAKEWOOD 2 ENE		4.06	.01	.54	1.18						.01	.27			.23							.08	1.00	.24			.26							
LAMBERTVILLE		5.27	.35	.85	1.01							.36					.05		.77			.35		.95			.06	.32						
LAYTON 3 NW		3.51	.20	.60	.68		T				.08	.05			.02	.21		.21	.08			.40		.26			.63							
LEESBURG STATE FARM		6.37		1.14	1.65							.56					.04		.74				1.45	.30					.30					
LITTLE FALLS WATER CD		4.60	.34	.08	1.23	T					T	.11					.41	.40				.04	.26	.28	.42		.25	.24	.54					
LONG BRANCH		2.96	.72	.79	.05						.01	.07					.01					.19	T	.81	.30		T							
LONG VALLEY		3.88		1.15	.45						.52	.16					.08	.02				.30		.36			.80	.02						
MACOPIN INTAKE		4.67	.64	.36	1.02	T					.04	.02	.15				.27	.16				.04	.18	.30	.02		.99	.46	T					
MANVILLE		2.96	.31	.49	.00							.25										.36		.61			.77	.08						
MARTON 1 W		5.16	.44	1.17	.84							.57				.02	.28	.01	.30			.09		.23	1.10		.13							
MAYS LANDING		3.90	.68	.62	.95							1.06					.04	.90				.05		.20	.50									
MIDLAND PARK		3.53	.37	*	1.45					.01	.11						.10					.21					.32	.06						
MILLVILLE		4.78	.85	.69	.30							.63					.07	.59	.02		.02	.74		.35			.52							
MILLVILLE CAA AIRPORT		4.51	.90	.89	T					T		.64			.50		.03	T	.01		.03	.95	.05	.42										
MILTON		4.16	.97	.06	.05	.06		.06				.12	.26				.23					.20	.02	.21	.27		.67	.40	.04					
MOORESTOWN		4.83	.72	.20	1.30							.35					*	*	.57			.01	.01	*	.95			.45	.27					
MORRIS PLAINS		2.63	.33	.52	.20						.02	.09	.21				.05	T	T			.38			.44		.37	.02						
NEWARK WB AIRPORT	R	3.31	.19	1.01	.23	T	T				T	.12					.02	T				.26		.90	.08		.40	.01						
NEW BRUNSWICK EXP STA		3.15	.40	.56	.10							.20					T	.27	.10			.31		1.12	T		.07							
NEW MILFORD		3.52	.50	1.04	.14							.04					.02	.64				.22		.16			.22	.52						
NEWTON		3.96	.70	.06	.70							.19	.66				.21					T	.30	.13	.05	.76	.24							
DAK RIDGE RESERVOIR		3.95	.99	.06	.85							.03	.18				.26					.01	.20	.24	.26		.56	.35						
ORANGE		2.95	.28	1.01	.17						.02	.25					.03					.27		.27	.07		.58							
PATERSON		4.03	.12	.50	1.72	T						.07					.22					.01	.22	T	.25	.19		.20	.12	.42				
PEMBERTON 3 E		2.94	.20	.79	.43							.02					.16		.07			.04		.74				.41						
PHILLIPSBURG		6.86	.30	.67	.73							T	1.05				T	T	T			.48		1.70			1.75	T	T					
PHILLIPSBURG BRIDGE		6																																

MONTHLY AND SEASONAL SNOWFALL

NEW JERSEY

Season of 1955 - 1956

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
ATLANTIC CITY WB					T	T	6.6	.6	10.2	.4			17.8
AUGUBON					2.0	2.0	9.5	-	12.0	-			-
BASS RIVER ST FOREST					.4	T	6.8	1.0	8.0				16.2
BELLEPLAIN					-	-	5.5	-	10.5	2.0			-
BELMAR					-	-	-	-	-	-			-
BELVIOERE						4.1	3.5	4.5	15.5	T			27.6
BERLIN 1 W					4.5	-	5.7	T	11.6	-			-
BOONTON					-	-	-	-	-	-			-
BRANCHVILLE					4.0	7.6	6.5	-	23.0	10.0			-
BRIDGETON 1 NE				-	-	-	-	-	-	-			-
BURLINGTON					T	-	-	T	-	-			-
CANISTEAR RESERVOIR					4.0	8.0	-	7.0	30.5	20.0			-
CANOE BROOK					3.5	3.7	2.4	3.9	29.5	-			-
CANTON					T	T	-	-	-	-			-
CAPE MAY 3 W					T	T	-	T	-	-			-
CEDAR GROVE					3.0	3.1	.5	5.0	23.0	5.0			39.6
CHARLOTTEBURG					3.2	6.1	2.0	6.9	29.5	13.5			61.2
CHATAM				-	-	-	-	-	-	-			-
CHATSWORTH 5 S					1.0	T	-	-	15.8	-	-	-	-
CLAYTON					2.0	.5	10.0	.5	13.4	T			26.4
CLINTON					4.0	1.5	3.0	1.8	-	-			-
DEEPWATER					-	T	-	T	-	-			-
ELIZABETH					2.3	4.0	2.6	4.0	25.0	3.0			40.9
ELIZABETHPORT					-	.7	-	-	-	-			-
ESSEX FELS SERV BLOC					3.0	5.1	1.0	6.0	-	-			-
FLEMINGTON 1 NE				T	8.0	6.9	9.0	6.6	30.5	7.0			68.0
FORTESCUE				-	-	-	-	-	-	-	-	-	-
FREEHOLD					3.0	1.5	5.8	2.5	14.8	4.0			31.6
GREENWOOD LAKE					-	7.6	1.9	6.2	26.3	-			-
HAMMONTON 2 NNE					-	-	-	-	-	-			-
HIGHTSTOWN 1 N				T	2.8	2.2	5.8	1.7	13.5	3.5			29.5
INOIAN MILLS 2 W					2.5	.9	8.0	1.3	15.0	T			27.7
IRVINGTON					-	-	1.0	-	-	3.5			-
JERSEY CITY					4.5	T	-	-	-	-			-
LAKEWOOD 2 ENE					2.4	1.8	7.2	2.0	14.4	1.8			29.6
LAMBERTVILLE					5.0	2.1	8.0	1.0	22.0	1.0			39.1
LAYTON 3 NW					3.0	7.7	-	7.1	23.7	7.3			-
LEESBURG STATE FARM					T	-	-	T	11.0	.5	T		-
LITTLE FALLS WATER CO					3.2	4.7	1.2	4.5	22.6	5.2			41.4
LONG BRANCH					1.2	2.0	6.0	2.2	16.3	3.5			31.2
LONG VALLEY					3.0	5.0	3.0	7.5	26.5	9.0			54.0
MACOPIN INTAKE					3.0	5.5	2.0	7.5	27.0	9.0			54.0
MARVILLE					-	-	-	-	-	2.0			-
MARLTON 1 W					3.0	2.3	6.6	1.0	-	1.5			-
MAYS LANDING					T	T	7.0	1.0	15.0	1.0			24.0
MIOLANO PARK					3.0	4.3	-	3.6	28.8	5.0			-
MILLVILLE					T	T	-	-	-	-			-
MILLVILLE CAA AIRPORT					T	T	8.4	T	11.2	.9			20.5
MILTON					-	-	-	-	-	-			-
MOORESTOWN					2.0	2.0	4.5	1.1	11.5	.5			21.6
MORRIS PLAINS					4.2	5.4	2.6	5.8	30.7	9.0			57.7
NEWARK WB AIRPORT					2.2	3.8	2.4	2.4	26.0	3.4	T		40.2
NEW BRUNSWICK EXP STA				T	2.8	1.3	2.5	1.5	18.9	1.8			28.8
NEW MILFORD					-	-	-	-	-	-			-
NEWTON					2.0	6.0	6.0	7.0	24.0	-			-
OAK RIDGE RESERVOIR					4.0	5.8	1.8	6.5	32.3	12.0			62.4
ORANGE					-	-	-	-	-	-			-
PATERSON					3.0	4.1	.5	3.0	29.1	3.5			43.2
PEMBERTON 3 E					1.5	.2	8.0	1.5	12.4	1.5			25.1
PHILLIPSBURG				T	2.3	3.5	-	6.7	15.5	2.0			-
PHILLIPSBURG BRIDGE					-	-	-	-	-	-			-
PLAINFIELD				T	2.8	3.5	2.5	3.8	22.5	4.0			39.1
PLEASANTVILLE 1 N					T	-	-	2.7	10.5	1.0			-
PRINCETON WATER WORKS					-	-	-	-	-	-			-
RAHWAY					T	2.7	2.5	1.7	16.7	3.4			27.0
RIDGEFIELD					3.0	3.7	.8	6.0	24.2	5.0			42.7
RINGWOOD					-	6.0	2.1	5.7	23.1	-			-
RUNYON					-	2.3	-	-	23.0	2.0			-
SANDY HOOK					T	2.6	2.8	1.7	11.5	2.5			21.1
SOMERVILLE				T	3.1	4.5	3.6	3.1	23.7	5.0			43.0
SPLIT ROCK POND					-	-	-	-	-	-			-
SUSSEX 2 N	T			T	2.5	9.6	-	-	-	12.0			-
SWEDESBORO 5 NW					2.0	-	6.5	-	-	T			-
TOMS RIVER					-	.6	8.3	2.0	16.5	-			-
TRENTON 2					3.8	2.9	10.0	.3	22.2	5.1			44.3
TRENTON WB CITY					4.0	1.9	7.9	2.0	18.8	4.2			38.8
TUCKERTON	-	-	-	-	1.5	T	-	-	-	-	-	-	-
VINELAND					1.0	1.5	8.3	-	-	-			-
WAHAQUE RAYMOND OAM					-	3.8	.7	.6	24.9	5.0			35.0
WESTFIELD					3.5	3.2	1.8	-	23.0	5.5			-
WOODCLIFF LAKE					-	-	-	-	-	-			-
WOODSTOWN 2 NW					-	-	4.0	-	-	-	-	-	-

BEGINNING WITH JANUARY 1, 1956, HAIL WAS EXCLUDED FROM THE SNOWFALL TABLES.

DAILY TEMPERATURES

NEW JERSEY
JUNE 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	71 59	63 57	64 58	63 56	68 58	66 57	67 56	73 56	62 57	64 56	73 61	78 61	95 69	89 70	84 74	81 72	82 70	70 59	65 58	67 63	70 65	85 71	79 68	77 69	87 77	77 68	78 69	83 71	78 65	74 58	74.4 63.1	
AUDUBON	MAX MIN	85 63	65 57	74 62	75 59	79 53	80 57	84 53	86 57	68 57	74 59	83 56	88 56	95 68	96 68	94 68	89 67	88 69	73 60	75 50	73 48	76 59	90 66	92 70	90 69	86 66	87 64	91 69	83 64	79 58	85 58	82.8 61.0	
BELLEPLAIN	MAX MIN	89 64	66 60	72 59	73 51	77 48	78 52	85 49	80 58	72 57	80 53	85 54	93 52	96 63	93 66	86 70	90 70	73 62	68 47	72 42	72 53	88 64	91 71	93 68	86 66	86 64	90 67	85 62	78 57	83 56	82.0 59.1		
BELVIDERE	MAX MIN	83 64	69 53	76 54	78 53	79 50	82 51	88 52	92 57	76 57	75 59	83 56	91 52	94 64	98 65	97 68	95 67	86 62	82 46	76 46	72 50	92 60	86 60	92 66	87 66	86 65	88 67	83 59	79 52	89 52	84.3 68.0		
BOONTON	MAX MIN	85 62	80 43	63 55	73 42	72 49	75 51	79 43	83 53	89 53	69 54	80 52	80 52	86 61	89 63	99 63	94 68	92 64	85 63	77 43	74 42	73 50	72 60	90 60	85 66	88 66	83 62	82 57	80 51	75 56	80.6 65.4		
BRIDGETON 1 NE	MAX MIN	91 67	84 62	65 59	73 53	73 49	77 53	80 51	83 52	86 58	68 57	71 60	82 56				94 65	88 69	88 67	69 48	88 45	73 46	73 61		91 69	87 66	84 65	86 69		82 56	81.0 59.2		
BURLINGTON	MAX MIN	81 64	70 58	76 54	78 56	76 56	79 60	84 56	89 57	86 57	72 57	83 56	91 56	94 66	98 69	96 69	94 80	89 70	80 66	75 53	77 48	74 59	93 66	93 71	89 68	90 68	89 65	94 70	85 65	80 58	87 57	84.7 61.2	
CANOE BROOK	MAX MIN	92 61	88 58	63 56	76 47	74 49	79 48	78 49	84 54	88 54	66 54	71 54	84 54	88 62	97 62	94 62				91 63	76 46	71 41	71 57	73 62	91 64	87 64	88 64	89 67	90 64	86 76	82.2 55.8		
CAPE MAY 3 W	MAX MIN	74 62	69 59	68 57	71 54	73 52	79 56	74 54	76 59	64 59	66 57	74 58	82 58	89 65	90 66	91 67	86 67	89 68	86 62	68 55	69 42	71 53	84 59	82 57	86 69	84 68	83 68	82 61	79 65	81 60	78.3 59.8		
CHARLOTTEBURG	MAX MIN	86 60	80 50	61 53	73 50	71 43	75 47	77 43	82 45	87 53	65 53	65 53	83 47	88 50	88 59	94 64	92 63	90 61	82 60	75 35	73 37	69 43	70 59	88 59	84 62	87 67	82 48	80 52	83 54	79 47	72 43	79.4 51.9	
CHATSWORTH 5 S	MAX MIN																																
CLAYTON	MAX MIN	88 65	67 57	74 59	74 53	77 51	80 54	83 50	88 56	81 56	71 56	83 59	88 55	94 66	96 67	98 69	89 66	89 67	73 62	73 48	78 45	72 59	89 63	91 67	88 66	87 64	89 61	91 69	86 62	78 54	84 57	83.3 59.3	
ELIZABETH	MAX MIN	87 64	73 55	74 60	75 55	81 51	79 56	85 52	88 54	77 55	56 57	82 53	90 53	93 68	99 68	96 67	91 70	87 69	79 66	72 49	72 46	71 60	81 62	89 65	88 65	87 67	86 58	91 66	88 61	77 53	85 55	83.1 59.5	
ESSEX FIELDS SERV BLDG	MAX MIN	90 62	85 60	65 55	76 52	78 49	79 49	76 54	75 55	82 56	78 53	76 50	80 50	90 60	93 60	97 63	96 68	95 67	84 63	75 55	73 53	72 60	74 55	89 55	89 65	90 64	88 69	90 62	85 54	79 52	88 55	82.9 57.8	
FLEMINGTON 1 NE	MAX MIN	87 61	67 54	73 57	74 49	78 47	81 48	84 49	89 49	87 54	75 56	81 53	88 53	91 65	96 63	94 63	92 65	90 66	83 44	75 40	74 59	73 57	91 64	90 65	88 65	87 53	88 63	82 59	78 49	88 48	83.8 55.8		
FREEHOLD	MAX MIN	88 63	71 58	76 60	73 55	79 52	75 56	81 50	79 55	79 53	73 55	81 50	88 54	91 68	97 67	94 67	91 68	88 70	75 64	71 47	76 47	72 59	90 64	88 67	86 65	85 64	83 59	90 65	82 62	77 53	87 55	82.2 59.4	
HAMMONTON 2 NNE	MAX MIN	93 68	89 67	71 65	78 55	81 54	82 55	82 49	83 55	91 55	76 54	74 53	90 53	92 65	100 68	98 68	97 68	89 65	90 45	75 44	73 58	78 68	90 68	95 68	92 68	89 68	89 61	90 68	95 65	94 60	80 60	86.1 60.8	
HIGHTSTOWN 1 N	MAX MIN	84 63	67 56	74 61	78 54	75 51	82 55	89 50	87 53	89 54	73 50	82 52	89 52	92 68	97 66	93 66	91 67	86 68	76 47	75 44	72 60	90 65	87 65	87 65	85 66	89 58	89 61	87 62	77 53	85 53	82.4 58.8		
INDIAN MILLS 2 W	MAX MIN	87 64	65 58	75 61	79 50	79 48	83 50	85 49	90 56	73 56	82 56	89 56	89 57	99 67	97 63	97 63	89 66	90 59	73 43	73 40	71 59	90 64	90 67	88 67	87 67	87 62	92 59	83 50	85 52	87 47	82.2 57.1		
JERSEY CITY	MAX MIN	78 65	65 58	67 60	68 57	76 58	72 58	76 56	82 62	64 54	83 57	88 58	92 60	97 70	93 71	93 73	90 73	83 70	77 61	64 52	70 55	76 60	88 66	80 69	82 65	78 70	82 62	81 69	77 65	77 60	77.9 62.4		
LAKEWOOD 2 ENE	MAX MIN	89 62	62 57	72 55	78 48	73 50	78 50	82 46	82 59	63 55	70 55	81 50	90 50	94 66	95 66	95 67	94 69	81 67	69 47	68 42	79 39	76 48	91 64	81 65	86 65	80 62	79 57	91 66	82 52	77 49	87 49	80.1 56.6	
LAMBERTVILLE	MAX MIN	81 63	66 56	73 59	73 51	78 50	79 54	83 53	88 53	86 57	75 50	81 55	88 51	94 66	95 66	93 65	91 68	87 68	82 64	76 47	74 45	74 60	90 63	91 67	89 67	87 64	85 57	88 68	86 51	79 52	83.3 58.3		
LAYTON 3 NW	MAX MIN	78 55	68 49	74 53	78 57	77 50	80 42	85 44	91 48	89 50	79 55	88 52	90 56	93 66	94 55	90 56	90 59	84 62	75 55	75 38	74 58	90 55	89 55	87 55	86 45	83 57	88 57	86 65	82 42	77 42	82.4 62.7		
LEESBURG STATE FARM	MAX MIN	87 61	87 60	67 60	71 51	73 49	75 52	79 49	81 58	81 58	65 56	82 52	85 53	94 62	91 62	91 65	85 68	85 68	70 50	68 53	69 52	78 63	90 68	90 68	88 68	86 68	84 69	89 62	85 57	88 58		81.0 58.9	
LITTLE FALLS WATER CD	MAX MIN	91 63	85 57	68 54	77 54	76 50	80 52	86 52	86 53	90 52	68 56	71 54	82 52	93 70	99 66	97 66	97 66	94 66	86 65	75 48	72 46	76 62	93 62	88 62	88 62	92 65	86 68	86 58	83 52	77 52		83.5 57.6	
LONG BRANCH	MAX MIN	80 63	62 58	69 57	88 53	75 52	71 54	75 51	80 54	62 53	65 54	80 59	89 55	92 71	93 72	93 68	90 70	79 68	70 48	69 46	70 48	71 62	92 65	78 65	87 68	87 68	79 62	89 56	85 52	78 47		78.7 59.6	
LONG VALLEY	MAX MIN	79 62	71 52	72 57	75 47	76 48	77 52	86 46	89 48	66 54	70 56	80 46	86 46	89 62	91 60	91 62	86 64	86 65	74 41	71 39	69 62	89 63	85 59	86 64	83 66	84 61	83 62	80 52	76 46	84 47		80.8 64.8	
MILLVILLE CAA AIRPORT	MAX MIN	84 62	67 62	74 57	78 52	80 51	80 54	82 50	86 57	68 54	71 57	83 56	87 56	93 67	97 67	96 68	92 69	88 70	73 55	74 43	71 63	90 63	92 67	88 69	87 68	85 66	92 67	86 64	78 57	84 58		82.4 60.2	
MOORESTOWN	MAX MIN	83 63	64 57	73 63	74 54	77 52	78 56	82 51	88 57	63 54	72 54	81 58	86 54	93 69	95 68	94 65	90 67	87 57	71 57	73 48	72 45	73 60</											

DAILY TEMPERATURES

NEW JERSEY
JUNE 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	95	75	78	79	81	79	84	89	70	89	93	97	96	100	97	90	90	76	75	75	80	93	90	90	89	88	91	89	91	97	86.9	
	MIN	70	56	60	54	51	52	48	51	55	56	58	49	61	62	62	70	72	62	44	40	60	60	62	66	66	63	64	46	48	43	57.0	
SANDY HOOK LBSTA	MAX	78	66	70	67	74	71	75	82	68	66	78	85	90	93	95	86	80	73	68	66	70	91	80	86	83	78	87	78	76	80	78.0	
	MIN	61	56	57	57	58	61	63	64	53	56	58	60	69	77	75	72	70	61	59	62	61	60	68	66	70	65	65	73	61	61	63.3	
SOMERVILLE	MAX	84	68	74	75	78	79	83	89	80	75	82	89	91	96	95	92	88	80	75	76	73	91	88	89	87	84	87	83	79	85	83.2	
	MIN	63	56	60	53	48	53	50	52	56	57	51	51	62	64	65	68	74	65	45	42	60	63	64	64	70	55	66	57	50	51	57.8	
SUSSEX 3 N	MAX	82	66	74	72	75	79	84	89	77	70	79	89	94	95	96	95	82	75	75	71	73	89	84	88	80	83	83	80	78	84	81.4	
	MIN	62	51	52	51	47	46	48	51	55	53	53	49	66	63	61	64	64	55	42	45	58	65	60	64	64	50	63	58	48	54	55.4	
TRENTON 2	MAX	84	65	75	75	80	79	85	90	72	75	83	89	92	96	95	92	88	77	75	75	73	91	92	88	85	86	90	83	78	86	83.1	
	MIN	63	57	61	54	54	58	52	57	56	57	59	58	69	70	69	70	71	62	50	48	60	65	70	67	66	61	69	64	55	56	60.9	
TRENTON WB CITY	MAX	82	63	73	72	77	77	82	89	64	73	81	88	92	96	95	91	88	73	74	72	72	90	91	88	86	86	89	82	76	83	81.5	
	MIN	63	56	61	56	57	59	56	60	55	56	60	59	70	72	71	69	70	56	52	51	60	67	68	68	69	65	70	63	58	58	61.8	

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or Avg
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP	.21	.13	.02	.12	.08	.15	.16	.17	.21	.04	.01	.13	.28	.16	.20	.19	*	.23	.21	.14	.12	.08	.03	-	.40	-	-	.27	.01	B4.33 323		
	WIND	18	18	19	5	17	8	23	11	12	9	4	10	18	11	3	4	*	14	16	13	13	3	4	3	33	17	5	0	9			
PLEASANTVILLE 1 N	EVAP	-	-	-	.17	.27	.02	.36	.21	.21	.04	.11	.22	.26	.04	.46	-	-	.16	.24	.24	.05	.07	.23	.21	.21	.20	.22	.15	.37	.12	B5.81 691	
	WIND	50	23	16	33	48	7	14	15	22	6	36	21	32	26	21	6	11	15	21	11	49	18	20	20	7	27	20	54	10	32		
RUNYON	EVAP	.00	.00	.00	.15	.13	.20	.21	.12	.12	.21	.00	.18	.21	.23	.23	.21	.18	.00	.19	.00	.19	.22	.21	.00	.21	.19	.06	.19	.21	.22	4.27 118	
	WIND	6	8	7	7	7	8	0	0	1	3	3	4	3	4	3	6	5	4	5	4	2	5	1	1	3	3	4	3	6			
	MAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	MIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

MAX and MIN in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	13.0	34	E	9	-	-	-	-	4	4	4	2	1	0	15	66	5.8
LONG BRANCH	S	12	12.3	35	SE	9	-	75	60	63	3	4	2	3	0	0	12	67	5.5
NEWARK WB AIRPORT	SSW	15	8.1	29*	NW	27	76	70	52	61	4	3	5	1	1	0	14	-	5.6
TRENTON WB CITY	-	-	7.6	23	N	28+	-	-	-	-	5	2	4	1	1	1	14	64	5.4

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

MONTHLY AND SEASONAL HEATING DEGREE DAYS

NEW JERSEY

Season of 1955 - 1956

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Long-term means July-June
ATLANTIC CITY W8	0	0	25	157	563	992	978	741	768	533	284	37	5078	4741
AUDUBON	0	0	39	203	602	1063	1004	781	792	451	173	12	5120	
BELLEPLAIN	0	0	55	244	630	1100	1066	758	494	196	24	24	5790	
BELVIOERE	0	0	79	253	711	1179	1098	891	861	508	199	11	6200	
BOONTON	0	1	115	305	708	1175	1075	932	956	590	296	47		
BRIDGETON 1 NE	0	0								482	219	32		
BURLINGTON	0	0	30	189	613	1139	1012	807	832	426	166	4	5218	
CANOE BROOK	0	2	89	278		1182	1066	920	938	612	272	39		
CAPE MAY 3 W	0	0	10	101	479	952	964	734	716	461	215	30	4662	
CHARLOTTEBURG	2	14	178	374	775	1241	1125	987	1022	648	365	80	6811	
CHATSWORTH 5 S	0	2	47	235	612	1089			781					
CLAYTON	0	0	35	187	598	1077	1022	777	777	460	168	13	5114	
ELIZABETH	0	0	53	202	606	1074	990	814	884	519	206	12	5360	
ESSEX FIELDS SERV BLDG	0	3	113	308	730	1192	1106	930	908	588	271	10	6159	
FLEMINGTON 1 NE	0	0	81	255	701	1165	1059	883	921	546	247	23	5881	
FREEHOLD	0	0	63	207	649	1114	1050	822	853	522	198	11	5489	
HAMMONTON 2 NNE	0	0	32	250		1065	1022	778	782	471	223	11		
HIGHTSTOWN 1 N	0	3	81	228	661	1060	1036	826	857	514	220	13	5499	
INDIAN MILLS 2 W	0	3	85	251	645	1120	1056	828	837	524	209	21	5579	
JERSEY CITY	0	0	58	221	660	1110	1032	887	876	542	268	27	5651	
LAKENWOOD 2 ENE	0	6	101	282	676	1136	1058	847	877	574	273	53	5880	
LAMBERTVILLE	0	0	68	236	661	1120	1029	844	865	511	201	16	5551	
LAYTON 3 NW	0	9	175	369	811	1291	1200	991	1028	630	325	37	6866	
LEESBURG STATE FARM	0	0	53	247	638	1069	1044	759	791	514	233	32	5380	
LITTLE FALLS WATER CD	0	0	73	238	644	1113	1024	856	879	523	237	18	5605	
LONG BRANCH	0	0	53	228	653	1109	1037	832	859	564	262	44	5641	
LONG VALLEY	0	6	105	299	733	1191	1103	933	960	587	292	38	6247	
MILLVILLE CAA AIRPORT	0	0	42	239	634	1088	1049	791	803	485	214	17	5362	
MOORESTOWN	0	0	66	230	637	1107	1034	812	844	490	208	21	5449	
MORRIS PLAINS	0	1	102	273	699	1155	1058	889	910	548	259	29	5923	
NEWARK W8 AIRPORT	0	0	45	204	639	1101	1013	833	864	516	218	19	5452	5252
NEW BRUNSWICK EXP STA	0	2	67	203	641	1099	1022	812	843	512	211	15	5427	
NEWTON	1	6	139	361	768	1254	1169	986	1005	618	308	59	6674	
PATERSON	0	0	59	224	636	1105	998	852	881	513	197	17	5482	
PENBERTON 3 E	0	0	61	223	618	1128	1038	817	814	502	218	19	5438	
PHILLIPSBURG	0	0	64	226	639	1098	1022	807	831	504	190	15	5396	
PLAINFIELD	0	1	64	229	663	1111	1015	848	877	530	211	17	5566	
PLEASANTVILLE 1 N	0	0	53	271	627	1102	1070	825	837	563	274	43	5665	
RIDGEFIELD	0	0	67	227	685	1123	1022	849	883	507	218	18	5599	
RUNYON	0	1	86	256	680	1170	1014	850	898	524	203	14	5696	
SANDY HOOK	0	0	14	147	568	1015	986	809	829	545	276	18	5205	
SPRERVILLE	0	0	71	242	692	1140	1024	872	882	528	215	17	5682	
SUSSEX 3 N	0	2	116	286	750	1254	1142	953	1003	581	291	25	6413	
TRENTON 2	0	1	50	215	653	1111	1035	832	849	488	197	10	5441	5068
TRENTON W8 CITY	0	0	52	207	634	1095	1014	806	832	476	209	16	5341	
TUCKERTON					636	1079								
WOODSTOWN 2 NW	0	0	34	254	642	1124	1027							

DEGREE DAY NORMALS IN THIS TABLE ARE DERIVED FROM THE PERIOD 1921-1950.

CLIMATOLOGICAL DATA

NEW JERSEY
DELAYED DATA

TABLE 2

Station	Temperature											Precipitation											
	Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
										Max		Min.						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
										90° or Above	32° or Below	32° or Above	10° or Below										
SEPTEMBER 1955																							
BRIDGETON 1 NE	76.9	56.3	66.6	- 1.8	85	7	45	27	44	0	0	0	0	2.72	- .78	1.23	20				5	2	1
OCTOBER 1955																							
BRIDGETON 1 NE	67.3	47.3	57.3	.3	82	7	33	23	231	0	0	0	0	4.75	1.38	2.24	15				7	2	2
NOVEMBER 1955																							
BRIDGETON 1 NE	52.2	33.7	43.0	- 2.8	75	13	15	29	655	0	0	15	0	1.74	- 1.08	1.06	11				3	1	1
DECEMBER 1955																							
BRIDGETON 1 NE	37.4	21.3	29.4	- 6.6	61	4	9	21+	1096	0	0	27	0	.31	- 3.15	.29	10				1	0	0
JANUARY 1956																							
BRIDGETON 1 NE	38.0	23.3	30.7	- 3.0	57	30	11	28	1056	0	0	27	0	2.01	- 1.51	.44	20				6	0	0
FEBRUARY 1956																							
BRIDGETON 1 NE	46.1	28.6	37.4	3.4	61	25	18	22+	798	0	0	23	0	3.65	.17	.93	18				8	2	0
MARCH 1956																							
BRIDGETON 1 NE	47.4	30.4	38.9	- 3.6	65	5	16	20	803	0	0	18	0	4.35	.29	.75	15				9	4	0

DAILY TEMPERATURES

NEW JERSEY
DELAYED DATA

Table 5

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SEPTEMBER 1955																																	
BRIDGETON 1 NE	MAX	83	77	76	80	82	83	85	73	74	79	79	75	72	78	83	83	80	82	75	84	72	66	72	73	73	68	71	79	73	77	76.9	
	MIN	65	66	65	64	61	65	68	50	49	53	61	59	47	46	50	59	59	61	64	65	53	47	50	59	57	46	45	47	54	54	56.3	
OCTOBER 1955																																	
BRIDGETON 1 NE	MAX	69	67	73	71	74	75	82	80	89	73	78	80	77	70	68	58	60	63	62	63	69	55	61	70	50	63	60	70	70	67	60	67.3
	MIN	56	50	47	47	49	53	62	56	46	47	49	49	51	53	63	51	40	40	45	43	49	40	33	54	39	39	37	39	44	57	39	47.3
NOVEMBER 1955																																	
BRIDGETON 1 NE	MAX	57	68	66	47	51	53	51	51	49	50	53	67	75	72	56	70	44	47	34	36	51	49	64	46	40	42	50	57	29	40	52.2	
	MIN	39	37	39	39	36	32	36	31	28	30	41	41	45	53	37	38	37	32	32	30	28	30	31	40	28	28	28	35	15	16	33.7	
DECEMBER 1955																																	
BRIDGETON 1 NE	MAX	38	39	54	61	46	38	35	42	38	30	33	36	36	39	42	30	38	39	36	25	22	30	35	45	57	34	30	30	34	32	34	37.4
	MIN	23	22	33	38	42	29	20	22	26	23	21	20	19	18	20	14	16	22	25	15	9	9	16	24	34	27	12	11	13	21	15	21.3
JANUARY 1956																																	
BRIDGETON 1 NE	MAX	39	39	43	45	44	45	35	29	45	48	42	42	40	36	41	41	33	37	32	32	30	40	35	28	30	28	30	35	40	57	37	38.0
	MIN	17	15	22	30	30	27	24	17	18	29	39	39	34	27	28	26	26	23	19	21	17	19	26	15	13	16	14	11	16	35	29	23.3
FEBRUARY 1956																																	
BRIDGETON 1 NE	MAX	39	43	40	36	48	43	48	52	47	55	45	46	46	51	57	42	44	54	48	46	38	32	34	50	61	51	57	48	36		46.1	
	MIN	22	22	35	30	32	27	29	29	32	30	32	39	30	26	29	28	28	31	31	34	27	18	20	18	20	35	36	38	23		28.6	
MARCH 1956																																	
BRIDGETON 1 NE	MAX	48	55	60	49	65	54	61	62	48	60	60	37	40	47	40	40	34	31	30	38	44	52	53	44	37	54	52	40	39	49	47	47.4
	MIN	22	25	36	38	33	39	40	40	30	33	40	36	32	32	33	32	23	24	24	16	20	25	31	37	22	25	30	30	30	33	33	30.4

CORRECTIONS

MONTH: DECEMBER 1955

Table 2:
Woodstown 2 NW

Total precipitation should be, 0.18;
greatest day, .16 on 10th; number of
days with .10 or more 1; number of days
with .50 or more 0; number of days with
1.00 or more 0.

Table 3:
Woodstown 2 NW

Precipitation on the 10th should be .16;
monthly total, .18.

STATION INDEX

NEW JERSEY
JUNE 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables
ALLEDALE	0100	BERGEN	8 41 02	74 08	270	MID	MID	BERGEN COUNTY ENGS		NARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	GEORGE BRILL		C
ATLANTIC CITY WE	0325	ATLANTIC	1 39 22	74 25	8	MID	MID	U. S. WEATHER BUREAU	2 3 5 7 C	WARTON 1 W	5252	BURLINGTON	2 39 54	74 37	90	SP	DAVID GRISCON		3
AUDUBON	0346	CAMDEN	1 39 34	75 04	50	11P	11P	IRVIN J. NYGREN	2 3 5	MAYS LANING	5346	ATLANTIC	3 39 27	74 44	50	SP	ELMER EARLE		3
BASS RIVER ST FOREST	0526	BURLINGTON	1 39 37	74 26	20	6P	6P	N.Y. FORESTRY SVC		NIOLAND PARK	5503	BERGEN	8 40 59	74 09	210	MID	CORNELIUS HOWARD		3
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	40	5P	5P	MRS. ED C. HOFFMAN	2 3 5	NIVILLE	5576	CUMBERLAND	6 39 24	75 03	60	MID	L. J. GALLAHER		3
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID	MID	CITY WATER DEPT		MILLVILLE CAA AIRPORT	5581	CUMBERLAND	6 39 22	75 04	68	MID	CIVIL AERO. ADM.	2 3 5 7	
BELVIDERE	0729	WARREN	2 40 50	75 05	280	5P	5P	MISS C. S. HIXSON	2 3 5 7	MILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS		3
BERLIN 1 W	0787	CAMDEN	1 39 46	74 57	150	7A	7A	SAMUEL H. MC CULLEY		MOORESTOWN	5726	BURLINGTON	2 39 58	74 58	55	MIO	BA H. J. WILLARD		2 3 5 7
BOONTON	0907	MORRIS	8 40 34	74 24	280	0A	0A	JERSEY CITY WTR WKS	2 3 5	MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500	4P	AP JAMES C. LONG		2 3 5 7
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A	7A	ALBERT M. DAVENPORT		NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU		2 3 5 7 C
BRIDGEFORD 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	9A	RADIO STATION WSNJ	2 3 5	NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P	SP ARTHUR H. AHLQUIST		2 3 5 7
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	6P	PUBLIC SVC. CO. CO	2 3 5	NEW MILFORD	6148	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO		3
CANISTEAR RESERVOIR	1327	SUSSEX	6 41 07	74 30	1040	9A	9A	NEWARK WATER DEPT	2 3 5 6	NEWTON	6177	SUSSEX	2 41 03	74 45	565	8A	BA NEWTON WTR SWR COMM		2 3 5 7
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	0A	0A	COMMONWEALTH WTR CO	2 3 5 6	OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	BA	NEWARK WATER DEPT		3
CHATHAM	1343	SALEN	2 39 28	75 25	10	9A	9A	GERTRUDE S. WILLIS	3	ORANGE	6500	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER		3
CAPE MAY 3 W	1351	CAPE MAY	1 36 56	74 57	17	5P	5P	NAVIST MAGNESITE CO	2 3 5	PATERSON	6775	PASSAIC	8 40 55	74 00	100	0A	BA P. J. DEL VECCHIO		2 3 5 7
CEDAR GROVE	1472	ESSEX	6 40 52	74 13	400	8A	8A	J. A. PLUNKETT		PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P	SP CHARLES A. DOENLERT		2 3 5 7
CENTERTON	1512	SALEN	6 39 31	75 10	80	MID	MID	JOHN HOPKINS UNIV.		PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT		2 3 5 7
CHARLOTTEBURG	1562	PASSAIC	6 41 03	74 26	760	7A	7A	NEWARK WATER DEPT	2 3 5 7	PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	168	9A	JOINT TOLL BRIDGE COM		2 3 5 7
CHATHAM	1500	MORRIS	8 40 44	74 23	185	8A	8A	EDWARD P. HOLTON		PLAINFIELD	7079	UNION	10 40 36	74 25	120	8P	BA K. R. PEARSON		2 3 5 7
CHATHAM 5 S	1590	BURLINGTON	1 39 44	74 32	60	5P	5P	WILLIAM S. HAINES	2 3 5 7	PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	8A	ATLANTIC CITY WTR WKS		2 3 5 6
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	6P	6P	HARRY P. CAMPBELL	2 3 5 7	PRINCETON WATER WORKS	7328	MERCER	10 40 10	74 40	0	8A	MID PRINCETON WATER CO		3
CLINTON	1740	HUNTERDON	10 40 38	74 55	300	6P	6P	L. W. KLOCKNER		RAHWAY	7303	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH		3
DEEPFATER	2209	SALEN	2 39 41	75 30	12	MID	MID	DU PONT DE NEMOURS	2 3 5	RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN		2 3 5 7
ELIZABETH	2444	UNION	1 40 40	74 14	33	5P	5P	UNION CO. PARK COMM.	2 3 5	RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NJ JERSEY WTR SUPPLY		3
ELIZABETHPORT	2852	UNION	8 40 39	74 12	30	MID	MID	SEWAGE TREATMENT PL.	3	RUNYON	7825	MIDDLESEX	1 40 26	74 20	18	6P	H. J. WATER COMM		2 3 5 6
ESSEX FELS SERY BLDG	2766	ESSEX	8 40 50	74 18	250	8A	8A	BOROUGH ESSEX FELS	2 3 5	SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD		2 3 5
SPRINT HUNTERDON	3029	HUNTERDON	10 40 31	74 51	134	5P	5P	DONALD YOUNG	2 3 5 7	SOMERVILLE	8104	SOMERSET	10 40 34	74 37	75	6P	BA E. H. HAYES		2 3 5 7
PORTESQUE	3102	CUMBERLAND	1 39 44	75 10	5	5P	5P	J. A. RODENBACH	INAC 10/55	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY D. P. W.		3
FREEDOLD	3101	MONMOUTH	10 40 15	74 17	194	6P	6P	FRANK J. NOREAU	2 3 5 7 C	SPRINGFIELD	8423	UNION	1 40 43	74 18	-	MID	N.J. DEPT OF CONS.		3
GLOUCESTER	3291	GLOUCESTER	2 39 42	75 07	150	MID	MID	PROF. J. B. SANGREE		SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	6P	BRICE B. STANTON		2 3 5 7
GREAT MEADOWS	3416	WARREN	2 40 53	74 55	560	MID	MID	EDWARD KOWALICK		SWEDSBORO 5 NW	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO.		3
GREENWOOD LAKE	3516	PASSAIC	8 41 00	74 20	660	7A	7A	WATER SUPPLY COMM.		TONS RIVER	8818	OCEAN	1 39 57	74 14	10	5P	ROBERT P. SNYDER		3
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	MID	BERGEN COUNTY ENGS		TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551	MID	H. J. EWEY		2 3 5
HAMMONTON 2 NNE	3642	ATLANTIC	7 39 30	74 48	85	6A	6A	BA H. HUBBARD PARKHURST	2 3 5	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	E. H. RISTOW		2 3 5
HIGHTSTOWN 1 N	3951	MERCER	10 40 18	74 31	100	6P	6P	JAMES R. PICKERING	2 3 5 7	TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU		2 3 5 7
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	MID	DEPT WATER & SEWAGE		TUCKERTON 2 SW	8890	OCEAN	1 39 35	74 22	45	8A	BA VERNON W. MOTT		INAC 1/56
INDIAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	7P	EDWARD ENTWISTLE	2 3 5	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR WOMEN		3
IRVINGTON	4200	ESSEX	1 40 43	74 15	120	MID	MID	JOINT MEETING GARAGE	2 3 5	WANAKEE RAYMOND DAM	9187	PASSAIC	8 41 02	74 18	320	6A	WATER SUPPLY COMM.		3
JERSEY CITY	4330	HUDSON	1 40 44	74 04	135	MID	MID	JERSEY CITY WTR DEPT	2 3 5	WATCHUNG	9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.		3
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	MID	MID	GEORGE G. WADLOTT	2 3 5 7 C	WESTFIELD	9455	UNION	0 40 30	74 21	135	5P	TOWN ENGINEER		3
LAMBERTVILLE	4635	HUNTERDON	10 40 22	74 57	75	6P	6P	E. E. CASE	2 3 5	WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO		3
LAYTON 3 NW	4735	SUSSEX	4 41 15	74 51	460	6P	6P	BA H. W. DEPUIS	2 3 5	WOODSTOWN 2 NW	9810	SALEN	2 40 40	75 20	16	6P	BA WOODRICK W. WALTER		INAC 2/56
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	8A	8A	BA LEESBURG STATE FARM	2 3 5										
LITTLE FALLS WATER CO	4887	PASSAIC	8 40 53	74 14	157	9A	9A	PASSAIC VLY WTR CO	2 3 5										
LONG BRANCH	4907	MONMOUTH	1 40 18	73 59	34	MID	MID	STORM WARN. DSPL STA	2 3 5										
LONG VALLEY	5003	MORRIS	10 40 48	74 46	600	6P	6P	ARTHUR BARKMAN	2 3 5 7										
LUMBERTON	5055	BURLINGTON	1 39 58	74 48	25	MID	MID	JAMES LANTON											
MACPIN INTAKE	5071	PASSAIC	8 41 01	74 24	1020	9A	9A	NEWARK WATER DEPT	3										
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	MID	JOHN L. RADCLIFFE	3										

1-COASTAL; 2-DELAWARE; 3-GREAT RIVER BARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m. S.E.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 5, 6 and the Station Index. No record in Tables 2 and 7 is indicated by no entry.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

† Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

AD Adjusted to a full month.

C in the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in the Bulletin.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

M One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.


R Amounts from recording gages (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Monthly Precipitation Data).

T Trace, an amount too small to measure.

V Includes total for previous month.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWEC., Asheville, N. C. -- 8/7/56 --- 775



581.05
UNNT
cop. 1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

JULY 1956
Volume LXI No. 7



THE LIBRARY OF THE
SEP 24 1956
UNIVERSITY OF ILLINOIS

ASHEVILLE: 1956

WEATHER SUMMARY

GENERAL

July was rather cool and damp. Crops made excellent growth but frequent rains hindered harvesting operations.

This was the coolest July since 1924, and all stations that have long-term averages showed negative departures that ranged from -1.0° at Pleasantville 1 N to -5.0° at Belvidere. The highest reading of the month was 97° at Runyon on the 2nd, while the lowest was 40° at Layton 3 NW on the 30th.

This was the wettest July since 1946 and nearly all stations having long-term means showed positive departures. The departures ranged from -0.78 inch at Flemington 1 NE to $+5.99$ inches at Newton. Monthly totals varied from 3.20 inches at Princeton Water Works to 10.67 inches at Newton. The greatest daily amount was 4.44 inches at Newton on the 9th.

Based on available reports the percentage of sunshine was considerably less than usual expectancy, which was reflected in the greater than usual daytime cloudiness.

WEATHER DETAILS

Temperatures during the first few days of the month averaged above normal with most stations reporting their highest temperature of the month on the 2nd. A cold air mass that moved across the State late on the 2nd began lowering temperatures and readings generally through the 25th were on the cool side. However, on several interspersed dates during this period temperatures were normal or slightly above, but none were worthy of special mention. For the 26th to 28th period temperatures averaged slightly above normal due to the circulation of warm air in advance of an approaching frontal zone. After the passage of the cold front on the 28th temperatures dropped below normal on the last three days of the month and minimum readings were in the 50's and 60's.

Pressure patterns that controlled the State's weather during the month produced frequent occurrences of precipitation and considerable thunderstorm activity. Many stations reported some precipitation on about two-thirds of the days during the month. Perhaps the most outstanding occurrences were the widespread light rain or drizzle that fell on the 4th, 5th and 6th, and general rain on the 20th and 21st which was heavy in most areas. Tornadoes were reported on the 13th and are described under Destructive Storms below.

WEATHER EFFECTS

July was generally a favorable month with respect to precipitation and soil moisture throughout the State; however, warmer and sunny weather was needed for some late crops. The unusually large number of days on which measurable precipitation fell during the month hampered field work but aided general crop growth.

Early in the month precipitation appeared to be ample and well distributed in area and time. Soil moisture was generally good and irrigation was being kept to a minimum although still employed in a few scattered sections. As the month progressed crop prospects were generally good after a late start in the spring, and except for unusually late frosts,

no extremes of weather had marred the current growing season.

As the month drew to a close corn was showing rapid growth and tasseling in most regions. The blueberry harvest was nearing the peak and early variety peaches were increasing in volume. The tomato harvest was increasing in all areas with picking for canning getting underway. Early potatoes were maturing. Sweet corn was of excellent quality and harvest approached peak volume.

DESTRUCTIVE STORMS

In the late p.m. of the 8th and early a.m. of the 9th thunderstorms and showers moved eastward across New Jersey with Sussex, Warren and upper Morris Counties receiving considerable damage. Most damage appeared due to locally excessive precipitation and resultant flooding. Many telephone and power lines were out in the three-county region, and two boy scouts were injured by lightning at their camp near Beaver Lake, Sussex County. Part of a 24-car freight train was derailed when the tracks of the Susquehanna and Western Railroad were damaged by local flooding of a branch of the Paulinskill River near Stillwater, Sussex County. One Newton, Sussex County family was evacuated from their house when local floods endangered the area. A highway near Columbia (Warren County) was temporarily washed out by heavy rains.

On the 13th from 1:26 to 1:30 p.m. a tornado is reported to have occurred at Haddon Heights in Camden County. A small truck was carried 80 feet around a corner; the roof and entrance to a diner were torn off; a parked car was tossed about; several plate glass windows were blown out; the walls of a garage were blown out; one structure was twisted on its foundation and many trees were uprooted, twisted and blown over. Debris was strewn in every direction. Eight persons were reported injured.

Also on the 13th in the afternoon a tornado occurred at Vincentown-Pemberton Road in Burlington County. Damage was done to houses, barns, trees, power lines, fences, etc. Total damage was estimated at \$30,000, with some damage to crops.

A thunderstorm and squall occurred on the 14th from 11:15 to 11:30 a.m. at Wrightstown in Burlington County. The roof of the Fort Dix Depot was blown off, damaging and toppling 7 electric poles. Several cars and one truck were damaged by falling poles and wires and two plate glass windows were cracked and broken. One person was reported injured and damage to property was estimated at \$5,000.

On the 14th from 11:10 to 11:20 a.m. a thunderstorm and squall occurred in the Raritan Township of Monmouth County. The roof and rear wall of a cinderblock garage was partially destroyed by wind. Several signs, trees and wires were down in the Keyport area. Damage to property was estimated at \$2,500.

FLOODS

Some flash flooding occurred from local heavy rains, but no floods were reported on major streams.

Franklin W. Long, Climatologist
U. S. Weather Bureau
Weather Records Processing Center
Chattanooga, Tennessee

SPECIAL NOTICE

In this issue of the Climatological Data for New Jersey there is inaugurated a new presentation of precipitation and temperature data for the State. In January, 1956, the decision to abandon the State means of temperature and precipitation was reached after careful consideration and consultation with the Advisory Committee on Climatology. Political subdivisions generally bear no relation to natural regions of topography, vegetation or atmospheric circulation, and averages of climatic data over such areas do not form a valid time series. In addition the number and location of stations change from year to year. The charts presented herein give a general picture of the distribution of precipitation and temperature over the State.

CLIMATOLOGICAL DATA

NEW JERSEY
JULY 1956

TABLE 2

Station		Temperature												Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days			
											Max		Min.						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More	
											90° or Above	32° or Below	32° or Below	0° or Below											
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below
																						90° or Above	32° or Below	32° or Below	0° or Below</

† DATA RECEIVED TOO LATE TO BE
INCLUDED IN DIVISION AVERAGES

DAILY PRECIPITATION

NEW JERSEY
JULY 1956

Table 3

Station		Total	Day of month																														
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY W8	R	4.79	T	.01		1.80	.02		.72	.37		T					.20		.04		.02	.85		T	.02			.37	.37				
BOUNTON		5.86		.30		.43	.08			1.69				.34	T		.28				.18	1.72		T				.20	.04				
BASS RIVER ST FOREST		6.37				.50	.08	.44	.06	.06				.02	.08		.04					3.95		.57				.17	.19				
BELLEPLAIN		7.96		.48		2.18	.52			.66				.18			.18					1.25						1.90	.58				
BELMAR		4.67				.80				.52				.28	.18							.32	1.99					.38					
BELVIDERE		7.39		.05	.91	.31	1.02	.28		1.94	.13	.08		.20	.93		.13				T	T	1.01		T	T	T	.25	.15				
BERLIN 1 W		7.16		.18			.35	.60		1.10				.55				.18				2.85						.50	.75				
BOONTON		5.13			.28		.60	.47	.01		.38	.42		.01	.55		.17	.18				.65	.40		T			.24	.95		T		
BRANCHVILLE		5.05		.11	.23		.67	.88	.05	.02	.57	.53		.02	1.12	.08						.25	.55	.06				.31	T				
BRIDGETON 1 NE		8.39			.02	.02	.36	.11	T	.45	.17		.05						.03			3.90	T	.03	.45	.10	1.37	.02	1.29	.02		.02	
BURLINGTON		4.97		.02	.20		.59	.02		.75			.09	.35	.05		.03					2.00			.02	.11		.19	.15	.40			
CANISTEAR RESERVOIR		8.70		.14	.23		.86	.79	.05	.01	3.98	.50	T	.06	1.03	.11						.74					.02	.16	.02				
CANOE BROOK		6.03			.14		.63	.34	.10		.67	.26		.03		.47				.29		1.11	.22	T	.02			1.70	.05				
CANTON		6.72			.38				.01		.38	.22			.13							2.52			.07		.11	.84	1.17				
CAPE MAY 3 W		8.55				1.55	.53		.11	.66	.07			.06			.58	.74				.01	1.22	.12	.02			1.98	.90				
CEGAR GROVE		5.92			.20		.56	.59			.63	.81										.90	.48		.48		.08	.42					
CHARLOTTEBURG		6.15		.06	.46		.64	.76		.03	.63	.66			.07	1.03	.66					.88	.29					.22					
CHATHAM		5.73			.15		.63	.32	T		.53	.56		.02			.15	.61	.15			.90	.29					1.22	.18				
CHATSORTH 5 S		6.89	RECORD MISSING														.30																
CLAYTON		6.89			.14		.70	.02		T	1.12				.51	.14				.06		.09	2.38		.12	.16		1.42	.03				
CLINTON		5.08		.07	.24		.35	.60	.04		.82			.04	.33	.14		.08				1.33		.03		.09	.30	.62					
DEEPWATER		5.91		.48	.20		.02	.11	.05		.55		.16				.01			T		.54	2.72		.03	.07		.75	.22				
ELIZABETH		4.60		.01	.01	.41	.96	.04			.81			.01	.14	.39		.40				.01	1.40		.01	.02		.18					
ELIZABETHPORT		4.63		T	.20	.35	.43				.53			.01	.13	.21		.34				.04	1.22		.02		.04	1.06					
ESSEX FIELDS SERV BLDG		5.02	.05		.08		.51	.43	.06		.60		.75	.02	.04	.60			.09			.85	.34	T				.15	.42	.07			
FLEMINGTON 1 NE		3.60		.14	.24		.12	.36	.03	T	.33	.03			.30	.31	T	.03				1.21	T		.09	T	.01	.28	T	.13			
FREEMONT		5.65			.09		.45	.11			.50				.50	.58		.08				2.55			.07			.17	.35				
GREENWOOD LAKE		7.87			.17		.88	.84	.05	.02	3.38	.35			.08	.70	.12					.53	.15				.20	.08	.32				
HAMMONTON 2 NNE		6.13			.06		.28	.83														2.09				.01		.72	.03	.41			
HIGHTSTOWN 1 N		4.36		T	.16	T	.38	.31			.38	T			.25	.39		.07				2.03			.07			.00	.23				
INDIAN HILLS 2 W		7.05			.08		.81	.03			.82	T			.31	T		.17				.10	.40	.02				.65	.62				
IRVINGTON		5.57		.05	.28	.63	.02		.29	.32		.02					.36			.03		.14	1.40	.02		.52	1.29						
JERSEY CITY		3.81		.02	.12	.60	.02		.02	.25					.08	.02		.37				.05	1.06		.02		.20	.98					
LAKEWOOD 2 ENE		7.22			.19		1.15	.05		T	.67				.69	.07		.07				.15	3.55		.17			.50		.10			
LAMBERTVILLE		4.15		T	.36		.01	.26	.05		.96				.26	.03		.03				T	1.77		.30	T		.05	T	.07			
LAYTON 3 NW		6.64		.08	.08	.03	1.29	.14		.02	1.72		.02	.55		.38	1.28					.03	.67		.04	.02		.27	.02				
LEESBURG STATE FARM		5.75			.36		.70	.73	.05		.81	.10										.83						1.20		.04	.87		
LITTLE FALLS WATER CD		5.19		.01	.20		.53	.43	.01	T	.71	.36				.54			.15	.10				.30		.01	.33	.50	.04	.11			
LONG BRANCH		4.42			.06	.03	.58				.34				.42	.28		.07				.11	2.43		T	.01		.04	.05				
LONG VALLEY		6.63		.03	.68	.48	.47	.02			.66		.03		.43	.10		.37				.15	2.40		.02	.03		1.90	.06				
MACDWIN INTAKE		7.25		.02	.55		.56	.72	.02	T	1.05	1.22	T		.15	.55	.17			.03		1.03	.04		.01		.47	.66					
MANVILLE		5.64	T		.52	.65	.02		.43	.24		.25		.25	.32		.19					.70	1.12		.30	.02	.23	.37	.28				
MARTON 1 W		7.32		.01	.21		.45	.06			1.91				.80	.44		.40					2.02		.07			.12					
MAYS LANDING		5.47			.17		1.12	.05			.80				.33			.03				1.75		.09				1.05	.05	.03			
MIDLAND PARK		6.20			.27		1.21	.19			2.01		.05		.47		.10					1.02	.01			.45	.05	.37					
MILLVILLE		5.26		.09	.11		.60		.17	.30			.06									.23	2.33		.02	.02		.99	.34				
MILTON		8.28		.06	.45		.64	.85	.20		1.85	1.51	.05	.05	.25	.64	.28		.06			.61	.23	.03			.28	.27	.27	.02			
MOORESTOWN		5.39		T	.26		.47	.05	*	.04	.98	T			.23	.19			.19			1.86			.12	.01		.02	.30				
MORRIS PLAINS		5.21		.04	.23		.02	.85	.06		.92	T		.10	.06			.10				T	1.25		T		.07	.15	1.00				
NEWARK W8 AIRPORT	R	4.99	T		.01		.25	.61	T		.16	.66	T	.10	.06		.08	.04	T	.49		.08	1.22		T	.01	.07	.15	1.00				
NEW BRUNSWICK EXP STA		3.93		T	.10	.12	.71	.07	T		.30	T			.13	.03		.02				T	1.52		.05	T		.62		.26			
NEW MILFORD		4.46			.14	.02	.96			.10	1.16			.10	.32	.16		.16				.04	.84				.12	.08	.26				
NEWTON		10.67		.15	.34		.70	.64	.06		4.44	1.40	.18		.30	1.04	.13			T		.20	.52	.04	.02			.16	.32			.03	
OAK RIDGE RESERVOIR		7.88		.10	.31		1.00	.71	.06		2.17	1.00			.20	.70	.30					.99	.13					.03	.17				
ORANGE		5.12			.02	*		.79		.34	.48				.35			.50			*	1.60				.13	.28	.63					
PATERSON		5.57			.13		.51	.49	.03		.65	.91			.81			.18					.90		.17	T		.21	.45	.05	.08		
PEMBERTON 3 E		8.18		.04	.14		.28	.08			1.42																						

DAILY TEMPERATURES

NEW JERSEY
JULY 1956

Table 5

Station	Day Of Month																															Average	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
ATLANTIC CITY W8	MAX MIN	73 67	89 69	79 64	77 68	75 62	67 61	71 64	77 68	76 70	79 69	85 65	83 69	76 70	87 68	89 63	80 67	72 67	76 65	76 68	77 69	77 69	73 65	82 69	78 69	85 66	81 69	79 72	85 72	77 65	72 61	76 60	78.1 66.7
AUDUBON	MAX MIN	91 81	95 73	88 79	79 69	70 59	68 59	83 63	85 65	83 69	82 69	85 62	87 62	83 65	86 71	84 61	81 65	80 65	81 64	83 62	78 64	78 65	83 62	89 66	76 67	87 62	89 65	89 69	92 71	79 63	75 58	61 55	81.0 64.5
BELLEPLAIN	MAX MIN	80 69	93 68	92 67	88 67	78 68	78 59	79 63	83 65	78 72	79 70	83 60	88 60	83 69	88 73	88 59	88 63	85 66	82 57	86 62	84 63	88 65	88 60	82 57	87 55	88 62	88 68	86 70	78 65	75 56	80 53	83.9 63.2	
BELVIDERE	MAX MIN	93 82	95 68	90 62	82 64	66 58	62 56	83 59	86 60	86 69	81 65	87 65	87 57	86 61	82 69	83 54	85 62	82 61	83 56	76 62	71 62	78 59	89 66	82 62	88 64	86 63	90 68	85 68	81 58	77 49	82 54	82.7 58.3	
BOONTON	MAX MIN	82 56	87 65	90 65	86 62	71 55	62 55	65 57	81 64	84 69	83 68	79 58	83 56	83 62	83 66	81 58	83 61	75 66	79 54	79 58	76 62	76 62	66 59	78 62	73 67	78 62	84 61	85 65	85 76	78 51	75 51	79.4 60.4	
BRIDGETON 1 NE	MAX MIN	83 56	95 69	95 68	86 65	75 59	75 60	80 65	83 71	83 71	80 69	88 61	84 61	86 79	85 60	87 63	85 65	82 63	83 59	83 62	81 68	81 68	86 62	82 63	88 69	76 62	83 65	88 68	85 73	90 65	75 57	75 55	83.2 64.2
BURLINGTON	MAX MIN	93 62	96 73	95 70	89 71	75 61	66 58	86 62	86 64	83 70	85 62	88 61	85 66	86 72	85 64	86 65	82 63	80 68	79 63	78 60	70 65	81 62	86 68	86 71	88 63	89 65	89 71	91 72	80 65	79 57	82 58	84.2 65.1	
CANOE BROOK	MAX MIN	85 56	89 69	91 65	87 62	70 61	62 55	68 59	84 64	85 69	86 66	84 58	85 55	85 62	84 69	82 58	77 66	76 80	80 81	79 79	71 66	71 59	65 66	79 63	86 69	89 70	86 64	81 62	86 67	75 55	78 48	80.7 61.2	
CAPE MAY 3 W	MAX MIN	78 65	89 69	89 79	86 69	77 62	72 65	75 66	78 66	78 70	79 69	83 68	85 67	80 64	84 68	80 69	83 66	78 64	79 65	80 68	79 63	80 68	78 69	89 68	82 70	82 67	85 70	81 67	86 69	77 59	75 67	79.8 67.1	
CHARLOTTEBURG	MAX MIN	84 61	86 62	88 62	84 56	73 58	59 53	73 54	78 54	82 65	76 63	81 55	81 55	80 59	78 64	78 52	80 57	75 58	78 46	89 48	78 51	73 58	64 57	76 69	77 58	79 59	81 56	82 58	85 62	82 55	78 46	78.1 56.3	
CHATSWORTH 5 S	MAX MIN																																
CLAYTON	MAX MIN	89 69	94 79	93 67	85 60	72 62	69 56	82 61	85 62	80 70	80 67	84 59	86 60	85 64	85 69	83 59	82 64	79 61	81 65	80 60	78 61	83 65	82 69	87 64	82 66	85 61	88 62	87 65	89 69	80 63	76 54	81 55	83.0 63.1
ELIZABETH	MAX MIN	90 60	93 72	90 66	87 64	78 57	62 57	80 60	82 65	80 69	85 67	81 59	84 59	86 65	88 58	84 62	79 64	80 64	84 59	83 58	76 62	74 63	88 61	82 69	89 68	90 61	95 63	90 69	82 70	80 60	82 52	83.0 62.7	
ESSEX FIELDS SERV BLDG	MAX MIN	90 58	90 68	92 65	85 66	78 60	62 55	85 56	75 56	85 68	83 68	84 63	83 64	85 68	86 70	75 64	75 58	80 54	85 64	85 55	72 58	77 60	85 60	78 62	82 64	85 60	85 66	86 58	85 66	78 48	81.1 61.7		
FLEMINGTON 1 NE	MAX MIN	90 52	93 67	93 67	82 62	67 69	62 55	83 59	85 64	84 79	83 65	85 56	87 55	83 61	84 66	82 56	78 61	82 60	83 56	81 52	79 57	69 62	79 60	86 64	78 66	86 61	88 58	90 61	88 56	76 49	81 48	82.2 59.9	
FREEHOLD	MAX MIN	89 68	91 67	90 68	87 63	70 57	64 57	80 69	84 61	80 69	82 67	84 59	87 59	85 63	84 69	81 57	75 63	80 62	81 61	80 58	77 60	75 63	80 60	88 68	86 67	86 62	86 64	87 68	90 71	80 59	75 51	82.0 62.7	
HAMMONTON 2 NNE	MAX MIN	87 62	83 72	92 68	88 66	83 59	74 63	79 64	81 69	83 72	88 69	88 60	83 63	90 66	89 71	84 61	87 65	88 62	88 62	82 60	84 60	80 60	79 62	70 61	80 65	85 63	89 65	95 72	93 64	72 55	75 55	83.1 64.1	
HIGHTSTOWN 1 N	MAX MIN	91 60	92 71	89 68	78 61	66 58	63 57	80 60	85 63	82 70	80 68	84 58	85 63	84 60	82 58	75 63	80 61	75 58	76 58	76 63	80 68	76 63	86 60	78 68	86 67	85 62	86 64	88 69	78 58	75 52	80 52	80.6 62.4	
INOIAN MILLS 2 W	MAX MIN	99 56	95 68	91 68	81 65	70 58	68 58	83 61	84 60	80 70	82 68	85 58	87 58	85 65	83 57	80 60	81 57	81 62	81 61	82 57	78 61	82 57	80 61	89 64	78 67	86 64	86 67	90 68	86 61	76 51	77 48	81.8 61.7	
JERSEY CITY	MAX MIN	80 65	93 70	87 68	84 68	68 56	62 52	82 60	87 66	77 71	80 66	82 66	86 71	79 67	80 63	82 63	74 68	78 60	73 61	78 63	73 61	68 57	87 69	77 70	86 65	86 66	80 69	89 70	79 63	76 60	75 57	79.2 64.5	
LAKEWOOD 2 ENE	MAX MIN	86 79	94 71	84 67	74 63	67 58	64 57	76 60	83 60	81 60	83 59	88 60	88 59	87 64	84 57	83 62	76 52	79 55	80 58	78 52	71 60	80 61	89 68	74 65	87 63	87 65	88 66	93 68	80 60	76 52	80 50	81.1 61.5	
LAMBERTVILLE	MAX MIN	99 69	93 70	92 69	86 66	69 59	63 54	81 60	85 65	89 70	81 68	85 65	86 57	83 60	84 56	82 53	80 60	80 57	83 56	81 50	79 60	73 56	78 61	86 65	83 66	86 69	87 61	87 68	89 58	80 59	78 51	80 51	82.5 61.8
LAYTON 3 NW	MAX MIN	90 55	92 60	88 58	82 56	70 55	64 53	84 55	85 54	83 63	80 57	80 60	88 49	80 60	80 50	80 56	79 52	80 45	79 48	80 60	77 59	75 60	80 55	87 52	84 60	87 55	88 62	90 55	84 48	76 40	80 43	81.6 54.6	
LEESBURG STATE FARM	MAX MIN	80 57	85 69	92 68	86 68	75 59	79 63	70 58	76 64	78 72	79 69	83 69	88 69	85 72	82 68	81 59	86 60	86 58	80 68	79 68	81 68	79 62	84 72	79 63	83 68	89 60	88 63	90 63	82 52	78 53	76 53	82.0 63.6	
LITTLE FALLS WATER CO	MAX MIN	86 59	89 69	94 64	89 64	75 55	64 55	67 56	83 64	85 69	84 67	82 69	86 57	86 64	85 79	83 58	86 62	77 55	82 62	83 63	82 68	78 68	80 59	88 64	80 67	87 68	87 60	87 67	88 68	87 51	78 50	82.2 61.2	
LONG BRANCH	MAX MIN	82 62	93 70	87 68	72 65	67 58	64 58	76 61	81 64	83 70	84 64	88 61	85 60	83 65	84 59	88 59	74 65	79 63	80 58	80 62	77 62	70 62	78 62	88 67	77 64	85 62	86 65	85 67	99 63	79 56	76 54	80.5 63.3	
LONG VALLEY	MAX MIN	88 55	90 67	80 64	80 60	66 56	62 54	78 56	82 60	84 68	77 62	83 58	84 60	80 60	82 53	81 53	76 59	77 60	79 50	80 50	69 59	74 59	80 61	83 58	80 65	84 60	85 65	86 62	84 58	78 46	77 46	79.6 58.9	
MOORESTOWN	MAX MIN	90 59	94 74	87 70	77 67	66 59	66 58	83 67	84 59	82 65	81 69	84 62	85 62	83 68	82 61	80 64	83 62	79 64	81 62	81 61	77 63	82 61	75 63	82 66	74 65	85 63	87 64	8					

DAILY TEMPERATURES

NEW JERSEY
JULY 1956

Table 5-Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SANDY HOOK L85TA	MAX	83	88	84	78	67	63	80	79	78	81	83	86	78	78	84	72	79	79	76	74	75	76	88	83	85	92	85	86	78	75	76	79.7
	MIN	68	74	71	67	60	58	62	63	72	68	68	70	71	65	64	69	69	68	70	70	63	63	68	68	66	69	71	86	78	75	61	66.9
SOMERVILLE	MAX	90	92	89	79	65	62	81	85	82	82	85	87	83	83	82	77	82	83	81	77	77	78	86	84	87	87	88	89	79	77	80	81.9
	MIN	59	70	68	62	58	58	59	65	72	64	56	56	63	69	56	63	61	56	54	60	64	61	67	67	59	61	69	68	57	48	48	61.2
SUSSEX 3 N	MAX	90	90	85	81	68	61	80	83	82	78	82	80	81	78	81	78	79	80	81	75	71	78	85	81	85	83	86	84	73	77	80.1	
	MIN	61	62	61	60	55	54	58	61	66	65	56	57	61	62	55	60	56	49	51	60	60	56	64	66	57	57	60	66	55	45	45	58.1
TRENTON 2	MAX	91	94	88	77	68	64	83	85	83	83	85	87	84	85	84	76	81	84	82	80	70	80	87	78	87	88	88	91	81	77	83	82.4
	MIN	63	72	68	67	58	57	60	64	70	68	60	62	68	69	60	67	64	59	60	61	64	61	68	66	63	65	71	82	61	55	56	63.8
TRENTON WB CITY	MAX	90	93	86	75	66	63	80	84	81	80	84	86	83	83	82	79	79	83	80	77	69	78	87	75	86	88	87	90	78	76	80	80.8
	MIN	64	73	68	66	57	57	60	65	70	67	62	65	69	68	61	68	65	62	63	62	62	61	68	66	64	68	72	71	64	57	58	64.6

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP WIND	.16 6	.15 8	.12 6	.21 1	.00 2	* 12	* 3	.19 5	.17 24	.06 4	.18 6	.16 3	.17 2	.03 8	* 2	* 9	.32 0	.07 4	.22 4	.06 2	.03 16	.06 18	.02 6	.12 2	.07 4	.01 2	- 3	- 2	- 4	- 9	- 8	B3.08 185
PLEASANTVILLE 1 N	EVAP WIND	.20 32	.14 24	.28 18	.33 28	.23 14	.05 11	.06 2	.12 16	.31 44	.03 6	.29 31	.08 6	.20 8	.00 0	.31 90	.33 23	.03 7	.33 20	.14 21	.19 8	.08 70	.06 22	.03 31	.35 15	.07 15	.16 8	- 30	.02 20	- 12	.20 34	.11 8	B5.06 707
RUNYON	EVAP WIND	.20 5	.18 5	.13 6	.15 7	.16 5	.20 6	.19 7	.18 9	.19 10	.18 8	.15 3	.13 4	.14 3	.22 2	.20 4	.19 4	.17 5	.15 3	.13 2	.14 12	.30 6	.30 14	.28 10	.28 6	.26 6	.24 5	.26 5	.28 8	.24 4	.23 4	.18 5	6.19 181

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total		
ATLANTIC CITY WB CITY	-	-	13.7	45	S	21	-	-	-	-	4	5	4	2	1	0	18	52	8.9
LONG BRANCH	S	10	12.1	53	SE	21	-	84	64	70	1	6	4	1	0	1	13	54	7.0
NEWARK WB AIRPORT	WSW	14	8.8	25*	NW	14+	79	75	57	69	6	7	5	2	2	0	22	-	7.3
TRENTON WB CITY	-	-	8.2	32	NW	3	-	-	-	-	9	7	5	1	1	0	23	52	8.9

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

STATION INDEX

NEW JERSEY
JULY 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables		
ALLALEDGE	0100	BERGEN	8 41 02	74 08	270		MID	BERGEN COUNTY ENGS		NARBORO SCS	5244	NONMOUTH	1 40 20	74 14	120		MID	GEROW BRILL	3	C	
ATLANTIC CITY WB	0325	ATLANTIC	1 30 22	74 25	8		MID	M. S. WEATHER BUREAU	2 3 5 7 C	WARTON 1 W	5252	BURLINGTON	2 30 54	74 57	90		6P	DAVID GRISCON	3		
AUDUBON	0346	CAMDEN	2 30 54	75 04	50		LIP	IRVIN J. NYGREN	2 3 5	HAYS LANDING	5340	ATLANTIC	3 30 27	74 44	90		SP	ELNER EABLE	3		
BASS RIVER ST FOREST	0528	BURLINGTON	1 30 37	74 26	20		6P	N.Y. FORESTRY SVC	3	NIDLAND PARK	5503	BERGEN	8 40 50	74 00	210		MID	CORNELIUS HOWARD	3		
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	40		SP	MRS & ED C. HOFFMAN	2 3 5	HILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60		MID	L. J. GALLAGHER	3	C	
BELMAR	0721	MONMOUTH	1 40 10	74 02	19		MID	CITY WATER DEPT	3	NILTON	5507	MORRIS	8 41 01	74 32	950		7A	JERSEY CITY WTR WKS	3		
BELLEVILLE	0729	WARREN	2 40 50	75 05	280		SP	MISS C. S. HICKSON	2 3 5 7	MOORESTOWN	5728	BURLINGTON	2 30 58	74 58	55		MID	M. J. WILLARD	2 3 5	7	
BERLIN 1 W	0767	CAMDEN	7 39 48	74 57	150		7A	SAMUEL H. MC CULLEY	3	MORRIS PLAINS	5760	MORRIS	8 40 50	74 30	500	4P	4P	JAMES C. LONG	2 3 5	7	
BOONTON	0007	MORRIS	8 40 54	74 24	280		8A	JERSEY CITY WTR WKS	2 3 5	NEWARK WB AIRPORT	0026	ESSEX	1 40 42	74 10	11	MID	MID	M. S. WEATHER BUREAU	2 3 5	7 C	
BRANCHVILLE	0078	SUSSEX	2 41 09	74 47	570		7A	ALBERT N. OAKENFORD	3	NEW BRUNSWICK EXP STA	0002	MIDDLESEX	1 40 28	74 28	80	5P	5P	ARTHUR H. AHLGUST	2 3 5	7	
BRIDGETON 1 NE	1028	CUMBERLAND	2 30 28	75 12	114		0A	RADIO STATION WSNJ	2 3 5	NEW MILFORD	0146	BERGEN	4 40 57	74 02	12		MID	HACKENSACK WATER CO	3	C	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12		6P	PUBLIC SVC & C	2 3 5	NEWTON	0177	SUSSEX	2 41 03	74 45	565	8A	8A	HEINTON WTR SWK COMM	2 3 5	7	
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	104		0A	NEWARK WATER DEPT	3	OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870		MID	NEWARK WATER DEPT	3		
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180		0A	COMMONWEALTH WTR CO	2 3 5 6	ORANGE	0560	ESSEX	8 40 47	74 14	140		MID	COUNTY ENGINEER	3	C	
CANTON	1343	SALEM	2 30 28	75 25	10		0A	GERTRUDE S. WILLIS	3	PATERSON	0775	PASSAIC	8 40 55	74 09	100		8A	P. J. DEL VECCHIO	2 3 5	7	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17		5P	N. WEST MAGNETIC CO	2 3 5 C	PENBERTON 3 E	0843	BURLINGTON	2 30 58	74 38	60		5P	CHARLES A. DOHLERT	2 3 5	7	
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400		7P	H. A. PLUNKETT	3	PHILLIPSBURG	0074	WARREN	2 40 43	75 12	182	3P	3P	SWAGE DISPOSAL PLT	2 3 5		
CENTERTON	1512	SALEN	6 30 31	75 10	80		MID	JOHN HOPKINS UNIV.	3	PHILLIPSBURG BRIDGE	0079	WARREN	2 40 42	75 12	196		0A	JOINT TOLL BRIDGE COM	2 3 5	7	
CHARLOTTEBURG	1562	PASSAIC	8 41 03	74 26	760		7A	NEWARK WATER DEPT	2 3 5 7	PLAINFIELD	7070	UNION	10 40 36	74 25	120		6P	S. K. PEARSON	2 3 5	7	
CHATHAM	1500	MORRIS	8 40 44	74 23	185		6P	EDWARD P. HOLTON	3	PLEASANTVILLE 1 N	7131	ATLANTIC	1 30 25	74 31	8	8A	8A	ATLANTIC CITY WTR WKS	2 3 5	6	
CHATSORTH 3 S	1598	BURLINGTON	1 30 44	74 32	90		SP	WILLIAM S. HAINES	2 3 5 7	PRINCETON WATER WORKS	7328	MERCER	10 40 10	74 40	00		MID	PRINCETON WATER CO	3		
CLAYTON	1708	GLOUCESTER	6 30 30	75 06	120		6P	HARRY P. CAMPBELL	2 3 5 7	RAHWAY	7303	UNION	9 40 36	74 15	20		MID	RAHWAY VLY SWG AUTH	3	C	
CLINTON	1740	HUNTERDON	10 40 38	74 55	300		6P	L. W. KLOCKNER	3	RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80		MID	GEORGE P. KIRSTEN	2 3 5	7	
DEEPWATER	2200	SALEN	2 39 44	75 30	12		5P	DU PONT DE NEMOURS	3	RINGWOOD	7587	PASSAIC	8 41 08	74 16	305		8A	NEW JERSEY WTR SUPPLY	3		
ELIZABETH	2844	UNION	1 40 40	74 14	33		5P	UNION CO PARK COMM	2 3 5	RUNTON	7825	MIDDLESEX	1 40 28	74 20	18	6P	6P	W. J. WATER COMM	2 3 5	6	
ELIZABETHPORT	2852	UNION	8 40 30	74 12	30		MID	SEWAGE TREATMENT PL	3	SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	7P	7P	U. S. COAST GUARD	2 3 5		
ESSEX FELS SERV BLDG	2768	ESSEX	8 40 50	74 18	250		8A	BOROUGH ESSEX FELS	2 3 5 C	SOMERVILLE	8104	SOMERSET	10 40 34	74 37	75	6P	6P	W. E. HAYER	2 3 5	7	
FLEMINGTON 1 NE	3020	HUNTERDON	10 40 31	74 51	134		SP	DONALD YOUNG	2 3 5 7	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800		10A	JERSEY CITY D P W	3		
FORTESCUE	3102	ATLANTIC	2 40 43	74 10	5		SP	A. A. ROENBERGER	10/55	SPRINGFIELD	8423	UNION	1 40 43	74 18	-		MID	DEPT OF CONS	2 3 5	C	
FREEHOLD	3181	MONMOUTH	10 40 15	74 17	194		6P	FRANK J. NOREAU	2 3 5 7 C	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	6P	6P	BRICE B. STANTON	2 3 5	7	
GLASSBORO	3201	GLOUCESTER	2 39 42	75 07	150		MID	PROF. J. B. SANGREE	3	SWEDESBORO 5 NW	8885	GLOUCESTER	2 39 47	75 24	10	12N	12N	SUN OIL CO	3		
GREAT MEADOWS	3416	WARREN	2 40 53	74 55	560		MID	EDWARD KOWALICK	3	TOMS RIVER	8816	OCEAN	1 39 57	74 14	10	3P	3P	ROBERT F. SNYDER	3		
GREENWOOD LAKE	3516	PASSAIC	8 41 00	74 20	600		7A	WATER SUPPLY COMM	3	TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551		MID	H. J. ERYEY	2 3 5	C	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10		MID	BERGEN COUNTY ENGS	3	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	MID	M. S. WEATHER BUREAU	2 3 5	7 C	
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85		8A	W. HUBBARD PARKHURST	2 3 5 C	TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	MID	MID	U. S. WEATHER BUREAU	2 3 5	7 C	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100		6P	JAMES R. PICKERING	2 3 5 7	TUCKERTON 2 SW	8899	OCEAN	1 39 35	74 22	45	8A	8A	VERNON W. MOTT	INAC	1/56	
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75		MID	DEPT WATER & SEWAGE	2 3 5 7	VINELAND	9135	CUMBERLAND	6 30 29	75 00	110	8A	8A	STATE HOME FOR WOMEN	3		
INDIAN MILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100		7P	EDWARD ENTWISTLE	2 3 5 7	WANANQUE RAYMOND DAM	9187	PASSAIC	8 41 02	74 18	320		MID	WATER SUPPLY COMM	3		
IRVINGTON	4260	ESSEX	1 40 43	74 15	120		MID	JOINT MEETING GARAGE	3	WATCHUNG	0271	UNION	8 40 40	74 25	-		MID	BONNIE BURN SAN.	3	C	
JERSEY CITY	4339	HUDSON	1 40 44	74 04	135		MID	JERSEY CITY WTR DEPT	2 3 5	WESTFIELD	9455	UNION	0 40 30	74 21	135		5P	TOWN ENGINEER	3	C	
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54		MID	GEORGE G. WOODILL	2 3 5 7 C	WOODCLIFF LAKE	0832	BERGEN	4 41 01	74 03	103		MID	HACKENSACK WATER CO	3	C	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75		6P	E. E. CASE	2 3 5	WOODSTOWN 2 NW	9910	SALEN	2 39 40	75 20	16	6P	6P	WOODROW W. HALTER	INAC	2/56	
LAYTON 3 NW	4735	SUSSEX	2 40 55	74 51	40		6P	H. M. DEPUIS	2 3 5	CLOSED STATIONS											
LEESBURG STATE FARM	4762	CUMBERLAND	6 30 14	74 58	10		9A	LEESBURG STATE FARM	2 3 5												
LITTLE FALLS WATER CO	4887	PASSAIC	8 40 53	74 14	157		9A	PASSAIC VLY WTR CO	2 3 5												
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34		6P	STORM WARR. OSPL STA	2 3 5 C												
LONG VALLEY	5003	MORRIS	10 40 48	74 46	600		6P	ARTHUR BARKMAN	2 3 5 7												
LUNEBERTON	5055	BURLINGTON	2 39 58	74 48	25		MID	JAMES LANTON	3												
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	1020		0A	NEWARK WATER DEPT	3												
MANVILLE	5197	SOMERSET	10 40 33	74 34	50		MID	JOHN L. RADCLIFFE	3												

1-COASTAL; 2-DELAWARE; 3-GRAY EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MORRIS; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCES NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind measure in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Anomies in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 8 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1921-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

* And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

* Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in the Hourly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

E One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.


F Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).


T Trace, an amount too small to measure.

Y Includes total for previous month.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWBC, Asheville, N. C. --- 9/4/56 --- 775






Iso-lines are drawn through points of approximately equal values. (See Special notice following Weather Summary.)

STATUTE MILES

75TB MERIDIAN TIME ZONE



1.05
NJ
ny 1

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

AUGUST 1956

Volume LXI No. 8



THE LIBRARY OF THE
OCT 2 1956
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Weather phenomena were hardly of headline caliber this month and about the nearest approach was a series of thunderstorms in northern and northeastern New Jersey the 28th-29th. Temperatures changed sufficiently at intervals of 6 to 11 days to alter the character of the weather from cool to warm or vice versa and most of the month's precipitation was associated with changes in the temperature regime.

The highest temperature was 97° at Burlington on the 18th and seven stations tied for second place with readings of 95°. Layton 3 NW recorded a low of 40° on the 25th to gain the distinction of having the lowest temperature in the State this month. Neither of the extremes were out of the ordinary. Precipitation totals ranged from 7.88 inches at Bass River St. Forest to 2.20 inches at Belleplain and departures from the long term means were negative in nearly all instances. The greatest amount in one day was 2.03 inches at Millville CAA Airport on the 21st. Data on cloudiness, percentage of sunshine, and number of days with maximum temperatures of 90° or higher portrayed this month's weather as about average.

WEATHER DETAILS

Minor changes in temperature occurred frequently but changes of sufficient magnitude to alter the classification from cooler than usual to warmer than usual or vice versa were a week or more apart. Temperatures on the opening day were about the seasonal average and the initial cool period extended from the 2nd to the 7th. Warm weather prevailed the 8th through the 19th and many areas experienced the highest temperature for the month around the 18th. A strong polar air mass overran New Jersey by evening of the 19th and tumbled temperatures sharply to begin the second cool weather period which brought the lowest temperatures of the month and lasted through the 26th. Warmer than average weather returned the 27th and remained through the end of the month. The time distribution of precipitation was quite

regular. Rain occurred over most of the State during four periods: the 5th-6th, 12th-13th, 20th-21st, and the 28th-31st.

WEATHER EFFECTS

Weather conditions were relatively favorable for maturing late summer vegetables and for fall crops. Moisture was adequate except in isolated spots and comparatively dry weather afforded little interference in harvest and cultivation operations. The major portion of a good crop of lima beans was harvested. Green and red peppers of good quality moved in volume during August and supplies were expected to continue available until frost. Among the fall crops, broccoli, cauliflower, lettuce and spinach made good growth, and light harvesting got underway in some areas. Apples, peaches and grapes sized well and fair to good crops were indicated. Field corn, soybeans, and potatoes made good progress. Several rainless periods provided excellent opportunities for curing hay and growers made good headway in harvesting a third cutting of alfalfa. Streamflow decreased at considerably more than the usual seasonal rate.

DESTRUCTIVE STORMS

A series of thunderstorms struck northern and northeastern New Jersey during the evening of the 28th and early morning of the 29th. Lightning was the principal destructive feature. Several people suffered shock or burn injuries and innumerable buildings, trees and wires were struck by lightning. Overhead wires of the Lackawanna Railroad went down near Madison interrupting train service for about 7 hours. Heavy rains caused minor street flooding and some road washouts. Minor damage in the form of broken windows and torn shingles was attributed to strong winds.

FLOODS

No stream flooding was reported.

J. T. B. Beard, Climatologist
U. S. Weather Bureau
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
AUGUST 1956

TABLE 2

Station		Temperature											Precipitation												
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days					Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days		
											Max		Min							Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											32° or Above	32° or Below	32° or Below	0° or Below											
ATLANTIC CITY WB	R	79.0	67.9	73.5	.4	92	19	59	22	0	2	0	0	0	3.25	- 1.47	1.26	12	.0	0		6	3	1	
AUDUBON		84.6	63.9	74.3		95	28	52	25	1	11	0	0	0	2.68		1.20	21	.0	0		6	2	1	
BELLEPLAIN		84.6	62.1	73.4		94	18	49	23	3	6	0	0	0	2.20	- 3.68	1.14	5	.0	0		3	2	1	
BELVIOERE		85.1	60.2	72.7	.0	95	17	48	25	2	10	0	0	0	4.04	- 1.12	1.46	31	.0	0		8	3	2	
BOONTON	AM	80.9	58.8	69.9	-.9	91	18	47	26	13	2	0	0	0	4.24	-.72	.91	22	.0	0		9	4	0	
BRIOGETON 1 NE	AM	81.9M	62.9M	72.4M		91	19	52	22+	5	4	0	0	0	3.27		1.17	21	.0	0		4	3	2	
BURLINGTON		85.7	64.8	75.3		97	18	51	23	1	11	0	0	0	3.53	- 1.06	1.82	21	.0	0		5	2	1	
CANOE BROOK	AM	81.3	59.2	70.3		92	19	46	26	14	3	0	0	0	3.67	- 1.75	1.40	21	.0	0		7	3	1	
CAPE MAY 3 W		82.7	67.4	75.1		92	19	57	23	0	4	0	0	0	2.30		1.86	5	.0	0		2	1	1	
CHARLOTTEBURG	AM	78.7	54.0	66.4	- 3.0	88	18+	41	3+	50	0	0	0	0	3.90	- 1.08	1.44	7	.0	0		7	2	1	
CHATSWORTH 5 S				M																					
CLAYTON		83.2	61.5	72.4		93	18	51	22+	11	4	0	0	0	3.90		1.12	21	.0	0		7	3	1	
ELIZABETH		84.5	62.6	73.6		95	18	50	26	1	8	0	0	0	3.56	- 1.65	1.51	21	.0	0		5	2	2	
ESSEX FELS SERV BLOC	AM	80.7	59.6	70.2		94	20	45	25	10	3	0	0	0	5.00		1.57	14	.0	0		8	4	2	
FLEMINGTON 1 NE		84.5	58.8	71.7	- 1.9	94	18	45	25+	8	7	0	0	0	3.18	- 2.15	1.56	21	.0	0		8	1	1	
FREEHOLD		83.2	61.9	72.6	-.5	93	18	50	25	6	3	0	0	0	2.89	- 2.11	1.43	21	.0	0		5	2	1	
HAMMONTON 2 NNE	AM	84.5	62.7	73.6		95	29	52	23	5	9	0	0	0	2.85	- 3.10	1.25	21	.0	0		6	2	1	
HIGHTSTOWN 1 N		82.4	61.8	72.1		92	18+	49	25	6	3	0	0	0	3.15	- 1.62	1.40	21	.0	0		5	2	1	
INDIAN MILLS 2 W		83.9	60.5	72.2	-.7	94	28	47	25	7	7	0	0	0	3.16	- 2.45	1.40	21	.0	0		4	3	1	
JERSEY CITY		80.3	65.1	72.7		91	28	55	25	5	1	0	0	0	3.95	-.55	1.55	6	.0	0		6	2	2	
LAKEWOOD 2 ENE		82.0	60.2	71.1	- 1.4	94	18+	47	23+	18	5	0	0	0	3.82	- 1.32	1.20	13	.0	0		5	4	2	
LAMBERTVILLE		84.0	61.0	72.5		94	18	49	25+	2	7	0	0	0	2.86	- 2.52	1.36	21	.0	0		7	1	1	
LAYTON 3 NW		82.8	54.4	68.6	- 1.1	91	17	40	25	19	3	0	0	0	3.36	- 1.19	1.37	21	.0	0		6	2	1	
LEESBURG STATE FARM	AM	82.0	62.3	72.2		92	20	51	23	7	1	0	0	0	3.53	.95	.6	.0	.0	0		4	4	0	
LITTLE FALLS WATER CO	AM	83.2	60.0	71.6	- 1.2	94	19	49	25+	5	5	0	0	0	4.28	- .99	1.00	21	.0	0		8	4	1	
LONG BRANCH		81.5	62.8	72.2	-.6	92	18	51	23	8	3	0	0	0	2.64	- 2.73	1.02	21	.0	0		5	2	1	
LONG VALLEY		81.5	57.5	69.5		91	18	42	25+	26	3	0	0	0	3.78	- 1.53	1.34	31	.0	0		7	2	1	
MILLVILLE CAA AIRPORT		83.2M	63.2M	73.2M		93	19	51	22	7	6	0	0	0	3.95		2.03	21	.0	0		6	3	1	
MOORESTOWN		83.1	62.9	73.0	-.1	93	28+	50	25	4	6	0	0	0	2.90	- 2.03	1.42	21	.0	0					
MORRIS PLAINS		82.5	59.0	70.8		92	18	45	3	16	3	0	0	0	4.93		1.21	21	.0	0		7	4	2	
NEWARK WB AIRPORT	R	82.4	65.0	73.7	.6	95	18	55	26	2	5	0	0	0	3.08	- 1.11	1.01	21	.0	0		6	3	1	
NEW BRUNSWICK EXP STA		83.1	62.5	72.8	-.3	91	18+	51	25+	5	5	0	0	0	4.67	-.11	1.50	21	.0	0		7	4	2	
NEWTON	AM	80.3	56.7	68.5		91	18+	41	25	33	3	0	0	0	2.97	- 1.69	.97	21	.0	0		6	3	0	
PATERSON	AM	83.5	62.5	73.0		95	19	52	26	3	8	0	0	0	2.83	- 2.21	.90	21	.0	0		7	2	0	
PEMBERTON 3 E		84.1	60.5	72.3	- 1.7	93	18+	46	25	7	6	0	0	0	3.98	- .95	1.52	21	.0	0		5	3	2	
PHILLIPSBURG		84.7	60.4	72.6	.3	93	17+	48	25	3	4	0	0	0	3.32	- 1.99	1.30	21	.0	0		8	2	1	
PLAINFIELD		82.4	61.5	72.0	- 1.1	93	18	48	25	7	4	0	0	0	3.66	- 1.74	1.40	21	.0	0		4	3	2	
PLEASANTVILLE 1 N	AM	82.3	62.7	72.5	-.4	93	15+	52	22+	9	3	0	0	0	3.71	- 2.12	1.32	12	.0	0		6	2	1	
RIDGEFIELD		82.4	62.5	72.5	-.5	93	18	51	25	3	4	0	0	0	3.61	- 1.12	1.08	21	.0	0		6	3	2	
RUNYON		85.5	59.0	72.3		95	18	43	25	10	11	0	0	0	3.46	- .95	1.46	21	.0	0		6	3	1	
SANJOY HOOK LBSTA		80.8	66.9	73.9	-.2	91	19	57	21	3	3	0	0	0	4.88	.33	1.99	14	.0	0		5	4	2	
SOMERVILLE		84.1	59.8	72.0		94	18	46	26	1	6	0	0	0	3.08	- 2.33	1.60	21	.0	0		4	2	1	
SUSSEX 3 N		81.2	58.0	69.6		91	17+	42	25	13	2	0	0	0	2.61	- 2.26	1.19	21	.0	0		5	1	1	
TRENTON 2		83.6	63.5	73.6		93	18+	53	22+	2	4	0	0	0	3.92	- 1.67	1.26	21	.0	0		5	4	2	
TRENTON WB CITY	R	82.6	65.2	73.9	.7	93	28	54	22	2	4	0	0	0	3.73	-.86	1.10	21	.0	0		5	4	1	
AVERAGE				72.1											3.50				.0						

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	14.0	41	E	21	-	-	-	-	1	0	3	2	1	0	7	84	5.0
LONG BRANCH	SW	12	13.1	40	N	28	-	82	83	68	4	2	3	1	1	0	11	68	5.3
NEWARK WB AIRPORT	SW	12	7.9	24	NNW*	28	79	79	54	66	6	2	3	2	1	0	14	-	5.8
TRENTON WB CITY	-	-	7.1	29	N	28	-	-	-	-	2	3	1	3	1	0	0	65	5.1
* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.																			

* This datum is obtained by visual observation since recording equipment is not available. It is not necessarily the fastest mile occurring during the period.

DAILY PRECIPITATION

Table 3

NEW JERSEY
AUGUST 1996

Station		Total	Day of month																																	
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
ATLANTIC CITY WB	R	3.25				.50	.13						1.26	.37							.49	.50														
AUGUBON		2.68				.53	.33						T		.10						.22	1.20														
BASS RIVER ST FOREST		7.88				.85	.52						.64		.86						.03	1.76														
BELLEPLAIN		2.20				1.14															.12	.01	.03													
BELMAR		3.07				.61	.40					.46	.08								.58	.84														
BELVIDERE		4.04				.14	.10	.11						.45						.05	.13	1.00				T					.05		1.46			
BERLIN 1 W		2.61				.84	.45																													
BOONTON		4.24				.10	.73					.06			.26		.64				.12	1.52		.91	.23						.45		.74			
BRANCHVILLE			RECORD MISSING																		.12			.91	.23											
BRIDGETON 1 NE		5.27				1.05	.04	.12						.02	.75	.02					.03	1.17	.04	.02					.01							
BURLINGTON		3.53				.96	.23	.30													.16	1.82														
CANISTEAR RESERVOIR		3.52						1.10				T			.27					.24	T	.08	.11								.06		.06			
CANOE BROOK		3.67		.01		T	.23	.06				T			.10								.13	T			T				.58	T		.76		
CANTON		3.01				1.55	.08	.12							1.10																		.26			
CAPE MAY 3 W		2.30				1.86		.05													.07	1.01														
CEDAR GROVE																					.00	.30							T							
CHARLOTTEBURG		4.41					.28	1.00					.20		.88							1.30	.19								.12		.40			
CHARLOTTEBURG		3.00					.12	1.44	.03						.25							.80	.26								.07		.49			
CHATHAM		3.42		.01		T	.20	.05					T		.11		.04				.40		.80	.14							.10		.57			
CHATSWORTH 5 S			RECORD MISSING																		.05	1.29														
CLAYTON		3.90				.69	.24	.22						.66		.47						.08	1.12											.42		
CLINTON		3.31				.10	.06	.13							.05	.05					.08	1.34								1.24			.26			
DEEPWATER		3.12				.77	.22								.15	.30					.54	.01												.23		
ELIZABETH		3.36				.12	.17					.01			.01	.06					.20	1.51									1.25		.01			
ELIZABETHPORT		3.65	.01			.08	.90					T			.28						.30	1.14									.63	.07		.02		
ESSEX FELLOES SERV BLDG		3.90					.15	.73						.05		1.57		.32		.14		1.02	.12								.72			.32		
FLEMINGTON 1 NE		3.18	T			.11	.17	.13				.12		.02	.06	.20				T	.25	1.56							T		.40		.07			
FRENDOLO		2.80				.18	.72	.20						.05	.04	.21					.06	1.43														
GREENWOOD LAKE		2.00				.00	.70								.27	.73							.17				T		T		.02		.36			
HAMMONTON 2 NNE		2.85				.62	.08	.36					.11	.22	.16							1.25	.05													
HIGHTSTOWN 1 N		3.15				.18	.04	.20					T	.06							.23	1.40							T	T	.05	T				
INDIAN MILLS 2 W		3.16				.58	.53	.06						.45		T					.08	1.40	T											.06		
IRVINGTON		3.55				.14	.00	T							.04						.40	1.02									.85	.04		.07		
JERSEY CITY		5.09				.07	1.55					.23			.04						.24	1.21									.44			.17		
LAKEWOOD 2 ENE		3.82				.20	.65	.02							1.20						.60	1.06									T					
LAMBERTVILLE		2.66				.33	.13	.40							T						.14	1.36	.02								.30	T		.18		
LAYTON 3 NW		3.36					.16	.32	.02					.01	.35	.03					.06	.04	1.37								.02	.13		.83		
LEESBURG STATE FARM		3.53				.88	.05	.08							.56						.08	.02	.06													
LITTLE FALLS WATER CO		4.28				.10	.83						.06		.41						.06	1.00	.16													
LONG BRANCH		2.64				.12	.74					T		.03	.01	T		.25			.47	1.02									.25	T				
LONG VALLEY		3.78		.01		.15	.40								.48						.23	.00									.25	T		1.34		
MACOPIN INTAKE		4.21					.11	1.45													.75	T	1.06	.02								.08		.61		
MANVILLE		3.82				.08	.83								.75		.13				T	.30	1.34								.45	.07				
MARLTON 1 W		2.60				.50	.51						.10		.04							.10	1.23								.12					
MAYS LANDING		4.17				.51	.50							1.00		.05					.10	1.00														
MIDLAND PARK		2.79				.03	.64	.01	.05						.14					.63		.80									.04	.04		.46		
MILLVILLE		4.26				.88	.21	.04							.84					.43		1.10	.76													
MILLVILLE CAA AIRPORT		3.95	T			.63	.22	.25							.55						.21	2.03														
MILTON		4.13				.12	1.08					.04			.43					.05	.27	.62	.50	.06							.12		.61			
MOORESTOWN		2.90				.60	.46															1.42	.15													
MORRIS PLAINS		4.03				.10	.70	.46					T	T	.00	1.03	.01				T	T	1.21				T				.44	T	.20	.00		
NEWARK WB AIRPORT	R	3.08				.10	.83								.04					.06		.30	1.01								.62			.12		
NEW BRUNSWICK EXP STA		4.67				.12	.68	.20				T			.05	1.14					T	.23	1.50								T	.75	T			
NEW MILFORD		2.50				.04	.68								.12					.10		.18	.72								.30	.08		.28		
NEWTON		2.97				.03	.56					T	.01		.43						.08	.07	.12								.21		.56			
OAK RIDGE RESERVOIR		4.32				.10	1.25						.02		.30					.02	.54	1.02	.17								.00		.72			
ORANGE		3.32				.06	.94							.11		.02				.18		.31	1.06								.46	.01		.17		
PATERSON		2.83				T	.00	.75	.02				.01	T	.18		.10				T		.00	.14			T					.32	T		.32	
PEMBERTON 3 E		3.08				1.05	.08	.84					.02	.10		.23						.08	1.52													
PHILLIPSBURG</																																				

DAILY TEMPERATURES

NEW JERSEY
AUGUST 1996

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX MIN	76 70	74 69	74 62	79 64	71 67	71 66	79 66	85 65	84 69	90 73	87 69	80 68	79 70	83 74	84 69	81 72	82 72	82 75	92 74	76 64	67 62	71 59	70 61	80 66	74 60	75 60	78 67	89 71	80 71	78 70	79 73	79+0 67+9
AUGUBON	MAX MIN	86 66	81 66	81 57	83 56	73 65	71 66	83 65	86 63	91 64	90 72	88 63	90 68	86 67	87 70	90 66	90 65	91 66	94 68	80 76	68 59	78 53	80 54	81 60	80 52	81 56	85 63	95 69	90 65	86 67	90 71	84+6 63+9	
BELLEPLAIN	MAX MIN	84 66	83 67	79 53	82 54	78 65	75 66	80 64	85 65	89 66	89 67	89 68	89 65	88 67	88 69	89 62	90 62	88 60	94 65	92 68	90 65	69 61	75 58	78 49	80 57	79 50	80 52	86 60	92 67	89 64	84 71	84+6 62+1	
BELVIOERE	MAX MIN	88 63	84 63	83 50	85 51	76 64	70 65	86 61	89 60	92 62	90 70	91 61	89 62	84 66	86 59	90 66	92 56	95 62	94 64	90 63	80 62	72 59	76 54	80 60	81 50	81 48	84 49	94 59	92 61	80 61	85 65	70 70	85+1 60+2
BOONTON	MAX MIN	78 54	84 64	79 49	80 51	81 57	70 63	67 58	83 64	85 66	84 69	86 59	85 60	87 60	81 64	83 66	86 58	88 58	91 68	90 65	86 58	71 58	69 49	78 54	75 53	76 50	76 47	78 52	81 64	89 64	88 64	73 64	80+9 58+8
BRIDGETON 1 NE	MAX MIN	80 66	84 67	78 57	79 56	69 65	73 66	81 65	84 63	86 63	88 72	87 61	86 66	89 65	87 69	84 65	87 63	88 64	88 64	91 77	90 68	73 61	67 52	77 54	78 58	78 52	77 53	79 60	83 67	90 64	90 64	81+9 62+9	
BURLINGTON	MAX MIN	86 67	83 70	82 59	80 57	78 65	71 66	83 66	89 65	92 62	91 72	90 65	90 69	86 71	88 69	91 68	92 76	94 66	97 68	86 58	68 65	78 50	78 51	81 51	82 54	82 50	86 47	96 62	91 72	85 68	89 72	89+7 64+8	
CANOE BROOK	MAX MIN	80 59	86 62	79 49	82 50	82 64	70 66	68 59	80 58	84 60	89 68	88 59	87 60	88 59	80 56	83 56	87 59	88 62	91 61	92 60	81 70	70 66	67 53	75 53	75 55	76 46	78 50	82 59	91 64	88 64	75 66	81+3 59+2	
CAPE MAY 3 W	MAX MIN	81 68	78 70	79 62	80 66	75 67	75 66	88 66	88 59	86 70	88 72	88 73	86 71	85 72	84 73	87 73	88 68	90 64	88 72	92 76	91 69	74 63	74 58	75 57	79 65	79 59	80 63	81 70	85 69	83 68	84 71	82+7 67+4	
CHARLOTTEBURG	MAX MIN	76 49	80 61	77 41	78 44	80 47	69 61	67 61	80 57	82 63	86 63	85 59	83 55	84 63	78 59	81 54	84 54	85 56	88 58	88 58	83 62	67 56	75 44	72 48	72 50	73 43	75 41	76 47	78 56	88 63	85 60	70 64	78+7 54+0
CHATSWORTH 5 S	MAX MIN																																
CLAYTON	MAX MIN	88 64	83 66	80 56	79 55	76 62	72 64	82 62	85 63	88 63	87 69	87 61	88 64	85 64	85 68	88 64	89 61	87 64	93 67	91 72	84 63	66 56	57 51	76 52	78 52	78 51	80 50	82 50	92 64	88 62	85 64	90 69	83+2 61+5
ELIZABETH	MAX MIN	88 62	82 68	83 52	86 55	80 64	70 67	81 63	87 61	92 64	89 63	89 61	90 64	83 64	85 67	91 62	90 64	91 66	95 66	81 73	82 67	68 59	75 55	75 54	80 59	81 51	83 50	85 59	93 64	89 62	83 62	82 72	84+5 62+6
ESSEX FELS SERV BLDG	MAX MIN	79 55	82 64	76 52	78 62	84 60	69 66	68 52	73 62	74 61	85 61	86 55	88 61	85 60	81 55	82 56	84 60	85 58	89 61	93 59	94 70	78 58	75 50	75 52	74 45	77 49	82 55	90 63	85 67	82 64	74 65	80+7 59+6	
FLEMINGTON 1 NE	MAX MIN	87 62	85 60	81 49	83 60	78 65	69 66	83 65	86 56	90 61	89 70	88 62	88 60	88 57	85 65	89 60	90 58	92 60	94 61	91 69	84 58	71 53	78 48	78 51	77 45	78 54	81 59	83 59	92 64	91 62	85 62	86 70	84+5 58+8
FREEHOLD	MAX MIN	84 63	84 67	79 52	83 55	78 62	69 66	80 64	85 59	89 64	88 70	86 61	88 65	84 64	84 67	88 63	90 63	93 64	85 65	67 57	75 52	76 51	78 56	78 50	79 54	79 50	83 61	88 65	83 65	86 70	83+2 61+9		
HAMMONTON 2 NNE	MAX MIN	80 63	90 66	80 55	84 57	86 60	69 63	72 64	84 60	88 61	93 67	92 64	85 65	85 67	88 69	91 70	83 66	93 62	90 66	77 61	77 53	66 51	79 52	79 56	83 58	83 53	80 59	85 64	95 64	92 64	86 68	84+5 62+7	
HIGHTSTOWN 1 N	MAX MIN	85 64	79 68	80 51	82 53	72 66	68 64	79 61	85 59	89 63	87 84	86 62	88 63	83 63	84 68	88 62	89 61	90 63	92 65	88 75	92 64	75 58	78 52	76 50	78 47	78 52	82 58	92 67	88 64	85 71	85 64	82+4 61+8	
INOIAN MILLS 2 W	MAX MIN	86 64	81 65	81 52	83 50	72 63	71 65	81 64	86 58	91 63	89 70	88 59	86 63	85 68	89 62	90 59	92 63	93 64	91 75	77 67	79 49	79 48	79 56	80 47	79 49	85 58	94 66	90 62	85 63	89 71	83+9 60+5		
JERSEY CITY	MAX MIN	82 71	78 67	82 57	80 60	79 67	68 65	70 63	86 68	88 68	87 73	85 66	86 68	87 70	83 68	88 70	82 67	84 68	89 72	87 74	65 60	69 58	70 58	78 58	78 55	78 59	80 68	91 68	87 67	76 69	77 71	80+3 65+1	
LAKEWOOD 2 ENE	MAX MIN	85 63	76 55	81 49	84 52	68 60	67 66	79 60	86 56	91 63	88 69	89 58	88 66	81 63	86 56	93 63	93 62	94 76	91 62	85 53	72 50	65 47	72 51	80 47	72 51	78 48	78 51	84 60	89 65	79 62	82 62	82+0 60+2	
LAMBERTVILLE	MAX MIN	86 63	82 68	80 50	82 64	73 66	71 63	83 63	86 59	90 62	88 72	87 61	87 64	85 61	86 60	87 60	90 62	92 63	94 76	91 64	85 59	68 52	77 52	79 49	78 49	78 54	80 59	83 62	91 64	85 64	86 71	84+0 61+0	
LAYTON 3 NW	MAX MIN	84 55	80 53	81 42	84 43	80 58	70 60	84 58	85 55	92 50	88 08	88 55	82 55	85 55	88 63	91 54	90 55	88 58	91 64	80 54	76 54	77 43	75 50	75 54	80 40	80 43	78 52	87 52	79 60	85 61	82+8 54+4		
LEESBURG STATE FARM	MAX MIN	79 63	83 62	80 54	80 54	70 65	70 65	77 65	81 65	86 63	86 61	89 61	86 61	89 67	85 67	83 67	86 62	88 62	89 72	92 68	74 62	68 51	74 52	76 57	79 52	77 53	78 62	81 66	89 64	88 64	82+0 62+3		
LITTLE FALLS WATER CO	MAX MIN	80 60	87 64	80 50	83 52	83 55	72 66	85 57	88 61	90 61	89 71	88 62	88 61	88 62	85 60	89 62	89 62	93 66	94 66	88 55	75 52	70 49	76 49	76 53	78 49	79 53	81 55	82 65	92 65	90 65	75 60	83+2 60+0	
LONG BRANCH	MAX MIN	84 65	77 60	80 57	84 65	74 66	69 65	79 66	80 60	86 65	88 71	86 63	86 67	80 66	85 64	87 64	88 63	92 65	88 74	92 63	74 57	65 55	73 51	72 56	78 56	72 55	78 63	91 67	84 64	79 66	83 72	81+5 62+8	
LONG VALLEY	MAX MIN	84 65	78 57	77 44	87 46	76 60	67 64	80 58	84 59	87 62	86 59	85 61	84 58	80 56	82 59	85 61	87 56	90 58	91 68	87 67	78 61	67 57	76 50	75 45	76 50	78 42	84 59	90 59	86 61	82 61	82 70	81+5 57+5	
MILLVILLE CAA AIRPORT	MAX MIN	81 67	85 69	81 56	83 58	82 64	69 66	75 65	85 65	89 69	89 74	89 64	88 67	80 66	87 66	88 65	90 63	89 67	93 67	87 51	93 52	73 47	67 51	76 52	79 57	78 54	83 62	84 61	92 66				

DAILY TEMPERATURES

NEW JERSEY
AUGUST 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	84	85	82	84	79	72	81	90	92	93	92	91	85	89	91	89	94	95	93	87	68	75	79	80	81	81	85	94	90	84	84	85.5
	MIN	62	58	48	48	60	67	63	62	70	68	59	59	58	63	56	55	66	68	71	61	55	55	46	47	43	46	57	61	63	62	72	59.0
SANDY HOOK LBSTA	MAX	81	76	82	86	75	69	77	85	90	89	90	87	80	85	85	81	86	88	91	80	66	71	71	77	76	79	79	86	82	76	79	80.8
	MIN	67	69	63	63	65	63	65	66	72	72	70	72	71	71	71	69	70	69	75	66	57	59	62	65	63	63	65	67	67	68	70	66.9
SOMERVILLE	MAX	86	83	81	83	76	69	84	86	90	89	88	89	81	86	88	90	93	94	90	75	78	79	78	80	80	81	83	92	87	81	86	84.1
	MIN	61	56	50	51	62	66	64	59	60	71	61	61	60	66	59	59	61	62	70	60	58	51	53	56	51	46	60	60	64	64	72	59.8
SUSSEX 3 N	MAX	82	82	79	80	72	67	80	83	87	86	85	85	83	83	85	89	91	91	86	79	69	76	80	75	76	79	78	85	88	72	83	81.2
	MIN	60	59	46	48	59	63	58	60	58	67	59	58	57	65	57	56	60	61	68	68	60	52	58	55	42	45	55	59	59	59	68	58.0
TRENTON 2	MAX	86	83	79	84	71	70	84	86	90	88	87	89	86	85	88	89	91	93	89	75	67	77	81	79	79	81	85	93	88	83	87	83.6
	MIN	66	68	55	56	64	65	64	62	64	72	65	69	65	69	65	64	64	68	75	62	58	53	53	60	54	55	62	68	65	65	72	63.5
TRENTON WB CITY	MAX	86	80	80	82	70	69	82	86	90	88	86	88	84	84	87	88	90	91	88	74	66	78	76	77	77	79	84	93	88	83	86	82.6
	MIN	68	65	59	60	65	66	66	65	67	73	68	70	68	71	68	66	67	70	74	62	59	54	55	61	57	59	65	69	67	66	72	65.2

EVAPORATION AND WIND

Table 6

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or Avg.
CANOE BROOK	EVAP WIND	- 3	.18 3	.15 9	.02 7	.22 4	- 7	- 10	- 10	- 13	- 2	- 7	.11 7	.17 4	.05 4	.13 7	.10 5	.12 3	.12 3	.06 3	.07 9	.15 5	.14 4	.05 14	.17 16	.10 13	.12 4	.08 5	.13 3	.18 9	.08 5	.08 7	B3.59 205
PLEASANTVILLE 1 N	EVAP WIND	.16 33	.30 22	.21 13	.23 25	.25 19	.05 30	.03 28	.18 20	.12 27	.12 20	.26 32	.30 15	.23 29	.05 12	.16 42	.25 14	.13 22	.16 10	.25 32	.21 48	.15 11	.00 4	.13 45	.27 6	.05 34	.14 34	.15 9	.25 26	.00 15	.38 10	.07 19	5.24 708
RUNYON	EVAP WIND	.24 3	.24 4	.23 6	.22 5	.23 4	.21 5	.23 6	.24 6	.19 7	.17 5	.15 9	.13 2	.13 3	.10 2	.27 2	.26 1	.24 2	.22 2	.22 3	.36 3	.35 5	.34 5	.32 10	.31 3	.29 28	.28 4	.27 3	.32 6	.30 6	.31 2	.31 2	7.69 133

DAILY SOIL TEMPERATURES

DEPTH		Day of month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
NEW BRUNSWICK EXP STATION																																		
MEASURED UNDER SOD																																		
1 INCH	MAX MIN	84 68	84 67	83 69	84 64	71 68	69 67	78 66	82 65	85 69	83 70	84 68	85 68	77 67	78 70	83 68	82 67	83 68	84 69	84 73	73 67	68 64	76 63	75 61	76 63	78 61	76 60	79 65	79 66	78 66	72 86	71 65	78.9 66.4	
2 INCHES	MAX MIN	80 69	79 69	79 71	80 66	70 68	69 66	75 65	79 68	80 71	80 69	80 69	81 69	74 69	77 70	80 68	79 68	80 69	80 70	81 73	74 68	68 65	74 64	73 62	74 64	75 63	73 62	75 66	76 66	76 67	71 67	69 64	76.2 67.2	
4 INCHES	MAX MIN	78 69	78 70	77 72	78 67	71 68	69 68	77 67	78 67	78 69	78 71	78 69	78 69	74 69	76 70	78 69	79 69	79 70	80 70	74 73	69 69	73 65	64 63	73 65	72 64	73 74	72 63	74 66	73 67	74 67	74 66	71 67	69 66	75.0 67.9
8 INCHES	MAX MIN	74 70	74 71	73 69	73 69	70 68	71 67	72 68	73 69	74 71	74 70	74 70	73 69	73 70	73 70	73 70	74 70	74 71	75 73	75 71	74 70	71 67	70 66	69 66	70 67	70 69	69 66	69 67	69 67	71 66	71 67	66 64	72.0 68.6	
16 INCHES	MAX MIN	71 69	71 70	71 70	70 69	71 69	69 68	69 67	70 68	70 69	71 70	71 70	70 69	71 70	71 70	71 70	71 70	72 70	72 71	72 71	72 71	69 69	68 67	68 67	69 68	68 67	69 66	68 66	68 66	68 64	67 63	65 60	69.9 68.2	
32 INCHES	MAX MIN	67 66	67 66	67 67	67 67	67 66	67 66	67 66	66 66	66 63	66 65	66 66	67 66	67 66	67 66	67 67	67 67	67 67	67 67	68 68	68 67	68 67	68 67	67 66	67 66	67 66	67 66	66 65	65 63	65 63	65 63	64 63	66.7 65.8	

Measured under Kentucky Bluegrass.

STATION INDEX

NEW JERSEY
AUGUST 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS	2 3 5	C	HARBOR SC5	5224	MONMOUTH	1 40 20	74 14	120	MID	GEROW BRILL	3	C
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 5	7	MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM	3	
AUDUBON	0346	CAMDEN	3 39 54	75 04	50	11P	IRVIN J. NYGREN	2 3 5		MAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50	5P	ELMER EARLE	3	
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 26	20	6P	N. Y. FORESTRY SVC	3		MIDLAND PARK	5503	BERGEN	8 40 59	74 09	210	MID	CORNELIUS HOWARD	3	
BELLEPLAIN	0600	CAPE MAY	1 39 16	74 52	49	5P	MRS. ED C. HOFFMAN	2 3 5		MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60	MID	L. J. GALLAGHER	3	C
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT	3		MILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS	3	
BELVIDERE	0729	WARREN	2 40 50	75 05	289	5P	MISS C. S. NIXSON	2 3 5	7	MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	MID	H. J. WILLARD	2 3 5	7
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150	7A	SAHUEL M. MC CULLEY	2 3 5		MORRIS PLAINS	5889	MORRIS	8 40 50	74 30	500	4P	JAMES C. LONG	2 3 5	7
BODDONT	0907	MORRIS	8 40 54	74 24	280	8A	JERSEY CITY WTR WKS	2 3 5		NEWARK WB AIRPORT	6526	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU	2 3 5	7
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A	ALBERT M. DAVENPORT	2 3 5		NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR H. AMLOQUIST	2 3 5	7
BRIDGETON 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WSNJ	2 3 5		NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO	3	C
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC C. G. CO	2 3 5		NEWTON	6177	SUSSEX	2 41 03	74 45	505	8A	NEWTON WTR SWR COMM	2 3 5	7
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	9A	NEWARK WATER DEPT	2 3 5	6	OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT	3	
CAMOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5	6	ORANGE	6500	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER	3	
CANTON	1343	SALEM	2 39 28	75 25	10	9A	GERTRUDE S. WILLIS	2 3 5		PATERSON	6775	PASSAIC	8 40 55	74 09	100	8A	P. J. DEL VECCHIO	2 3 5	7
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P	W. WEST MAGNETITE CO	2 3 5	C	PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. OOEHLERT	2 3 5	7
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	8A	J. A. PLUNKETT	2 3 5	C	PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT	2 3 5	
CENTERTON	1512	SALEM	3 39 31	75 10	80	6P	JOHN HOPKINS UNIV.	2 3 5		PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	186	8A	JOINT TOLL BRIDGE COM	3	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7	PLAINFIELD	7079	UNION	10 40 36	74 25	120	6P	S. K. PEARSON	2 3 5	7
CHATHAM	1590	MORRIS	8 40 44	74 23	185	8A	EDWARD P. MOLITOR	2 3 5		PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	8A	ATLANTIC CITY WTR WK	2 3 5	6
CHATHAM 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P	WILLIAM S. HAINES	2 3 5	7	PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO	3	
CLAYTON	1708	GLOUCESTER	3 39 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7	RAHWAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWR AUTH	3	C
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. M. KLOCKNER	2 3 5		RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN	2 3 5	7
DEEPWATER	2209	SALEM	2 39 41	75 30	12	MID	DU PONT DE NEMOURS	2 3 5		RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NO JERSEY WTR SUPPLY	3	
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5		RUNTON	7823	MIDDLESEX	1 40 26	74 20	18	6P	N. J. WATER COMM	2 3 5	6
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30	MID	SEWAGE TREATMENT PL	2 3 5	C	SANDY HOOK LBSTA	7889	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD	2 3 5	
ESSEX FIELDS SERV BLOG	2768	ESSEX	8 40 54	74 18	250	8A	BORDOW ESSEX FELS	2 3 5	7	SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	W. E. HANER	2 3 5	7
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	ONALD YOUNG	2 3 5	7	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY D P W	3	
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	5P	F. A. RODENBAUGH	INAC	10/55	SPRINGFIELD	8423	UNION	1 40 43	74 16	5	MID	N. J. DEPT OF CONG	2 3 5	7
FREENHOLD	3181	MONMOUTH	10 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	590	6P	BRICE S. STANTON	2 3 5	7
GLASSBORO	3201	GLOUCESTER	2 39 42	75 07	150	MID	PROF. J. B. SANGREE	2 3 5	C	SWEDESBORO 5 NW	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO	3	
GREAT MEADOWS	3416	WARREN	2 40 53	74 55	500	MID	EDWARD KOWALICK	2 3 5	C	TOMS RIVER	8816	OCEAN	1 39 57	74 14	10	5P	ROBERT F. SNYDER	3	
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	7A	WATER SUPPLY COMM	2 3 5		TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551	MID	H. J. ERVEY	2 3 5	C
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS	2 3 5	C	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	L. H. RISTON	2 3 5	7
HAMMONT 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	8A	HUBBARD PARKMURST	2 3 5		ATRENTON NB CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU	2 3 5	7
HIGHTSTOWN 1 N	3551	MERCER	10 40 16	74 31	100	8P	JAMES R. PICKERING	2 3 5	7	TUCKERTON 2 SW	8898	OCEAN	1 39 35	74 22	45	8A	VERNON W. MOTT	INAC	1/56
HIGHTSTOWN PUMPING STA	3556	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE	2 3 5		VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR WOMEN	3	
INAYTON MILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7	WANQUE RAYMOND DAM	9187	PASSAIC	8 41 02	74 18	320	8A	WATER SUPPLY COMM	3	C
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MID	JOINT MEETING GARAGE	2 3 5		WATCHUNG	9271	UNION	8 40 40	74 25	-	MID	RONNIE BURN SAN	3	C
JERSEY CITY	4339	HUDSON	4 40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5	C	WESTFIELD	9455	UNION	9 40 39	74 21	135	5P	TOWN ENGINEER	3	C
LAKEWOOD 2 ENE	4627	OCEAN	1 40 08	74 11	54	MID	GEORGE G. WADOLFF	2 3 5	7	WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO	3	C
LAMBERTVILLE	4835	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5		WOODSTOWN 2 NW	9910	SALEM	2 39 40	75 20	16	6P	WOODROW W. HALTER	INAC	2/56
LATYON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. DEPUVE	2 3 5		CLOSED STATIONS									
LEESBURG STATE FARM	4762	CUMBERLAND	2 41 19	74 58	10	9A	LEESBURG STATE FARM	2 3 5		MILLVILLE CAA AIRPORT	5581	CUMBERLAND	6 39 22	75 04	68	MID	CIVIL AERO. ADM.	CLOSED	7/56
LITTLE FALLS WATER CO	4887	PASSAIC	8 40 53	74 14	157	9A	PASSAIC VLY WTR CO	2 3 5	C										
LONG BRANCH	4987	MONMOUTH	1 40 18	75 39	34	MID	STORM WARR. DSPL STA	2 3 5	C										
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	6P	ARTHUR BARKMAN	2 3 5	7										
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LANTON	2 3 5	C										
MACOPPIN INTAKE	5071	PASSAIC	8 41 01	74 24	1020	9A	NEWARK WATER DEPT	2 3 5											
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADCLIFFE	2 3 5											

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in miles. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amounts in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 8 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent aspen are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (those shown in the Station Index as United States Weather Bureau Stations) are based on the period 1821-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

* And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

† Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "CW" indicates recorder stations. These stations are processed for special purposes and are published later in Monthly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

E One or more days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.


G Amounts from recording gages. (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Monthly Precipitation Data).


T Trace, an amount too small to measure.

V Includes total for previous month.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Reprints and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWEC., Asheville, N. C. --- 10/8/58 --- 750





1.05
NJ
y 1

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

SEPTEMBER 1956

Volume LXI No. 9



THE LIBRARY OF THE
NOV 2 1956
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Hurricane Flossy was perhaps the most newsworthy weather story during September. However, precipitation was somewhat spotty and temperatures were cooler than usual.

This month ranked among the coolest September's since 1885 and all stations having long-term means showed negative departures. Maximum temperatures for the month over the State were reported on several different dates, but the highest reading was 98° on the 2nd at Hammonton 2 NNE. Layton 3 NW recorded 28° on the 21st for the lowest reading, a distinction gained by this station several times already in 1956.

Evidence of the spottiness of September's precipitation pattern can be noted by reference to Table 2 of this bulletin, in which is shown departures for stations with long-term averages ranging from -1.85 inches at Plainfield to +3.77 inches at Layton 3 NW. Monthly totals ranged from 1.23 inches at Bridgeton 1 NE to 7.52 inches at Layton 3 NW. Boonton recorded 3.34 inches on the 7th for the greatest daily amount.

The percentage of sunshine during the month was less than usually expected, reflecting greater than usual daytime cloudiness.

WEATHER DETAILS

Above normal temperatures were the rule as September opened and this situation persisted during the first six days of the month. The leading edge of a cold air mass moved across the state and ushered in a widespread high pressure system that began dominating New Jersey's weather on the 7th and readings on the 9th and 10th ranged from 10° to 14° below normal. The flow of warm southerly air across the State on the 14th raised temperatures to as much as 10° above normal in many localities. The period from the 15th to the end of the month was mostly on the cool side; however, readings were slightly above normal on the 17th and 23rd. During the last half of the month the coolest periods were the 18th-21st and 26th-28th. All stations in the State reported their lowest temperature for the month on the 21st, with Newton duplicating its minimum on the 22nd.

Mostly light showers and thunderstorms occurred on the 1st and 2nd, but the most significant falls of the first decade were generally the widespread showers and thunderstorms of the 6th. The last two decades of the month were marked by considerable cloudiness and rather frequent occurrences of precipitation. Amounts were mostly light to moderate, however there were also some locally heavy falls. Thunderstorm activity was prevalent on several dates. The remnants of hurricane Flossy affected the east and southeast coastal areas of the state, but total rainfall for the storm was not excessive, the largest falls being only a little more than 1 inch and occurring chiefly on the 27th.

WEATHER EFFECTS

Frosts were reported on the 10th, 19th, and 21st. Temperatures fell below 20° on the cranberry bogs and muck lands, and frost which occurred on the 21st caused damage to crops on these lowlands as well as to tender vegetables on the highlands. Ground preparation continued but was interrupted at times by wet soil conditions. Rye made good growth and planting of wheat was about to start in earnest.

The moisture content of corn was still quite high and most growers were waiting for a few more days of good drying weather before starting to pick. Corn borer infestation was the heaviest in many years, but with yields unchanged from a month ago, production was expected to more than double the short 1955 crop and to be one-fourth above average. September weather was favorable for growth and maturing of soybeans and the pod set was very good.

Sweet potato harvesting was relatively light as the crop had not reached the desired size. Fresh vegetables from New Jersey farms were declining in volume and variety towards the end of September and later supplies were expected to consist largely of the hardier crops, such as broccoli, cabbage, cauliflower, celery, lettuce, spinach and the root crops. In spite of somewhat deficient rainfall for the State as a whole and cooler than usual temperatures, late season crops, particularly the hardy fall

vegetables, made satisfactory progress. Cranberries sized well during September but frosts on the 10th and 20th damaged immature berries on bogs not protected by flooding. The crop matured later than usual with the result that harvest did not get underway in volume until mid-September.

Weather conditions during September were very favorable for the commercial apple crop. Growers were able to continue harvesting with little interruptions from rains or other weather factors. Apples sized well during the month as rainfall was only slightly less than usual. The cool sunny weather was nearly ideal for putting a good color and finish on the late varieties. The harvest of peaches was practically finished and the crop turned out to be of good quality, but production was somewhat below average. Grape harvest was completed with production indicated as 7% less than last year, but 3% above average.

DESTRUCTIVE STORMS

In the late afternoon and early evening of the 6th thunderstorms with accompanying wind and rain affected the entire State, but most damage was reported in heavily populated northeastern and southwestern counties. Principal damage was a result of local flooding from heavy rain, fire by lightning, and locally strong winds. Many houses were struck, automobiles stranded and damaged, cellars flooded, roads washed out, trees and wires down, etc. Most extensive damage was reported in the Ridgefield area of Bergen County where the 150 foot long roof of a paper supply company was blown off and a large air conditioning unit was carried about 250 feet into a neighboring building, a one story frame building collapsed, and a carport was blown over. Several creeks overflowed causing minor floods. One person was killed and at least 4 were injured.

On the 17th from 6-9 p.m. a series of thunderstorms occurred associated with an eastward moving cold front. The principal damage resulted in eastern and southeastern counties near the shore. The Atlantic City area was hardest hit with considerable wind and lightning damage as follows:

1. Many trees, small signs, electrical wires, TV antennas down.
2. Several houses struck by lightning and front portion of one house torn off by wind.
3. One large sign of considerable monetary value was blown off a boardwalk hotel.

The Weather Bureau Office at Atlantic City reported 60 mph winds with one gust to 75 mph at 7:14 p.m. Several persons were injured.

The remnants of hurricane Flossy were confined to the east and southeast coastal areas of New Jersey. The most significant damage due to the storm was on the 26th, 27th, and 28th when some wind damage and flooding occurred. Winds of about 45 mph were reported on the 26th at Atlantic City and hourly velocities ranged from 38 mph to 54 mph on the 27th. On the 28th winds gradually slackened from 40 mph to about 28 mph by evening. A peak gust of 69 mph at 1:53 p.m. EST was noted at Atlantic City on the 27th. Winds up to 30-40 mph were reported along the coast as far north as Sandy Hook. Total rainfall was not excessive. Flooding occurred at the time of high tide on the afternoon and evening of the 27th with only minor flooding at other times of high tide. Highest measured tides were about 7 to 8 feet above mean low water in the Atlantic City area (3 to 4 feet above normal). Four to five foot waves were reported on the beach and waves were estimated at about 10 feet just offshore. Many moored small craft were destroyed or damaged, and piers, boardwalks, and ocean front structures were damaged slightly.

FLOODS

Thunderstorm rains on the 6th overflowed Weasel Brook (Clifton area), Overpeck Creek (Englewood), and McDonald Brook to cause minor floods that filled cellars and reached a depth of 5 feet on some roads.

Franklin W. Long, Climatologist
U. S. Weather Bureau
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
SEPTEMBER 1956

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Dole	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											90° or Above	80° or Above	70° or Above	60° or Above										
NORTHERN																								
BELVIDERE		78.0M	52.3M	65.2M	- .8	89	2	35	21	94	0	0	0	0	3.83	+.10	+.85	6	.0	0		8	3	0
BOONTON	AM	72.1	48.3	60.2	- 3.3	86	6	34	21	190	0	0	0	0	6.03	1.75	3.34	7	.0	0		8	3	1
CANOE BROOK	AM	74.0	50.4	62.2	- 1.9	87	14	31	21	153	0	0	1	0	4.04	+.35	2.46	7	.0	0		9	2	1
CHARLOTTEBURG	AM	70.4	45.2	57.8	- 4.8	85	3+	30	21	246	0	0	0	0	4.46	+.06	1.40	7	.0	0		8	3	1
ELIZABETH		75.7	53.7	64.7	- 2.5	91	6+	35	21	111	2	0	0	0	2.81	- 1.53	+.52	16	.0	0		9	1	0
ESSEX FELS SERV BLDG	AM	73.7	49.7	61.7		85	2+	32	21	166	0	0	1	0	4.10		1.47	7	.0	0		8	3	1
FLEMINGTON 1 NE		74.4	50.4	62.4	- 4.4	90	1	31	21	162	1	0	1	0	3.99	+.50	+.98	6	.0	0		7	3	0
JERSEY CITY		70.2	55.4	62.8	- 4.2	87	14+	30	21	138	0	0	0	0	2.43	- 1.43	+.65	6	.0	0		7	2	0
LAMBERTVILLE		74.9	52.5	63.7	- 2.3	84	1	33	21	136	0	0	0	0	3.70	+.41	1.07	28	.0	0		8	3	1
LAYTON 3 NW		72.4M	46.3M	59.4M	- 2.7	85	1+	28	21	204	0	0	3	0	7.52	3.77	3.08	6	.0	0		11	4	2
LITTLE FALLS WATER CO	AM	74.9	51.8	63.4	- 2.3	88	6	34	21	130	0	0	0	0	4.62	+.02	1.46	7	.0	0		6	3	2
LONG VALLEY		71.7	49.9	60.8		85	1+	30	21	178	0	0	1	0	5.66	1.77	3.00	6	.0	0		8	3	1
MORRIS PLAINS		72.9	49.7	61.3		85	5	31	21	163	0	0	1	0	6.27		1.96	2	.0	0		7	4	3
NEWARK WB AIRPORT	R	72.7	55.3	64.0	- 2.8	89	14	30	21	117	0	0	0	0	2.10	- 1.79	+.81	6	.0	0		5	1	0
NEWTON	AM	71.1	47.1	59.1	- 4.0	85	2+	31	21+	224	0	0	3	0	4.01	+.15	+.83	3	.0	0		10	3	0
PATERSON	AM	73.8	53.3	63.6	- 2.8	88	6+	37	21	124	0	0	0	0	4.42	+.23	1.20	7	.0	0		7	4	1
PHILLIPSBURG		78.0M	52.1	65.1M	- .1	87	2	34	21	94	0	0	0	0	3.37	- .65	1.09	7	.0	0		6	2	2
PLAINFIELD		73.9	53.0	63.5	- 2.6	88	14	34	21	130	0	0	0	0	2.66	- 1.85	+.61	6	.0	0		8	1	0
RIDGEFIELD		73.5	53.2	63.4	- 2.6	86	14	35	21	134	0	0	0	0	4.45	+.29	2.83	6	.0	0		7	2	1
SOMERVILLE		74.7	51.2	63.0	- 3.0	88	14	32	21	141	0	0	1	0	2.91	- .53	+.69	2	.0	0		10	1	0
SUSSEX 3 N		71.9	47.6	59.8	- 4.0	86	2+	31	21	197	0	0	1	0	4.00	+.34	1.13	6	.0	0		8	4	1
DIVISION				62.2	- 2.8										4.16	+.13			.0					
SOUTHERN																								
AUDUBON		75.6	55.0	65.3		93	1	36	21	110	2	0	0	0	3.14		1.00	6	.0	0		6	3	1
BELLEPLAIN		77.5	54.6	66.1		92	1+	34	21	100	3	0	0	0	4.66	+.62	1.50	7	.0	0		8	4	2
BRIEGTON 1 NE	AM														1.23		+.44	28	.0	0		5	0	0
BURLINGTON		76.9	55.2	66.1	- 2.7	89	14+	36	21	90	0	0	0	0	2.94	- .79	+.72	28	.0	0		6	3	0
CLAYTON		75.1	54.4	64.8		90	1	35	21	114	1	0	0	0	4.11		2.21	6	.0	0		7	1	1
FREEHOLD		75.1	54.0	64.6	- 1.8	89	1	35	21	119	0	0	0	0	3.15	- .72	+.75	6	.0	0		8	3	0
HAMMONTON 2 NNE	AM	77.5	53.7	65.6	- 2.0	96	2	36	21	105	4	0	0	0	3.46	- .03	1.28	7	.0	0		8	3	1
HIGHTSTOWN 1 N		74.1	53.6	63.9	- 2.2	90	1	35	21	124	1	0	0	0	3.17	- .94	+.87	2	.0	0		9	2	0
INDIAN MILLS 2 W		75.1	52.6	63.9	- 3.1	90	2	31	21	133	1	0	1	0	2.96	- .49	1.01	6	.0	0		7	1	1
LAKEWOOD 2 ENE		73.6	51.9	62.8	- 3.0	89	14+	33	21	148	0	0	0	0	3.62	- .12	+.88	27	.0	0		8	3	0
LEESBURG STATE FARM	AM	74.7	54.5	64.6		89	15	36	21	116	0	0	0	0	3.23		+.90	7+	.0	0		6	3	0
MOORESTOWN		73.9	54.3	64.1	- 2.2	90	1	34	21	132	1	0	0	0	2.57	- 1.10	+.98	28	.0	0		5	2	0
NEW BRUNSWICK EXP STA		74.1	53.5	63.8	- 2.8	86	14	35	21	124	0	0	0	0	3.19	- 1.00	+.64	16	.0	0		10	2	0
PEMBERTON 3 E		76.4	53.2	64.8	- 2.7	90	1	32	21	113	1	0	1	0	3.62	- .07	1.08	6	.0	0		8	3	1
PLEASANTVILLE 1 N	AM	75.4	54.0	64.7	- 1.8	89	15	35	21	105	0	0	0	0	1.72	- 1.76	+.65	7	.0	0		4	1	0
RUNYON		77.7	50.1	63.9	- 1.2	90	14	29	21	119	1	0	2	0	2.56	- 1.61	+.58	18	.0	0		7	2	0
TRENTON 2		74.9	54.8	64.9		90	1	38	21	111	1	0	0	0	3.08	- 1.15	1.19	6	.0	0		8	2	1
TRENTON WB CITY	R	72.8	55.7	64.3	- 2.7	88	1	40	21	123	0	0	0	0	2.24	- 1.51	+.74	6	.0	0		6	1	0
DIVISION				64.6	- 2.3										3.04	- .74			.0					
COASTAL																								
ATLANTIC CITY WB	R	72.0	60.5	66.3	- 2.0	87	14	43	21	70	0	0	0	0	3.03	- .48	1.04	27	.0	0		5	3	1
CAPE MAY 3 W		75.5M	58.3M	66.9M		87	2+	42	21	64	0	0	0	0	3.60		1.56	7	.0	0		8	2	1
LONG BRANCH		71.6	54.2	62.9	- 3.2	85	14	36	21	134	0	0	0	0	2.69	- 1.32	+.86	27	.0	0		5	2	0
SANDY HOOK LBSTA																								
DIVISION				65.4	- 2.3										3.11	- .63			.0					

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	16.1	66	NW	17	-	-	-	-	3	5	2	2	1	0	13	55	6.3
LONG BRANCH	S	20	13.6	56	E	27	-	84	65	74	5	6	3	2	0	0	18	62	6.1
NEWARK WB AIRPORT	NNE	12	9.0	29*	NE	27	63	84	57	72	3	7	4	1	0	0	15	-	8.8
TRENTON WB CITY	-	-	8.4	33	NE	27	-	-	-	-	3	4	5	1	0	0	13	55	8.2
* Fastest observed one minute wind speed. This station is not equipped with automatic recording wind instruments.																			

* Fastest observed one minute wind speed. This station is not equipped with automatic recording wind instruments.

DAILY PRECIPITATION

NEW JERSEY
SEPTEMBER 1956

Table 3

Station	Total	Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	R 3.03		.08				.86	.02				.01			.11		.52			.05				.25				1.04	.09				
AUGUBON	3.14	T	.42				1.00							T	.17					.13			T	T	.52			.90	T				
BASS RIVER ST FOREST	3.61			.92			.96								.22		.01	.20									.02		1.20				
BELLEPLAIN	4.66						.06										.12		.56		.14		.08	.16	.44			.55	1.08	.03			
BELMAR	4.92		.86				.49								.70						.84							1.90	.14				
BELVIDERE	3.83	.60	.12				.85								.05	.43	.30	.33							.69				.40				
BERLIN 1 W	3.40			1.30												.43	.30	.33					.65			.10		T	1.10				
BOONTON	6.03		.31	.57											.05	.80	.14	.00			.22	.05			.26			.20					
BRANCHVILLE	4.84	.11	.06	.41			1.48								.03	.47	.45	.22			.04	.16	.03	.77			.10	.02	.07	.34	.03	T	
BRIDGETON 1 NE	1.23	T	.06												.01		.10	.23			.04	.01			.15					.44			
BURLINGTON	2.94			.83			.66	.23							.02	.04	.13			.09					.40			.03	.72				
CANISTEAR RESERVOIR	3.01	.01	.30	.79			1.26								.37	.07	.06	.27			.15	T			.40				.26	.08			
CANOE BROOK	4.04	.03	.12	.07				.01							.37	.07	.06	.27			.15	T			.40				.26	.08			
CANTON	2.38						1.03								.13	.10	.43			.05		.02			.18		.01		.03	.38	.01		
CAPE MAY 3 W	3.60	.05	.04	.06			.25	1.56								.27	.13			.10					.43			.56	.15				
CEDAR GROVE	5.02						1.48									.23	.76	.09			1.90				.28			.28					
CHARLOTTEBURG	4.46	.08	.03	.87			1.40								.06	.79	.17	.14			.18	.06			.04	.34			.20	.05	.03		
CHATHAM	4.50	.20	.11	.07			2.60	T								.56	.06	.08			.16							.15					
CLAYTON	4.11		.21	T			2.21	.11								.30	T						.06		.49			.49	.15	T			
CLINTON	4.58	.62	.86				1.10	.05								.26	.52	.04			.40			.04	.25				T	.24			
DEERWATER	3.12		.32				1.61									.23	T	.02						.26	.16			.40	.03				
ELIZABETH	2.81	.01	.11				.44	.42							.01	.04	.52	.00	.13		.18			.01	.32			.37	.16				
ELIZABETHPORT	2.13	.03	.07				.62	.01								.51	.03	.27			.16		T		.01	.23			.17	.02			
ESSEX FELS SERV BLDG	4.10	.68	.12	.35			1.47									.72	.09				.09	.12			.23								
FLEMINGTON 1 NE	3.99	.89	.58	.01			.98	.03					T		.01	.48	.04	.30			.24			.03	.01	.35		T	.04	.03	T		
FREEMOLD	3.15		.27				.75	.50							.10	.55		.04		.12					.32			.05	.45				
GREENWOOD LAKE	5.07	.15	.28	.88			1.53	T							.36	.73	.22	.21	T	.14	.05	T	T	.29				.20	.03	T			
HAMMONTON 2 NNE	3.46		.90	.46			1.26								.17	.13	.23			.10								.55	.03	.01			
HIGHTSTOWN 1 N	3.17		.87				.40	.26							T	.17	.20	.29			.16				.07			.20					
INDIAN MILLS 2 W	2.96		.44				1.01	.05							.19	T	.11			.06			T	.01	.46			.46	.19	T			
IRVINGTON	2.47	.66	.23				.03	T							.37	.25	.03			.15				.16	.12			.16	.01				
JERSEY CITY	2.43		.07				.08	.01							.35	.18	.04			.22				.05	.25	.30		.11					
LAKEWOOD 2 ENE	3.62	T	.63				.87	.05						T	T	.40		.01			.22				.26	.16			.88				
LAMBERTVILLE	3.70	.42	.53				.28	.04						.02	.26	.50	.02	.05		.20					.30			1.07	.01	T			
LAYTON 3 NW	7.52	.10	1.16				3.08						.08		.19	.40	.51	.14		.13	.37			.05	.76			.47	.04				
LEESBURG STATE FARM	3.23			.02			.90	.06								.13		.60		.09							.31	.16	.90	.06			
LITTLE FALLS WATER CD	4.62	.07	.07	1.43			1.44								T	.74	.09	.07		.21			T	.01	.22			.23	.02				
LONG BRANCH	2.69	T	.32				.40	.02				T	T		T	.68	.02	.02		.06			T	.09	.20			.86	.02				
LONG VALLEY	3.66	.18	.08				3.00								.03		.78	.14		.25					.33			.27					
MACOPIN INTAKE	5.12	.04	.15	1.37			1.65									.02	.88	.13	.09		.19				.37			.24	.02	.03			
HANVILLE	2.52	T	.66				.35	.01								.61	.08	.18		.16			T	.02	.25			.10	.10				
HARLTON 1 W	2.68		.32				.70	.21								.00	.04	.51		.12		.01		.46				.10	.10				
HAYS LANDING	3.20		.25	.10			.10	.20								.03	.04	.51	.04		.10		.03	.03	.10			.40	.10	.05			
HIGHLAND PARK	3.55	.06	.31				1.61	.01					.22			.02		.86	.06		.15				.25			.22					
MILLVILLE	2.68		.30				1.20	.03								.11		.31		.11			.01	.14				.46	.01				
MILTON	5.44	.08	.18	1.29			1.24									.18	1.10	.10	.26		.22				.47			.27	.05				
MOORESTOWN	2.57	T	.01	.05			.72									.05		.13	T		.12							.98	.01				
MORRIS PLAINS	6.27	.07	1.66				.73	1.43							.02	T	1.05	.03	.09		.32				.32			T	.25		T		
NEWARK WB AIRPORT	2.10	.02	.05				.81	.01					T		.01	.46	.07	.04		.16			T	.09	.13			.25	T				
NEW BRUNSWICK EXP STA	3.19	.21	.31				.28	.36							T	.02	.64	.02	.53		.14			.02	.35			.10	.19	.02			
NEW MILFORD	3.46		.30				1.48	.02								.84	.06	.22		.14					.20			.16	.04				
NEWTON	4.01	.12	.07	.83			.80	.02								.11	.71	.12	.14		.19	.04		.03	.47			.37	.01				
OAK RIDGE RESERVOIR	5.64		.27	1.30			1.44									.15	.05	.21	.30		.21				.07	.45			.23	.06			
ORANGE	4.74	.29	.10				2.91	.01								.54	.16	.08		.15					.18	.00		.01	.21	.01			
PATERSON	4.42	.33	.03	.76			1.20									T	.95	.07	.08		.20			T	.58				.22	T			
PEMBERTON 3 E	3.62		.84				1.08	.26								.10	.18				.13		.02		.45			.03	.53				
PHILLIPSBURG	3.37	.18	.08				.04	1.00							T	T	1.02		.09		.19				.35			.33	T				
PHILLIPSBURG BRIDGE	3.02	.11					.03	.76								.84	T	.04			.24				.30				.48			.22	
PLAINFIELD	2.66	.05	.34				.61	.02							T	.27	.44	.18			.21			T	.25			.00	.19	.01			
PLEASANTVILLE																																	

DAILY TEMPERATURES

NEW JERSEY
SEPTEMBER 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX	79	82	78	78	77	80	72	71	68	66	71	74	74	87	71	80	82	69	70	68	60	70	77	74	68	63	60	61	65	66	72.0	
	MIN	73	72	69	70	72	70	62	56	50	49	60	67	67	70	65	61	55	55	49	43	57	65	60	53	57	56	55	54	57	60.5		
AUDUBON	MAX	93	90	83	89	88	82	73	72	68	71	75	81	85	89	74	81	86	68	74	64	65	73	88	75	71	61	58	56	67	69	75.6	
	MIN	72	73	65	83	65	69	52	50	49	42	51	56	59	66	60	58	62	52	42	48	36	44	59	53	46	49	50	47	53	58	55.0	
BELLEPLAIN	MAX	92	92	83	85	82	86	82	74	72	72	75	81	86	91	81	84	83	83	73	69	64	73	88	81	72	66	60	62	66	68	77.5	
	NIN	70	75	64	60	60	65	62	50	46	42	45	54	59	67	62	61	63	50	40	56	34	39	58	60	43	42	53	54	52	53	54.6	
BELVIDERE	MAX	87	89	87	88	88	81	72	74	70	72	71	82	86	88	77	71	80	68	80	65	67	71	87	77							71	78.0
	MIN	65	71	58	58	66	68	60	45	42	37	49	53	55	62	52	52	55	46	40	50	35	41	51	56	40						52.3	
BOONTON	MAX	83	84	83	83	84	86	79	70	69	65	67	69	77	83	83	66	71	76	64	70	60	62	66	82	69	67	64	60	56	65	72.1	
	MIN	65	67	54	55	58	63	42	42	42	38	41	51	51	53	53	54	57	51	36	37	34	37	44	53	43	40	45	48	49	46	48.3	
BRIDGETON 1 NE	MAX	90	89							71				73																			
	NIN	84	70							47				60																			
BURLINGTON	MAX	84	88	84	88	88	84	73	73	70	71	75	80	88	89	82	80	85	80	75	68	65	74	89	85	71	66	59	58	68	68	76.9	
	MIN	72	73	64	65	64	69	64	52	45	44	52	49	58	67	60	58	65	46	43	47	38	45	56	56	48	49	50	51	56	51	55.2	
CANOE BROOK	MAX	80	86	86	84	84	86	80	70	70	65	70	71	79	87	85	73	72	79	65	73	60	64	68	84	69	67	60	58	68	78	74.0	
	MIN	65	74	58	56	66	65	61	45	45	39	47	55	53	49	54	55	49	47	40	42	31	40	50	58	42	37	45	47	50	47	50.4	
CAPE MAY 3 W	MAX	86	87	83	82	83	83	76	73	72	69	74					87	78		73	70		75	80	80	71	70	63	64	66	67	75.5	
	MIN	72	72	66	65	67	70	64	55	53	51	50					63	65		51	46	42	65	61	50	56	54	54	55	51		58.3	
CHARLOTTEBURG	MAX	82	83	85	81	82	85	79	68	68	65	67	67	80	81	82	64	66	75	62	61	57	60	62	81	67	61	62	58	53	68	70.4	
	MIN	62	64	53	50	53	55	59	43	38	31	32	46	47	52	47	47	54	47	31	31	30	32	43	54	37	37	41	46	46	47	45.2	
CLAYTON	MAX	90	87	83	86	85	82	75	70	69	68	72	79	83	87	79	77	85	82	71	62	63	70	87	81	69	66	59	55	65	67	75.1	
	MIN	69	72	62	59	63	70	60	49	47	40	49	55	56	64	59	56	60	50	41	50	35	42	57	59	48	50	48	52	53	57	54.4	
ELIZABETH	MAX	85	83	85	85	88	91	73	74	69	72	72	80	84	91	78	72	79	73	74	66	66	67	88	79	75	65	59	58	75	65	75.7	
	NIN	68	74	61	61	63	68	62	50	46	40	50	57	55	64	58	55	60	48	42	51	35	41	53	58	45	47	48	49	52	49	53.7	
ESSEX FELS SERV BLDG	MAX	82	85	82	81	83	85	79	72	70	65	71	70	80	82	84	80	68	75	75	70	61	64	70	80	70	70	65	60	65	67	73.7	
	NIN	65	67	55	62	65	67	57	48	42	39	39	42	54	59	52	55	58	56	38	38	32	35	48	56	46	42	45	45	43	40	49.7	
FLEMINGTON 1 NE	MAX	90	87	85	86	86	83	73	70	67	70	72	79	84	86	80	81	79	70	70	62	63	72	87	77	68	62	57	55	65	65	74.4	
	MIN	65	71	55	56	60	64	61	46	44	36	46	47	52	59	55	60	60	45	34	50	31	36	51	58	40	40	46	48	51	45	50.4	
FREEHOLD	MAX	89	86	83	83	85	81	74	70	66	69	72	79	83	88	81	78	84	71	71	66	63	73	87	82	69	67	57	55	72	68	75.1	
	MIN	71	72	62	60	61	66	61	49	45	39	47	57	55	66	59	58	61	49	41	54	35	42	56	58	46	48	49	51	52	50	54.0	
HAMMONTON 2 NNE	MAX	92	98	93	85	87	86	85	68	74	69	73	75	82	86	91	79	80	88	71	73	68	68	77	89	65	73	62	59	59	70	77.5	
	MIN	71	70	63	60	62	68	62	50	46	43	48	55	58	60	61	60	61	49	41	44	36	37	53	45	49	49	51	53	53	54	53.7	
HIGHTSTOWN 1 N	MAX	90	86	81	84	85	83	71	72	65	70	73	80	83	89	76	78	84	67	72	64	64	72	86	74	70	62	56	54	68	65	74.1	
	NIN	71	70	61	59	62	66	61	48	44	39	50	56	57	66	58	56	63	50	39	52	35	42	54	59	44	45	49	51	52	48	53.6	
INDIAN MILLS 2 W	NAX	89	90	84	87	86	83	70	73	69	71	73	80	84	88	75	80	86	68	71	63	65	72	88	74	70	62	60	55	71	66	75.1	
	NIN	72	70	61	57	60	66	58	45	44	36	48	56	54	65	59	58	62	48	36	47	31	38	54	55	41	46	50	52	52	56	52.6	
JERSEY CITY	MAX	78	79	82	78	81	77	70	70	65	67	68	73	75	87	67	70	79	66	61	60	64	67	87	68	60	58	54	59	73	63	70.2	
	MIN	71	69	62	62	65	70	59	52	52	45	55	61	61	68	55	58	60	50	42	41	39	49	59	50	51	48	48	53	54	54	58.4	
LAKEWOOD 2 ENE	MAX	86	86	79	80	83	80	69	72	66	69	72	78	82	89	70	80	85	68	71	63	64	74	89	67	72	62	58	57	72	66	73.6	
	NIN	71	67	60	58	60	63	55	48	42	39	43	56	53	67	60	60	61	40	37	40	33	40	53	58	43	48	52	53	52	44	51.9	
LAMBERTVILLE	NAX	89	85	83	85	86	84	72	70	67	70	74	79	85	87	81	78	83	78	72	67	64	72	87	76	69	63	57	55	63	66	74.9	
	MIN	68	72	58	58	63	69	62	45	41	37	48	56	54	65	58	56	61	47	38	53	33	41	52	60	42	42	47	49	52	47	52.5	
LAYTON 3 NW	NAX	85	85	82	80	85	75	70	70	65	69	67	78	81	85	70	60	73	65	67	68	63	68	80	78	68			55	72	76	72.4	
	NIN	60	68	53	53	56	60	55	49	33	32	40	48	50	60	49	48	52	41	34	43	28	32	42	50	38			37	42	50	46.3	
LEESBURG STATE FARM	MAX	85	87	88	83	84	81	82	69	72	68	70	71	76	81	89	75	82	88	70	71	64	61	73	84	66	72	65	60	60			

DAILY TEMPERATURES

NEW JERSEY
SEPTEMBER 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SOMERVILLE	MAX	87	86	84	86	86	84	72	73	69	70	72	80	85	88	79	75	76	76	72	65	65	71	85	73	70	64	58	55	70	65	74.7	
	MIN	67	72	57	56	61	69	59	47	42	40	48	54	53	62	57	52	60	46	37	42	32	37	52	58	41	44	46	49	51	46	51.2	
SUSSEX 3 N	MAX	84	86	80	83	86	80	70	68	65	67	75	78	84	82	79	59	73	68	68	60	63	75	81	78	65	61	54	53	69	62	71.9	
	MIN	62	68	52	54	58	63	59	42	38	34	45	49	50	54	46	49	53	45	33	46	31	39	43	55	38	39	39	43	50	51	47.6	
TRENTON 2	MAX	90	86	84	86	87	84	71	72	68	70	74	81	85	88	75	79	85	67	72	63	64	73	87	74	70	64	60	55	66	66	74.9	
	MIN	70	70	62	61	63	69	58	50	46	45	53	58	58	67	57	57	63	50	42	50	38	47	57	57	47	46	48	50	54	51	54.8	
TRENTON WB CITY	MAX	88	87	81	85	85	81	70	70	65	69	72	78	83	87	71	77	83	66	70	60	62	70	85	69	69	61	57	55	64	65	72.8	
	MIN	72	69	64	64	65	70	58	52	47	46	54	59	59	67	57	57	63	51	46	46	40	48	58	55	50	47	48	49	55	54	55.7	

EVAPORATION AND WIND

Table 6


Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP WIND	* 3	* 8	.26 4	.15 3	.11 17	.12 4	- 2	- 3	.12 14	.14 22	.00 4	.17 16	.05 2	* 12	* 3	.29 6	.07 9	.04 8	.15 12	.13 29	.12 19	* 6	* 1	.20 8	.12 8	.12 13	.03 43	.03 46	.03 13	.02 4	82.65 342	
PLEASANTVILLE 1 N	EVAP WIND	.00 55	.15 *	.19 20	.12 12	.20 8	.08 10	.14 17	.02 25	.13 10	.11 38	.06 10	.19 4	.17 46	.09 33	.21 34	.08 13	.02 3	.22 30	.19 45	.11 27	.20 10	.06 41	.20 33	.04 39	.04 7	.24 15	.10 85	- 74	.05 41	.07 9	83.60 774	
RUNYON	EVAP WIND	.11 3	.07 5	.14 5	.12 6	.12 5	* 6	* 6	.21 7	.15 3	.11 8	.11 9	.12 8	.11 8	.00 11	.05 4	.08 5	.14 7	.06 6	.18 9	.10 7	.06 5	.07 4	.06 2	.00 4	.08 6	.21 12	.08 71	- 51	.10 7	.07 8	82.80 298	

DAILY SOIL TEMPERATURES

DEPTH		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX MIN	76 65	74 66	78 65	72 64	76 65	76 68	70 64	72 61	70 57	70 55	66 58	71 60	72 62	74 65	70 63	68 63	72 64	65 57	67 54	63 55	63 51	63 54	70 57	64 57	65 56	58 53	55 53	55 53	60 54	57 53	67.8 59.0	
2 INCHES	MAX MIN	74 65	72 66	74 64	74 64	74 66	74 68	70 66	71 63	68 60	70 57	65 60	89 81	70 63	71 66	69 64	68 63	70 65	66 59	65 57	63 58	62 54	62 55	67 58	64 59	64 58	58 55	54 54	56 54	59 54	57 54	66.8 60.3	
4 INCHES	MAX MIN	72 66	71 68	74 65	73 66	73 67	73 69	70 66	70 63	67 61	66 58	65 60	68 62	69 63	70 66	68 64	67 63	69 65	66 60	64 58	63 58	61 55	61 56	66 59	64 60	63 59	59 56	56 55	56 55	59 55	57 55	66.0 61.1	
8 INCHES	MAX MIN	70 64	70 65	70 67	70 68	70 68	71 69	71 68	89 66	67 65	65 62	64 63	66 63	67 64	68 66	67 66	68 65	68 64	68 62	64 62	63 59	61 59	61 59	63 60	64 63	62 60	61 59	59 57	57 57	58 56	57 56	65.3 62.9	
16 INCHES	MAX MIN	67 63	64 61	69 66	68 66	69 67	70 68	70 69	70 68	68 66	67 66	66 64	65 63	65 64	66 65	67 65	67 65	67 65	67 66	66 63	64 63	64 62	62 61	62 61	62 61	63 62	63 62	63 61	61 59	59 59	57 55	65.2 63.4	
32 INCHES	MAX MIN	64 63	65 63	66 65	64 63	66 65	67 65	68 67	68 67	68 66	67 66	66 65	65 63	65 63	64 63	65 64	65 65	65 64	66 65	66 64	65 64	65 64	64 63	64 61	63 62	62 63	63 62	63 62	62 61	61 58	59 58	64.7 83.4	

Measured under Kentucky Bluegrass.


NEW JERSEY
SEPTEMBER 1956



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

AVERAGE TEMPERATURE

NEW JERSEY
SEPTEMBER 1956



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
SEPTEMBER 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS		C	NARBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	GEROW BRILL		C
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8	MID	MID W. S. WEATHER BUREAU	2 3 5	7	HARLTON 1 W	5252	BURLINGTON	2 30 54	74 57	90	SP	DAVID GRISCON	3	
AUDUBON	0346	CAMDEN	2 30 54	75 04	50	HSP	IRVIN J. NYGREN	2 3 5		HAYS LANDING	5346	ATLANTIC	3 39 27	74 44	90	SP	ELMER EARLE	3	
BASS RIVER ST FOREST	0528	BURLINGTON	1 30 37	74 26	20	6P	N.Y. FORESTRY SVC	2 3 5		NIDLAND PARK	5503	BERGEN	8 40 59	74 09	210	MID	CORNELIUS HOWARD	3	
BELLEPLAIN	0600	CAPE MAY	1 30 16	74 52	49	SP	MRS. E. C. HOFFMAN	2 3 5		MILLVILLE	5576	CUMBERLAND	6 30 24	75 03	60	MID	L. J. GALLAHER	3	C
BELMAR	0721	MONMOUTH	1 40 10	74 02	10	MID	CITY WATER DEPT	3		MILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS	3	
BELVIDERE	0720	WARREN	2 40 50	75 05	289	SP	MRS. C. S. HISSON	2 3 5	7	MOORESTOWN	5728	BURLINGTON	2 30 58	74 58	55	MID	HA. J. WILLARD	2 3 5	7
BERLIN 1 W	0767	CAMDEN	7 39 48	74 57	150	7A	SAMUEL H. MC COLLEY	2 3 5		MORRIS PLAINS	5709	MORRIS	8 40 50	74 30	900	AP	JAMES C. LONG	2 3 5	7
BHOON	0907	MORRIS	8 40 54	74 24	280	8A	BA JERSEY CITY WTR WKS	2 3 5		NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	14	MID	MID W. S. WEATHER BUREAU	2 3 5	7
BRANCHVILLE	0978	SUSSEX	2 41 00	74 07	570	7A	ALBERT H. DAVENPORT	2 3 5		NEW BRUNSWICK EXP STA	6062	MIDDLESEX	1 40 28	74 26	80	SP	ARTHUR H. AHLQUIST	2 3 5	7
BRIDGETON 1 NE	1028	CUMBERLAND	2 30 28	75 12	114	9A	BA RADIO STATION WSNJ	2 3 5		NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CD	3	C
BURLINGTON	1211	BURLINGTON	2 40 04	74 59	12	6P	PUBLIC SVC E. E. CO	2 3 5		NEWTON	6177	SUSSEX	2 41 03	74 45	305	8A	NEWTON WTR SMR COMM	2 3 5	7
CANISTAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	6A	NEWARK WATER DEPT	2 3 5		ORANGE	6460	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT	2 3 5	7
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	BA COMMONWEALTH WTR CD	2 3 5	6	PATERSON	6500	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER	3	C
CANTON	1343	SALEM	2 30 28	75 25	10	9A	BA GERTRUDE S. WILLIS	2 3 5		PATERSON	6775	PASSAIC	8 40 55	74 09	100	8A	Pr. J. DEL VECCHIO	2 3 5	7
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	SP	W. WEST MAGNESITE CO	2 3 5	C	PERMERTON 3 E	6643	BURLINGTON	2 39 58	74 38	60	SP	CHARLES A. DOEHLERT	2 3 5	7
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	8A	JA. A. PLUNKETT	2 3 5		PHILLIPSBURG	6974	WARREN	2 40 43	75 12	182	3P	SEWAGE DISPOSAL PLT	2 3 5	
CENTERTON	1512	SALEM	6 30 31	75 10	80	MID	JOHN HOPKINS UNL.	2 3 5	7	PHILLIPSBURG BRIDGE	6970	WARREN	2 40 42	75 12	106	9A	JOINT TOLL BRIDGE COM	3	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7	PLAINFIELD	7070	UNION	1 40 36	74 25	120	AP	Pr. K. PEARSON	2 3 5	7
CHATWORTH 5 S	1590	MORRIS	8 40 44	74 23	185	8A	EDWARD P. HOLZTOR	2 3 5		PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 29	74 31	8	8A	ATLANTIC CITY WTR WK	2 3 5	7
CLAYTON	1598	BURLINGTON	1 38 44	74 32	00	SP	WILLIAM S. HAINES	INAC	3/50	PRINCETON WATER WORKS	7328	MERCER	1 40 10	74 40	00	MID	PRINCETON WTR CD	3	
CLINTON	1708	GLOUCESTER	6 30 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7	RAMWAY	7393	UNION	0 40 36	74 15	20	MID	RAMWAY VLY SWG AUTH	3	C
DEERWATER	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER	2 3 5		RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN	2 3 5	7
ELIZABETHPORT	2020	SALEM	2 39 41	75 30	12	MID	DU PONT DE NEMOURS	2 3 5		RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NEW JERSEY WTR SUPPLY	3	
ESSEX FELS SERV BLDG	2068	ESSEX	8 40 50	74 18	250	8A	BADRON EXSEX FELS	2 3 5	C	RINGWOOD	7825	MIDDLESEX	1 40 20	74 20	16	6P	N.Y. WATER COMM	2 3 5	7
FLEMINGTON 1 NE	2079	HUNTERDON	10 40 31	74 51	134	SP	DONALD YOUNG	2 3 5	7	SANDY HOOK LBSTA	7860	MONMOUTH	1 40 28	74 41	00	7P	U. S. COAST GUARD	2 3 5	
FORTESQUE	2102	CUMBERLAND	2 39 14	75 10	5	SP	F. A. RODENBACH	INAC	10/55	SOMERSET	8104	SOMERSET	10 40 34	74 27	75	6P	W. E. HAYES	2 3 5	7
FREEMOND	3181	MONMOUTH	1 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 38	80	10A	JERSEY CITY D P W	3	
GLASSBORO	3201	GLOUCESTER	2 30 42	75 07	150	MID	PROF. J. B. SANGREE	2 3 5		SPRINGFIELD	8423	UNION	1 40 43	74 18	—	MID	N.Y. DEPT OF COMS	3	C
GREAT MEADOWS	3416	WARREN	2 40 53	74 55	560	MID	EDWARD KOWALIC	2 3 5		SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	6P	BRICE B. STANTON	2 3 5	7
GREENWOOD LAKE	3516	PASSAIC	8 41 00	74 20	660	7A	WATER SUPPLY COMM	3		SWEDSBORO 5 NW	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN DIL CO	3	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS	2 3 5		TONS RIVER	8816	OCEAN	1 39 57	74 14	10	SP	ROBERT F. SNYDER	3	
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 59	74 48	85	8A	W. HUBBARD PARKHURST	2 3 5		TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551	MID	Pr. J. KEVEY	2 3 5	C
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P	JAMES R. PICKERING	2 3 5	7	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	Ed. H. RISTOM	2 3 5	7
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	EDWARD WATER + SEWAGE	2 3 5		TRENTON 2 W	8883	MERCER	2 40 13	74 46	56	MID	MID W. S. WEATHER BUREAU	2 3 5	7
INDIAN HILLS 2 W	4220	BURLINGTON	7 30 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7	TUCKERTON 2 SW	8899	OCEAN	1 39 35	74 22	45	8A	VERNON W. MOTT	INAC	1/56
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MID	JOINT MEETING GARAGE	3	C	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR WOMEN	3	
JERSEY CITY	4330	Hudson	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5		WANANQUE RAYMOND DAM	9167	PASSAIC	8 41 02	74 18	320	8A	WATER SUPPLY COMM	3	C
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	MID	WOODCLIFF LAKE	2 3 5	7	WATCHUNG	9271	UNION	8 40 40	74 25	—	MID	BONNIE BURN SAN	3	C
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5		WESTFIELD	9455	UNION	9 40 39	74 21	135	SP	TOWN ENGINEER	3	C
LATTON 3 NW	4735	SUSSEX	2 41 01	74 51	480	6P	W. H. DEPUCE	2 3 5		WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CD	3	C
LEESBURG STATE FARM	4762	CUMBERLAND	6 30 14	74 58	10	8A	BA LEESBURG STATE FARM	2 3 5		WOODSTOWN 2 NW	0910	SALEM	2 39 40	75 20	10	6P	BA WOODROW W. HALTER	INAC	2/56
LITTLE FALLS WATER CD	4887	PASSAIC	8 40 53	74 14	157	9A	BA PASSAIC VLY WTR CD	2 3 5	C										
LONG BRANCH	4987	MONMOUTH	1 40 18	73 50	34	MID	STORM WARR. DSPS STA	2 3 5	C										
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	6P	ARTHUR BARKMAN	2 3 5	7										
LUMBERTON	5055	BURLINGTON	2 30 58	74 46	25	MID	JAMES LAWTON	2 3 5											
MADCAPIN INTAKE	5071	PASSAIC	8 41 01	74 24	1020	9A	NEWARK WATER DEPT	3											
MANVILLE	5107	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RAOLIFFE	3											

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURICE; 7-MULICA; 8-PASSAIC; 9-RANWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

The four digit identification numbers in the index number column of the Station Index are assigned on a state basis. There will be no duplication of numbers within a state.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Observation times given in the Station Index are in local standard time.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, are either missing or received too late to be included in this issue.

Unless otherwise indicated, dimensional units used in this bulletin are: temperature in °F., precipitation and evaporation in inches, and wind movement in min. Degree days are based on a daily average of 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Amount in Table 3 are from non-recording gages, unless otherwise indicated.

Data in Tables 3, 5 and 6 and snowfall data in Table 7 are for the 24 hours ending at time of observation. See the Station Index for observation time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m. E.S.T. WTR EQUIV in Table 7 means the water equivalent of snow on the ground. It is measured at selected stations when the depth of snow on the ground is two inches or more. Water equivalent samples are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Long-term means for full-time Weather Bureau stations (shown above in the Station Index as United States Weather Bureau Stations) are based on the period 1821-1950, adjusted to represent observations taken at the present location.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5 is indicated by no entry.

+ And also on a later date or date.

* Amount included in following measurement, time distribution unknown.

Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observations day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in Hourly Precipitation Data.

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

E One or more days of record missing; see Table 5 for detailed full record. Degree day data if carried for this station, have been adjusted to represent the value for a full month.

F Amount from recording gage (These amounts are essentially accurate but may vary slightly from the amount to be published later in Hourly Precipitation Data).

T Trace, an amount too small to measure.

V Includes total for previous month.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC., Asheville, N. C. ---11/7/56 --- 750

05
J
1
U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

OCTOBER 1956

Volume LXI No. 10



ASHEVILLE: 1956

THE LIBRARY OF THE
DEC 20 1956
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

New Jersey weather in October was slightly warmer and wetter than usual.

Divisional temperature averages were near the long-term values. Extreme readings ranged from 20° on the 11th and later dates at Layton 3 NW to 88° at Elizabeth on the 15th and Boonton on the 16th. Seventy-one percent of the stations reported minimum readings for the month that were freezing or below.

Division-wise, precipitation varied widely with more than twice as much in the Coastal as the Northern. The greatest monthly total was 9.03 inches at Belleplain, while the least monthly total was 1.08 inches at Wanaque Raymond Dam. High honors for the greatest 24-hour precipitation amount was claimed by Cape May 3 W with 3.50 inches on the 18th, while Sandy Hook LBSTA followed as a close second with 3.31 inches on the 31st.

The percentage of sunshine during the month was less than usual, reflecting the greater than usual daytime cloudiness.

WEATHER DETAILS

The weather was a little cooler than average through the 9th and the coolest snap of the month dropped minimum temperatures into the thirties the 10th-12th. A warming trend was underway by the 13th and maxima were mostly in the low eighties, the highest for the month, on the 15th. There was moderately cool weather for two brief periods, 19th-20th and 25th-26th, but otherwise the latter half of October was quite warm.

Light to moderate rains fell the 4th and 6th followed by an eleven-day dry period that ended when a coastal storm caused moderate to locally heavy rains on the 18th. Rather heavy rains fell

in most areas the 22nd-23rd, light rains were of a general nature the 26th-27th, and showery weather gave moderate amounts of rain the 30th-31st.

WEATHER EFFECTS

Moderate quantities of beans, beets, broccoli, cabbage, carrots, cauliflower, celery, lettuce, peppers, and spinach were moving to market early in October. Some late harvesting of white potatoes was still underway and harvesting of a good to excellent crop of sweet potatoes became active early in the month. The long period of dry weather following the 6th was very favorable for harvesting. Tender varieties of vegetables were damaged by frosts the 10th-12th and marketings declined. Hardy vegetables were not hurt and the usual seasonal increase in marketings was noted. Plentiful moisture supplies and mild weather enabled fall grain to get a good start, but frequent rains the latter part of October interfered with harvest operations.

DESTRUCTIVE STORMS

17th-18th: A northeaster caused strong winds and heavy rains over the southeast coastal areas as a coastal storm moved through the extreme east portion of North Carolina and the Virginia Capes area. Atlantic City recorded winds up to 52 mph and accumulated 2.96 inches of rain in 24 hours. Tides were 1 to 1 1/2 feet above normal. Several small craft were swamped and some water damage occurred along the immediate coast.

FLOODS

No stream flooding occurred.

F. W. Long & J. T. B. Beard,
Climatologists
U. S. Weather Bureau
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
OCTOBER 1956

TABLE 2

Station		Temperature												Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days			
											Max	Min.	Total	Max Depth on Ground					Date	10 or More	50 or More	100 or More			
																							30° or Above	32° or Below	32° or Below
NORTHERN																									
BELVIDERE		69.3	43.6	56.5	1.6	84	15	28	11	257	0	0	2	0	3.36	-.05	2.10	23	.0	0		6	2	1	
BOONTON 2 SE	AM	65.8	40.1	53.0	.5	88	16	27	11	369	0	0	5	0	2.26	-.96	1.54	23	.0	0		3	1	1	
CANOE BROOK	AM	66.0	40.6	53.3	.6	85	16	26	11	354	0	0	8	0	3.02	-.22	2.23	23	.0	0		3	1	1	
CHARLOTTEBURG	AM	64.5	34.9	49.7	3.0	83	16	23	11+	466	0	0	12	0	2.21	1.56	1.23	23	.0	0		4	2	1	
ELIZABETH		69.1	46.4	57.8	1.0	88	15	32	11	225	0	0	1	0	5.04	1.73	2.62	23	.0	0		6	3	2	
ESSEX FELS SERV BLDG	AM	68.4	41.5	55.0		84	16	27	11	310	0	0	3	0	1.70		1.15	23	.0	0		3	1	1	
FLEMINGTON 1 NE		67.3	41.4	54.4	1.7	84	15	27	11+	327	0	0	6	0	3.67	.49	2.41	23	.0	0		6	1	1	
JERSEY CITY		63.3	48.6	56.0	1.0	78	15	34	12	275	0	0	0	0	3.76	.78	1.75	31	.0	0		5	3	1	
LAMBERTVILLE		67.4	43.9	55.7	.1	83	15	29	11	287	0	0	3	0	2.91	.08	1.15	23	.0	0		7	2	1	
LAYTON 3 NW		67.3	35.4	51.4	.3	84	15	20	11+	417	0	0	15	0	1.68	1.69	.70	7	.0	0		4	2	0	
LITTLE FALLS WATER CO	AM	67.7	41.7	54.7	.9	87	16	28	11	313	0	0	5	0	2.39	1.10	1.73	23	.0	0		3	1	1	
LONG VALLEY		66.8	42.1	54.5		83	15	24	11	319	0	0	8	0	3.49	.05	1.05	23	.0	0		6	3	1	
MORRIS PLAINS		66.6	42.4	54.5		84	15	27	11	318	0	0	4	0	4.07		2.65	23	T	0		4	2	1	
NEWARK WB AIRPORT	R	66.0	48.3	57.2	1.6	86	15	38	11	244	0	0	0	0	3.83	.63	1.76	31	.0	0		5	3	1	
NEWTON	AM	64.5	37.5	51.0	1.9	82	16	25	11+	427	0	0	10	0	2.30	1.13	1.31	23	.0	0		3	2	1	
PATERSON	AM	66.8	46.0	56.4	.1	85	16	35	11	267	0	0	0	0	1.84	1.42	.83	23	.0	0		4	2	0	
PHILLIPSBURG		67.2	43.4			83	15	30	11	261	0	0	3	0	3.42	.07	1.91	23	.0	0		5	2	1	
PLAINFIELD		66.7	45.7	56.2	.6	83	15	30	11	265	0	0	1	0	3.78	.42	2.05	31	.0	0		5	2	1	
RIDGEFIELD		67.9	44.2	56.1	.6	85	15	27	11	272	0	0	5	0	3.19	.09	1.61	23	.0	0		7	2	1	
SOMERVILLE																									
SUSSEX 3 N		65.4	40.8	53.1	.5	83	15	26	11	360	0	0	6	0	1.96	1.24	.62	23	.0	0		5	2	0	
DIVISION				54.6	.1										3.02	.29			T						
SOUTHERN																									
AUDUBON		67.8	47.2	57.5		83	15	32	11	229	0	0	1	0	4.50		1.67	23	.0	0		7	3	2	
BELLEPLAIN		69.3	47.8	58.6		81	15	30	11	196	0	0	1	0	9.03	5.39	3.01	31	.0	0		10	4	3	
BRIDGETON 1 NE	AM	67.7M	47.0M	57.4M		78	16			226	0	0	2	0	5.33		2.00	23	.0	0		6	4	2	
BURLINGTON		68.5	48.7	58.6	.6	83	15	36	11	192	0	0	0	0	4.50	1.18	1.50	18	.0	0		6	3	2	
CLAYTON		67.1	47.7	57.4		78	15	33	11	231	0	0	0	0	4.57		1.86	18	.0	0		6	3	1	
FREEHOLD		66.3	47.1	56.7	.6	81	15	30	11	250	0	0	1	0	4.55	1.03	1.53	31	.0	0		5	3	2	
HAMMONTON 2 NNE	AM	67.8	44.0	55.9	.6	82	16	33	11+	277	0	0	0	0	4.89	1.22	1.45	23	.0	0		7	3	3	
HIGHTSTOWN 1 N		66.7	45.6	56.2	.2	83	15	30	11	269	0	0	2	0	3.26	.01	.93	18	.0	0		7	3	0	
INOIAN MILLS 2 W		67.2	44.1	55.7	.4	82	15	26	11	284	0	0	4	0	5.63	2.28	1.98	31	.0	0		7	3	3	
LAKEWOOD 2 ENE		65.2	43.9	54.6	.9	81	15	29	11	315	0	0	3	0	5.03	1.12	1.82	31	.0	0		6	3	3	
LEESBURG STATE FARM	AM	67.0	46.9	57.0		76	4+	32	11	244	0	0	1	0	5.99		1.98	18	.0	0		6	4	3	
MOORESTOWN		66.7	45.7	56.2	.3	81	15	30	11	267	0	0	1	0	3.39	.39	1.17	23	.0	0		6	2	1	
NEW BRUNSWICK EXP STA		66.5	46.3	56.4	.2	82	15	31	11	259	0	0	1	0	3.50	.38	1.20	23	.0	0		7	2	1	
PEMBERTON 3 E		68.4	45.3	56.9	.1	82	15	29	11	244	0	0	2	0	5.06	1.84	1.78	18	.0	0		6	4	2	
PLEASANTVILLE 1 N	AM	66.5	47.7M	57.1M	.5	77	4+			227	0	0	0	0	5.52	2.11	1.95	18	.0	0		7	5	2	
RUNYON		68.5	41.1	54.8	.2	85	15	21	11	309	0	0	6	0	3.09	.28	1.12	31	.0	0		6	3	1	
TRENTON 2		66.9	47.2	57.1		83	15	33	11	241	0	0	0	0	3.38	.13	.89	18	.0	0		6	3	0	
TRENTON WB CITY	R	65.6	48.8	57.2	1.1	81	15+	37	11	240	0	0	0	0	4.22	1.57	1.18	23	.0	0		6	4	1	
DIVISION				56.7	.1										4.75	1.48			.0						
COASTAL																									
ATLANTIC CITY WB	R	63.8	53.9	58.9	.9	74	3	39	11	183	0	0	0	0	5.88	2.67	2.95	18	.0	0		5	4	2	
CAPE MAY 3 W		67.2	53.6	60.4		75	3+	40	11	138	0	0	0	0	6.95		3.50	18	.0	0		6	2	2	
LONG BRANCH		64.6	48.5	56.6	.4	77	15+	33	11	253	0	0	0	0	5.92	2.42	2.68	31	.0	0		5	3	3	
SANDY HOOK LBSTA		63.5	52.3	57.9	.1	76	16	43	25	213	0	0	0	0	6.04	3.17	3.31	31	.0	0		5	4	2	
DIVISION				58.5	.5										6.20	3.10			.0						

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	18.5	59	E	28	-	-	-	-	3	8	1	2	1	1	14	48	8.5
LONG BRANCH	NE	20	14.4	46	E	26	-	84	67	70	4	1	2	0	2	1	10	87	5.4
NEWARK WB AIRPORT	NNE	24	9.1	27*	N	18	82	82	56	70	4	1	2	2	1	0	10	-	5.2
TRENTON WB CITY	-	-	8.6	24	E	26	-	-	-	-	4	1	2	3	1	0	11	56	5.5

* Fastest observed one minute wind speed. This station is not equipped with automatic recording wind instruments.

* Fastest observed one minute wind speed. This station is not equipped with automatic recording wind instruments.

DAILY PRECIPITATION

Table 3

NEW JERSEY
OCTOBER 1956

Station	R	Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8		5.88	T			.20		1.08	.03										.01	2.95			.01	.52	.03			T	.05	T			.04	.96
AUGUBON		4.50				.27		.40	T											1.13				.50	1.67			T	.10					.43
BASS RIVER ST FOREST		5.60		T		.33			.53											2.12				.75	.13								1.70	
BELLEPLAIN		9.03				.40			.34											2.58		.18		.08	1.50	.56							3.01	
BELMAR		5.40						1.53												1.55				.07	.28		.11		.10				1.97	
BELVIOERE		3.36				.26		T	.58													T		.15	2.10								.16	
BERLIN 1 W		5.88							.38												.75	1.25			1.75		.25						1.25	
BOONTON 2 SE		2.26				.21			.39	T														1.54					.04				.08	
BRANCHVILLE		2.10				.24			.80	.02													T	.91	.03								.10	
BRIDGETON 1 NE		5.33	.02		T	.35	.02	.57						T		.03				1.02	.30	.02		.03	2.00	.03		.04		.02			.88	
BURLINGTON		4.50			.26			.43												1.50				.22	1.25			.02					.80	
CANISTEAK RESERVOIR		1.92				.29			.58	.02													.01	.92	.01			.03					.06	
CANOE BROOK		3.02	.03			.20			.44											T				.23	.02			.03					.07	
CANTON		5.38		.01		.04			.87											1.25			.03	.30									.55	
CAPE MAY 3 W		6.95				.34		.02	.23										3.50					.27	.43	.02		.03	.05		.01		2.05	
CEGAR GROVE		2.58							.69															1.79									.10	
CHARLOTTEBURG		2.21				.25			.56															1.25		.01							.14	
CHATHAM		2.80		T		.19			.38															2.15									.08	
CLAYTON		4.57		T		.21		T	.42										1.86					.97	.34			.06	T	T			.71	
CLINTON		2.39				.25																		.13	1.67			.09					.25	
DEEPWATER		3.52				.28		.24											.73				1.69	.03			.06	.01			.12	.36		
ELIZABETH		5.04				.24			.65										.10				.11	2.62	.01			.02				1.29		
ELIZABETHPORT		3.81				.19													.10				1.21	.63			T					1.28		
ESSEX FIELDS SERV BLDG		1.70				.23			.32	T													1.15											
FLEMINGTON 1 NE		3.67				.28	.02	.04	.24													.01	.12	2.41	.12		T	.05	T		T	.38		
FREEHOLD		4.55				.24			.90										1.32				.07	.45								1.53		
GREENWOOD LAKE		1.40			T		.26		.49	T												T	.46		.02		.04	.02					.15	
HAMMONTON 2 NNE		4.89				.20	.25												1.08		.43	.01	.04	1.45	.30		.02	.01				1.10		
HIGHTSTOWN 1 N		3.26				.23	T		.31										.93				.13	.73			T					.78		
INDIAN HILLS 2 W		5.63		T		.16		.17	.29										1.38				.38	1.25			.01	.01			T		1.98	
IRVINGTON		4.37				.17		.54	.09														1.01	.75								1.81		
JERSEY CITY		3.76				.23		.39	.05										.02				.82	.50								1.75		
LAKEWOOD 2 ENE		5.03		T		.15	1.16	.02											1.43				.16	.29			T	T				1.82		
LAMBERTVILLE		2.91				.35		.13	.20										.28				.19	1.15	.02			.05				.57		
LAYTON 3 NW		1.68				.19		.02	.70													.03	.04	.51	.01								.18	
LEESBURG STATE FARM		5.99			T	.50		.25											1.98	.34			.04	.08	1.45	.08		.08	.04				1.15	
LITTLE FALLS WATER CO		2.39				.19		.34															.01	1.73				.02				.09		
LONG BRANCH		5.92				.16	T	1.40	T										1.39				.08	.21			T				T	2.68		
LONG VALLEY		3.49				.24		.33	.05													.02	.95	1.05				.10				.75		
MACOPIN INTAKE		2.28				.26			.55														T	1.30		.02		.01					.14	
MANVILLE		3.57				.23	T	.44	T										.11				1.23	.65				.10				.81		
MARLTON 1 W		4.16				.24			.35										1.32				.27	1.20				.08				.70		
MAYS LANDING		4.76				.40		.52											.10				.21	.42								2.94		
MIDLAND PARK		2.96				.18			.36														.27	.25			.03	.14				1.90		
MILLVILLE		5.04				.27		.32											.05	1.63				1.57	.12			.02						
MILTON		3.14				.47			.58														.12	1.72				.11				.14		
MOORESTOWN		3.39			T	.27			.47										.89	.27		.03	.01	1.17	.20		.05					.03		
MORRIS PLAINS		4.07				.25	T		.37														.04	2.65			T	.06						
NEWARK W8 AIRPORT		3.83				.23		.51	T										.03				.89	.41			T	T				1.76		
NEW BRUNSWICK EXP STA		3.50				.19	T		.47										.46				.22	1.20	.12		T					.84		
NEW MILFORD		2.94				.26		.38	.20														.20	.36								1.54		
NEWTON		2.30				.20		.63																1.31	.03			.09				.04		
OAK RIDGE RESERVOIR		2.73				.35		.56															1.54					.09				.19		
ORANGE		4.41				.14		.38	.25														1.03	.78			.01					1.82		
PATERSON		1.84	T			.20		.68	.01														.83	T			T	T	T				.12	
PEMBERTON 3 E		5.06				.19			.51										1.78				.04	.28	.83	.03		.02	.06			1.32		
PHILLIPSBURG		3.42				.30	T	T	.69														.23	1.91	T							.26		
PHILLIPSBURG BRIDGE		3.19				.07			.96															1.97	.15		.04							
PLAINFIELD		3.58				.22		.01	.38										.06				T	1.70	.36	.04		.02	T			.79		
PLEASANTVILLE 1 N		5.52			T	.26	T	.58											1.95	.84		.02	.08	.52	.11		T	.09				1.07		
PRINCETON WATER WORKS		2.92				.22		.30															.49	.69				.08			.02	.60		
RAHWAY		3.07				.20		.40	T										.09				.68	.38			.02							

DAILY TEMPERATURES

NEW JERSEY
OCTOBER 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	NAX	70	67	74	66	65	65	67	67	72	60	55	57	60	64	71	67	68	64	56	63	65	64	64	67	56	59	61	58	60	62	64	63+8
	NIN	53	50	57	62	59	59	54	49	51	45	39	46	46	47	55	56	61	52	48	55	57	61	61	56	52	53	58	56	56	67	61	53+9
AUDUBON	MAX	68	74	77	67	69	67	67	70	68	59	59	63	68	76	83	80	75	71	60	69	71	67	71	70	51	54	62	65	66	64	70	67+8
	MIN	49	43	51	54	45	43	57	42	46	39	32	35	40	41	47	47	54	59	40	39	54	55	62	49	40	44	50	48	44	54	60	47+2
BELLEPLAIN	NAX	76	77	77	75	72	68	67	70	72	65	56	59	70	73	81	78	72	71	65	68	68	70	71	70	68	58	66	65	65	65	70	69+3
	NIN	47	39	50	52	57	43	58	42	51	37	30	33	39	35	43	44	55	61	42	40	52	57	56	56	44	51	52	51	47	55	62	47+8
BELVIDERE	MAX	72	70	77	69	71	65	66	71	68	61	62	60	68	80	84	83	83	74	66	67	69	62	73	69	69	55	69	67	66	66	66	69+3
	MIN	47	39	47	48	48	35	55	35	45	35	28	30	33	38	44	44	46	56	36	33	52	50	54	56	35	36	49	49	46	51	56	43+6
BOONTON 2 SE	MAX	63	65	66	71	61	66	64	65	65	64	57	58	58	66	76	88	81	78	71	58	62	68	64	73	65	55	55	61	65	63	68	65+8
	MIN	47	38	39	45	49	34	35	41	44	36	27	28	30	31	36	45	45	44	36	32	33	41	54	57	36	35	43	48	38	43	93	40+1
BRIDGETON 1 NE	MAX	69	68	72	75	69	69		67	69	70		58	62		71	78	76	72	68	61		70	69	70	70	52	58		65	67	66	67+7
	MIN	47	40	52	52	56	43		43	51	38		32	40		38	43	51	60	42	39		46	61	54	42	44	47		47	54	60	47+0
BURLINGTON	MAX	66	75	76	71	69	68	69	71	69	63	59	61	67	77	83	82	75	73	69	66	70	71	67	67	63	54	61	64	64	64	69	68+5
	MIN	47	44	53	54	55	48	56	46	48	41	36	38	43	46	47	46	54	60	44	41	46	54	63	59	41	45	51	50	45	50	59	48+7
CANOE BROOK	MAX	63	65	70	71	61	67	69	65	69	64	57	59	66	65	78	85	81	75	69	57	62	70	65	72	64	52	54	60	62	62	67	66+0
	MIN	48	41	45	44	49	37	39	42	44	30	26	28	32	35	41	43	45	46	29	32	47	46	53	53	31	35	46	44	31	45	52	40+6
CAPE MAY 3 W	MAX	67	70	75	68	70	67	67	67	69	67	60	63	64	70	72	75	71	67	65	66	68	67	70	71	58	60	66	65	65	65	68	67+2
	MIN	56	46	61	61	59	56	60	54	57	45	40	44	46	42	56	50	60	60	46	46	57	60	61	55	47	53	57	55	55	56	61	53+6
CHARLOTTEBURG	MAX	60	62	68	70	60	63	62	62	66	61	55	56	55	64	78	83	80	79	67	60	64	64	64	70	62	55	58	61	62	62	66	64+5
	MIN	47	34	35	39	45	28	28	39	38	31	23	23	24	26	35	39	39	39	36	32	31	39	44	51	34	32	34	38	28	30	42	34+9
CLAYTON	MAX	67	71	76	69	69	68	65	67	67	61	57	61	67	72	78	74	74	69	66	65	69	69	71	68	62	55	61	62	65	65	71	67+1
	MIN	47	42	52	54	53	44	57	45	47	37	33	34	39	39	45	47	53	60	42	37	54	56	62	56	42	42	53	51	47	51	57	47+7
ELIZABETH	MAX	69	75	76	64	71	67	70	70	73	64	63	61	66	78	88	84	78	69	68	66	71	64	74	69	59	55	61	67	67	69	66	69+1
	MIN	48	42	50	49	49	42	57	42	47	37	32	38	38	39	48	48	50	59	42	40	53	53	62	47	40	43	50	50	43	42	58	46+4
ESSEX FELS SERV BLDG	MAX	65	70	72	74	68	65	64	65	65	67	60	58	60	70	82	84	83	74	67	65	67	70	68	67	66	65	62	70	68	69	70	68+4
	MIN	40	44	42	47	44	35	42	38	42	33	27	30	30	39	50	49	50	51	34	35	40	48	55	52	44	38	39	42	36	39	50	41+5
FLEMINGTON 1 NE	NAX	67	71	73	71	62	66	65	69	65	58	59	56	68	78	84	83	78	73	67	61	67	63	76	67	58	56	61	64	64	67	68	67+3
	MIN	46	37	46	46	44	31	56	42	44	28	27	27	30	33	42	40	44	56	34	28	40	47	61	57	35	33	47	44	36	51	50	41+4
FREEHOLD	MAX	65	73	72	68	67	65	66	68	66	59	59	59	65	75	81	80	74	67	65	63	70	66	71	66	60	52	61	61	62	63	65	66+3
	MIN	47	42	49	53	52	39	53	43	49	36	30	33	35	41	50	51	54	58	41	36	53	55	61	56	41	45	50	48	45	53	56	47+1
HAMMONTON 2 NNE	MAX	66	71	75	80	66	70	67	70	71	72	61	60	61	71	76	82	76	73	67	60	70	72	70	66	70	52	56	62	63	61	65	67+8
	NIN	45	42	44	53	55	43	44	43	44	36	33	34	35	39	43	44	40	45	41	33	41	55	60	52	42	42	45	50	45	49	55	44+0
HIGHTSTOWN 1 N	MAX	67	73	74	62	69	65	67	69	68	60	60	59	68	76	83	82	73	67	66	63	69	65	70	67	60	53	60	62	62	63	66	67+7
	MIN	45	40	50	48	52	38	58	43	48	35	30	31	35	37	48	45	48	59	39	35	51	51	61	57	38	43	49	48	41	53	57	45+6
INDIAN MILLS 2 W	NAX	67	73	75	66	70	65	66	69	68	59	60	61	69	75	82	78	77	67	63	66	71	67	67	71	53	54	61	65	66	65	67	67+2
	NIN	45	37	46	48	50	35	54	40	43	30	26	29	33	34	41	40	47	60	37	32	51	54	61	53	38	44	53	48	43	54	60	44+1
JERSEY CITY	MAX	65	62	71	62	66	61	65	67	65	56	56	54	61	69	78	74	70	66	56	56	67	63	69	63	52	52	60	62	61	66	66	63+3
	MIN	50	45	54	52	49	42	53	47	51	41	36	34	40	48	55	55	55	55	43	43	54	57	62	47	40	41	50	52	47	50	59	48+6
LAKEWOOD 2 ENE	MAX	67	70	75	63	67	65	67	70	68	58	57	62	76	81	78	69	65	55	60	68	67	71	68	53	55	60	61	61	61	61	64	65+2
	MIN	42	39	45	45	40	37	50	42	36	32	29	30	33	33	46	42	47	49	38	34	51	52	58	49	45	47	55	50	50	54	60	43+9
LAMBERTVILLE	NAX	68	71	73	69	68	65	66	69	66	59	59	61	66	77	83	81	76	73	69	65	66	63	71	67	61	55	60	64	64	64	70	67+4
	MIN	43	39	45	48	48	36	58	40	44	33	29	30	33	38	43	43	46	59	36	32	52	51	62	55	37	36	41	48	46	37	52	43+9
LAYTON 3 NW	MAX	63	65	79	70	64	62	64	68	65	56	58	58	68	80	84	82	80	78	74	62	70	61	72	71	60	50	60	63	65	70	64	67+3
	MIN	42</																															

DAILY TEMPERATURES

NEW JERSEY
OCTOBER 1956

Table 5 - Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SOMERVILLE	MAX	68	71	75	62	70	66	67	69	68	60	60	60	67	77	85	83	78	73	69	64	68	65	73	66	64	56	61	64	64	66	66	67.9
	MIN	45	40	44	47	47	39	58	40	40	30	27	32	32	35	44	43	45	59	40	32	52	50	62	58	44	40	48	49	41	52	56	44.2
SUSSEX 3 N	MAX	63	67	71	61	64	62	63	64	65	55	58	57	65	78	83	81	79	68	58	63	69	60	71	67	59	59	60	62	63	68	65	65.4
	MIN	46	35	48	43	45	31	51	42	39	34	26	27	29	39	42	43	42	50	34	30	48	45	56	54	31	36	43	46	35	40	56	40.8
TRENTON 2	MAX	67	73	73	63	68	67	67	69	68	60	60	61	67	75	83	80	75	70	63	67	70	64	67	68	53	54	60	66	65	64	67	66.9
	MIN	48	44	52	53	49	41	53	45	47	40	33	34	39	42	50	50	52	60	40	38	53	55	61	48	39	43	50	48	43	54	58	47.2
TRENTON WB CITY	MAX	66	71	71	65	67	66	66	68	66	57	57	59	65	75	81	81	73	71	57	63	70	65	68	67	51	53	61	62	62	64	67	65.6
	MIN	52	47	54	55	51	46	52	48	48	43	37	38	41	44	52	53	54	55	43	40	54	55	61	48	40	43	50	50	46	54	59	48.8

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP WIND	- 10	.09 3	.10 6	* 20	* 1	.25 9	.00 18	.17 33	.09 11	.13 22	.10 14	.08 7	.03 7	.06 6	.08 2	.10 2	.07 4	.01 5	.07 24	.09 15	.04 6	.05 2	- 21	- 3	.19 24	.13 43	.00 17	.07 25	.04 23	* 8	.04 6	B2.30 397
PLEASANTVILLE 1 N	EVAP WIND	.42 8	.08 17	.11 30	.11 19	.14 11	.07 25	.03 32	.11 47	.17 33	.22 40	.13 26	.04 14	.08 10	.00 9	.08 12	.07 6	.06 2	- 68	- 34	.10 7	* 9	* 26	.21 4	- 15	.10 5	.06 4	.02 107	.05 63	.04 36	.07 46	.04 37	B2.89 802
RUNYON	EVAP WIND	.06 4	.07 5	.07 0	.04 3	.06 4	.06 3	.08 19	.08 14	.09 12	.08 12	.07 3	.06 10	.04 10	.04 9	.08 4	.08 4	.08 4	.00 5	.09 9	.02 14	* 8	* 13	.03 5	.05 20	.10 35	.10 35	.04 20	.04 20	.04 26	.18 54	- 58	B1.86 442


DAILY SOIL TEMPERATURES

DEPTH		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX MIN	59 51	60 49	61 53	59 54	58 50	56 49	56 52	58 50	59 51	57 47	56 45	54 44	56 44	59 47	62 50	63 60	57 52	53 50	54 47	57 46	57 52	58 51	56 54	52 49	50 44	52 46	55 49	54 49	54 46	59 53	56.8 49.2	
2 INCHES	MAX MIN	58 53	58 51	59 53	58 55	57 52	55 51	55 52	57 52	58 50	56 47	54 46	52 46	54 47	56 47	59 50	60 52	58 52	57 52	53 49	53 47	56 52	55 52	55 52	54 49	51 47	50 49	51 49	53 49	52 50	58 52	55.4 50.2	
4 INCHES	MAX MIN	58 54	58 52	60 55	58 56	58 54	55 52	55 54	57 53	58 52	56 51	54 48	52 47	54 47	56 48	58 51	58 52	57 53	57 54	54 50	53 48	56 53	56 53	57 55	55 52	52 49	50 48	52 50	53 49	52 51	58 52	55.6 51.4	
8 INCHES	MAX MIN	57 55	57 55	59 55	59 57	56 55	56 54	57 53	56 54	57 55	57 55	55 52	53 51	53 50	53 51	56 56	56 54	57 55	57 55	56 54	54 52	55 53	56 56	56 53	56 52	54 51	52 52	53 51	52 52	53 51	56 52	55.0 53.0	
16 INCHES	MAX MIN	58 56	58 55	58 55	59 57	57 53	57 54	57 53	57 55	58 57	58 57	57 55	56 54	54 53	55 53	55 53	55 53	55 54	56 54	57 55	56 54	55 53	54 52	54 52	55 52	57 56	56 54	54 52	54 53	54 53	53 52	54 50	56.0 53.9
32 INCHES	MAX MIN	59 58	59 57	59 57	59 58	58 57	58 57	57 56	59 57	59 58	59 58	59 57	58 57	58 57	58 56	58 54	58 53	55 55	55 54	56 55	57 56	57 56	56 55	54 51	55 53	55 53	55 54	57 55	55 53	55 53	53 52	54 52	56.8 55.4

Measured under Kentucky Bluegrass.

TOTAL PRECIPITATION


NEW JERSEY
OCTOBER 1956



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

AVERAGE TEMPERATURE

NEW JERSEY
OCTOBER 1956



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
OCTOBER 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	
ALLEDALE	0100	BERGEN	8	41 02	74 08	270	MID	BERGEN COUNTY ENGS		MARLBORO SCS	3244	MONMOUTH	1	40 20	74 14	120	MID	GEORW BRILL		C
ATLANTIC CITY WB	0329	ATLANTIC	3	39 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 5 7 C	HARLTON 1 W	3232	BURLINGTON	2	39 34	74 57	00	6P	DAVID GRISON		C
AUDUBON	0346	CAMDEN	2	39 54	75 04	50	11P	IRVIN J. NYGREN	2 3 5	5346 ATLANTIC	3	30 27	74 44	50	5P	ELMER EARLE				
BASS RIVER ST FOREST	0528	BURLINGTON	1	40 37	74 26	20	6P	N.Y. FORESTRY SVC	2 3 5	MIDLAND PARK	5503	BERGEN	8	40 59	74 09	210	MID	CORNELIUS HOWARD		C
BELLEPLAINE	0500	CAPE MAY	1	39 18	74 32	40	3P	MRS. ED C. HOFFMAN	2 3 5	MILLVILLE	5576	CUMBERLAND	6	30 24	75 03	60	NID	L. J. GALLAHER		C
BELMAR	0721	MONMOUTH	1	40 10	74 02	10	MID	CITY WATER DEPT	3	NILTON	5597	MORRIS	8	41 01	74 32	930	7A	JERSEY CITY WTR WKS		C
BELVIDERE	0729	WARREN	2	40 30	75 05	280	5P	MISS C. S. HIRSON	2 3 5	MOORESTOWN	3728	BURLINGTON	2	30 58	74 38	55	NID	BA H. J. WILLARD		2 3 5 T
BERLIN 1 W	0787	CAMDEN	7	39 48	74 57	150	7A	SAAMUEL H. MC CULLEY	3	MORRIS PLAINS	3769	MORRIS	8	40 50	74 30	300	4P	BA JAMES C. LONG		2 3 5 T
BOONTON 2 SE	0507	MORRIS	8	40 24	74 24	280	8A	BA JERSEY CITY WTR WKS	2 3 3	NEWARK MB AIRPORT	6026	ESSEX	1	40 42	74 10	11	NID	U. S. WEATHER BUREAU		2 3 5 7 C
BRANDVILLIE	0578	SUSSEX	2	41 09	74 47	370	7A	ALBERT M. DAVENPORT	3	NEW BRUNSWICK EXP STA	6062	NIDOLESEX	10	40 28	74 26	80	5P	ARTHUR H. AHLQUIST		2 3 5 T G
BRIDGETOWN 1 NE	1026	CUMBERLAND	2	39 28	75 12	114	9A	RAIDIO STATION WSMJ	2 3 5	NEW MILFORD	6146	BERGEN	4	40 37	74 02	12	MID	HACKENSACK WATER CO		C
BURLINGTON	1231	BURLINGTON	2	40 04	74 53	12	6P	RA PUBLIC SVC E + G CD	2 3 5	OAK RIDGE RESERVOIR	6460	PASSAIC	8	41 02	74 10	870	6A	NEWARK WATER DEPT		2 3 5 7 C
CANISTEAR RESERVDIR	1327	SUSSEX	8	41 07	74 30	1040	6A	BA NEWARK WATER DEPT	3	ORANGE	6560	ESSEX	8	40 47	74 14	140	6A	COUNTY ENGINEER		C
CANDOCK BROOK	1330	ESSEX	8	40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5 6	PASSAIC	6773	PASSAIC	6	40 35	74 05	100	8A	BA P. J. DEL VECCHIO		2 3 5 T
CANTON	1343	SALEM	2	39 28	75 23	10	9A	GERTRUDE S. WILLIS	3	PATERSON	6843	BURLINGTON	2	30 58	74 38	60	3P	CHARLES A. DOEHLERT		2 3 5 T
CAPE MAY 3 W	1351	CAPE MAY	1	38 56	74 37	17	3P	N. WEST MAGNESITE CO	2 3 5	PEDERONT 3 E	6974	WARREN	2	40 41	75 12	182	3P	SEWAGE DISPOSAL PLT		2 3 5
CEDAR GROVE	1472	ESSEX	8	40 52	74 13	400	8A	J. A. PLUNKETT	3	PHILLIPSBURG BRIDGE	7070	UNION	10	40 36	74 25	120	8P	BA K. E. PEARSON		2 3 5 T
CERTKONTON	1512	SALEM	6	39 51	75 10	80	MID	JOHN HOPKINS UNIV.	2 3 5	PLAINFIELD	7131	ATLANTIC	1	30 23	74 31	8	8A	ATLANTIC CITY WTR WKS		2 3 5 5 C
CHARLOTTEBURG	1582	PASSAIC	8	41 03	74 26	780	TA	BA NEWARK WATER DEPT	2 3 5	PRINCETON WATER WORKS	7328	NERKER	10	40 10	74 40	00	MID	PRINCETON WATER CO		3
CHATHAM	1900	MORRIS	8	40 44	74 23	183	3P	WILLIAM S. HAINES	INAC 3/36	RAHWAY	7393	UNION	10	40 36	74 13	20	MID	RAHWAY VLY SWG AUTH		C
CHATSORTH 5 S	1708	BURLINGTON	6	39 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	RIDGEFIELD	7343	BERGEN	8	40 50	74 01	80	MID	HEDRUE P. KIRSTEN		2 3 5 T
CLAYTON	3029	HUNTERDON	10	40 31	74 51	134	3P	SP DONALD YOUNG	2 3 5	RIDGEFIELD	7587	PASSAIC	8	41 08	74 16	303	10A	NO JERSEY WTR SUPPLY		C
CLINTON	2200	SALEM	2	39 41	75 30	12	MID	DU POINT DE MEMOURS	3	RUNTON	7823	MIDDLESEX	1	40 26	74 20	18	6P	H. J. WATER COMM		2 3 5 6
DEERWATER	2644	UNION	1	40 40	74 14	33	5P	SP UNION CO PARK COMM	2 3 5	SANDY HOOK LBSTA	7869	MONMOUTH	1	40 28	74 01	22	TP	U. S. COAST GUARD		2 3 5
ELIZABETH	2652	UNION	8	40 39	74 12	30	MID	SEWAGE TREATMENT PL	3	SOMERVILLE	8194	SOMERSET	10	40 34	74 37	73	6P	BA E. HAYES		2 3 5 T
ELIZABETHPORT	2768	ESSEX	8	40 50	74 18	290	8A	BA BURGESS ESSEX FELLOWS	2 3 5	SPLIT ROCK POND	8402	MORRIS	8	40 58	74 28	800	10A	JERSEY CITY D P W		C
FLEMINGHAM 1 NE	3102	CUMBERLAND	2	39 14	75 10	5	5P	F. A. RODENBAUGH	INAC 10/53	SUSSEX 3 N	8423	UNION	1	40 43	74 18	-	MID	H. J. DEPT OF CONS		C
FREEHOLD	3181	MONMOUTH	10	40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5 T	SUSSEX 3 N	8644	SUSSEX	5	1 14	74 33	53D	6P	BRICE B. STANTON		2 3 5 T
GLASSBORO	3271	GLOUCESTER	2	39 42	75 07	150	MID	PROF. J. B. SANGREE	3	SWEDESBORO 5 NW	8683	GLOUCESTER	2	39 47	75 24	10	12M	SUN OIL CO		3
GREAT MEADOWS	3416	WARREN	2	40 53	74 55	580	MID	EDWARD J. KALICK	3	TONS RIVER	8816	OCEAN	1	39 57	74 14	10	3P	ROBERT F. SNYDER		C
GREENWOOD LAKE	3516	PASSAIC	8	41 09	74 20	640	6P	BA GEORGE T. WIGGINS	3	TRANQUILITY 2 W	8838	WARREN	2	40 37	74 30	331	MID	H. J. ERYEY		2 3 5 C
HACKENSACK	3572	BERGEN	4	40 53	74 03	10	MID	BERGEN COUNTY ENGS	2 3 5	TRENTON 2	8878	MERCER	2	40 14	74 46	105	MID	BA H. RISTON		2 3 5 C
HAMMONT 2 NME	3662	ATLANTIC	7	39 59	74 48	85	8A	BA HUBBARD PARKHURST	2 3 5	TRENTON W CITY	8883	MERCER	2	40 13	74 46	50	MID	U. S. WEATHER BUREAU		2 3 5 T C
HIGHTSTOWN 1 N	3951	MERCER	10	40 16	74 31	100	8P	BA JAMES R. PICKERING	2 3 5	TUCKERTON 2 SW	8899	OCEAN	1	39 55	74 22	43	8A	BA VERNON M. MOTT		INAC 1/50
HIGHTSTOWN PUMPING STA	3956	MERCER	10	40 17	74 32	75	MID	WPT WATER + SEWAGE	2 3 5	VINELAND	9133	CUMBERLAND	8	41 03	74 18	320	8A	STATE HOME FOR WOMEN		C
INDIAN HILLS 2 W	4229	BURLINGTON	7	39 48	74 47	100	TP	EDWARD ENTWISTLE	2 3 5	WATKINS RAYMOND DAN	9187	PASSAIC	8	41 03	74 18	320	8A	WATER SUPPLY COMM		C
IRVINGTON	4260	ESSEX	1	40 43	74 15	120	MID	JOINT MEETING GARAGE	3	WATKINS	9271	UNION	8	40 40	74 25	0	NID	EDDIE BURN SAN.		C
JERSEY CITY	4330	HUDSON	1	40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5	WESTFIELD	9435	UNION	9	40 39	74 21	133	5P	TOWN ENGINEER		C
LAKESIDE 2 ENE	4627	OCEAN	1	40 06	74 11	54	MID	GEORGE G. WADDILL	2 3 5 7 C	WOODCLIFF LAKE	9832	BERGEN	4	41 01	74 03	103	NID	HACKENSACK WATER CO		C
LANBERTVILLE	4639	HUNTERDON	2	40 22	74 37	79	6P	E. CASE	2 3 5	WOODSTOWN 2 NW	9910	SALCM	2	39 40	75 20	10	6P	BA WOODROW W. HALTER		INAC 2/50
LANCASTER 3 W	4735	SUSSEX	2	41 13	74 31	480	6P	BA N. DEPU	2 3 5											
LEESBURG STATE FARM	4962	CUMBERLAND	6	39 14	74 58	10	8A	BA LEESBURG STATE FARM	2 3 5											
LITTLE FALLS 1 E	4987	PASSAIC	8	40 53	74 14	1157	9A	BA PASSAIC VLY WTR COMM	2 3 5											
LONG BRANCH	4987	MONMOUTH	1	40 18	73 50	34	MID	STORM WARR. DSPS STA	2 3 5											
LONG VALLEY	5053	MORRIS	10	40 48	74 40	640	6P	ARTHUR BARKMAN	2 3 5											
LUMBERTON	5055	BURLINGTON	2	39 58	74 48	25	MID	JAMES LAWTON	3											
MACPAIN INTAKE	5071	PASSAIC	8	41 01	74 24	584	6P	BA NEWARK WATER DEPT	3											
MANVILLE	5107	SOMERSET	10	40 33	74 34	50	MID	JOHN L. RADCLIFFE	3											

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Degree days are negative departures of average daily temperature from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent samples published in Table 7 are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Data in Tables 3, 5, and 8 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

+ And also on a later date or dates.

// Amount included in following measurement, time distribution unknown.

// Care is equipped with a windshield.

Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Monthly Precipitation Data".

O Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of snow.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M Due to size days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Monthly Precipitation Data).

T Trace, as amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of substations recorded after 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 12/5/56 --- 750

1.05
NJ
y1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

NOVEMBER 1956
Volume LXI No. 11



THE LIBRARY OF THE
JAN 22 1957
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Heavy rains and very warm weather at the beginning of November, a second very warm period at mid-month, and a rather cold final week were the major features.

Temperatures averaged a little higher than the 25-year mean in each division while precipitation averages were near the 25-year mean except for an appreciable deficiency in the Coastal Division. Extremes of temperature ranged from 77° at Pleasantville 1 N on the 17th to 5° at Layton 3 NW on the 24th and 25th. Precipitation totals ranged from 2.01 inches at Belleplain to 8.14 inches at Bridgeton 1 NE. Honors for the greatest amount in one day went to Bridgeton 1 NE for a measurement of 5.80 inches on the 2nd.

Snowfall was rather light and the percentage of possible sunshine was near average at Trenton but somewhat higher than average at Atlantic City.

WEATHER DETAILS

Heavy rains and unseasonably high temperatures dominated the weather of the first two days. Moderately high temperatures prevailed the 3rd through the 8th with the rains ceasing on the 3rd but returning to the scene again on the 8th as colder weather approached the area. Minimum temperatures dropped into the twenties at many points the 10th-11th and a one

day warm spell the 12th brought light rain. The 13th was only moderately cool and a warm period the 14th-16th produced temperatures almost as high as those recorded at the beginning of the month. Moderate to heavy rains and some snow in the northern areas accompanied falling temperatures the 17th-18th that established moderately cold weather which held through the 20th. Frequent changes continued and a warm day the 21st brought more rain, but winter appeared to have gained control on the 22nd since temperatures were generally well below average during the remainder of the month, with a very cold period the 23rd-25th. Light precipitation the 25th-26th occurred as rain generally, but was in the form of snow or sleet in some areas.

WEATHER EFFECTS

Wet weather at the beginning of November interfered with harvesting of grain corn and soybeans. Pastures remained in good condition the early part of the month and winter grains were generally in good condition. Streamflow was excessive in the south and showed the usual seasonal increase in the north.

DESTRUCTIVE STORMS AND FLOODS

None.

J. T. B. Beard, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
NOVEMBER 1956

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
																			Total	Max. Depth on Ground	Date	10 or More	50 or More	100 or More
											50° or Above	32° or Below	32° or Below	0° or Below										
NORTHERN																								
BELVIOERE		53.4	33.8	43.6	.9	76	4	16	25	638	0	2	17	0	2.48	- 1.55	1.02	18	T	0		4	3	1
BOONTON	AM	52.7	33.0	42.9	.7	72	5	16	24+	656	0	1	14	0	4.36	.24	1.14	2	T	0		7	4	2
CANOE BROOK	AM	55.7	32.8	44.3	- 1.6	70	3+	14	25	616	0	0	14	0	4.10	- .13	1.15	18	.0	0		5	4	2
CHARLOTTEBURG	AM	52.1	29.8	41.0	- 1.0	70	5+	13	24	716	0	2	17	0	3.61	- 1.08	1.23	2	1.0	T	10+	5	2	2
ELIZABETH		56.7	36.5	46.6	1.2	72	4	16	24	547	0	0	11	0	4.89	.97	1.26	18	T	0		8	5	1
ESSEX FELS SERV BLDG	AM	53.1	33.3	43.2		70	2	15	24	649	0	0	16	0	4.88		1.35	2	T	0		6	5	3
FLEMINGTON 1 NE		54.9	32.2	43.6	- .8	74	4	13	25	638	0	0	15	0	3.79	.03	1.09	2	.5	0		6	4	1
HIGH POINT PARK				M																				
JERSEY CITY		52.1	38.8	45.5	1.6	69	4+	21	24	581	0	1	7	0	4.01	.60	.94	1	.0	0		8	4	0
LAMBERTVILLE		55.5	34.8	45.2	1.0	73	2+	15	25	594	0	0	13	0	4.00	.22	1.77	2	.0	0		7	2	1
LAYTON 3 NW		52.7	26.8	39.8	- .2	73	5	5	24+	751	0	1	22	0	2.31	- 1.52	.79	18	3.4	0		4	2	0
LITTLE FALLS WATER CO	AM	54.9	35.0	45.0	.7	73	5	17	25	595	0	0	13	0	4.74	.34	1.48	2	T	0		5	3	3
LONG VALLEY		53.5	32.1	42.8		70	4	12	25	660	0	0	17	0	3.12	- 1.24	.85	2	T	0				0
MORRIS PLAINS		53.8	33.3	43.6		71	4	13	25	635	0	1	13	0	3.49		1.08	18	.4	T	25	6	3	1
NEWARK WB AIRPORT	R	53.8	38.3	46.1	1.2	72	15+	21	24	565	0	1	12	0	3.98	.88	1.21	1	T	0		7	3	1
NEWTON	AM	50.7	29.4	40.1	- 1.0	70	5	11	25	741	0	2	20	0	2.64	- 1.10	.93	18	.7	1	18	5	2	0
PATERSON	AM	55.0	37.0	46.0	1.2	72	17	20	24	563	0	0	13	0	6.12	2.06	2.10	2	T	0		5	4	3
PHILLIPSBURG		55.8	35.0	45.4	2.5	73	1+	16	25	586	0	0	13	0	3.81	.05	1.48	2	T	T	25	6	3	1
PLAINFIELD		55.2	34.9	45.1	.5	72	4	17	24	593	0	0	12	0	3.78	- .14	1.24	2	T	0		7	2	1
RIDGEFIELD		53.3	35.3	44.3	.1	71	16	17	19+	615	0	0	13	0	3.40	- .54	.75	17	T	0		7	2	0
SOMERVILLE		55.2	34.3	44.8	1.0	73	4	14	25	604	0	0	13	0	3.07	- .68	1.05	18	.0	0		5	2	1
SUSSEX 3 N		50.6	29.5	40.1	- 2.0	69	2	13	24+	740	0	1	18	0	2.64	- 1.36	.90	18	1.0	1	18+	6	2	0
DIVISION				43.8	.5									3.77	- .22			.4						
SOUTHERN																								
AUDUBON		55.6	37.4	46.5		76	2	20	25	555	0	0	12	0	5.39		1.86	2	.0	0		6	4	2
BELLEPLAIN		59.3	38.8	49.1		74	2	15	24	479	0	0	6	0	2.01	- 2.17	.56	18	.0	0		7	2	0
BRIDGETON 1 NE	AM	56.1M	36.7M	46.4M		75	3	16	24	557	0	0	12	0	8.14		5.80	2	.0	0		4	3	2
BURLINGTON		56.7	38.0	47.4	1.0	74	2	20	25	527	0	0	11	0	3.51	- .23	1.52	2	T	0		5	3	1
CHATSWORTH 5 S		57.0M	35.9M	46.5M		75	16	13	24	552	0	0	12	0	2.75		1.04	18	.0	0		7	2	1
CLAYTON		56.7	38.2	47.5		75	2	17	24	524	0	0	10	0	5.89		2.15	2	T	0		7	4	3
FREEHOLO		56.2	36.4	46.3	1.1	74	1	16	24	558	0	0	12	0	3.35	- .71	.88	18	T	0		7	2	0
HAMMONTON 2 NNE	AM	58.0	36.2	47.1	4.0	74	1+	16	24	536	0	1	13	0	4.93	1.16	1.45	1	.0	0		7	3	2
HIGHTSTOWN 1 N		55.9	36.3	46.1	1.1	72	1+	17	25	565	0	0	11	0	3.06	- .41	.99	18	T	0		8	2	0
INDIAN MILLS 2 W		56.5	34.5	45.5	.2	75	2	12	24	583	0	0	13	0	3.53	- .27	.82	22	.0	0		6	4	0
LAKEWOOD 2 ENE		55.3	33.1	44.2	- .9	75	15	15	11	618	0	1	16	0	3.52	- .69	.91	17	T	0		7	4	0
LEESBURG STATE FARM	AM	56.9	37.2	47.1		75	3	17	24	535	0	1	12	0	3.04		1.03	18	.0	0		6	2	1
MOORESTOWN		54.7	35.9	45.3	.5	75	2	17	25	584	0	0	14	0	4.81	1.17	2.32	2	.0	0		6	3	2
NEW BRUNSWICK EXP STA		54.9	36.4	45.7	.7	70	1+	17	24	575	0	0	12	0	4.33	.70	1.25	2				9	3	2
PEMBERTON 3 E		58.2	36.2	47.2	1.1	74	2	11	24+	535	0	0	11	0	3.33	- .23	.97	18	.0	0		7	3	0
PLEASANTVILLE 1 N	AM	57.2	35.3	46.3	.9	77	17	16	24	558	0	0	14	0	3.61	- .75	1.31	18	.0	0		8	2	1
RUNYON		57.5	32.3	44.9	2.0	74	16	11	25	599	0	0	16	0	4.03	.20	1.11	18	.0	0		8	4	1
TRENTON 2		54.5	37.4	46.0		74	2	20	24+	567	0	0	12	0	3.71	- .09	.89	2	T	0		7	4	0
TRENTON WB CITY	R	53.5	38.6	46.1	.5	72	2	22	24	565	0	1	10	0	3.29	.43	.87	1	T	0		7	3	0
DIVISION				46.4	.9									4.01	.23			T						
COASTAL																								
ATLANTIC CITY WB	R	53.6	41.0	47.3	- .8	67	2	21	24	524	0	0	6	0	2.44	- .88	.72	18	.0	0		7	2	0
CAPE MAY 3 W		57.4	41.9	49.7		74	2	26	24+	455	0	0	6	0	2.30		.84	18	.0	0		4	2	0
LONG BRANCH		54.8	38.0	46.4	.9	74	15	20	24	552	0	1	11	0	2.25	- 1.69	.76	17	.0	0		7	1	0
SANDY HOOK LBSTA																								
DIVISION				47.8	.7									2.33	- 1.32			.0						

DAILY PRECIPITATION

NEW JERSEY
NOVEMBER 1956

Table 3

Station		Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	R	2.44	.26	.04	.12					.07				.03				.06	.70	.72		.18	.14											
AUDUBON		5.39	1.55	1.86	.19					.13	T			.08				T	.42	.68		.60	.09						.14					
BASS RIVER ST FOREST		3.23	.05	.05	.25					.14	.18									.85														
BELLEPLAIN		2.01	.10		.11					.14									.50	.56				.40					.02		.82			
BELMAR		4.52	2.01	T						.18				.18					1.29				.53						.39					
BELVIDERE		2.48	.28	.68														T	T	1.02				.50	T	T		T	T					
BERLIN 1 W			RECORD MISSING																															
BLACKWELLS MILLS		4.23	.64	1.28	T					.11										1.15			.61								.31			
BOONTON		4.36	.85	1.14	.11					.39										1.05										.23	T			
BRANCHVILLE		2.52	.49	.55						.01	.02				.03					.98			.02	.35			T			.53	T			
BRIDGETON 1 NE		8.14	.08	5.80	.07				T	.06	.02				.01				.25	1.15		.01	.01	.66					.02					
BURLINGTON		3.51	.16	1.52	.07					.08					.13				.42	.72			.01	.59					.09					
CANISTEAR RESERVOIR		2.88	.56	.18	.10					.04	T				.04			.03		1.15			.55	T					.01					
CANOE BROOK		4.10	1.07	.78	.06					.05										1.15														
CANTON		6.03	.10	4.02	.07					.07					.02				.29	.99			.40						.47					
CAPE MAY 3 W		2.30	.08		.02					.06	.14				.02				.67	.84			.46						.01					
CEADAR GROVE		6.37	2.00	1.75	.22				.02						.03					1.30														
CHARLOTTEBURG		3.61	.58	1.23	.08					.07	T				T					1.12														
CHATHAM		4.21	1.03	.96	.03										T				1.20															
CHATSORTH 5 S		2.75	.33	.24	.19					.15									.02	.58	1.04								.18	.02				
CLAYTON		5.89	1.30	2.15	.17				T	T				T						.31														
CLINTON		3.42	.35	1.23	.05					.08					.12				T	1.30	.90													
DEEPWATER		5.20	1.56	1.99	.14					.03									.65	.23			.54	T					.03	.26				
ELIZABETH		4.89	.75	.80	.08					.10				.01	.02				.62	1.26														
ELIZABETHPORT		3.55	.81	.58						.20					.02				.61	.47			.41	.06					.39					
ESSEX FELS FERRY BLOG		4.88	1.12	1.35					.15										1.25															
FLEMINGTON 1 NE		3.79	.93	1.09	.01					.09					T			.04		.89			T	.53	T	T	T							
FREEMO		3.35	.30	.40											.05				.40	.88														
GREENWOOD LAKE		3.99	.87	1.42	.04					.05				T	T				1.05															
HAMMONTON 2 NNE		4.93	1.45	1.00	.25					.10									.26	1.25			.03	T										
HIGH POINT PARK		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-											
HIGHTSTOWN 1 N		3.06	.15	.73						.13					.04				.15	.99														
INOIAN MILLS 2 W		3.53	.48	.60	.13					.08					.04	T			.58	.71														
IRVINGTON		3.21	.57	.67						.07					.02				.60	.47			.21	.06										
JERSEY CITY		4.01	.94	.76	.02					.15					.03				.66	.68			.45	.14					.18					
LAKEWOOD 2 ENE		3.52	.81	.07	T					.10					.04			T	.91	.64			.55	.15					.02					
LAMBERTVILLE		4.00	.25	1.77	.05				.01	.10					.02	T			.18	.86				.48					.05	.25				
LAYTON 3 NW		2.31	.18	.43					T	.02		.03			.06				.79				T	.74										
LEESBURG STATE FARM		3.04	.48	.13	.07					.08	.13				.09			.01	.50	1.03														
LITTLE FALLS WATER CO		4.74	1.23	1.48	.03					.09					.03				1.04				T	.47										
LONG BRANCH		2.25	.11	.10	.01					.08					.04			T	.76	.46			.42	.14										
LONG VALLEY		3.12	.25	.85						.20					.03				.60	.44			.60											
MACOPIN INTAKE		4.21	.67	1.41	.03					.07	T				.01				1.15				T	.56		T								
MANHAW		6.46	1.58	2.32	.45					.23					.01				1.11				T	.59										
MANVILLE		3.57	1.26	.42						.02					.02				.63	.58			.56	.08										
MARLTON 1 W		4.92	.11	2.36	.17					.05					.05			.10	1.19	.10														
MAYS LANDING		2.40	.10		.08					.09					.08			.05	.50	1.00														
MIDLAND PARK		5.24	.30	2.90	.08					.22					.04				1.12															
MILLVILLE		4.08	.86	1.02	.07					.13					.06			.04	1.06	.15			.58	.04										
MILTON		3.65	.58	.93	.10						.10				.03				1.24															
MOORESTOWN		4.81	.41	2.32	.18						.03				.03				.10	1.02			T	.65										
MORRIS PLAINS		3.49	.13	.94	.05					.32	T				T			T	.02	1.08														
NEWARK WB AIRPORT		3.98	1.21	.81	T					.20	T				.01			T	.45	.55														
NEW BRUNSWICK EXP STA	R	4.33	.45	1.25	.04					.19					.25			.01	.12	1.03														
NEW MILFORD		3.30	.50	.70	.02					.26					.04			.02	.38	.76														
NEWTON		2.64	.44	.65	.04					.01	T				.02				T	.93			T	.43										
OAK RIDGE RESERVOIR		3.91	.62	1.00	.15					.14	.02				.04				1.20															
OLOWICK		3.83	.48	1.32	.04				.01		.14				.01				1.10		.01													
ORANGE		4.18	1.26	.83						.04					.04				.55	.56			.55	.02										
PATERSON		6.12	1.98	2.10	.02					.02					.03				T	1.15			T	.59	T	T								
PEMBERT																																		

DAILY TEMPERATURES

NEW JERSEY
NOVEMBER 1956

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX	66	67	57	64	58	62	62	60	50	44	58	60	50	59	60	62	53	52	48	55	63	48	34	34	52	50	45	46	51	38	53.6	
	MIN	62	56	51	50	49	46	48	48	42	34	31	45	40	47	54	53	40	36	34	40	46	34	25	21	29	38	35	31	38	28	41.0	
AUGUBON	MAX	71	76	58	71	65	68	68	58	50	44	52	70	50	66	73	72	56	49	51	54	67	46	34	35	43	46	43	44	50	39	55.6	
	MIN	65	58	50	50	42	40	40	48	36	30	42	47	38	31	41	55	38	35	28	28	45	33	24	21	20	36	32	30	32	27	37.4	
BELLEPLAIN	MAX	70	74	70	69	65	70	70	62	58	47	55	68	60	61	70	73	65	60	54	51	67	64	42	38	50	50	44	44	54	53	59.3	
	MIN	65	63	53	47	42	34	37	48	42	34	17	40	42	33	43	49	37	38	27	30	49	35	25	15	20	36	39	40	41	42	38.8	
BELVIOERE	MAX	72	72	65	76	74	68	56	53	52	45	47	56	53	58	68	66	53	46	46	48	65	64	32	33	32	38	40	45	43	37	53.4	
	MIN	62	61	49	50	41	36	38	42	36	30	19	42	37	29	32	45	32	25	23	24	46	31	21	18	16	31	22	31	26	18	33.8	
BOONTON	MAX	65	66	68	57	72	65	66	64	54	49	38	47	63	47	60	68	68	44	44	47	50	65	43	32	36	40	42	40	39	41	52.7	
	MIN	59	63	42	45	43	42	38	39	39	33	17	25	38	27	35	36	39	35	23	24	25	37	26	16	16	26	25	31	26	20	33.0	
BRIDGETON 1 NE	MAX	70	70	75	68	63	67	67	58	49	43	60	70	59	65	70	70	73	41	48	50	56	65	46	33	33	47	45	43	43	50	56.1	
	MIN	64	63	52	48	41	39	50	41	36	20	34	38	32	39	34	39	37	26	25	40	37	26	16	20	33	31	30	25	32	28	36.7	
BUPLINGTON	MAX	71	74	60	70	58	69	67	57	56	45	52	70	56	64	73	72	58	48	50	54	68	65	39	39	39	48	44	43	48	44	56.7	
	MIN	65	59	50	51	42	45	43	47	41	35	23	46	40	32	38	52	42	37	29	29	39	37	26	23	20	36	30	30	29	25	38.0	
CANOE BROOK	MAX	65	68	70	60	70	65	65	66	55	60	40	53	69	48	62	70	70	50	45	49	57	62	58	42	35	43	45	43	43	43	55.7	
	MIN	62	63	47	44	35	35	40	43	39	34	16	27	39	25	32	39	41	36	20	23	36	34	24	15	14	21	24	31	24	20	32.8	
CAPE MAY 3 W	MAX	69	74	67	65	63	66	68	61	57	48	55	65	60	63	66	60	62	51	48	55	65	63	42	35	52	52	45	45	53	48	57.4	
	MIN	61	62	53	49	46	45	43	56	41	41	28	53	44	43	50	50	40	38	30	34	46	39	31	26	26	39	39	34	40	31	41.9	
CHARLOTTEBURG	MAX	66	68	66	58	70	63	65	65	52	46	35	48	62	46	62	70	67	42	44	47	51	64	44	29	32	40	43	39	40	40	52.1	
	MIN	48	59	44	45	45	43	30	39	35	28	17	23	34	20	32	34	35	33	20	19	21	33	20	13	17	17	23	25	24	18	29.8	
CHATSWORTH 5 S	MAX	70	73	60	71	67	71	70	64	56	43	53	72	67	72	75	45	54	67	45	34	35	42	50	43	42	50	43	43	53	43	57.0	
	MIN	58	60	52	50	48	35	37	43	40	38	18	42	30	36	47	28	25	45	28	25	45	35	22	13	20	42	26	27	29	24	35.9	
CLAYTON	MAX	70	75	67	68	68	66	67	58	54	44	51	69	58	64	70	72	54	55	48	54	62	64	36	34	43	48	43	47	50	43	56.7	
	MIN	65	59	52	53	47	42	41	52	38	33	24	47	37	33	43	52	36	37	36	28	48	36	27	17	18	37	30	27	32	26	38.2	
ELIZABETH	MAX	69	70	62	72	67	68	68	57	54	45	50	70	61	61	70	71	62	49	48	53	68	65	39	39	40	46	46	43	46	41	56.7	
	MIN	63	61	48	46	48	41	39	46	39	34	28	44	38	29	36	41	40	36	27	26	43	35	25	16	19	38	26	30	27	25	36.5	
ESSEX FELS SERV BLDG	MAX	68	70	65	63	62	60	62	61	58	50	42	50	66	48	60	66	66	48	46	50	55	60	45	33	38	44	40	39	38	40	53.1	
	MIN	55	64	42	40	45	48	50	48	35	26	18	22	30	31	35	64	44	33	24	24	28	38	24	15	18	20	28	30	23	20	33.3	
FLEMINGTON 1 NE	MAX	71	70	61	74	66	68	63	55	54	45	50	67	58	62	69	69	56	41	48	50	66	63	35	36	35	44	42	43	45	40	54.9	
	MIN	64	61	42	48	40	31	34	40	38	32	15	38	35	24	28	35	38	36	20	21	39	32	23	15	13	33	21	29	22	19	32.2	
FREEHOLD	MAX	74	72	57	69	63	66	68	57	53	43	50	71	59	65	72	72	65	47	49	53	66	63	38	33	39	49	42	42	50	39	56.2	
	MIN	63	56	49	46	45	39	39	47	39	30	20	46	36	32	41	52	38	36	25	31	42	34	24	16	18	37	28	27	30	25	36.4	
HAMMONTON 2 NNE	MAX	74	70	74	68	70	63	68	70	60	52	52	59	70	52	68	72	73	46	49	94	57	68	47	32	36	49	46	45	45	52	58.0	
	MIN	63	63	48	47	46	41	40	43	43	36	27	29	38	26	43	48	35	38	28	28	31	36	25	16	19	37	31	28	30	24	36.2	
HIGH POINT PARK	MAX																																
	MIN																																
HIGHTSTOWN 1 N	MAX	72	72	60	71	64	67	64	57	54	44	51	69	60	61	70	71	66	48	48	51	66	64	38	34	38	47	43	42	47	39	55.9	
	MIN	64	60	49	47	46	37	39	46	40	34	19	46	35	31	39	51	38	36	25	26	41	34	24	18	17	37	37	28	29	24	36.3	
INDIAN MILLS 2 W	MAX	70	75	58	71	65	69	70	57	52	42	52	71	52	67	72	72	55	47	51	54	68	64	35	35	44	48	42	43	52	42	56.5	
	MIN	64	58	50	45	42	34	37	47	40	30	15	47	32	29	37	50	37	35	22	23	41	34	24	12	14	34	26	26	28	22	34.5	
JERSEY CITY	MAX	66	67	53	69	63	63	64	57	50	39	50	65	46	58	68	69	51	45	44	50	64	50	33	32	41	47	40	41	44	33	52.1	
	MIN	62	53	39	45	49	49	45	51	40	30	28	48	40	38	46	53	38	33	30	34	49	33	24	21	26	35	33	33	33	26	38.8	
LAKEWOOD 2 ENE	MAX	70	71	55	68	63	64	69	57	50	43	53	72	47	69	75	73	52	49	47	54	67	46	31	35	51	51	43	43	55	36	55.3	
	MIN	63	53	49	44	36	33	34	41	38	18	15	43	28	30	34	52	39	29	25	22	45	31	19	17	17	30	28	27	30	23	33.1	
LAMBERTVILLE	MAX	71	73	62	73	66	66	63	56	53	44	51	67	56	63	70	69	57	47	49	51	65	63	37	35	38	45	41	42	48	45	55.5	
	MIN	63																															

DAILY TEMPERATURES

NEW JERSEY
NOVEMBER 1956

Table 5-Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX MIN	70 61	70 61	64 48	71 44	66 44	66 33	66 36	68 38	56 40	48 30	52 12	64 26	60 24	59 24	71 39	74 48	68 39	56 38	50 19	54 20	69 40	64 28	36 26	36 15	40 11	46 26	46 24	46 26	48 26	42 23	57.5 32.3	
SANDY HOOK LBSTA	MAX MIN																																
SOMERVILLE	MAX MIN	72 64	71 60	60 48	73 52	67 47	66 39	61 38	56 44	52 39	44 29	50 15	68 42	54 35	62 25	70 30	70 44	56 39	48 36	48 23	51 22	67 42	65 33	40 23	37 15	38 14	45 34	43 23	42 28	44 26	37 19	55.2 34.3	
SUSSEX 3 N	MAX MIN	64 59	69 58	68 45	43 39	68 36	64 35	64 35	59 35	56 33	46 30	34 16	47 20	55 33	43 28	58 33	66 37	66 28	43 28	41 22	44 20	47 22	64 32	44 21	29 13	33 13	35 18	39 21	38 22	39 16	41 16	50.6 29.5	
TRENTON 2	MAX MIN	70 65	74 54	57 50	72 49	67 47	67 43	63 42	56 46	50 40	44 26	53 22	67 46	48 39	62 37	70 42	71 53	53 39	48 34	47 29	55 29	67 46	47 32	33 22	37 20	40 20	46 35	43 30	42 27	47 32	38 25	54.5 37.4	
TRENTON WB CITY	MAX MIN	71 65	72 53	53 50	70 51	65 51	66 48	64 43	56 46	49 41	42 30	53 27	66 44	47 38	62 37	70 44	70 53	53 38	46 35	47 31	52 31	67 41	45 32	32 24	33 22	43 24	47 36	41 33	41 31	47 25	35 25	53.5 38.6	

EVAPORATION AND WIND

Table 6

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total or Avg.
CANOE BROOK	EVAP WIND	- 7	- 7	- 35	- 9	- 12	- 10	.08 8	.01 3	.08 13	.07 42	- 17	- 9	.03 44	- 21	- 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
PLEASANTVILLE 1 N	EVAP WIND	.02 17	* 21	* 51	.24 21	.00 27	.14 5	.00 10	.03 21	.02 35	.11 64	* 50	.08 24	.07 73	.06 38	.09 21	.05 42	.05 36	- 66	.17 33	.02 22	.08 13	.11 80	- 55	- 41	- 20	- 33	- 3	- 40	- 30	- 48	- 1039	
RUNYON	EVAP WIND	- 14	- 12	.05 14	.07 12	.07 8	.05 19	.05 13	.00 15	.05 23	.08 6	- 8	.10 18	.01 18	.02 14	.03 12	- 24	- 20	- 16	.02 12	.05 14	- 31	- 30	- 40	- 10	- 14	- 13	- 11	- 12	- 11	- 9	- 473	

DAILY SOIL TEMPERATURES

DEPTH		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER 50D																																	
1 INCH	MAX	62	62	55	58	55	55	55	52	49	44	42	51	45	47	50	54	48	45	43	42	52	47	44	42	42	37	40	47	44	39	48.2	
	MIN	58	55	52	51	47	47	46	48	43	35	33	43	38	37	41	45	42	37	34	33	40	36	27	31	30	34	31	37	37	33	40.4	
2 INCHES	MAX	61	61	56	56	53	53	48	47	49	45	43	49	46	46	48	51	49	45	42	41	52	48	47	42	39	39	41	46	44	39	47.9	
	MIN	56	56	53	52	48	48	47	49	45	38	36	43	41	39	41	45	43	39	36	35	41	38	38	36	31	34	35	38	37	35	41.8	
4 INCHES	MAX	60	60	57	56	54	53	52	52	49	46	43	48	46	45	46	51	49	45	42	41	51	48	47	41	38	38	40	45	44	39	47.5	
	MIN	57	57	54	53	49	49	48	49	45	40	37	43	42	40	43	45	44	40	37	36	41	39	36	36	33	35	38	40	38	36	42.6	
8 INCHES	MAX	58	59	58	55	55	53	52	53	51	49	46	48	48	47	46	50	50	47	44	43	48	48	43	46	44	42	40	44	46	44	48.6	
	MIN	55	58	55	54	53	51	51	49	46	43	45	45	44	44	46	46	47	44	41	40	43	43	36	36	36	36	35	42	44	38	45.0	
16 INCHES	MAX	57	58	58	56	55	55	54	53	53	51	50	49	50	49	48	49	50	49	48	45	49	48	47	46	45	43	43	47	47	46	50.0	
	MIN	54	57	56	54	54	53	52	52	51	50	48	47	48	46	46	47	49	48	45	44	44	47	45	42	42	41	42	44	45	41	47.8	
32 INCHES	MAX	55	56	57	57	55	56	55	54	54	54	54	53	52	52	51	50	52	52	51	50	49	50	50	50	49	49	49	50	50	49	52.2	
	MIN	53	55	55	54	53	54	53	52	53	53	53	51	51	50	49	49	50	51	49	48	48	49	48	48	49	48	49	49	49	46	50.8	

Measured under Kentucky Bluegrass.

SNOWFALL AND SNOW ON GROUND

NEW JERSEY
NOVEMBER 1956

Table 7

Station		Day of month																																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
BELVIDERE	SNOWFALL SN ON GND																							T	T	T	T							
CHARLOTTEBURG	SNOWFALL SN ON GND										T	T													T	T		1.0						
CLAYTON	SNOWFALL SN ON GND																							T										
FLEMINGTON 1 NE	SNOWFALL SN ON GND																	.S					T	T		T	T			T	T			
FREEHOLD	SNOWFALL SN ON GND																										T							
HIGHTSTOWN 1 N	SNOWFALL SN ON GND																						T			T								
LAKEWOOD 2 ENE	SNOWFALL SN ON GND																						T			T								
LAYTON 3 NW	SNOWFALL SN ON GND										.4								2.2								.3	.S						
LITTLE FALLS WATER CO	SNOWFALL SN ON GND																		-															
LONG VALLEY	SNOWFALL SN ON GND																									T								
MORRIS PLAINS	SNOWFALL SN ON GND										T													T	T	.1	.3							
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV																									T								
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND																									-								
NEWTON	SNOWFALL SN ON GND										T							.S										.2						
PHILLIPSBURG	SNOWFALL SN ON GND																	T							T		T	T	T					
PLAINFIELD	SNOWFALL SN ON GND																	T												T				
RIDGEFIELD	SNOWFALL SN ON GND																							T		T								
TRENTON WB CITY	SNOWFALL SN ON GND																						T											


SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	16.2	S2	SW	21	-	-	-	-	0	4	5	2	0	0	11	66	6.1
LONG BRANCH	SW	12	12.4	61	NW	21	-	78	63%	68	1	3	6	1	0	0	11	62	6.3
NEWARK WB AIRPORT	SSW	13	9.6	27*	NW	12+	77	79	S6	68	3	3	4	2	1	0	13	-	6.2
TRENTON WB CITY	-	-	9.3	38	S	21	-	-	-	-	1	2	4	3	0	0	10	50	6.3

* Fastest observed one minute
wind speed. This station is not
equipped with automatic record-
ing wind instruments.
% 12:00 Noon

TOTAL PRECIPITATION


NEW JERSEY
NOVEMBER 1956



Isohyals are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

AVERAGE TEMPERATURE

NEW JERSEY
NOVEMBER 1956



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
NOVEMBER 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MIO BERGEN COUNTY EMGS				MILTON	5597	MORRIS	8 41 01	74 32	950	7A JERSEY CITY WTR WKS			
ATLANTIC CITY W8	0325	ATLANTIC	1 30 22	74 25	8	MIO N. S. WEATHER BUREAU	2 3 5	7 C		MIDDLESTOWN	5728	BURLINGTON	2 30 58	74 58	55	MIO 8A H. J. WILLARD	2 3 5	7	
AUGUBION	9240	CAMDEN	2 30 24	75 04	50	1P 110 IRVIN J. HYUNER	2 3 5	7		MORRIS PLAINS	5760	MORRIS	8 40 30	74 10	100	4P 4P JAMES C. LONG	2 3 5	7	
BASS RIVER ST FOREST	0528	BURLINGTON	1 30 37	74 26	20	6P N.Y. FORESTRY SVC	3	7		NEWARK W8 AIRPORT	6026	ESSEX	1 40 42	74 10	11	MIO 10 U.S. WEATHER BUREAU	2 3 5	7 C	
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	40	5P MRS. ED. C. HOFFMAN	2 3 5			NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P SP ARTHUR H. AHLQUIST	2 3 5	7 C	
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MIO CITY WATER DEPT	3			NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MIO HACKENSACK WATER CO	3	C	
BELVIERE	0729	WARREN	2 40 50	75 05	289	5P MISS C. S. HANCOCK	2 3 5	7		NEWTOWN	6177	SUSSEX	2 41 03	74 45	565	8A NEWTON WTR SWM CONN	2 3 5	7 C	
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150	7A DANIEL H. MC CULLEY	3			OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	8A NEWARK WATER DEPT	3		
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	8A JERSEY CITY WTR WKS	2 3 5			ORANGE	6560	ESSEX	8 40 47	74 14	140	MIO COUNTY ENGINEER	2 3 5	7	
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A ALBERT M. GAVENPORT	3			PATERSON	6775	PASSAIC	6 40 55	74 09	100	8A PA. J. OEL VECCHIO	2 3 5	7	
BRIDGEFORD 1 ME	1028	CUMBERLAND	2 39 28	75 12	114	9A RADIO STATION WSNJ	2 3 5			PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P SP CHARLES A. DOERHLERT	2 3 5	7	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P PUBLIC SVC E. O. CO	2 3 5			PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P SEWAGE DISPOSAL PLT	2 3 5	7	
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	8A NEWARK WATER DEPT	3			PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	9A JOINT TOLL BRIDGE COM	2 3 5	7	
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A COMMONWEALTH WTR CO	2 3 5	6		PLAINFIELD	7070	UNION	10 40 36	74 25	120	8P SP S. K. PEARSON	2 3 5	7	
CANTON	1343	SALEM	2 30 28	75 25	10	9A MERTUDE S. MILLIS	3			PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	8A ATLANTIC CITY WTR WK	2 3 5	6	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P SP N.WEST NAGHESITE	2 3 5	C		PRINCETON WATER WORKS	7328	MERCER	10 40 18	74 45	90	MIO PRINCETON WATER CO	2 3 5	7	
CEAR GROVE	1472	ESSEX	8 40 52	74 13	400	8A J. A. PLUMMETT	3			RAHWAY	7393	UNION	9 40 36	74 15	20	MIO RAHWAY VLY SWG AUTH	3	7 C	
CENTERTON	1512	SALEN	8 40 31	75 10	80	MIO JOHN HOPKINS UN.	2 3 5	C		RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MIO MIO GEORGE P. KIRSTEN	2 3 5	7	
CHARLOTTESBURG	1582	PASSAIC	8 40 43	74 26	765	7A NEWARK WATER DEPT	2 3 5	7		RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A NJ JERSEY WTR SUPPLY	2 3 5	7	
CHATHAM	1590	MORRIS	8 40 44	74 23	185	8A EDWARD P. HOLIFORD	3			RYNOM	7825	MIDDLESEX	1 40 28	74 20	18	6P N.J. WATER COM	2 3 5	6	
CHATSORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P SP WILLIAM S. HAINES	2 3 5			SANDY HOOK LOSTA	7869	MONMOUTH	1 40 28	74 03	22	7P N. J. S. COAST GUARD	2 3 5	7	
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P L. W. KLOCKNER	2 3 5	7		SOMERSET	8194	SOMERSET	10 40 34	74 37	75	6P 6P W. E. HAYES	2 3 5	7	
DESPWATER	2200	SALEM	2 30 41	75 30	12	MIO DU PONT DE NEMOURS	3			SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800	10A JERSEY CITY O P W	3	C	
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P UNION CO PARK COMM	2 3 5			SPRINGFIELD	8423	UNION	1 40 43	74 18	-	MIO N.J. DEPT OF COMS	2 3 5	7	
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30	MIO SEWAGE TREATMENT PL	3	C		SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A BRICE B. STANTON	2 3 5	7	
ESSEX FIELDS SERV BLDG	2768	ESSEX	8 40 50	74 18	250	8A BURGESS ESSEX FIELDS	2 3 5	C		SWEDESBORO 5 NW	8665	GLOUCESTER	2 30 47	75 24	10	12M SUM OIL CO	3		
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	334	5P SP DONALD YOUNG	2 3 5	7		TOMS RIVER	8816	OCEAN	1 39 57	74 14	10	MIO SP ROBERT F. SNYDER	3		
FORTESQUE	3181	MONMOUTH	10 40 15	74 17	194	MIO BERGEN COUNTY EMGS	2 3 5	7		TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	591	MIO H. J. ERYEY	2 3 5	7	
FREHOLD	3181	MONMOUTH	10 40 15	74 17	194	6P FRANK J. MOREAU	2 3 5	7 C		TRENTON 2	8878	MERCER	2 40 14	74 46	105	MIO 10 U.S. WEATHER BUREAU	2 3 5	7 C	
GLASSBORO	3291	GLOUCESTER	2 30 42	75 07	150	MIO PROF. J. B. SANGREE	2 3 5	7		TUCKERTON 2 SW	8893	OCEAN	1 39 35	74 22	45	8A VERNON W. MOTT	INAC	1/56	
GREAT MEADOWS	3416	WARREN	2 40 53	74 55	560	MIO EDWARD KOWALICK	3			VINELAND	9135	CUMBERLAND	6 40 29	75 00	110	8A STATE HOME FOR WOMEN	3		
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	200	7A GEORGE T. NIGINS	3			WANANQUE RAYMOND OAM	9187	PASSAIC	8 41 03	74 18	320	8A WATER SUPPLY COM	3	7 C	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MIO BERGEN COUNTY EMGS	2 3 5	7		WATCHEUNG	9271	UNION	8 40 40	74 25	-	MIO BONNIE BURN SAN	3		
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	8A B. HUBBARD PARKHURST	2 3 5	C		WESTFIELD	9455	UNION	9 40 39	74 21	135	5P TOWN ENGINEER	3	C	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P SP JAMES R. PICKERING	2 3 5	7		WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MIO HACKENSACK WATER CO	3	C	
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MIO DEPT WATER + SEWAGE	2 3 5	7		WOODSTOWN 2 NW	9910	SALEM	2 39 40	75 20	16	6P 8A WOODROW W. HALTER	INAC	2/56	
INNOVA HILLS 2 W	4739	SUSSEX	2 41 15	74 51	480	6P SP A. M. DEPUIS	2 3 5	7		NEW STATIONS									
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MIO JOINT MEETING GARAGE	3	C		PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	7A JOHN H. BERRYMAN	3		
JERSEY CITY	4339	HUDSON	1 40 44	74 04	135	MIO JERSEY CITY WTR DEPT	2 3 5	7		BLACKWELLS MILLS	0847	SOMERSET	10 40 29	74 35	27	7A HENRY N. MILLER	3		
LAKESWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	MIO MIO GEORGE G. MADOFF	2 3 5	7 C		HIGH POINT PARK	3935	SUSSEX	2 41 18	74 40	1600	8A N. J. DEPT OF CONSA	2 3 5	7	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P SP E. E. CASE	2 3 5	7		MANAWA	5104	BERGEN	8 41 06	74 10	253	7A ROBERT G. GLASCOV	3		
LAYTON 3 NW	4739	SUSSEX	2 41 15	74 51	480	6P SP A. M. DEPUIS	2 3 5	7		OLMICK	6544	HUNTERDON	10 40 40	74 45	260	8A DAM A. COUGHLIN	3		
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	8A BA LEEBURG STATE FARM	2 3 5			WERTSVILLE	9363	HUNTERDON	10 40 27	74 48	160	7A ROBERT N. NANNERS	3		
LITTLE FALLS 1 E	4887	PASSAIC	8 40 53	74 14	157	9A PASSAIC VLY WTR COM	2 3 5	7											
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34	MIO STORM WARM. OSPL STA	2 3 5	7 C											
LONG VALLEY	5003	MONMOUTH	1 40 18	73 59	34	6P SP ARTHUR BARKMAN	2 3 5	7											
LUMBERTON	5025	BURLINGTON	2 39 58	74 48	25	MIO JAMES LANTON	3	C											
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	584	9A NEWARK WATER DEPT	3												
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MIO JOHN L. RADCLIFFE	3												
MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MIO DEROW BRILL	3	C											
MARTIN 1 W	5252	BURLINGTON	2 39 54	74 57	90	6P DAVID GRISCOM	3												
NAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50	SP ELMER EARLE	3	7											
MIDLAND PARK	5503	BERGEN	8 40 50	74 09	210	MIO CORNELIUS HOWARD	3												
MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	80	MIO L. J. SALLERAN	3	7 C											

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURICE; 7-MULICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sum of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 9.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location.

Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent samples published in Table 7 are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Data in Tables 3, 5, and 8 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

+ And also on a later date or dates.

* Amount included in following measurement, time distribution unknown.

// Gage is equipped with a windshield.

* Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational data ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Monthly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M One to nine days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

B Amounts from recording gage (these amounts are essentially accurate but may vary slightly from the amounts to be published later in Monthly Precipitation Data).

T Trace, an amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of substation through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issue of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWBC, Asheville, N. C. ---1/7/57--- 750

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

DECEMBER 1956

Volume LXI No. 12



THE LIBRARY OF THE

FEB 27 1957

UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Weather that was warmer and wetter than usual were the two most outstanding features in December.

Temperatures averaged several degrees higher than the 25-year mean in each division, being greatest in the Coastal Division with a $+6.8^{\circ}$ departure. The highest temperature for the month was recorded at all stations on the 7th or 8th and reached 70° or above at a number of places with a top reading of 77° at Hammonton 2 NNE on the 8th. The lowest temperature for the month was 2° at Layton 3 NW on the 31st. Just under readings of 3° at Canoe Brook and Phillipsburg on the 30th.

Precipitation averages were greater than the 25-year means in all divisions with the departure of $+1.11$ inches in the Coastal Division being slightly greater than departures in the other divisions. Monthly totals ranged from 2.63 inches at Mays Landing to 6.34 inches at Phillipsburg. The greatest daily amount reported at the majority of stations exceeded one inch, with a measurement of 1.87 inches at Long Valley on the 14th topping the list. The snowfall in the State this month was considerably less than is usually expected. Layton 3 NW had 9.7 inches for the greatest monthly total, which was much more than other stations reported. The percentage of possible sunshine was deficient at both Atlantic City WB and Trenton WB City, the two stations for which such records are available.

WEATHER DETAILS

Somewhat cooler than usual was the rule during the first two days. For the period 3rd-8th readings were mostly on the positive side and well above seasonal levels on the 6th, 7th, and 8th. Cooler weather moved across the State on the 8th dropping temperatures to below the freezing level on the 9th and 10th. During the remainder of the month there were frequent changes in pressure patterns and as a result there was considerable fluctuation in temperature. However, for most of this period readings were mostly warmer than usual, except that incursions of cold Arctic air produced negative departures on the 19th and 30th. The minimum temperature for the month was recorded

on the 30th or 31st at nearly all stations.

Precipitation during the first week of the month was of little consequence, however, the distribution for the remainder of the month was very good with measurable amounts occurring on more than one-half of the days. Snowfall in December was considerably less than the usually expected amount. From reports received, daily amounts seldom exceeded an inch, and some stations failed to receive even a trace.

WEATHER EFFECTS

Warm weather in December enabled fall sown crops to make additional growth and most growers were able to complete corn and soybean harvest. It was reported that soils did not freeze until late December and a few fields of soybeans and corn were not harvested until after the ground froze. Hazardous weather conditions caused considerable damage and inconvenience in the northern counties on the 13th and 14th.

DESTRUCTIVE STORMS

Associated with a frontal system to the south of New Jersey, an ice storm produced sleet and freezing rain in northern New Jersey (Bergen, Essex, Morris, Passaic, and Sussex Counties) during the night of the 13th and the morning of the 14th. As the storm swept across this portion of the State, the principal damages and injuries were confined to pedestrians, motorists, vehicles and roads. For the second consecutive night, in the late p.m. of the 14th, freezing rain and drizzle affected northern New Jersey. Sussex County was hardest hit by this storm, although parts of Bergen, Morris, Passaic and Warren Counties were also affected. Telephone and power lines were down, vehicles and roads were damaged. Some localities were without electricity for as long as 11 hours. Four persons were killed and others injured as a result of falling trees, wires, and automobile accidents.

FLOODS

None reported during December.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
DECEMBER 1956

TABLE 2

Station		Temperature													Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days				
											Max	Min	32° or Above	32° or Below					27° or Below	0° or Below	Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
NORTHERN																										
BELVIOERE		45.3	29.2	37.3	5.3	62	7	12	30+	851	0	2	19	0	5.33	1.69	1.82	14	T	0		8	4	2		
BOONTON 2 SE	AM	44.7	28.0	36.4	4.8	65	8	10	31	879	0	1	21	0	4.21	.97	1.28	15	0	0		9	3	1		
CANOE BROOK	AM	47.0	27.5	37.3	6.0	69	8	3	30	856	0	1	19	0	4.58	1.06	1.28	15	T	10	10	4	1			
CHARLOTTEBURG	AM	44.5	25.7	35.1	4.0	67	8	10	19+	918	0	1	23	0	4.60	.65	1.43	15	1.8	2	10	9	3			
ELIZABETH		49.2	30.5	39.9	5.1	67	7	12	31	769	0	1	18	0	4.24	.82	1.27	14	.5	0		11	2			
ESSEX FELS SERV BLDG	AM	46.6	29.1	37.9		67	8	14	30	834	0	1	19	0	3.80		1.15	15	.0	0				1		
FLEMINGTON 1 NE		48.1	29.2	38.7	5.2	70	7	10	31	808	0	1	18	0	3.78	.43	1.30	14	.5	T	9+	9	2			
HIGH POINT PARK		39.9	23.7	31.8		60	8	4	30	1019	0	8	27	0	4.00		1.03	16								
JERSEY CITY		46.0	32.6	39.3	5.7	66	7	16	30	788	0	1	16	0	4.35	1.17	1.55	14	.0	0		12	3			
LAMBERTVILLE		48.6	31.2	39.9	6.2	72	7	16	19	771	0	1	16	0	3.67	.52	1.06	14	T	0		10	2			
LAYTON 3 NW		43.8	22.7	33.3	4.5	64	7	2	31	978	0	1	26	0	4.83	2.09	1.48	14	9.7	1	9+	10	2			
LITTLE FALLS 1 E	AM	47.6	29.5	38.6	5.0	69	8	12	31	813	0	1	18	0	4.16	.38	1.18	15		1	10+	10	4			
LONG VALLEY		46.1	27.7	36.9		66	7	8	31	862	0	1	19	0	4.63	1.07	1.87	14	1.0	0		7	2			
MORRIS PLAINS		46.6	28.3	37.5		66	7	7	31	848	0	1	19	0	4.18		1.36	14	.9	T	10+	9	2			
NEWARK WB AIRPORT	R	47.3	32.5	39.9	5.9	69	7	15	30	767	0	1	14	0	3.22	.12	1.12	14	1.3	T	10+	10	1			
NEWTON	AM	42.6	25.3	34.0	4.1	61	8	9	31	952	0	1	23	0	4.43	1.30	1.30	15	2.5	1	2+	11	3			
PATERSON	AM	47.4	31.8	39.6	5.5	68	8	15	30+	781	0	1	15	0	4.86	1.18	1.34	15	.1	0				1		
PHILLIPSBURG		48.0	29.9	39.0	6.5	73	7	3	30	800	0	0	18	0	6.34	2.77	1.80	14	.5	1	27	10	3			
PLAINFIELD		47.6	30.8	39.2	5.1	67	7	12	31	791	0	1	16	0	3.96	.53	1.51	14	.2	T	9	10	2			
RIDGEFIELD		46.4	30.6	38.5	5.0	66	7	15	30	814	0	1	17	0	4.59	.99	1.63	14	1.3	1	9	9	3			
SOMERVILLE		48.4	29.9	39.2	6.0	69	7	13	31	794	0	1	18	0	3.93	.70	1.32	14	.2	T	9	9	2			
SUSSEX 3 N	AM	41.3	24.4	32.9	2.3	58	8	8	31	990	0	2	26	0	3.77	.35	.93	15				10	3			
DIVISION				37.4	4.9										4.34	.87			1.2							
SOUTHERN																										
AUOUBON		50.4	33.7	42.1		72	7	18	31	704	0	1	14	0	4.21		1.50	14	T	0		9	3			
BELLEPLAIN		55.5	33.1	44.3		69	7+	12	31	635	0	0	16	0	5.18	1.65	1.01	16	1.0	1	29	16	3			
BRIOGETON 1 NE	AM	51.8M	32.2M	42.0M		71	8	14	31	715	0	0	16	0	3.81		.80	16	.0	0		9	3			
BURLINGTON		50.6	33.9	42.3	6.3	71	7	18	31	698	0	0	14	0	3.61	.67	1.00	14		0		8	2			
CHATSWORTH 5 S		53.0M	32.4M	42.7M		75	7	11	31	691	0	1		0	4.77				.0	0						
CLAYTON		50.3	35.0	42.7		69	7	18	19+	687	0	0	8	0	3.12		.72	14+	T	0		8	3			
FREEHOLD		49.0	32.2	40.6	5.9	71	7	13	31	746	0	1	15	0	3.95	.57	.85	14	.6	0		8	4			
HAMMONTON 2 NNE	AM	51.8	33.3	42.6	6.5	77	8	16	31	691	0	0	14	0	3.92	.80	.80	14	.0	0		9	4			
HIGHTSTOWN 1 N		48.8	32.5	40.7	6.4	69	7	15	31	744	0	1	15	0	3.41	.49	.97	14	T	T	29	9	2			
INOIAN MILLS 2 W		50.9	31.3	41.1	6.1	74	7	12	31	735	0	1	15	0	4.33	1.21	1.46	14	T	0		10	2			
LAKEWOOD 2 ENE																										
LEESBURG STATE FARM	AM	52.7M	34.4M	43.6M		68	8	17	31	656	0	0	15	0	3.91		.91	16	.0	0		9	4			
MOORESTOWN		49.5	33.2	41.4	6.6	70	7	18	19+	726	0	1	16	0	4.43	1.68	1.20	15	T	0		9	3			
NEW BRUNSWICK EXP STA		48.5	31.6	40.1	5.9	69	7	13	31	765	0	0	16	0	4.12	1.06	1.20	14	T	T	29	9	2			
PEMBERTON 3 E		51.5	32.9	42.2	6.5	73	7	14	31	701	0	0	15	0	4.41	1.50	1.05	14	.0	0		10	3			
PLEASANTVILLE 1 N	AM	51.9	31.0	41.5	6.0	70	8	16	19	722	0	0	18	0	4.42	.84	1.10	16	.5	0		9	4			
RUNYON		49.6	28.6	39.1	7.6	70	7	11	19	796	0	1	17	0	4.24	.90	1.06	14				11	3			
TRENTON 2						68	7				0			0	3.68	.39	1.26	14		0			1			
TRENTON WB CITY	R	48.5	33.9	41.2	6.2	69	7	17	30	728	0	1	12	0	3.22	.44	1.04	14	.2	T	10+	10	1			
TUCKERTON 2 SW	AM																									
DIVISION				41.8	6.6										4.04	.88			.2							
COASTAL																										
ATLANTIC CITY WB	R	51.7	38.6	45.2	7.0	67	8	23	30	605	0	1	9	0	4.15	.84	1.21	15	T	0		9	2			
CAPE MAY 3 W		53.0	39.5	46.3		65	7	24	19	575	0	0	5	0			1.50	15	.0	0			2			
LONG BRANCH		49.4	33.9	41.7	6.5	73	7	15	30	717	0	1	12	0	4.35	.81	1.82	14	.2	T	29+	10	1			
SANDY HOOK LBSTA		47.4	35.5	41.5	5.4	65	7	16	30	723	0	0	10	0	4.45	1.38	1.32	15	T	0		7	4			
DIVISION				43.7	6.8										4.32	1.11			.1							

NEW JERSEY
DECEMBER 1936

Table 3

Station		Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	R	4+19																																
AUDUBON		4+21																																
BASS RIVER ST FOREST		4+19																																
BELLERPLAIN		5+18																																
BELMAR		4+19																																
BELVIDERE		5+33																																
BERLIN 1 W		4+40																																
BLACKWELLS MILLS		4+14																																
BOONTON 2 SE		4+21																																
BOUND BROOK 1 W																																		
BRANCHVILLE		4+41																																
BRIDGEOTON 1 NE		3+81																																
BURLINGTON		3+81																																
CANISTEAR RESERVOIR		4+01																																
CANOE BROOK		4+58																																
CANTON		3+87																																
CAPE MAY 3 W		5+42																																
CEDAR GROVE		4+60																																
CHARLOTTEBURG		4+32																																
CHATHAM																																		
CHATSWORTH 5 S		4+77																																
CLAYTON		3+12																																
CLINTON		4+07																																
DEEPWATER		3+00																																
ELIZABETH		4+24																																
ELIZABETHPORT		3+82																																
ESSEX FIELDS SERV BLDG		3+80																																
FLEMINGTON 1 NE		3+78																																
FORTESCUE																																		
FRESHOLD		03+05																																
GREENWOOD LAKE		5+03																																
HAMMONTON 2 NNE		3+02																																
HIGH POINT PARK		4+00																																
HIGHTSTOWN 1 N		3+41																																
INDIAN MILLS 2 W		4+33																												</				

DAILY TEMPERATURES

NEW JERSEY
OCTOBER 1956

Table 5

Station		Day Of Month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
ATLANTIC CITY W8	MAX	38	48	59	61	53	59	59	67	50	47	55	53	61	51	51	58	53	52	45	58	58	54	50	52	46	40	48	51	48	30	49	51.7	
	MIN	28	33	42	41	38	50	52	50	31	28	44	47	41	41	44	45	43	29	24	40	47	47	43	44	36	31	35	39	30	23	30	38.6	
AUGUBON	MAX	39	43	64	59	55	62	72	64	49	45	54	56	60	43	43	58	52	50	43	58	51	51	48	47	44	39	42	50	42	30	50	50.4	
	MIN	24	30	38	31	32	45	43	48	30	25	34	45	37	35	37	40	40	28	19	35	43	42	38	38	36	27	27	30	29	21	18	33.7	
BELLEPLAIN	MAX	48	46	59	63	60	68	69	69	56	48	59	58	65	59	55	56	52	51	49	60	64	57	58	58	52	44	45	53	52	35	52	55.5	
	MIN	18	31	32	22	30	49	44	45	31	20	25	44	50	37	44	43	39	33	19	26	38	45	42	44	36	23	23	28	32	22	12	33.1	
BELVIDERE	MAX	31	39	52	53	54	59	62	59	44	38	47	47	55	40	35	51	50	49	35	50	53	49	44	42	42	40	37	39	35	29	43	45.3	
	MIN	21	27	31	26	26	34	37	43	31	21	30	40	37	32	33	34	32	28	16	28	34	36	34	35	34	20	26	26	30	12	12	29.2	
BOONTON 2 SE	MAX	36	37	40	54	54	41	62	65	56	37	38	45	54	57	35	41	55	53	45	41	50	54	44	38	43	42	37	35	38	37	23	44.7	
	MIN	19	21	32	28	24	24	39	42	35	19	21	32	43	32	32	34	31	33	15	20	32	34	36	35	36	21	21	25	28	14	10	28.0	
BRIDGETON 1 NE	MAX	36	39	44	62	59	55	65	71					23	29	53	62	51	45	55	50	50	46	55	56	50	43	44				51	51.8	
	MIN	20	24	36	29	32	39	45						23	29	39	36	39	39	39	42	16	26	41	43	39	38	22	23				14	32.2
BURLINGTON	MAX	39	40	62	60	54	60	71	64	49	44	55	56	60	45	44	57	53	51	42	57	52	51	50	50	46	42	40	47	45	34	49	50.6	
	MIN	27	34	38	29	30	46	42	47	34	25	27	45	44	35	37	39	37	32	20	32	36	44	40	37	38	24	27	32	31	23	18	33.9	
CANOE BROOK	MAX	36	42	42	57	55	46	63	69	58	38	47	54	62	55	37	41	55	56	44	46	51	55	44	42	44	42	39	36	39	38	23	47.0	
	MIN	17	21	31	24	21	35	35	49	35	20	20	38	42	25	33	35	29	30	14	24	29	33	36	36	38	20	20	25	25	3	9	27.5	
CAPE MAY 3 W	MAX	48	45	56	57	57	62	65	64	55	45	56	54	60	56	54	52	50	52	48	54	57	55	54	52	49	46	53	53	49	37	48	53.0	
	MIN	32	33	42	34	39	49	49	51	42	33	40	46	45	40	46	44	42	42	24	35	43	48	44	45	40	30	42	40	33	25	27	39.5	
CHARLOTTEBURG	MAX	34	36	38	53	50	48	64	67	53	38	18	47	54	57	34	42	53	52	43	52	49	50	44	38	43	37	37	34	41	40	21	44.5	
	MIN	15	18	29	29	22	25	39	45	32	18	18	34	39	31	30	32	27	26	10	10	28	37	34	33	34	23	16	23	20	10	10	25.7	
CHATSWORTH 5 S	MAX	38	44	63	60	55	70	75	67	60	45	59	67		51	50	58	51									47	41	43	49	45	30	51	53.0
	MIN	18		35	25	29	52	39	49	37	21	24		36	45	40	43	36									41	24	24	34	30	20	11	32.4
CLAYTON	MAX	35	40	62	58	53	62	69	63	58	43	54	57	59	51	42	55	49	49	43	54	51	51	49	49	43	36	41	50	45	38	49	50.3	
	MIN	27	29	38	32	33	45	43	49	39	34	33	46	37	34	36	43	39	36	18	36	43	44	40	37	33	28	29	34	35	18	18	35.0	
ELIZABETH	MAX	39	45	59	60	48	61	67	64	49	41	49	56	58	46	40	59	57	50	39	55	52	46	46	46	45	42	38	44	45	32	47	49.2	
	MIN	20	25	35	27	30	42	39	43	32	20	24	44	44	33	35	38	32	31	17	28	35	36	37	32	36	21	24	29	30	15	12	30.5	
ESSEX FIELDS SERV BLDG	MAX	35	45	47	58	52	53	62	67	60	36	52	50	49	45	35	46	50	53	48	54	52	52	44	40	44	42	35	38	37	40	24	46.6	
	MIN	18	20	28	35	30	30	36	44	34	25	30	32	30	31	33	35	38	35	18	20	38	38	34	33	30	20	20	29	30	14	15	29.1	
FLEMINGTON 1 NE	MAX	37	40	59	56	47	61	70	60	48	40	49	54	58	44	38	57	55	47	39	53	57	52	45	42	45	40	38	43	39	32	47	48.1	
	MIN	17	27	30	22	22	42	35	48	30	25	19	43	43	33	34	36	30	29	15	28	35	35	36	36	33	18	24	25	30	15	10	29.2	
FREEHOLD	MAX	39	42	61	55	49	62	71	63	48	42	55	55	54	45	43	56	58	48	39	54	50	49	49	44	43	40	39	45	44	31	47	49.0	
	MIN	22	27	36	32	30	45	48	45	33	21	30	45	36	34	36	38	37	29	17	31	38	42	37	37	34	23	25	30	30	16	13	32.2	
HAMMONTON 2 NNE	MAX	37	43	45	54	62	55	69	77	67	50	51	59	66	65	51	50	59	51	50	45	58	54	52	45	48	42	39	43	44	38	36	51.8	
	MIN	23	25	38	33	29	31	50	53	40	24	27	36	45	36	39	40	40	41	19	20	38	42	34	39	38	26	25	32	30	22	16	33.3	
HIGH POINT PARK	MAX	29	31	32	46	41	47	59	60	49	31	31	42	50	49	35	35	48	42	34	41	39	45	41	34	45	45	38	31	34	29	25	39.9	
	MIN	18	19	27	31	19	22	37	41	28	14	23	28	29	26	26	26	32	33	11	17	28	38	29	28	30	13	18	14	21	4	5	23.7	
HIGHTSTOWN 1 N	MAX	38	41	60	57	50	60	69	63	52	41	53	54	58	48	41	56	54	49	38	54	49	49	47	43	43	40	39	45	44	32	46	48.8	
	MIN	23	28	35	28	28	45	44	52	36	22	28	45	43	33	36	38	36	32	18	32	36	41	37	37	35	23	26	30	30	17	15	32.5	
INDIAN HILLS 2 W	MAX	38	43	63	59	54	66	74	65	53	45	57	57	61	48	46	56	50	50	43	55	52	50	50	46	45	40	41	49	42	31	50	50.9	
	MIN	17	26	35	25	27	39	40	53	33	19	26	44	45	35	38	40	34	31	13	29	36	40	38	39	36	19	21	27	31	21	12	31.3	
JERSEY CITY	MAX	35	44	57	55	45	55	66	59	37	38	50	57	56	38	39	56	54	46	37	52	47	45	43	42	43	38	39	43	40	24	45	46.0	
	MIN	28	31	38	28	30	42	48	40	26	20	27	45	36	32	35	39	41	25	21	35	39	43	36	37	30	28	29	36	30	16	21	32.6	
LAXEWOOD 2 ENE	MAX																																	
	MIN																																	
LAMBERTVILLE	MAX	38	40	60	57	52	62	72	61																									

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
DECEMBER 1956

Station		Day Of Month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
RUNYON	MAX MIN	40 16	44 28	62 33	60 28	53 26	64 35	70 38	67 44	53 34	44 20	53 21	58 36	60 34	47 34	41 33	57 33	56 34	46 32	39 11	55 25	48 30	40 32	47 34	43 38	44 37	47 17	39 20	44 25	39 31	32 15	47 12	49.6 28.6	
SANDY HOOK LBSTA	MAX MIN	38 30	41 33	52 39	51 38	49 32	55 47	65 47	60 46	46 34	40 27	52 36	52 45	55 45	43 37		53 38	56 40	46 28	39 28	52 37	48 39	47 41	47 39	44 38	43 29	41 31	41 36	45 30	45 16	34 19	44 19	47.4 35.5	
SOMERVILLE	MAX MIN	38 18	43 19	60 32	56 24	47 28	60 43	69 39	61 48	49 32	40 19	49 22	44 35	58 48	43 33	43 35	56 38	56 32	48 29	39 14	52 27	56 34	47 39	45 37	42 36	39 19	37 22	42 25	41 32	32 15	47 13	48.4 29.9		
SUSSEX 3 N	MAX MIN	34 17	37 19	38 28	52 21	48 22	38 22	51 35	58 45	51 30	30 10	35 17	46 29	54 34	51 26	33 28	34 30	47 26	47 30	43 26	38 13	46 27	43 33	42 32	35 31	43 33	43 19	35 17	35 25	38 21	35 10	20 8	41.3 24.4	
TRENTON 2	MAX MIN	39 26	43 32	61 37	57 33	52 30	61 48	68 47	61 44	44 28	42 26	48 34	53 46	50 39	40 35	41 36	55 40	55 40	50 40	39 27	52 33	52 32	39 31	39 32	39 31	40 33	46 19	46 22	38 25	40 32	40 15	48 13	48.5 33.9	
TRENTON WB CITY	MAX MIN	39 26	41 34	61 38	58 35	52 32	58 49	69 48	60 43	43 28	42 27	54 33	54 44	59 35	41 34	40 36	57 39	53 42	49 25	39 22	55 36	52 43	50 41	46 37	46 38	45 31	38 28	40 29	46 30	41 26	26 17	48 20	48.5 33.9	
TUCKERTON 2 SW	MAX MIN																																	

DAILY SOIL TEMPERATURES

DEPTH		Day of month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
NEW BRUNSWICK EXP STATION																																		
MEASURED UNDER SOD																																		
1 INCH	MAX MIN	37 32	40 33	45 37	45 36	43 25	50 43	52 44	53 45	45 37	41 35	43 34	47 43	50 42	42 39	41 39	48 41	49 41	44 35	39 32	45 31	46 40	44 43	43 40	43 40	43 40	40 36	37 34	40 33	38 34	33 30	32 30	43.2 38.7	
2 INCHES	MAX MIN	37 33	40 34	44 38	44 37	42 26	42 44	46 44	46 39	47 37	41 35	42 43	46 43	49 40	43 40	42 41	47 41	47 37	44 34	38 33	43 40	45 43	44 43	43 41	43 41	43 37	40 35	37 34	39 35	38 34	34 31	31 31	40.2 37.6	
4 INCHES	MAX MIN	37 34	39 35	43 38	43 38	42 28	48 42	49 44	51 47	47 40	41 38	42 36	46 42	48 44	44 40	42 41	46 41	47 42	44 38	43 35	43 33	44 40	44 43	43 41	43 41	43 41	40 38	39 38	38 35	35 35	35 32	33 32	42.6 38.2	
8 INCHES	MAX MIN	40 37	39 37	41 39	40 40	45 42	48 45	49 47	47 44	40 40	43 39	42 42	44 44	47 44	46 43	45 42	44 43	45 43	46 42	42 39	41 39	43 41	44 43	44 43	43 42	43 42	41 41	40 39	41 37	40 38	40 37	38 35	43.0 40.5	
18 INCHES	MAX MIN	42 40	41 40	42 41	43 42	43 43	45 45	46 46	47 45	46 44	47 44	44 42	45 43	48 44	46 44	44 44	45 44	45 44	45 44	44 42	43 41	44 42	44 43	44 44	44 43	44 43	44 43	43 41	42 40	41 40	41 40	38 37	43.8 42.3	
32 INCHES	MAX MIN	46 46	46 45	46 45	45 45	45 45	46 45	46 45	47 46	47 46	47 46	47 46	46 46	46 46	47 48	48 46	48 46	47 46	46 46	46 46	46 45	46 45	45 45	46 45	46 45	46 45	46 45	48 44	45 44	44 44	44 43	44 42	45.8 45.2	

Measured under Kentucky Bluegrass.

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	14.8	38	NE	-	-	-	-	-	3	4	7	1	1	0	18	38	7.9
LONG BRANCH	SW	18	14.4	42	E	14	-	83	75	76	0	4	9	0	1	0	14	45	7.7
NEWARK WB AIRPORT	SW	14	9.1	35++	NNW	18	85	87	71	77	6	8	9	0	1	0	22	-	7.3
TRENTON WB CITY	-	-	8.9	34	NW	30	-	-	-	-	5	5	9	0	1	0	20	40	7.1
++ Fastest observed one minute wind speed. This station is not equipped with automatic recording wind instruments. Ø 12:00 Noon																			

++ Fastest observed one minute wind speed. This station is not equipped with automatic recording wind instruments.
Ø 12:00 Noon

SNOWFALL AND SNOW ON GROUND

NEW JERSEY
DECEMBER 1956

Table 7

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV																														T	
BELVIDERE	SNOWFALL SN ON GND									T																			T			
CHARLOTTEBURG	SNOWFALL SN ON GND			.3 T							1.5 2	1																	T T			
CLAYTON	SNOWFALL SN ON GND																									T	T					
FLEMINGTON 1 NE	SNOWFALL SN ON GND		T	T						T T	T T				T													.5 T		T		T
FREEHOLD	SNOWFALL SN ON GND																													.4	.2	
HIGHTSTOWN 1 N	SNOWFALL SN ON GND		T								T																	T		T T		
INDIAN MILLS 2 W	SNOWFALL SN ON GND																											T		T		
LAMBERTVILLE	SNOWFALL SN ON GND									T																		T		T		
LAYTON 3 NW	SNOWFALL SN ON GND			2.2						1.5 1					1.5 1	1.0 1	T											1.0 T	2.0 T	.3		.2
LITTLE FALLS WATER CO	SNOWFALL SN ON GND										- 1	1			- T																	
LONG BRANCH	SNOWFALL SN ON GND									T																		T		.2 T	T	
LONG VALLEY	SNOWFALL SN ON GND																											1.0				
MAYS LANDING	SNOWFALL SN ON GND																											T				
MOORESTOWN	SNOWFALL SN ON GND																												T			
MORRIS PLAINS	SNOWFALL SN ON GND		T	.1						T	.5 T																	.3 T	T	T		T
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV									1.1 T				T	T													.1 T	T	.1		T
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND									T																		T		T T		
NEWTON	SNOWFALL SN ON GND		.5 1								1.0 1	1.0 1																				
PATERSON	SNOWFALL SN ON GND																													.1		
PHILLIPSBURG	SNOWFALL SN ON GND		T	T							T																T	.5 1	T			T
PLAINFIELD	SNOWFALL SN ON GND		T							.2 T					T														T		T	T
RAHWAY	SNOWFALL SN ON GND									T T																			T		T T	
RIDGEFIELD	SNOWFALL SN ON GND									.8 1	.2																		T		.3 T	
SOMERVILLE	SNOWFALL SN ON GND									T T																			.2		T	
TRENTON WB CITY	SNOWFALL SN ON GND		T									T																	.1		.1	T

CLIMATOLOGICAL DATA

NEW JERSEY
DELAYED DATA

TABLE 2

Station	Temperature											Precipitation											
	Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
										Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
										30° or Above	31° or Below	32° or Above	33° or Below										
SEPTEMBER 1956																							
MILLVILLE	76.8M	56.0M	66.4M		89	15	37	21	112	0	0	0	0	2.38		1.14	7	.0	0		5	2	1
SANDY HOOK LB STA	71.0	60.0	65.5		85	14	44	21		0	0	0	0	3.16				.0	0		7	2	
OCTOBER 1956																							
MILLVILLE	67.7M	47.0M	57.3M		79	16			236	0	0	0	0			1.93	23	.0	0				
NOVEMBER 1956																							
MILLVILLE	58.4M	37.4M	47.9M		75	3	14	24	515	0		0	0	4.28		2.00	2	T	0		4	3	2

See reference notes following Station Index.

DAILY PRECIPITATION

Table 3

NEW JERSEY
DELAYED DATA

Station	Day of month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SEPTEMBER 1955																																
BRIDGETON 1 NE		.03									.03	.03						.01		1.23	.29			.53	.29			.26	.02			2.72
OCTOBER 1955																																
BRIDGETON 1 NE	.13					.16	.11	.07	.33					T	2.24										.19					1.52		4.75
NOVEMBER 1955																																
BRIDGETON 1 NE				.07							1.06					.17				.44												1.74
DECEMBER 1955																																
BRIDGETON 1 NE			.02							.29															T							.31
JANUARY 1956																																
BRIDGETON 1 NE										.37	.43	.22	.03	.07		.14			.44										.06	.20	.05	2.01
FEBRUARY 1956																																
BRIDGETON 1 NE	.09	.66		.41			.74		T		.17	.32						.93	.03						.17	.01		.10				3.65
MARCH 1956																																
BRIDGETON 1 NE	.02	.27	.13				.02	.09	.54		.06	.07	.52	.65	.75		.70		.10	.07				.04						.32		4.35
SEPTEMBER 1956																																
MILLVILLE			T				1.14	.03				T	T		.01	.09	.01	.23		.11		T		.05	.12		.03	.56	T			2.36
SANDY HOOK LB STA	.05					.93	.03					T		T	.27	.21	.44			.11				.42			.09	.61				3.16
OCTOBER 1956																																
MILLVILLE	T				.37		.27											1.50	.31			.03	1.93				-			-		-
NOVEMBER 1956																																
BERLIN 1 W	.50	.35	.10												1.25	.30						.75										3.25
MILLVILLE	2.00	.02					T	.06	.05				.05	.06	T		.37		1.05	T			.53			.09	T					4.26


DAILY TEMPERATURES

Table 5

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
SEPTEMBER 1956																																	
MILLVILLE	MAX MIN	91 72	90 75	91 65	87 64	88 63	85 68	86 64	70 51	72 46	68 42	73 50	61	78 65	84 66	89 82		83 60	86 51	69 40	72 57	63 37	63 41		87 57	67 47	72 50	66 52	59 53	58 53	76.8 58.0		
SANDY HOOK LB STA	MAX MIN	76 72	79 70	79 68	78 71	82 68	80 71	74 66	69 59	65 56	67 56	70 58	73 65	76 65	85 68	78 56	74 59	77 66	66 56	68 60	64 56	62 44	68 48	73 59	72 60	66 57	62 52	57 52	57 54	69 52	64 56	71.0 60.0	
OCTOBER 1956																																	
MILLVILLE	MAX MIN	64 48	68 41	72 52	71 54	68 56			70 43	69 46	70 38		59 31	61 40		72 37	79 43	77 49	72 59	68 44	60 39		70 50	69 62	69 55	70 44	54 46	58 48		64 47	67 55	67.7 47.0	
NOVEMBER 1956																																	
MILLVILLE	MAX MIN		71 63	75 52		69 45	64 55	69 53	68 54	58 42	45 35		58 21	68 43	54 42	65 42	70 53	72 40		48 26	52 25			66 27	32 14		48 17	49 30	48 28	43 31	51 29	58.4 37.4	

TOTAL PRECIPITATION


NEW JERSEY
DECEMBER 1956



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

AVERAGE TEMPERATURE

NEW JERSEY
DECEMBER 1956



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
DECEMBER 1956

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	
ALLEMALE	0100	BERGEN	8 41 02	74 08	270	70	MIO	BERGEN COUNTY ENGS	2 3 5	C	MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	584	VA	NEWARK WATER DEPT	3	
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8	10	MIO	U. S. WEATHER BUREAU	2 3 5	7	C	MAHNAH	5104	BERGEN	8 41 06	74 10	253	VA	ROBERT G. GLASCO	3
AUDUBON	0364	CAMDEN	2 19 34	75 04	30	11	P	JOHN J. NYGREN	2 3 5	7	C	MANVILLE	5197	SOMERSET	10 40 33	74 34	30	7A	JOHN L. RADLIFE	3
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 20	20	6	6P	N.Y. FORESTRY SVC	2 3 5	7	C	MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	GEORGE BRILL	3
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	49	5P	SP	MR. E. C. HOFFMAN	2 3 5	7	C	MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM	3
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	5P	MIO	CITY WATER DEPT	2 3 5	7	C	MAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50	SP	ALMER EARLE	3
BELVIDERE	0729	WARREN	2 40 50	75 05	289	5P	SP	MISS C. S. HIXSON	2 3 5	7	C	MIDLAND PARK	5503	BERGEN	8 40 59	75 09	210	MIO	CUNLIFF HOWARD	3
BERLIN 1 W	0787	CAMDEN	1 39 48	74 57	130	10	P	7A SAMUEL W. MC CULLEY	2 3 5	7	C	MILLVILLE	5676	CUMBERLAND	6 39 24	75 03	60	MIO	L. J. GALLAGHER	3
BLACKWELLS HILLS	0847	SOMERSET	10 40 29	74 35	27	7A	7A	MENRY H. MILLER	2 3 5	7	C	MILTON	5597	MORRIS	8 40 01	74 32	950	7A	JERSEY CITY WTR WKS	3
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	8A	7A	JERSEY CITY WTR WKS	2 3 5	7	C	MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	MID	BA H. J. WILLARD	2 3 5
BRANCHVILLE	0970	SUSSEX	2 41 09	74 47	570	7A	ALBERT H. OAKENFORD	2 3 5	7	C	MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500	4P	JAMES C. LONG	2 3 5	
BRIDGETON 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RA	RADIO STATION WSHJ	2 3 5	7	C	NEARBY AIRPORT	6026	MIDDLESEX	10 40 28	74 20	80	SP	ARTHUR H. AHLWIST	2 3 5
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	6P	PUBLIC SVC E + G CO	2 3 5	7	C	NEW BRUNSWICK EXP STA	6662	BERGEN	4 40 57	74 02	12	MID	HICKENACK WATER CO	3
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	9A	BA	NEWARK WATER DEPT	2 3 5	7	C	NEW MILFORD	6146	BERGEN	2 41 03	74 45	565	8A	NEWTON WTR SHH COMM	2 3 5
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	BA	COMMONWEALTH WTR CO	2 3 5	7	C	NEWTON	6177	SUSSEX	2 41 03	74 45	565	8A	NEWTON WTR SHH COMM	2 3 5
CANTON	1343	SALEM	2 39 28	75 25	10	9A	SC	GERTRUDE W. HILLIS	2 3 5	7	C	OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	BA	NEWARK WATER DEPT	3
CAPE MAY 3 W	1351	CAPE MAY	1 39 56	74 57	17	SP	SP	NIMEST MAGNETIC CO	2 3 5	7	C	OLDICK	6544	HUNTERDON	10 40 40	74 45	260	BA	UN A. COUGHLIN	3
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	6A	J. A. PLUNKETT	2 3 5	7	C	ORANGE	6550	ESSEX	1 40 47	74 14	140	MID	CUNTY ENGLISH	3	
CENTERTON	1512	SALEM	6 39 31	75 10	80	MIO	JOHN HOPKINS UNIV.	2 3 5	7	C	PATERSON	6775	PASSAIC	8 40 55	74 09	100	8A	P. J. DEL VECCHIO	2 3 5	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	780	7A	7A	NEWARK WATER DEPT	2 3 5	7	C	PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 58	60	SP	CHARLES A. DOLPHERT	2 3 5
CHATHAM	1590	MORRIS	8 40 44	74 23	185	BA	EDWARD P. HOLISTON	2 3 5	7	C	PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWEE DISPOSAL PLT	2 3 5	
CHATSORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P	SP	WILLIAM S. MAINES	2 3 5	7	C	PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	182	9A	JOINT TOLL BRIDGE CO	3
CLAYTON	1700	GLOUCESTER	6 39 39	75 06	120	6P	6P	HARRY P. CAMPBELL	2 3 5	7	C	PLAINFIELD	7079	UNION	10 40 36	74 25	120	8P	SP W. K. PEARSON	2 3 5
CLINTON	1749	HUNTERDON	10 40 31	74 51	134	5P	6P	L. W. KLOCKER	2 3 5	7	C	PLEASANT RUN	7123	HUNTERDON	10 40 34	74 40	140	7A	JUNN H. SCHRYMAN	3
COEPATER	2209	SALEM	2 39 41	75 30	12	MIO	U. P. O. DE MOURIS	2 3 5	7	C	PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	8A	ATLANTIC CITY WTR AK	2 3 5	
ELIZABETH	2644	UNION	1 40 40	74 14	33	SP	UNION CO PARK COM	2 3 5	7	C	PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	40	MIO	PHILKETON WATER CO	3	
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30	8A	BA	SEWAGE TREATMENT PL	2 3 5	7	C	RAMAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH	3
ESSEX FELLS SERV BLDG	2708	ESSEX	8 40 50	74 18	250	8A	BA	BOROUGH ESSEX FELLS	2 3 5	7	C	RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	MID GEORGE P. KIRSTEN	2 3 5
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	6P	L. W. KLOCKER	2 3 5	7	C	RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NEW JERSEY WTR SUPPLY	3
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	7A	JOHN LOPER	2 3 5	7	C	RUNYON	7825	MIDDLESEX	1 40 26	74 20	18	6P	NAJ. WATER COM	2 3 5	
FREEDHOLD	3181	MONMOUTH	10 40 15	74 17	194	6P	6P	FRANK J. MUKAU	2 3 5	7	C	SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD	3
GLASSBORO	3291	GLOUCESTER	2 39 42	75 07	150	MID	PROF. J. B. SANGREE	2 3 5	7	C	SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	MR. E. MAYER	2 3 5	
GREAT MEADOWS 4 N	3416	WARREN	2 40 56	74 55	550	MID	MICHAEL OZYOSKI JR.	2 3 5	7	C	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 18	800	10A	JERSEY CITY D P W	3	
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	680	7A	GEORGE T. WIGGINS	2 3 5	7	C	SPRINGFIELD	8423	UNION	7 40 41	74 28	—	MID	NAJ. DEPT OF CONS	3	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MIO	BERGEN COUNTY ENGS	2 3 5	7	C	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A	PRICE B. STANTON	2 3 5	
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	8A	BA	HUBBARD PARKHURST	2 3 5	7	C	SWEDESBORO 5 NN	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO	3
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 40	1000	8A	BA	N. J. DEPT. OF CONS	2 3 5	7	C	TIONS RIVER	8816	OCEAN	1 39 57	74 14	10	SP	ROBERT F. SHYDER	3
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	6P	6P	JAMES W. PICKERING	2 3 5	7	C	TRANQUILITY 2 W	8856	WARREN	2 40 57	74 50	551	MID	PA. J. ERVY	3
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MIO	DEPT WATER + SEWAGE	2 3 5	7	C	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	U. S. WEATHER BUREAU	2 3 5	
INDIAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7	C	TRUCKERTON W. CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU	2 3 5	
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MIO	JOINT MEETING GARAGE	2 3 5	7	C	TRUCKERTON 2 SW	8899	OCEAN	1 39 35	74 22	45	8A	VERNON W. HUTT	2 3 5	
JERSEY CITY	4339	HUNTERDON	1 40 44	74 04	135	MIO	MID JERSEY CITY WTR DEPT	2 3 5	7	C	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR NUTEN	3	
LAKWOOD 2 EME	4677	OCEAN	5 40 06	74 11	54	MIO	MID GEORGE W. WOODILL	2 3 5	7	C	WANAQUE RAYMOND DAM	9487	PASSAIC	8 41 03	74 18	200	8A	WATER SUPPLY COM	3	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	6P	E. A. CASE	2 3 5	7	C	WATCHUNG	9271	UNION	8 40 40	74 25	—	MID	JOHNIE BURN SATY	3
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	6P	A. M. DEPUCE	2 3 5	7	C	WESTVILLE	9363	HUNTERDON	10 40 27	74 48	160	7A	ROBERT W. HANLERS	3
LEESBURG STATE FARM	4762	CUMBERLAND	8 39 14	74 58	10	8A	BA	LEESBURG STATE FARM	2 3 5	7	C	WESTFIELD	9455	UNION	9 40 39	74 21	135	SP	TOWN ENGINEER	3
LITTLE FALLS 1 E	4807	PASSAIC	8 40 53	74 14	157	9A	BA	PASSAIC VLY WTR COM	2 3 5	7	C	WOODCLIFF LAKE	9832	BERGEN	8 41 01	74 03	103	MID	HACKENACK WATER CO	3
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34	MIO	MID STORM WARM. OSPL STA	2 3 5	7	C	WOODSTOWN 2 NN	9910	SALEM	2 39 40	75 20	16	6P	WOODROW W. HALTER	INAC	
LONG VALLEY	5003	MORRIS	1 40 48	74 46	660	6P	6P	ARTHUR BARKMAN	2 3 5	7	C	NEW STATIONS								
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LANTON	2 3 5	7	C	BOUND BROOK 1 W	9927	SOMERSET	10 40 33	74 33	20	8A	AMERICAN CYANAMID CO	3	

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MORRIS; 7-MULICA; 8-PASSAIC; 9-RARITAN; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent samples published in Table 7 are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

And also on a later date or dates.

Amount included in following measurement, time distribution unknown.

Amount is equipped with a windshield.

Thermometers are generally exposed in a shelter located a few feet above and covered ground, however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

Data based on observational day ending before noon.

Adjusted to a full month.

In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Bourly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M One to nine days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).

T Trace, an amount too small to measure.

Y Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of substations through 1955 may be found in the publication 'Substation History' for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 2 B 57 --- 750

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

ANNUAL SUMMARY 1956

Volume LXI No. 13



THE LIBRARY OF THE

MAR 23 1957

UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

In spite of an unusually cool spring and summer, the yields per acre of several crops reached record high levels during the year. Adequate precipitation was an important factor in this achievement. Snow and ice storms in March and December caused extremely great damages and many casualties. December was unusually warm, one of the warmest on record.

WEATHER EFFECTS

Farm work was severely limited by cold weather in January and by wet conditions in February and March. As a result, most field operations got off to a slow start in April, and all crops were about ten days to two weeks late due to a prolonged cold spell during the month. Conditions took a turn for the better during the first half of May, during which all crops made excellent progress favored by warm temperatures and well-spaced rains. Frost on May 17 brought heavy damage to cranberries in unprotected bogs, and considerable damage to blueberries and other crops. An exceptionally late frost on May 25 again caused extensive damage to unprotected cranberries and to blueberries, strawberries, snap beans, cucumbers, and tomatoes. Crops made a good but slow, comeback during the latter part of May and first third of June as nighttime temperatures remained cool. Warmer temperatures after the middle of June promoted excellent growth, but some irrigation was also required. Harvesting of blueberries, tomatoes, and corn and general field work were interrupted by frequent rains in July; crops made excellent growth during the month in spite of rather cool temperatures. Several rainless periods in August provided excellent opportunities for curing hay, and for harvest and cultivation operations. Late summer vegetables and fall crops made good growth. Lima beans, and green and red peppers moved in volume in August, and harvesting of broccoli, cauliflower, lettuce, and spinach commenced. In spite of somewhat deficient rainfall and cooler than usual temperatures in September, late season crops, particularly the hardy fall vegetables, made satisfactory progress. Frosts on September 10 and 20 damaged immature cranberries on unprotected bogs, and tender vegetables on the highlands, delaying the cranberry harvest and reducing the fresh vegetable movement. Ground preparation for winter grains made good headway. The harvesting of apples, peaches, and grapes progressed under favorable September weather. A long dry spell after the first week in October was very favorable for harvest operations. Frosts on October 10th-12th practically closed out the tender vegetable harvest, but movement of hardy varieties and root crops reached their peak. Plentiful moisture supplies and mild weather during the latter part of October enabled winter grains to get a good start. Harvesting of grain corn and soybeans was interrupted by wet weather at the beginning of November, and the harvest was completed in a warm December.

May frosts sharply reduced the crops of cranberries and blueberries, but had lesser effects on other New Jersey crops. The rest of the growing season was so unusually favorable

that the over-all production increased strikingly over the 1955 figure. The yields of corn, wheat, soybeans for beans, all hay, potatoes, and sweet potatoes set new high records, and other crops registered near-record yields. Aside from blueberries and cranberries, only cucumbers made a sizable decline in yield from the previous year.

TEMPERATURE

An unusually cool spring and summer temperatures that tended toward the cool side vied with a very warm December as the outstanding temperature feature of the year. January was a little colder than usual, the result of about two weeks of chilly weather rather than unusually low temperatures. The tables were turned sharply in February, which was one of the warmest since 1885; the first half of the month was quite warm, but the rest of the month saw alternating cold and warm periods. After a week of warm weather in March, cold air dominated the rest of the month, and continued into the opening days of April. A few days in the first and last weeks of April were warm, but the rest of the month was cold, and resulted in one of the coldest Aprils since 1885. May was the third consecutive cold month, the result of nearly continuous chilly weather during the last half of the month, and featured freezing temperatures as late as the 25th. There was a welcome turn to warmer weather in June and maximum temperatures at two stations reached the 100° mark, the only such occurrence during the year. Cool and warm periods were of short duration so that temperature averages for June were only a little warmer than usual. After two warm days in July, the weather turned cool and remained so for almost the entire month; it was the coolest July since 1924. In August, temperatures alternated between cool and warm at weekly intervals, and included a markedly chilly period from the 20th to the 26th. September opened with a 6-day warm cycle, but the rest of the month was almost entirely cool or cold; frost and some freezing temperatures were reported on the 10th, and freezing temperatures were common on the 21st. Cool weather continued in the first 2 weeks of October, and returned at intervals later in the month, but most of the last half of the month was warm enough to raise monthly averages to near the usual levels. Periods of very warm weather in November overcame a very cold last week to result in average temperatures a little above the seasonal expectancies. Chilly weather occurred only infrequently in December; temperatures climbed into the 70's at the end of the first week, and the month became one of the warmest Decembers on record.

Runyon, with 35 days with maximum temperatures of 90° or higher, took top honors in that category, and shared with Hammonton 2 NNE the distinction of reporting the highest temperature of the year, 100°, occurring on June 14 at both locations. Layton 3 NW reported the greatest number of days with freezing minimum temperatures, 178, the greatest number of occurrences of temperatures 0° or below, 2, and the lowest temperature of the year, -5° on March 1. Charlotteburg reported the greatest number of cold days, with 24 days on which the temperature failed to rise above 32°.

PRECIPITATION

Annual precipitation totals closely approximated the usual figures throughout the State, although there was a tendency toward dryness in the north-central portion. Precipitation occurred at well-spaced intervals throughout the growing season.

January was rather dry until a 6-day wet cycle began on the 9th. The fourth week was dry, but a spell of wet weather extended from the closing days of the month through the first week in February. Frequent rains in February resulted in one of the wettest such months since 1885. March also was wet, particularly in the south portion where more of the precipitation occurred as rain. A drying tendency began in April and continued with greater intensity in May, as daily precipitation amounts became smaller rather than less frequent. The frequency of occurrence decreased a little in June, but daily amounts were greater, particularly in the south portion. Precipitation was frequent, and often heavy, in July. There was a turn to dryness in August, as 3-day wet cycles occurred at weekly intervals. Precipitation in September was considerably heavier in the north portion than elsewhere; the second week was quite dry, but the last half of the month was rainy. The dry period from October 8 to 17 was the longest of the year; precipitation was frequent and usually light during the month, but some heavy amounts during the last week boosted the monthly totals to respectable proportions. After opening with a 3-day rainy period, November was dry until the middle of the month when heavy rains were noted throughout the State. The first week in December was rather dry, but precipitation during the rest of the month was frequent and heavy.

Significant amounts of precipitation (0.10 inch or more) occurred most often at Milton, on 120 days. The honors for the greatest frequency of heavy daily amounts (1.00 inch or more) were shared by Clayton, Elizabeth, and Macopin Intake: 16 each. The greatest daily precipitation amount was 5.80 inches, reported on November 2 at Bridgeton 1 NE.

SNOWFALL

Heavy snowstorms in March and April, and a rather snowy January just about completed the snowfall picture for the year. Snowfall in February, November, and December was consider-

ably less than usual, reflecting the mild temperatures that prevailed in those months. The heavy totals in March and April were the result of heavy falls on a few days, rather than more frequent, lighter amounts as in January. Of the stations for which complete annual snowfall totals could be obtained, the greatest was 55.3 inches at Oak Ridge Reservoir, but this was exceeded by several inches at Cani-stear Reservoir. The greatest depth on the ground was 26 inches measured at Oak Ridge Reservoir on March 20.

DESTRUCTIVE STORMS AND FLOODS

Severe weather features other than hurricanes were far more damaging and cost more casualties in 1956 than in the previous year. Snow and ice storms in March and December resulted in many highway and pedestrian accidents, with many casualties; damages were extremely great. Another severe snowstorm occurred in April, causing great damages, and minor damages resulted from frequent glazing conditions in January.

Seven persons lost their lives as a result of lightning strikes in May and September, and more than 6 were injured. Eight persons were injured by one of the 2 tornadoes that occurred on July 13. Several persons were injured in other windstorms in July and September.

The tornadoes and one other storm in May that may have been a tornado caused considerable damage in very small areas. A hailstorm on June 10 caused major crop damage. Heavy rains in July, August, and September caused major damages to roads, fields, residences, and business establishments, and the storm of September 6 resulted in flash floods of brief duration in the northeast. Considerable damage was done by other windstorms in February, April, and September, and by lightning in May, August, and September. The winds of hurricane Flossy during September 26 to 28, and another coastal storm in October resulted in heavy, pounding seas that did considerable damage to shore installations. Flash floods were reported in July and September, but no other flooding was noted during the year.

Details of each month's weather may be found in the monthly issues of this publication.

Harold S. Lippmann, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

AVERAGE TEMPERATURES AND DEPARTURES FROM LONG-TERM MEANS

NEW JERSEY
1956

Table 1

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual		
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	
ATLANTIC CITY W8	33.2	- 2.6	39.2	3.8	40.0	- 1.5	47.1	- 2.3	56.0	- 3.1	68.8	+ 1	72.4	- 1.2	73.5	+ 4	66.3	- 2.0	58.9	+ 9	47.3	- 8	45.2	7.0	54.0	- 1	
AUDUBON	32.3		37.8		39.2		50.0		60.8		71.9		73.8		74.3		65.3		57.5		46.5		42.1		54.3		
BELLEPLAIN	30.4		34.0	M	40.2		48.4		59.9		70.6		73.6		73.4		66.1		58.6		49.1		44.3				
BELVIDERE	29.3	- .8	34.0		2.8	37.0	- 2.7	48.1	- 2.8	60.2	- 2.1	71.2	+ 4	70.5	- 5.0	72.7	+ 0	65.2	- 8	56.5	- 1.6	43.6	+ 9	37.3	5.3	52.1	- 3
BOONTON 2 SE	30.2	1.1	32.7		3.4	33.9	- 3.8	45.3	- 3.4	55.7	- 3.6	68.0	+ 1	69.9	- 3.1	69.9	- 9	60.2	- 3.3	53.0	- 5	42.9	+ 7	36.4	4.8	49.8	- 8
BRIDGETON 1 NE	30.7		37.4		39.0		49.3	49.3M	58.6	58.6M	70.1		73.7	73.7M	72.4		M		57.4		46.4		42.0				
BURLINGTON	32.1	- 2.5	37.3		2.5	37.9	- 4.8	50.7	- 2.3	60.8	- 3.5	73.0	+ 2	74.7	- 2.6	75.3	+ 6	66.1	- 2.7	58.6	- 6	47.4	+ 1.0	42.3	6.3	54.7	- 7
CANOE BROOK	30.3	1.2	33.0		3.7	34.5	- 3.4	44.8	- 3.5	56.8	- 2.1	69.0	+ 1	71.0	- 2.1	70.3	+ 8	62.2	- 1.9	53.3	- 6	44.3	+ 1.6	37.3	6.0	50.6	+ 0
CAPE MAY 3 W	33.7		39.4		41.7		49.3		58.6		69.1		74.0		75.1		66.9		60.4		49.7		46.3		55.3		
CHARLOTTEBURG	28.5	- .5	30.8		1.6	31.8	- 5.5	43.4	- 4.6	53.5	- 5.4	65.7	- 1.1	67.2	- 4.0	66.4	- 3.0	57.8	- 4.8	49.7	- 3.0	41.0	- 1.0	35.1	4.0	47.6	- 2.3
CHATSORTH 5 S					39.6															46.5		42.7					
CLAYTON	31.8		38.0		39.7		49.7		61.2		71.3		73.1		72.4		64.8		57.4		47.5		42.7		54.2	- 5	
ELIZABETH	32.9	- .2	36.7		3.5	36.6	- 4.8	47.9	- 3.8	59.6	- 2.7	71.3	+ 3	72.9	- 3.1	73.6	- 6	64.7	- 2.5	57.8	- 1.0	46.6	+ 1.2	39.9	5.1	53.4	- 5
ESSEX FELS SERV BLDG	29.1		32.7		35.5		45.6		56.7		70.4		71.4		70.2		61.7		59.0		43.2		37.9		50.8		
FLEMINGTON 1 NE	30.6	- 1.3	34.4		2.1	35.0	- 5.8	46.9	- 4.2	57.9	- 4.2	69.8	- 1.0	71.1	- 4.6	71.7	- 1.9	62.4	- 4.4	54.4	- 1.7	43.6	- 8	38.7	5.2	51.3	- 2.0
FREEMO	30.9	- 2.1	36.4		3.6	37.3	- 3.1	47.6	- 2.9	59.5	- 2.2	70.8	+ 5	72.4	- 2.7	72.6	- 5	64.6	- 1.8	56.7	+ 6	46.3	+ 1.1	40.6	5.9	53.0	- 3
HAMMONTON 2 NNE	31.8	- 2.9	38.0		3.6	39.5	- 2.9	49.6	- 2.4	58.2	- 4.6	73.5	+ 2.0	73.6	- 2.6	73.6	- 5	65.6	- 2.0	55.9	+ 6	47.1	+ 4.0	42.0	6.5	54.1	- 1
HIGH POINT PARK																					M		31.8				
HIGHTSTOWN 1 N	31.1	- 1.6	36.3		3.6	37.1	- 3.6	47.9	- 2.7	58.9	- 2.5	70.6	+ 8	71.5	- 3.5	72.1	- 6	63.9	- 2.2	56.2	- 2	46.1	+ 1.1	40.7	6.4	52.7	- 4
INOTIA MILLS 2 W	30.7	- 3.1	36.2		2.4	37.7	- 3.6	47.6	- 3.6	59.5	- 2.6	70.2	- 1	72.3	- 2.6	72.2	- 7	63.9	- 3.1	55.7	- 4	45.5	+ 2	41.1	6.1	52.7	- 9
JERSEY CITY	31.5	- 1.4	35.3		2.6	36.5	- 3.8	46.8	- 3.6	57.1	- 4.3	70.2	- 1	71.9	- 3.8	72.7	- 6	62.8	- 4.2	56.0	- 1.0	45.5	+ 1.6	39.3	5.7	52.2	- 1.1
LAKEWOOD 2 ENE	30.8	- 2.9	35.6		2.2	36.5	- 4.3	45.9	- 4.7	56.9	- 4.5	68.4	- 1.5	71.3	- 3.4	71.1	- 1.4	62.8	- 3.0	54.6	- 9	44.2	- 1.0	39.9	6.2	52.6	- 2
LANBERTVILLE	31.6	- .2	35.6		3.3	36.9	- 3.3	48.1	- 2.6	59.5	- 2.1	70.8	+ 8	72.2	- 2.7	72.5	- 6	63.7	- 2.3	55.7	+ 1	45.2	+ 1.2	40.7	6.5	52.4	- 5
LAYTON 3 NW	26.1	- 9	30.6		4.2	31.6	- 4.7	43.9	- 3.5	55.3	- 3.1	68.1	+ 8	68.1	- 3.7	68.6	- 1.1	59.4	- 2.7	51.4	- 3	39.8	- 2	33.3	4.5	48.0	- 9
LEESBURG STATE FARM	31.2		38.5		39.2		47.9		57.9		70.0		72.8		72.2		64.6		57.0		47.1		43.0		53.5		
LITTLE FALLS 1 E	31.8	+ 5	35.3		3.8	36.4	- 3.3	47.6	- 2.8	57.9	- 3.4	70.6	+ 9	71.7	- 3.2	71.6	- 1.2	63.4	- 2.3	54.7	- 9	45.0	+ 7	38.6	5.0	52.1	- 5
LONG BRANCH	31.4	- 1.9	36.1		3.2	37.0	- 3.2	46.2	- 3.3	57.3	- 2.5	69.2	+ 0	71.9	- 2.7	72.2	- 6	62.9	- 3.2	56.6	- 4	46.4	+ 9	41.7	6.5	52.4	- 5
LONG VALLEY	29.2		32.7		33.9		45.4		56.3		67.8		69.5		69.5		60.8		54.5		42.8		36.9		49.9		
MILLVILLE CAA AIRPORT	31.0		37.5		38.9		49.0		59.3		71.3		73.2		73.2		66.4		57.3		47.9		44.5		53.5		
MOORESTOWN	31.5	- 1.7	36.7		3.5	37.6	- 3.5	48.8	- 2.2	59.3	- 2.4	70.7	+ 5	72.5	- 2.7	73.0	- 1	64.1	- 2.2	56.2	- 3	45.3	+ 5	41.4	6.6	53.1	- 3
MORRIS PLAINS	30.6		34.1		35.4		46.9		57.7		69.7		70.4		70.8		61.3		54.5		43.6		37.5		51.0		
NEWARK WB AIRPORT	32.0	+ 5	36.0		4.3	36.9	- 3.6	47.8	- 2.2	58.9	- 2.2	71.9	+ 1.4	73.1	- 2.2	73.7	- 6	64.0	- 2.8	57.2	+ 1.6	46.1	+ 1.2	39.9	5.9	53.1	- 2
NEW BRUNSWICK EXP STA	31.8	- .8	36.7		4.1	37.6	- 3.0	48.1	- 2.7	59.2	- 2.5	70.7	+ 7	72.1	- 3.0	72.8	- 3	63.0	- 2.8	56.4	- 2	45.7	+ 7	40.1	5.9	52.9	- 3
NEWTON	27.1	- 8	30.9		2.8	32.3	- 4.6	44.5	- 3.7	55.4	- 4.0	67.4	- 1	68.7	- 3.8	68.5	- 5	59.1	- 4.0	51.0	- 1.9	40.1	- 1.0	34.0	4.1	48.2	- 1.6
PATERSON	32.6	+ 7	35.3		3.3	36.4	- 3.5	48.3	- 2.6	59.5	- 2.6	71.6	+ 9	73.1	- 2.8	73.0	- 5	63.6	- 2.8	56.4	+ 1	46.0	+ 1.2	39.6	5.5	53.0	- 2
PEMBERTON 3 E	31.3	- 3.1	36.5		2.3	38.5	- 3.8	48.4	- 3.7	59.0	- 4.0	70.5	- 7	72.4	- 3.3	72.3	- 1.7	64.8	- 2.7	56.9	- 1	47.2	+ 1.1	42.2	6.5	53.4	- 1.0
PHILLIPSBURG	31.8	1.4	37.0		6.1	38.0	- 1.3	48.4	- 1.8	59.8	- 1.6	71.3	+ 1.5	71.1	- 3.3	72.6	- 3	65.1	- 1	M		45.4	+ 2.5	39.0	6.5		
PLAINFIELD	32.1	+ 1	35.6		3.2	36.5	- 3.7	47.4	- 3.3	58.8	- 2.5	70.3	+ 4	71.8	- 3.3	72.0	- 1.1	63.5	- 2.6	56.4	- 5	45.1	+ 5	39.2	5.1	52.4	- 6
PLEASANTVILLE 1 N	30.2	- 4.0	36.2		2.4	37.9	- 2.9	46.0	- 4.0	56.5	- 3.9	69.3	- 1	73.4	- 1.0	72.5	- 4	64.7	- 1.8	57.1	- 5	46.3	+ 9	41.5	6.0	52.6	- 7
RIDGEFIELD	31.8	+ 6	35.5		4.2	36.3	- 3.4	48.0	- 2.2	59.2	- 1.9	71.1	+ 1.1	72.1	- 3.1	72.5	- 5	63.4	- 2.6	56.2	- 6	44.3	+ 1	38.5	5.0	52.4	- 2
RUNYON	32.0	1.2	35.4		4.4	35.8	- 3.5	47.8	- 1.3	59.9	- 4	72.0	+ 2	72.9	- 1.6	72.3	- 2	63.9	- 1.2	54.8	- 2	44.9	+ 2	39.1	7.6	52.6	- 7
SANDY HOOK LBSTA	33.0	- .6	37.0		4.0	38.0	- 2.0	48.8	- 2.8	59.9	- 4.3	70.7	+ 1	73.3	- 2.1	73.9	- 2	65.5	- 2.4	57.9	- 1	44.8	+ 1	41.5	5.4		
SOMERVILLE	31.7	+ 2	34.7		2.8	36.3	- 3.7	47.4	- 2.9	59.0	- 2.2	70.5	+ 7	71.6	- 3.1	72.0	- 8	63.0	- 3.0	56.1	- 6	44.8	+ 1	39.2	6.0	52.2	- 4
SUSSEX 3 N	27.9	- 3	32.0		2.9	32.4	- 5.5	45.4	- 3.9	56.3	- 4.1	68.4	- 5	69.1	- 4.3	69.6	- 1	59.8	- 4.0	53.1	- 5	40.1	- 2	32.9	2.3	48.9	- 1.8
TRENTON 2	31.5		36.1		37.4		48.8		59.6		72.0		73.1		73.6		64.9		57.1		46.0						
TRENTON WB CITY	32.1	- .5	37.0		4.3	38.0	- 3.3	49.2	- 1.5	59.1	- 2.7	71.7	+ 9	72.7	- 2.6	73.9	- 7	64.3	- 2.7	57.2	+ 1.1	46.1	+ 5	41.2	6.2	53.6	- 1
WOOSTOWN 2 NW	31.6																										

TOTAL PRECIPITATION AND DEPARTURES FROM LONG-TERM MEANS

NEW JERSEY
1956

Table 2

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure	Precipitation	Departure
ATLANTIC CITY W8	2.87	- .91	3.58	.23	4.40	.87	2.71	-.69	2.36	-.62	4.12	1.13	4.79	1.01	3.25	-1.47	3.03	-.48	5.88	2.67	2.44	-.88	4.15	.84	43.58	1.70
AUDUBON	2.72		4.45		3.69		2.16		3.62		7.01		5.86		2.68		3.14		4.50		5.39		4.21		49.99	
BASS RIVER ST FOREST	2.90		4.36		4.92		4.12		2.30		4.38		6.37		7.88		3.61		5.60		3.23		4.79		54.46	
BELLEPLAIN	3.33	-.29	1.52E		1.97	.88	1.81	-1.75	3.07	-1.01	8.86	0.43	7.96	3.78	2.20	-3.68	4.66	.62	9.03	5.39	2.01	-2.17	5.18	1.65	57.82	11.37
BELMAR	3.87		1.45		1.97		3.65		2.17		3.87		4.67		3.07		4.92		5.40		4.52		4.95		44.51	
BELVIDERE	1.63	-2.15	5.32	2.29	4.18	-.06	4.05	.11	3.07	-1.16	8.28	3.88	7.39	2.02	4.04	-1.12	3.83	.10	3.36	-.05	2.48	-1.55	5.33	1.69	52.06	4.00
BERLIN 1 W	2.66		5.36		5.59		2.70		E 2.64		5.87		7.16		2.61		3.40		5.88		3.25		4.40		E51.52	
BLACKWELLS MILLS																					4.23		4.14			
BODONTON 2 SE	1.45	-1.84	4.34	1.77	3.69	-.32	3.30	-.40	2.48	-1.87	3.80	-.26	5.13	.93	4.24	-.72	6.03	1.75	2.26	-.96	4.36	.24	4.21	.97	45.29	-.71
BOUND BROOK 1 W																										
BRANCHVILLE	2.03		E 4.23		3.47		5.05		2.79		4.85		5.65		E 3.28		4.64		2.10		2.52		4.41		E45.02	
BRIGGETON 1 NE	2.01		3.65		4.35		2.28		2.22		3.67		8.39		3.27		1.23		5.33		8.14		3.81		48.35	
BURLINGTON	2.15	-1.20	5.43	2.69	3.93	-.58	3.18	-.24	2.08	-2.00	5.67	1.94	4.97	.73	3.53	-1.06	2.94	-.79	4.50	1.18	3.51	-.23	3.61	.67	45.50	1.11
CANISTEAR RESERVOIR	1.93		4.08		4.84		6.29		3.09		3.10		8.70		3.52		5.01		1.92		2.88		4.91		50.27	
CANOE BROOK	1.23	-2.58	5.26	2.44	6.30	1.94	3.22	-.64	2.26	-2.27	3.76	-.45	6.03	1.41	3.67	-1.75	4.04	-.35	3.02	-.22	4.10	-.13	4.58	1.06	47.47	-1.54
CANTON	1.78		3.60		3.69		1.87		2.17		2.58		6.72		3.91		2.38		5.38		6.03		3.87		43.98	
CAPE MAY 3 W	4.07		3.21		4.47		2.30		2.61		4.73		8.55		2.30		3.60		6.95		2.30		4.41		E49.50	
CEDAR GROVE	2.07		4.61		3.32		2.27		3.30		3.66		5.92		4.61		5.02		2.58		6.37		5.42		E50.55	
CHARLOTTEBURG	1.90	-1.89	4.44	1.42	4.24	-.35	3.77	-.32	3.02	-1.39	3.33	-1.16	6.15	1.42	3.90	-1.08	4.46	.06	2.21	-1.56	3.61	-1.08	4.60	.65	45.63	5.28
CHATHAM	1.99	-1.88	4.83	1.76	5.11	.54	3.35	-.64	2.35	-2.08	3.41	-.81	5.73	1.17	3.42	-2.11	4.59	.12	2.80	-.43	4.21	-.10	4.32	.93	46.11	-3.93
CHATSORTH 5 S					5.32		2.98														2.75		4.77			
CLAYTON	4.56		8.69		7.56		2.67		2.67		4.80		6.89		3.90		4.11		4.57		5.89		3.12		59.69	
CLINTON	1.56		5.19		4.82		3.62		3.74		5.93		5.08		3.31		4.58		2.39		3.42		4.07		48.31	
DEEPWATER	1.31		1.64		4.92		2.79		1.26		2.51		5.91		3.12		3.12		3.52		5.20		3.00		E38.30	
ELIZABETH	1.98	-2.17	6.65	3.59	7.66	3.19	3.43	-.43	2.19	-2.15	4.29	.38	4.80	.42	3.36	-1.65	2.81	-1.53	5.04	1.73	4.89	.97	4.24	.82	51.34	3.17
ELIZABETHPORT	1.83		4.84		4.33		3.34		2.00		4.40		4.63		3.65		2.13		3.81		3.55		3.82		42.33	
ESSEX FIELDS SERV BLDG	2.10		4.00		5.20		2.91		2.58		3.07		5.02		5.00		4.10		1.70		4.88		3.80		44.36	
FLEMINGTON 1 NE	1.88	-1.48	4.77	2.14	4.63	.50	4.05	.40	2.38	-1.96	3.90	-.02	3.60	-.78	3.18	-2.15	3.99	.50	3.67	.49	3.79	.03	3.78	.43	43.62	-1.90
FORTESCUE																										
FREEMDLE	2.69	-.95	6.03	3.08	4.26	.06	3.15	-.41	2.77	-1.36	3.61	-.12	5.45	1.43	2.89	-2.11	3.15	-.72	4.55	1.03	3.35	-.71E	3.95	.57	45.85	-.21
GREENWOOD LAKE	1.96		4.36		4.08		6.08		3.22		3.16		7.87		2.90		5.07		1.40		3.99		5.03		49.12	
HAMMONTON 2 NNE	2.30	-1.39	5.29	2.23	4.45	.15	3.08	-.59	1.99	-2.16	6.42	2.38	6.13	1.94	2.85	-3.10	3.46	-.03	4.89	1.22	4.93	1.16	3.92	.80	49.71	2.61
HIGH POINT PARK																										
HIGHTSTOWN 1 N	2.37	-.91	4.62	2.03	4.16	.26	2.58	.72	2.72	-1.12	2.98	-1.02	4.36	.11	3.15	-1.62	3.17	-.94	3.26	-.01	3.06	-.41	3.41	.49	39.84	3.86
INDIAN MILLS 2 W	2.85	-.87	4.88	1.96	4.88	.64	2.60	-.86	1.63	-2.47	4.76	.71	7.65	3.81	3.16	-2.45	2.96	-.49	5.63	2.28	3.53	-.27	4.33	1.21	48.86	3.20
IRVINGTON	1.54		4.98		5.74		2.98		2.29		3.46		5.57		3.95		2.47		4.37		3.21		3.71		43.87	
JERSEY CITY	1.94	-1.53	3.59	.73	6.62	2.62	3.33	.12	2.37	-1.58	2.83	-.69	3.81	-.15	3.95	-.55	2.43	-1.43	3.76	.78	4.01	.60	4.35	1.17	42.89	-.15
LAKEWOOD 2 ENE	2.51	-1.34	6.52	3.42	4.25	-.02	3.93	.21	2.32	-1.84	4.06	.55	7.22	3.42	3.82	-1.32	3.62	-.12	5.03	1.12	3.52	-.69E	3.84	.55	50.64	3.94
LAMBERTVILLE	2.39	-1.05	4.77	2.18	5.49	1.38	3.04	.55	2.74	-1.63	5.27	1.32	4.55	-.32	2.88	-2.52	3.70	.41	2.91	-.10	4.00	.22	3.67	.52	44.99	-.12
LAYTON 3 NN	1.70	-1.21	4.83	2.55	4.06	.58	5.19	1.42	2.97	-1.14	3.51	-.70	6.64	1.73	3.36	-1.19	7.52	3.77	1.68	-1.69	2.31	-1.52	4.83	2.09	48.60	4.69
LEESBORO STATE FARM	2.89		3.84		4.54		2.62		2.99		6.37		5.75		3.53		3.23		5.99		3.04		3.91		48.70	
LITTLE FALLS 1 E	1.95	-1.80	4.41	1.48	4.30	-.10	3.19	-1.05	2.15	-2.43	4.40	.15	5.19	.69	4.28	-.99	4.62	.02	2.39	-1.10	4.74	.34	4.16	.38	45.98	-.44
LONG BRANCH	2.92	-1.61	6.71	3.34	4.73	.44	3.78	.24	3.68	.04	2.96	-.63	4.42	.33	2.64	-2.73	2.69	-1.32	5.92	2.42	2.25	-1.69	4.35	.81	46.45	-.36
LONG VALLEY	2.13	-1.46	4.38	1.52E	6.08	1.73E	3.81	.00	3.00	-1.30	3.88	-.41	6.63	1.49	3.78	-1.53	5.66	1.77	3.49	.05	3.12	-1.24	4.63	.17	E50.61	1.69
MACPAIN INTAKE	1.61		4.39		3.88		3.68		3.53		4.67		7.25		4.21		5.12		2.28		4.21		4.22		49.05	
MANHAW																										
MANVILLE																										
MARLTON 1 W	2.21		5.62		E 6.48		4.02		2.30		2.96		5.64		3.82		2.52		3.57		3.57		4.07		E47.54	
MAYS LANDING	2.75		5.47		4.79		3.37		2.23		5.18		7.32		2.69		2.88		4.16		4.92		4.81		50.57	
MIDLAND PARK	2.50		4.11		4.46		2.59		2.22		5.00		5.47		4.17		3.20		4.76		2.40		2.63		43.51	
MIDLAND PARK	2.05		4.40		4.76		3.71		2.28		3.53		6.20													

Table 3

TEMPERATURE EXTREMES AND FREEZE DATA

Station	Highest	Date	Lowest	Date	Last spring minimum of										First fall minimum of										Number of days between dates										
					16° or below		20° or below		24° or below		26° or below		32° or below		32° or below		26° or below		24° or below		20° or below		16° or below		16° or below		20° or below		24° or below		28° or below		32° or below		
					Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	
ATLANTIC CITY WB	95	6-13	15	2-22	2-22	15	2-22	15	3-25	23	3-25	23	4-1	31	11-11	31	11-23	25	11-24	21	None	None	-	-	275	244	243	224							
AUDUBON	96	6-14	15	1-1	2-22	16	2-24	18	3-25	21	3-25	21	4-25	29	10-11	32	11-11	22	11-25	20	None	None	-	-	244	231	231	189							
BELLEPLAIN	96	6-14	5	1-28	3-25	15	3-25	15	3-31	22	4-21	26	5-25	30	10-11	30	11-11	17	11-11	17	11-24	15	244	231	225	204	139								
BELVIDERE	98	6-14	6	1-2	3-22	13	3-25	17	3-28	21	4-25	27	5-25	31	10-11	28	10-11	28	11-11	19	11-11	19	11-25	16	248	231	228	169	139						
BOONTON 2 SE	95	6-15	5	1-2	3-25	16	3-28	19	3-28	19	4-25	17	5-25	30	10-11	27	10-11	27	11-11	17	11-11	17	11-24	18	244	228	228	169	139						
BRIDGETON 1 NE	95	6-15+	11	1-28	3-20	16	3-21	20	3-25	22	3-26	25	4-25	31	-	-	11-11	20	11-11	20	11-11	20	11-24	16	249	235	231	230	-						
BURLINGTON	98	6-14	10	1-22	3-22	11	3-25	20	3-25	20	3-28	27	4-25	32	11-11	23	11-11	23	11-11	23	11-25	20	None	None	-	245	231	228	200						
CANOE BROOK	97	6-15	3	1-2+	3-25	11	3-28	18	4-25	22	5-25	27	5-25	27	9-21	31	10-11	26	11-11	16	11-11	16	11-11	18	231	228	200	139	119						
CAPE MAY 3 W	92	8-19	20	1-9	None	-	1-9	20	3-1	22	3-25	25	3-27	31	11-11	28	11-11	28	12-19	24	None	None	-	-	293	231	227								
CHARLOTTEBURG	94	6-15	1	1-2+	3-26	15	4-2	20	5-9	24	5-25	27	5-26	32	9-10	31	10-11	28	10-11	23	11-11	17	11-24	13	243	223	155	134	107						
CHATSWORTH 5 S	-	-	-	-	3-22	15	3-25	20	3-25	20	4-21	27	4-25	30	11-11	18	11-11	18	11-11	18	11-11	18	11-24	13	247	231	231	204	200						
CLAYTON	98	6-15	14	1-24	1-27	16	3-22	20	3-25	23	3-25	23	4-25	30	11-11	24	11-11	24	11-11	24	11-24	17	None	None	-	247	231	231	200						
ELIZABETH	99	6-14	11	3-20	3-22	16	3-25	17	3-28	24	4-25	26	5-9	32	10-11	32	11-11	28	11-24	16	11-24	16	11-24	16	247	244	241	200	155						
ESSEX FELS SERV BLDG	97	6-15	5	1-2	3-2	15	3-25	20	3-25	20	4-25	25	5-25	29	9-21	32	10-11	27	11-11	18	11-11	18	11-24	15	267	231	231	169	119						
FLEMINGTON 1 NE	96	6-14	-3	3-21	3-25	13	3-28	20	4-25	21	5-9	27	5-25	29	9-21	31	10-10	28	11-11	15	11-11	15	11-11	15	231	228	200	154	119						
FREEHOLD	97	6-14	10	1-2	3-21	15	3-25	18	3-28	23	4-21	28	4-25	29	10-11	30	11-11	20	11-11	20	11-11	20	11-24	16	248	231	228	204	189						
BAMMONTON 2 NNE	100	6-14	12	2-22+	3-20	15	3-22	19	3-25	21	4-21	28	5-2	32	11-11	27	11-11	27	11-24	16	11-24	16	11-24	18	249	247	244	204	193						
RIGBY POINT PARK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RIGBYTOWN 1 N	97	6-14	10	1-2	3-21	13	3-25	19	3-25	19	4-21	28	5-25	31	10-11	30	11-11	19	11-11	19	11-11	19	12-31	15	285	231	231	204	139						
INDIAN MILLS 2 W	99	6-14	6	1-28	3-22	14	3-25	20	4-25	24	5-25	28	5-25	28	9-21	31	10-11	28	11-11	15	11-11	15	11-11	15	234	231	200	139	119						
JERSEY CITY	97	6-14	11	1-2	2-22	15	3-25	18	3-25	18	3-28	26	4-27	32	11-10	30	11-11	28	11-23	24	12-10	20	12-30	16	312	260	243	228	197						
LAKEWOOD 2 ENE	95	6-14+	8	2-24	3-22	14	3-25	19	4-13	23	5-9	28	5-25	30	10-10	32	11-10	18	11-10	18	11-10	18	11-11	15	234	230	211	185	138						
LAMBERTVILLE	95	6-14	7	3-21	3-22	12	3-25	20	3-28	23	4-25	28	5-25	31	10-11	29	11-11	19	11-11	19	11-11	19	11-25	15	248	231	228	200	139						
LAYTON 3 NW	95	6-15	-5	3-1	3-29	16	4-25	17	5-25	23	5-25	23	5-29	31	9-10	32	9-21	28	10-10	21	10-11	20	11-11	9	227	189	138	119	104						
LEESBURG STATE FARM	94	6-14+	10	1-28	2-24	14	3-22	20	3-25	22	4-10	27	5-25	31	10-11	32	11-11	24	11-11	24	11-24	17	None	None	-	247	231	215	139						
LITTLE FALLS 1 E	99	6-15	7	1-2	3-25	18	3-25	18	3-28	22	4-2	27	5-25	31	10-11	28	10-11	28	11-11	21	11-24	19	12-30	15	280	244	228	192	139						
LONG BRANCH	93	6-14+	14	2-22	2-22	14	3-25	19	3-25	19	3-29	28	4-25	31	11-10	30	11-11	25	11-23	23	11-24	20	12-30	15	312	244	243	227	199						
LONG VALLEY	95	6-14	5	3-18+	3-25	15	3-28	18	4-25	23	5-17	28	5-25	29	9-21	30	10-11	24	10-11	24	11-11	18	11-11	16	231	228	169	147	119						
MILLVILLE AIRPORT	97	6-14	9	1-28	3-20	16	3-22	18	3-25	21	4-13	28	4-25	30	10-12	31	11-12	21	11-12	21	11-24	14	11-24	14	249	247	232	213	170						
MOORESTOWN	95	6-13+	14	1-2	2-24	15	3-21	19	3-25	21	4-25	28	5-25	32	10-11	30	11-10	26	11-11	21	11-24	20	None	None	-	248	231	199	139						
MORRIS PLAINS	96	6-14	6	1-2	3-25	14	3-28	20	4-13	23	5-17	28	5-25	30	9-21	31	10-11	27	11-11	18	11-11	16	11-11	16	231	228	212	147	119						
NEWARK WB AIRPORT	99	6-14	12	1-2	2-22	14	3-25	18	3-25	18	3-28	26	4-21	32	11-10	30	11-11	25	11-23	24	12-30	15	12-30	15	312	280	243	228	203						
NEW BRUNSWICK EXP STA	95	6-14	11	1-2	3-21	15	3-25	18	3-28	24	4-21	28	5-25	32	10-11	31	11-11	20	11-11	20	11-11	20	12-30	15	284	231	228	204	139						
NEWTON	94	6-15+	1	3-21	3-26	16	3-28	17	4-2	22	5-25	27	5-25	27	9-19	32	10-11	25	11-11	16	11-11	16	11-11	18	230	228	223	139	117						
PATERSON	99	6-15	11	1-2	2-23	15	3-25	17	3-26	22	3-28	25	4-21	32	11-11	24	11-11	24	11-11	24	11-24	20	12-30	15	311	244	230	228	204						
PEMBERTON 3 E	97	6-14	8	1-28	3-22	15	3-25	19	4-25	24	4-25	24	5-25	30	9-21	32	11-11	17	11-11	17	11-11	17	11-24	11	247	231	200	200	119						
PHILLIPSBURG	95	6-14+	3	12-30	4-8	14	4-8	14	4-8	14	4-25	27	5-9	32	10-11	30	11-11	22	11-11	22	11-24	19	11-25	16	231	230	217	200	155						
PLAINFIELD	97	6-14	10	1-2	3-22	15	3-25	18	3-28	22	4-25	27	5-9	32	10-11	29	11-11	19	11-11	19	11-11	19	12-19	18	272	231	228	200	155						
PLEASANTVILLE 1 N	96	6-14	9	2-24	3-21	16	3-25	20	4-21	22	4-21	22	5-25	32	11-10	31	11-11	19	11-11	19	11-11	19	11-24	16	248	231	204	204	189						
RIDGEFIELD	99	6-14	10	1-2	3-18	16	3-25	17	3-28	22	4-1	28	4-25	29	10-11	30	11-10	24	11-10	24	11-18	18	12-30	15	287	238	227	223	188						
RUNYON	100	6-14	4	1-2	3-25	16	3-25	16	4-2	11	5-25	27	5-25	27	9-10	32	10-11	21	10-11	21	11-11	12	11-11	12	231	231	192	139	108						
SANDY BROOK LBSTA	95	6-15	14	2-22	2-22	14	3-25	19	3-25	19	3-25																								

SOIL TEMPERATURES

NEW JERSEY
1956

Station and Depth	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes
<u>NEW BRUNSWICK EXP STA</u>																										
MEASURED UNDER SOD																										
1 INCH															72.7	85/60	63.4	78/51	53.0	63/44	44.3	62/31	40.0	53/25	-	--/--
2 INCHES															71.7	81/62	63.6	74/54	52.8	80/46	45.9	61/31	38.9	52/26	-	--/--
4 INCHES															71.5	80/63	63.8	74/55	52.5	60/47	45.1	60/33	40.2	51/28	-	--/--
8 INCHES															70.3	75/64	64.1	71/56	54.0	59/50	46.8	59/35	41.8	49/34	-	--/--
16 INCHES															89.1	72/60	64.3	70/55	55.0	59/50	48.9	58/41	43.1	47/37	-	--/--
32 INCHES															66.3	68/63	64.1	68/58	56.1	59/51	51.4	57/46	45.5	48/42	-	--/--

Montbly averages are obtained by taking the average of max and min values.

Cover: Kentucky bluegrass.

† CHANGES IN STATION NAMES

NEW NAME

BOONTON 2 SE
GREAT MEADOWS 4 N
LITTLE FALLS 1 E
SANDY BOOK LBSTA

OLD NAME

BOONTON
GREAT MEADOWS
LITTLE FALLS WTR CO
SANDY BOOK

DATE

October 1958
December 1958
October 1958
June 1956

RELOCATION AND CHANGES OF EQUIPMENT


CANTON
FORTESCUE
GREAT MEADOWS 4 N
SPRINGFIELD

All equipment moved 1.3 mile S
All equipment moved 0.4 mile NW
All equipment moved 3.2 miles N
Recording gage moved 150 feet S

March 28, 1956
December 8, 1958
December 6, 1956
December 18, 1958

TOTAL PRECIPITATION


NEW JERSEY
1956



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

AVERAGE TEMPERATURE

NEW JERSEY
1956



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
1956

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Years of record		Opened or closed during yr.		Refer to tables	Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Years of record		Opened or closed during yr.		Refer to tables
							Temp.	Precip.	Month opened	Month closed									Temp.	Precip.	Month opened	Month closed	
ALLENDALE	0100	BERGEN	8 41 02	74 03	270							LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25						
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8	83	83				1 2 3 C	MACPAIN INTAKE	5071	PASSAIC	8 41 01	74 24	584						C
AUDUBON	0146	CAMDEN	2 39 54	75 04	50	4	7				1 2 3	MAHWAH	5104	BERGEN	8 41 06	74 10	253						2
BASS RIVER STATE FOREST	0528	BURLINGTON	2 39 37	74 28	20	10					2	MANVILLE	5197	SOMERSET	10 40 33	74 34	50						2
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	49	62	62				1 2 3	MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120						C
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	15					2	MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90						2
BELVIERE	0729	WARREN	2 40 50	75 05	289	64	64				1 2 3	MAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50						2
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150	15					2	MIDLAND PARK	5503	BERGEN	8 40 59	74 09	210						2
BLACKWELLS MILLS	0847	SOMERSET	10 40 29	74 35	27	0					1 2 3	MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60						C
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	48	66				1 2 3	MILLVILLE CAA AIRPORT	5581	CUMBERLAND	6 39 22	75 04	68	10					JULY 1 2 3
BOUND BROOK 1 W	0827	SOMERSET	10 40 33	74 33	20	0					DEC	MILTON	5597	MORRIS	8 41 01	74 32	950						2
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	55					2	MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	93	93				1 2 3
BRIDGEFORD 1 NE	1020	CUMBERLAND	2 39 28	75 12	114	66	71				1 2 3	MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500	11	15				1 2 3
BURLINGTON	1271	BURLINGTON	2 40 04	74 53	12	44	70				1 2 3	NEWARK WB AIRPORT	6026	ESSEX	10 40 42	74 10	11	57	102				1 2 3 C
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	16					2	NEW BRUNSWICK EXP STATION	6082	MIDDLESEX	10 40 28	74 26	80	99	102				1 2 3 C
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	26	26				1 2 3 4	NEW MILFORD	6146	BERGEN	4 40 57	74 02	12						C
CANTON	1343	SALEM	2 39 28	75 25	10	10					2	NEWTON	6177	SUSSEX	2 41 09	74 45	565	73	73				1 2 3
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	31	68				1 2 3 C	OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870						2
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	16					2	OLDWICK	6544	HUNTERDON	10 40 40	74 45	260	0					OCT
CENTERTON	1512	SALEM	6 39 31	75 10	80						C	ORANGE	6560	ESSEX	8 40 47	74 14	140	16					2
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	64	64				1 2 3	PATERSON	6775	PASSAIC	8 40 55	74 09	100	86	85				1 2 3
CHATHAM	1590	MORRIS	9 40 44	74 23	185	52					2	PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 58	60	27	27				1 2 3
CHATEAUX 5 S	1598	BURLINGTON	1 39 44	74 32	90	15	15				1 2 3	PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	65	73				1 2 3
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	43	63				1 2 3	PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	17					2
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	13					2	PLAINFIELD	7079	UNION	10 40 36	74 25	120	65	68				1 2 3
DEEPWATER	2209	SALEM	2 39 41	75 30	12	16					1 2 3	PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	0					OCT
ELIZABETH	2644	UNION	1 40 40	74 14	33	77	77				1 2 3	PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	33	58	33			1 2 3 4
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30	17					2	PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	90	5					2
ESSEX FIELDS SERVICE BLDG	2768	ESSEX	8 40 50	74 18	250	8					1 2 3 C	RAHWAY	7393	UNION	9 40 36	75 15	20	17					2
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	59	70				1 2 3	RIDGEFIELD	7545	BERGEN	4 40 56	74 01	80	39	39				1 2 3
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	10					INAC	RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	16					2
FREEDHOLD	3181	MONMOUTH	10 40 15	74 17	194	52	52				1 2 3 C	RUNYON	7825	MIDDLESEX	1 40 26	74 20	18	32	33	33			1 2 3 4
GLASSBORO	3291	GLOUCESTER	2 39 42	75 07	150						2	TSANOHY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	56	58				1 2 3
GREEN MEADOWS 4 N	3416	WARREN	2 40 56	74 55	550						C	SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	70	73				1 2 3
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	16					2	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 18	800	16					2
HACKENSACK	3572	BERGEN	4 40 53	74 03	10						1 2 3 C	SPRINGFIELD	8423	UNION	1 40 43	74 18	-						C
HIGH POINT PARK	3662	ATLANTIC	7 39 39	74 48	85	24	50				1 2 3	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	50	58	61				1 2 3
HIGHTSTOWN 1 N	3935	SUSSEX	2 41 48	74 40	1600	0	0				1 2 3	SNEEDSBORO 5 NW	8685	GLOUCESTER	2 39 47	75 24	10	10					2
HIGHTSTOWN PUMPING STATION	3951	MERCER	10 40 16	74 31	100	60	63				1 2 3	TOMS RIVER	8816	CEN	1 39 57	74 14	10	35					2
INDIAN MILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	66	67				1 2 3	TRANQUILLITY 2 W	8858	WARREN	2 40 57	74 50	551						JAN
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	17					2	TRENTON 2	8878	MERCER	2 40 14	74 46	105	26	26				1 2 3
JERSEY CITY	4239	HUDSON	1 40 44	74 04	135	58					1 2 3	TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	64	84				1 2 3 C
LAKENWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	52	52				1 2 3 C	TUCKERTON 2 SW	8898	OCEAN	1 39 35	74 22	45	56	61				1 2 3
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	69	69				1 2 3	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	59	76				2
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	55	55				1 2 3	WANAQUE RAYMOND DAM	9187	PASSAIC	8 41 03	74 18	320	16					C
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	6	6				1 2 3	WATCHUNG	9271	UNION	8 40 40	74 25	-						C
LITTLE FALLS 1 E	4807	PASSAIC	8 40 53	74 14	157	42	53				1 2 3 C	WERTSVILLE	9361	HUNTERDON	10 40 27	74 48	160	0					OCT
LONG BRANCH	4887	MONMOUTH	1 40 18	73 59	34	48	48				1 2 3 C	WESTFIELD	9455	UNION	9 40 39	74 21	135	17					2
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	26	26				1 2 3	WOOLCUFF LAKE	9832	BERGEN	4 41 01	74 03	109	38					C
												WOOSTOWN 2 NW	9910	SALEM	2 39 40	75 20	16	9	19				INAC

† 1-COASTAL; 2-DELAWARE; 3-GREAT RIVER HARBOR; 4-HACKENSACK; 5-BUDSON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at the Weather Bureau Office, 5 General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F; precipitation and evaporation in inches, and wind movement in miles.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 4.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried in the June and December issues of Climatological Data.

- No record.

+ Also later date (date) or month.

* Amount included to following measurement.

† Thermometers are generally exposed in a shelter located a few feet above and covered ground; however the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

B Adjusted to full month.

C Data for recorder stations denoted by 'C' in the Refer to Tables column of the Station Index are processed for special purposes and published in "Hourly Precipitation Data". Length of record for recorder - only stations may be found in the annual issue of "Hourly Precipitation Data".

E Amount is wholly or partially estimated.

G In the 'Refer to Tables' column of the Station Index the letter 'G' indicates that soil temperatures are published.

M One or more days' record missing; if average value is entered, less than 10 days record is missing. See monthly Climatological Data for detailed daily record.

T Trace, an amount too small to measure.

V Includes total for previous month. V in annual column means total is for a two-year period.

Information concerning the history of changes in location, elevations, exposures, etc., of substation through 1955 may be found in the publication 'Substation History' for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issue of Local Climatological Data annuals, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks, and money orders should be made payable to the Superintendent of Documents. Remittances and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 3/18/57 --- 900

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

JANUARY 1957

Volume LXII No. 1



THE LIBRARY OF THE
APR 2 1957
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Cold, dry weather were the outstanding features during January in New Jersey. The divisional departures for both temperature and precipitation showed fairly uniform negative values.

Temperatures for all stations for which average temperatures were computed had values that were below freezing, and all stations with comparative figures reported negative departures that ranged from -3.3° at Runyon to -6.6° at Sussex 3 N. The maximum temperature was recorded at all stations on the 22nd or 23rd, with a few duplications on the 24th. The 23rd was the most predominant date. Three stations (Belleplain, Hammonton 2 NNE, and Pemberton 3 E) reported 65° for the highest reading of the month. A large percentage of the stations reported low temperatures for the month that dropped to 0° or considerably lower. The lowest reading recorded was -21° at Layton 3 NW on the 18th.

Precipitation stations for which departures from the long-term average are shown were all negative, and ranged from -0.12 inch at Layton 3 NW to -2.49 inches at Elizabeth. Monthly totals varied from 1.24 inches at Swedesboro 5 NW to 3.30 inches at Berlin 1 W. The majority of stations reported greatest daily amounts that were less than one inch, however a recording of 1.52 inches at Layton 3 NW on the 23rd was the greatest daily amount reported. A considerable portion of the month's precipitation fell as snow, and extreme monthly totals recorded ranged from 3.3 inches at Swedesboro 5 NW to 14.6 inches at Layton 3 NW.

WEATHER DETAILS

The month opened with cold weather dominating the scene during the first three days, but a one day warm-up occurred on the 4th as warm southerly winds flowed across the State due to the easterly movement of a low pressure system over the Great Lakes-St. Lawrence Valley area. Colder weather returned during the three-day period 5th-7th, with readings averaging below the usual expectancy. On the 8th and 9th somewhat warmer weather prevailed with average readings just slightly higher than usual. Cold Arctic air that was predominant most of the time brought the State its most prolonged cold spell of the month during the period 10th-20th, and most stations reported their lowest temperature of the month on the 15th or 18th. A warm air mass that affected the State's weather brought the

warmest spell of the month during the 21st-23rd, with daily average temperatures well above seasonal levels. This was followed by more cold air that dropped temperatures to below the usual expectancy on the 24th and 25th. Prevailing pressure patterns during the remainder of the month brought temperatures that ranged slightly above the usual at most stations on nearly every day of the period.

Precipitation which fell during the first five days was not significant. However, beginning on the 6th and continuing until the month ended occurrences were rather frequent, but daily measurements were mostly in the light category. The heaviest precipitation of the month was associated with the passage of a low pressure system that caused precipitation to begin falling on the 22nd and ended before noon of the 23rd. Some thunderstorm activity was also noted during this period. Full time Weather Bureau stations indicated measurable amounts of snowfall on about eight days during January, and traces of snow fell on several more days at most of these stations.

WEATHER EFFECTS

Reports indicated that winter grains were in unusually good condition when the ground froze in late December, and that damage from the cold weather in January with little snow cover was probably limited to winter oats. On a few farms harvesting of grain corn and soybeans was not completed until January, but inclement weather conditions during much of the month kept most of the winter-time farm activities at a minimum. The Weather Bureau Office at Trenton reported that some damage was caused by the 30-35 mph winds of the 10th and the 22nd-23rd.

DESTRUCTIVE STORMS

On the 23rd at 8:00 a.m. a thunderstorm accompanied by strong, gusty wind and heavy rain occurred in Mercer County causing minor damage to trees, power lines, telephone wires, and TV antennas. The direction of movement was from Southwest to Northeast. This phenomenon was somewhat unusual for this date.

FLOODS

None reported during January.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
JANUARY 1957

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
											90° or Above	32° or Below	32° or Below	32° or Below					Total	Max. Depth on Ground	Date	10 or More	50 or More	100 or More
NORTHERN																								
BELVIOERE		34.3	17.5	25.9	- 4.2	59	23	- 8	18	1203	0	12	30	4	2.14	- 1.64	.89	23	6.3			6	1	0
BODNTON 2 SE	AM	34.3	15.8	25.1	- 4.0	59	23+	- 7	18	1233	0	12	29	5	2.26	- 1.03	1.38	23			4	1	1	
CANDE BROOK	AM	35.8	14.5	25.2	- 3.9	60	23	-15	17+	1230	0	11	29	6	1.89	- 1.92	.80	23	8.3	4	16	6	1	0
CHARLOTTEBURG	AM	32.8M	13.2M	23.0M	- 6.0	59	23	-12	18	1294	0	15	28	6	1.92	- 1.87	.83	23	8.8	5	16+	6	1	0
ELIZABETH		36.7	19.1	27.9	- 5.2	61	23	0	15+	1141	0	9	30	2	1.66	- 2.49	.58	23	7.5	3	16	6	1	0
ESSEX FELS SERV 8LOG	AM	34.8	15.4	25.1		60	23+	- 6	17	1230	0	12	29	5										
FLEMINGTON 1 NE		35.3	16.5	25.9	- 6.0	62	23	-11	18	1204	0	10	30	5	2.00	- 1.36	.65	23	10.6	1	10+	5	1	0
HIGH POINT PARK		27.9	6.6M	17.3M		55	23	-18	16+	1504	0	23	29	6										
JERSEY CITY		33.5	21.0	27.3	- 5.6	59	23	0	15	1162	0	13	28	1	2.05	- 1.42	.50	23			10	1	0	
LAMBERTVILLE		35.8	19.8	27.8	- 4.0	60	23	- 3	18	1145	0	11	30	1	2.18	- 1.26	.92	23	5.6	1	16+	6	1	0
LAYTON 3 NW		33.8	9.4	21.6	- 5.4	58	23	-21	18	1339	0	12	30	10	2.79	- .12	1.52	23	14.6	5	16+	6	1	1
LITTLE FALLS 1 E	AM	35.9	16.8	26.4	- 4.9	62	23+	- 6	18	1189	0	13	29	4	1.63	- 2.12	.60	23	8.2	4	16+	5	1	0
LONG VALLEY		35.0	14.5	24.8		58	23	-15	18	1239	0	11	30	4	2.62	- .99	.80	23	10.0			9	2	0
MORRIS PLAINS		34.1	16.5	25.3		58	23	- 8	18	1222	0	11	30	4	2.40		1.18	23	9.3	3	16	6	1	1
NEWARK W8 AIRPORT	R	35.5	20.5	28.0	- 3.5	62	23	0	15	1140	0	11	29	1	1.77	- 1.83	.49	23	7.8	3	16+	8	0	0
NEWTON	AM	32.1	13.0	22.6	- 5.3	59	23	-13	17	1308	0	15	29	7	2.27	- .83	1.17	23	9.0	4	16+	6	1	1
PATERSON	AM	35.7	19.6	27.7	- 4.2	61	23+	- 3	16	1152	0	11	29	2	1.65	- 2.03	.65	23	8.2	3	15+	6	1	1
PHILLIPSBURG		36.8	16.3	26.6	- 3.8	60	23	- 5	18+	1184	0	8	30	5	1.75	- 2.12	.48	23+	6.0	5	7	5	0	0
PLAINFIELD		36.0	19.1	27.6	- 4.6	60	23	- 3	18	1152	0	10	30	1	1.99	- 1.69	.74	23	8.5	3	16	6	1	0
RIDGEFIELD		34.6	19.1	26.9	- 4.3	58	23	- 1	15	1177	0	11	29	1	1.99	- 1.73	.53	23	9.9	5	16	6	1	0
SOMERVILLE		35.5	17.5	26.5	- 5.0	61	23	-10	18	1189	0	10	30	4					7.7	2	16+			
SUSSEX 3 N	AM	31.8	11.4	21.6	- 6.6	59	23+	-10	15+	1337	0	14	29	8	1.92	- 1.58	.77	23	6	17+	6	1	0	
DIVISION				25.3	- 5.2										2.05	- 1.52			8.6					
SOUTHERN																								
AUDUBON		37.1	22.2	29.7		62	23	2	18	1088	0	10	29	0	1.62		.35	23	12.0	4	16	8	0	0
BELLEPLAIN		42.4	20.8	31.6		65	22	-10	18	1029	0	4	29	2	2.46	- 1.16	.76	23	7.0			9	1	0
BRIOGETON 1 NE	AM																							
BURLINGTON		38.5	21.3	29.9	- 4.7	61	22	0	18	1080	0	9	29	1	1.58	- 1.77	.60	23				3	1	0
CHATSWORTH 5 S																								
CLAYTON		37.3	22.9	30.1		62	23	- 1	18	1075	0	8	25	1	2.10		.51	23	5.1	3	16	9	1	0
FREEHOLD		36.0	20.1	28.1	- 4.9	63	22	- 3	18	1139	0	10	29	1	1.46	- 2.18	.55	23	6.2	4	16+	5	1	0
HAMMONTON 2 NNE	AM	39.1	19.8	29.5	- 5.2	65	23	1	15+	1092	0	7	28	0	1.34	- 2.35	.35	23				6	0	0
HIGHTSTOWN 1 N		36.0	19.8	27.9	- 4.8	61	22	- 4	18	1144	0	11	30	2	1.75	- 1.53	.88	23	6.4	2	15+	4	1	0
INDIAN MILLS 2 W		37.2	19.0	28.1	- 5.7	64	22	-11	18	1136	0	11	29	3	1.89	- 1.83	.50	10	5.2	2	16+	8	1	0
LAKEWOOD 2 ENE																								
LEESBURG STATE FARM	AM	37.7	21.5	29.6		59	23	3	17	1088	0	8	27	0			.44	23	5.7	3	16	4	0	0
MOORESTOWN		36.5	21.8	29.2	- 4.0	61	23	1	15	1102	0	9	29	0	1.34	- 1.89	.85	23	6.0	2	16+	7	1	0
NEW BRUNSWICK EXP STA		36.1	19.3	27.7	- 4.9	60	22+	- 5	18	1147	0	10	30	2	2.02	- 1.36	.85	23	6.0	2	16+	7	1	0
PEMBERTON 3 E		37.5	19.7	28.6	- 5.8	65	22	-16	18	1121	0	9	28	2	1.57	- 1.75	.33	10	5.1	3	16+	6	0	0
PLEASANTVILLE 1 N	AM	38.2M	18.4M	28.3M	- 5.9	60	23	- 3	18	1130	0	7	25	2	1.99	- 1.90	.38	23				7	0	0
RUNYON		37.5	17.5	27.5	- 3.3	63	22	-16	18	1155	0	8	29	5	2.12	- 1.54	.82	23				8	1	0
TRENTON 2		36.3M	22.2M	29.3M		60	23	2	15	1101	0	9	29	0	2.10	- 1.65	.76	23	6.5	2	15+	7	1	0
TRENTON W8 CITY	R	35.8	21.7	28.8	- 3.8	62	23	2	15	1115	0	11	28	0	1.87	- 1.29	.68	23	5.6	2	16	5	1	0
TUCKERTON 2 SW	AM																							
DIVISION				29.0	- 4.8										1.81	- 1.74			6.4					
COASTAL																								
ATLANTIC CITY W8	R	38.1	25.7	31.9	- 3.9	57	23	7	15	1019	0	8	22	0	1.86	- 1.92	.31	9	7.9	4	16	8	0	0
CAPE MAY 3 W		40.0				55	23				0			0										
LONG BRANCH		35.4	21.2	28.3	- 5.0	60	23	2	18	1129	0	11	28	0	1.77	- 2.16	.49	23	6.3	4	16+	6	0	0
SANDY HOOK LBSTA		34.6	23.5	29.1	- 4.5	52	23	5	15	1105	0	10	27	0	2.14	- 1.08	1.00	29	5.0	3	16	5	2	1
DIVISION				29.8	- 5.0										1.92	- 1.75			6.4					

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY W8 CITY	-	-	14.2	47	NW	10	-	-	-	-	4	4	8	0	0	0	16	43	7.1
LONG BRANCH	NW	20	15.3	47	NW	23	-	75	67	69	5	6	8	0	0	0	17	53	6.0
NEWARK W8 AIRPORT	WNW	18	9.5	35++	NNW	23	72	78	64	89	4	5	8	0	0	0	17	-	6.5
TRENTON W8 CITY	-	-	9.1	35	NE	10	-	-	-	-	3	10	4	1	0	0	18	48	8.8

++ Fastest observed one minute wind speed. This station is not equipped with automatic record-wind instruments.
 12:00 Noon

DAILY PRECIPITATION

NEW JERSEY
JANUARY 1997

Table 3

Station	Total	Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	1.86							T	.07	.51	.16				.07	.11	.14		T				.15	.30		.08		T	.09	.21	.17		
AUDUBON	1.02							T	.05	.34	.10				.10	.10	.08					T		.13	.33		.08		T	.10	.28	.15	
BASS RIVER ST FOREST	2.34							T	.27	*	.77				.00		.40							.47						.10	.00	.14	
BELLEPLAIN	2.46							D	.10	.12	.31				T		.40							.76						.15	.32	.20	
BELMAR	1.89							*	*	*	.50					.04	.29						.01	.12				T	.15	.37	.14		
BELVIDERE	2.14	T							.05	.00	.40						.11							.09	.80		.07		.18	.19	.10		
BERLIN 1 W	9.30								T	.22	.43				.33		.05							.03	.06	.54		.40	T	.00	.55	.30	
BLACKWELLS MILLS	2.37								T	.02	.43						.14	.02					.03	.06	.54	.48	.02	.14	.10	.13			
BOONTON 2 SE	2.20								.08	T	.02	.20	.05				.09	.03					T	.03	1.38		.03		.13	.15	.03		
BOUND BROOK 1 W	1.75								.03	.09	.38	.01					.00						.01	.07	.70				.15	.10	.04		
BRANCHVILLE	2.28								.00	T	.31	.11			T		.11	.04							1.11		.10	.11	.90				
BRIDGETON 1 NE		RECORD MISSING																															
BURLINGTON	1.58								.02	.08	.35				.05		.00						.01	.60				.07	.04	.21	.01	.08	
CANISTEAR RESERVOIR	1.96								.07	T	.03	.25	.05	T			.17	T						.15	.83		.08	.10	.20	.05			
CANOE BROOK	1.80								.06	.04	.27	.01					.15	.03					.02	.11	.80		.03	.15	.18	.04			
CANTON	1.25								.00	T	.30					.13		.08					.02	.09	.30					.13	.11		.03
CAPE MAY 3 W		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CEDAR GROVE	2.50								.05	.03							.21						.15	.08	.70				.13	1.10	.05		
CHARLOTTEBURG	1.92								.07	.02	.22	.04					.15	.03					T	T	.83	.15		.00	.10	.20	.05		
CHATNAH	1.04								.00	.02	.28	T					.11						T	.12	.92		.04	.17	.00	.13			
CHATSWORTH 5 S		RECORD MISSING																															
CLAYTON	2.10								.07	.10						.15	.14	.24					.15	T	.51			.15	.47	.12			
CLINTON	2.08								.04	.00	.32						.08		.80				.08	.02	.80		.05	.20	.20	.14			
DEEPWATER	1.46								.05	.05	.50						.14	.14	.33				.14	.14	.33			.00	.08	.00			
ELIZABETH	1.06								.05	.05	.04				.01		.30						.06		.58		.10	T	.15	.21	.01		
ELIZABETHPORT	1.52	T							.02		.13	.29					.06		.04				.04	.11	.43		.03	.09	T	.20	.00		
ESSEX FIELDS SERV BLOG	2.00		.05						.15		.25						.10	-						.10	-		.28	.30	.02				
FLEMINGTON 1 NE	1.70								.08	.07	.40				T	T	.08	.00					.09	.02	.05		.03	T	.14	T	.29	.10	
FORTESCUE	1.70								.15	.06	.30					.20	.13							.04	.42				.13	.27			
FREENOLD	1.40								.05	.10	.30						.08						.02		.53		T	.11	.18	.07			
GREENWOOD LAKE	1.80	T							.07	.01	.30	.08			T		.15	.05					T	.70	T		.06	.10	.18	.04			
HANMONTON 2 NNE	1.34								.01	.13	.07					.08	.13							.35			.28		.11	.18			
HIGH POINT PARK									.07	.25		.10					1.10	.03															
HIGHTSTOWN 1 N	1.75	T							.03	.00	.33				T	T	.10						.02	T	.88		.01		.04	T	.18	.01	.00
INDIAN MILLS 2 W	1.89								.10	.11	.50					.07	T	.10					T	T	.47		.05	.04	.10	.17	.01	.12	
IRVINGTON	2.00	T							.03	.02	.11	.25					.20	.12					.10	.22	.57		.05	.12	.21	.09			
JERSEY CITY	2.05	T							.04	.10	.18	.24					.12	.10					.09	.13	.50		.04	.12	.20	.15			
LAKEWOOD 2 ENE		RECORD MISSING																															
LAMBERTVILLE	2.18								.05	.07	.43					.02	T	.08					.12	.04	.92		T	.12	T	.22	.11		
LAYTON 3 NW	2.70								.08	.04	.20						.21								1.52		.11	.03	.17	.00	.34		
LEESBURG STATE FARM										.41															.47				.31	.25	.10		
LITTLE FALLS 1 E	1.63								.08	.03	.20	.05					.12	.03					.01	.06	.00		.03	.03	.13	.15	.04	.01	
LONG BRANCH	1.77	T							.06	.18	.23				T	T	.06						.02	.07	.40		.03	.06	T	.10	.11		
LONG VALLEY	2.02								D	.10	D	.20					.04	.00					.20		.80		.010	.020	.35	.12			
NACOPIN INTAKE	1.03								.07	.03	.21	.05			T		.11	.02					T	T	1.00		.06	.12	.17	.03	T		
MAHWAH	1.04								.07	.03	.23	.05					.08	.03						.01	.00	T		.06	.13	.23	.03		
NANVILLE									.05	.10	.33						.10						.20	.22			.06	.08	.05			.03	
NARLTON 1 W	1.69								.00	.00	.30					.13							.01	.46		.04		.10	.05	.17	.13		
MAYS LANDING	3.17							.10	.21	T	.10	.25				.41		.45					.10		.81		.15		.20	.18	.21	.10	
MIDLAND PARK	2.11								.00	.02	.32						.10							.04	.00		.03	.13	.21	.15			
MILLVILLE	2.04								.02	.00	.27	.07			.01	.05	.00	.05					.04	.19	.50		.02		.12	.29	.17		
NILTON	2.78								.11	.07	.28	.05				.10	.36						.15	1.20			.04	.10	.17	.09			
MOORESTOWN	1.34								.08	.03	.06	.33				.05	.00						.01	.44			.02	.05	.10	.11			
MORRIS PLAINS	2.40								.07	.05	.34						.15						.07	.02	1.18		.04	.01	.13	.24	.10		
NEWARK WB AIRPORT	1.77	T	T						.03	.02	.10	.21			T	T	.11	.12					.07	.09	.49		.07	.15	T	.21	.10		
NEW BRUNSWICK EXP STA	2.02								.03	.10	.37						.15						.08		.85		.02	.12	.20	.10			
NEW MILFORD	1.04								.04	.06	.32					.04	.18						.10	.14	.44		.04		.12	.16			
NEWTON	2.27								.00	.04	.24	.10					.30	T					T	1.17			.07	.12	.17	T			
OKA RIDGE RESERVOIR	2.20								.11	.04	.26	.00			.02	.31	.00							1.01				.07	.13	.20	.02		
OLOWICK	1.80								.05	.08	.31	.01					.12	.01					.02	.08	.80	T		.05	.18	.10	.02		
ORANGE	2.07								.11	.03	.31						.20							.05	.78			.21	.16	.10	.12		
PATERSON	1.05								.12	.03	.05	.01				.25	.11						.03	.05	.05	T		.10	.20	.05			
PENBERTON 3 E	1.57								.08	.10	.33					.05	.23							.02	.07	.27		.03	.06	.06	.21	.15	
PHILLIPSBURG	1.75	T							.06	.08	.30						.14						T	T	.48		T	.14	T	.48	T		
PHILLIPSBURG BRIDGE	2.33								0.06	.11	.34	T	T				.31	T	T					.13									

DAILY TEMPERATURES

NEW JERSEY
JANUARY 1957

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	39 19	31 17	37 22	49 33	38 30	36 24	33 29	42 30	41 33	46 26	32 20	41 28	44 22	28 17	25 7	30 19	22 11	28 9	34 16	43 30	46 39	50 41	57 27	28 19	33 27	44 30	43 37	38 33	44 35	40 33	40 33	38.1 25.7
AUDUBON	MAX MIN	38 20	30 16	37 22	48 29	40 29	34 18	34 27	41 27	37 29	39 25	31 19	43 18	40 25	19 13	30 12	21 9	28 2	32 11	42 13	44 35	61 38	62 24	27 17	31 24	40 29	40 30	37 30	41 30	41 31	37 32	37.1 22.2	
BELLEPLAIN	MAX MIN	50 25	44 12	38 20	52 28	46 20	46 18	36 27	42 22	43 25	45 35	44 28	45 14	40 28	39 25	25 15	30 15	29 2	32 -10	38 2	44 5	52 31	65 40	60 32	43 16	33 22	44 23	43 28	40 31	42 32	42 32	41 29	42.4 20.8
BELVIOERE	MAX MIN	35 18	26 11	34 18	46 20	40 24	31 12	35 21	38 30	37 27	36 21	35 20	35 12	31 20	21 6	20 -2	26 1	20 -4	21 -8	29 0	40 4	42 31	50 36	59 25	30 13	37 19	42 25	37 26	34 30	38 27	36 26	34.3 17.5	
BOONTON 2 SE	MAX MIN	44 23	28 11	25 16	34 22	44 26	36 12	30 13	34 23	40 25	38 28	35 14	35 11	38 19	38 8	22 -3	17 -3	27 -4	21 -7	23 -4	28 3	39 39	39 33	59 35	59 19	28 13	29 21	35 26	40 28	34 30	37 27	36 25	34.3 15.8
BRIDGETON 1 NE	MAX MIN																																
BURLINGTON	MAX MIN	45 18	31 15	30 15	47 28	45 30	44 21	43 28	42 28	37 29	38 30	31 18	40 20	39 20	26 13	20 2	31 11	25 8	26 0	32 9	42 8	43 34	61 33	58 30	44 17	41 22	38 22	40 31	39 30	38 29	39 30	38.5 21.3	
CANOE BROOK	MAX MIN	46 23	27 9	26 18	34 20	42 22	35 10	37 17	41 18	44 25	47 31	40 9	29 10	37 21	34 8	23 -2	14 -15	27 -15	21 -10	22 -4	28 5	41 33	48 33	60 43	59 13	28 14	30 24	37 26	41 30	38 27	38 24	35.8 14.5	
CAPE MAY 3 W	MAX MIN	46 31	32 21	35 27	49 32		22	37 10	38 35	40 24	45 28	36 24	42 28	40 32	37 18	7	30 15	30 13	37 15	43 30	45 21	59 39	55 30		20		45				42 30	40.0	
CHARLOTTEBURG	MAX MIN	40 18	30 7	33 12	30 18	44 23	34 9	29 10	32 17	39 20	39 27	32 10	28 5		29 0	20 -8	10 -8	25 -5	19 -12	20 0	28 4	38 18	45 36	59 41	58 9	28 9	28 19	33 19	37 26	34 27	36 24	35 21	32.8 13.2
CHATSWORTH 5 S	MAX MIN																																
CLAYTON	MAX MIN	43 14	29 14	34 21	47 29	40 32	34 20	34 31	39 31	37 30	41 32	34 20	40 11	40 20	36 14	21 4	27 16	24 9	21 -1	31 11	44 14	43 35	61 42	62 30	30 16	31 22	40 22	41 31	39 33	37 34	38 36	38 36	37.3 22.9
ELIZABETH	MAX MIN	44 19	30 10	35 12	49 24	42 26	34 17	34 24	45 25	38 28	38 14	34 15	37 15	38 29	29 10	0	22 9	23 0	25 1	31 6	41 8	40 32	56 36	61 29	31 14	30 19	40 19	44 28	37 28	35 31	36 27	36.7 19.1	
ESSEX FELS SERV BLDG	MAX MIN	42 15	28 8	25 12	32 17	42 22	34 14	32 15	37 40	40 30	42 31	38 14	33 14	35 16	30 -4	28 -5	14 -3	20 -6	20 -5	25 3	30 37	37 42	60 33	60 32	32 12	35 28	34 28	40 26	40 29	33 21	37 27	34.8 15.4	
FLEMINGTON 1 NE	MAX MIN	45 15	28 10	34 19	48 19	38 24	38 13	34 20	43 28	37 26	35 22	29 11	37 11	36 25	30 9	17 -1	27 9	19 -3	25 -1	30 25	40 33	48 33	62 27	52 14	28 18	37 23	39 26	37 28	35 30	38 27	35 25	35.3 16.5	
FREEMOHL	MAX MIN	40 19	28 11	34 17	48 24	39 27	34 16	34 25	41 25	35 30	36 13	41 10	38 13	27 11	18 2	20 -3	25 11	31 1	20 -3	31 4	44 14	63 41	61 29	30 14	30 20	38 30	40 24	35 30	38 30	38 28	36.0 20.1		
HAMMONTON 2 NNE	MAX MIN	50 29	33 13	32 17	38 21	47 32	40 12	39 18	33 24	42 26	38 33	41 18	32 19	42 23	41 13	22 3	23 3	31 1	21 15	28 5	35 15	44 33	46 33	65 45	61 16	47 18	42 23	43 26	42 22	37 31	38 30	40 31	39.1 19.8
HIGH POINT PARK	MAX MIN	36 10	21 5	15 11	33 12	41 18	31 5	18 9	28 16	32 13	33 18	29 5	26 6	32 18	23 -6	11 -14	8 -18	19 -11	11 -11	22 9	35 47	55 33	54 4	22 3	23 15	27 16	31 21	30 19	32 19	29 11	27.9 6.6		
HIGHTSTOWN 1 N	MAX MIN	41 19	29 12	35 18	47 25	44 28	32 16	33 24	41 23	37 28	37 15	30 18	39 15	37 26	11 1	19 -4	26 10	23 -4	30 9	41 32	40 32	61 35	60 32	32 19	36 24	40 29	35 30	38 30	34 28	34 29	36.0 19.8		
INOIAN MILLS 2 W	MAX MIN	43 19	29 12	35 19	50 26	41 29	34 16	32 20	40 21	37 24	38 18	43 12	40 12	27 11	22 -4	28 -5	23 -11	32 1	43 2	45 35	64 31	62 14	31 22	39 28	30 28	35 30	36 29	38 29	37 29	37.2 19.0			
JERSEY CITY	MAX MIN	32 13	26 13	31 19	46 28	35 22	30 20	33 26	40 31	37 29	27 18	36 22	24 17	23 6	13 0	23 10	22 8	23 6	29 12	36 16	41 37	50 40	59 22	26 15	29 24	35 27	41 30	34 32	36 31	34 28	34 28	33.5 21.0	
LAKEWOOD 2 ENE	MAX MIN																																
LAMBERTVILLE	MAX MIN	42 21	29 13	35 21	49 25	41 27	32 14	34 25	41 25	37 28	38 28	30 14	40 13	36 24	26 12	19 1	30 9	24 3	26 -3	32 4	40 6	38 29	52 34	60 29	30 16	29 21	38 25	40 29	36 31	35 30	38 29	34 29	35.8 10.8
LAYTON 3 NW	MAX MIN	42 13	23 3	31 13	45 14	40 16	0	34 10	40 27	41 17	30 -2	35 13	35 -3	32 -10	25 -11	10 -21	27 -10	20 -21	20 -10	30 -7	37 29	48 36	58 25	37 12	30 20	48 15	33 19	34 19	36 19	33 17	33.8 9.4		
LEESBURG STATE FARM	MAX MIN	49 30	37 15	31 18	48 24	43 33	19	36 20	40 27	33 26	40 36	39 20	33 20	45 29	30 15	4	20 6	29 3	21 8	27 11	33 7	37 41	59 31	55 42	43 16	31 18	40 27	42 31	38 33	37 32	37.7 21.5		
LITTLE FALLS 1 E	MAX MIN	32 15	29 10	28 18	33 23	46 34	38 13	31 18	37 25	44 27	41 32	35 14	30 14	38 22	34 7	24 -3	14 -2	31 -2	23 -6	25 3	32 4	40 36	43 62	62 61	30 15	30 22	40 15	44 24	36 30	37 27	41 27	35.9 16.8	
LONG BRANCH	MAX MIN	35 14	27 13	34 20	48 27	36 27	31 24	33 26	41 29	37 29	38 17	42 18	37 16	24 8	18 2	25 16	20 4	25 2	30 12	40 8	45 36	58 40	60 20	25 16	32 25	36 30	40 28	37 30	36 33	38 30	37 32	35.4 21.2	
LONG VALLEY	MAX MIN	38 19	27 8	34 17	47 21	40 22	32 9	33 20	42 25	40 24	36 26	27 7	33 6	30 8	18 3	27 -5	24 -9	22 -15	27 -6	38 3	39 28	48 35	58 25	28 11	28 16	39 11	46 26	41 23	37 29	38 25	34 24	35.0 14.5	
MOORESTOWN	MAX MIN	39 16	30 15	36 23	48 30	38 24	35 18	34 26	41 29	37 30	38 26	32 17	42 21	40 20	19 11	27 12	20 7	27 4	33 13	42 9	44 37	60 40	61 20	27 17	31 25	38 30	37 30	37 31	36 30	33 32	36.5 21.8		
MORRIS PLAINS	MAX MIN	42 19	26 8	33 17	44 28	42 23	31 13	33 20	40 28	37 26	35 31	35 8	34 10	26 18	4	26 -4																	

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
JANUARY 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX MIN	37 29	29 10	37 17	50 23	42 27	35 16	34 24	43 19	39 25	37 32	37 11	39 9	39 17	26 11	22 0	29 6	29 -2	28 -16	28 -4	43 -4	45 39	63 38	61 30	39 14	30 15	37 29	40 28	37 20	39 27	37 26	37 28	37.5 17.9
SANDY HOOK LBSTA	MAX MIN	40 19	21 14	33 18	42 31	37 30	32 22	34 27	43 30	37 31	40 33	35 18	37 23	35 27	27 14	20 9	25 19	23 12	23 9	29 16	39 20	40 33	50 36	52 27	29 16	30 24	34 27	38 27	34 31	35 33	37 29	39 31	34.6 29.9
SOMERVILLE	MAX MIN	41 19	29 10	36 19	48 24	39 25	33 15	33 21	43 25	37 27	37 27	31 14	37 11	34 24	25 9	19 -1	28 8	22 -5	26 -10	30 0	41 2	39 28	49 35	81 21	28 14	29 19	38 21	42 28	34 29	34 30	39 28	34 28	35.5 17.5
SUSSEX 3 N	MAX MIN	42 17	24 6	21 11	30 17	44 22	34 7	27 7	34 13	39 22	39 30	33 8	28 10	33 16	33 -4	18 -10	5 -10	23 -6	16 -10	18 -10	28 -1	36 0	43 33	59 38	59 9	25 9	27 18	31 19	26 23	34 29	33 24	35 28	31.6 11.4
TRENTON 2	MAX MIN				48 29	38 25	33 17	34 26	41 28	38 30	30 22	40 18	40 20	38 21	25 12	16 2	28 11	22 8	27 5	32 12	40 13	43 37	58 40	60 20	28 16	34 24	39 30	39 32	34 31	38 31	39 30	35 32	36.3 22.2
TRENTON WB CITY	MAX MIN	38 19	28 14	35 22	49 29	36 26	32 17	34 26	40 30	38 29	38 22	30 18	40 21	40 19	23 7	13 2	28 11	18 8	25 5	31 12	41 15	45 38	61 43	62 19	25 16	30 23	37 29	40 33	37 38	49 31	40 31	36 32	36.6 21.7
TUCKERTON 2 SW	MAX MIN																																

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STA																																	
MEASURED UNDER SOD																																	
1 INCH	MAX MIN	32 30	31 29	32 29	34 30	33 30	31 29	31 30	33 30	32 30	32 30	32 29	31 29	32 30	30 27	30 26	31 26	29 26	29 28	30 28	31 30	37 30	44 30	32 30	31 29	32 30	31 30	32 30	31 30	32 30	32 30	32 30	31.8 29.0
2 INCHES	MAX MIN	33 31	32 30	32 30	33 30	32 31	32 30	31 30	32 31	32 30	32 31	32 30	31 30	32 31	29 29	30 27	31 28	30 27	30 28	30 28	31 30	32 30	38 30	32 31	31 30	32 30	31 30	32 30	32 29	32 30	32 30	32 30	31.8 30.2
4 INCHES	MAX MIN	33 31	32 31	32 31	32 31	32 31	32 31	32 31	32 31	32 31	32 31	32 31	32 31	31 30	31 29	30 28	31 28	30 28	30 28	30 28	31 30	32 30	35 31	32 31	31 30	31 30	32 31	32 30	32 31	32 30	32 31	32 30	31.6 30.1
8 INCHES	MAX MIN	36 34	35 33	34 33	35 33	35 33	33 33	34 33	34 33	34 33	34 32	34 32	34 32	34 32	32 31	32 30	31 30	32 30	32 30	32 30	32 30	32 31	32 31	33 32	34 32	33 32	33 32	33 31	33 32	33 32	33 32	33 32	33.4 31.9
16 INCHES	MAX MIN	38 37	38 36	37 36	37 35	36 35	36 35	37 35	36 35	36 35	36 34	35 34	36 34	35 34	35 33	35 33	34 33	34 33	34 32	34 32	34 33	34 33	35 34	34 33	34 33	34 33	34 33	34 33	34 33	34 33	34 33	35 33	35.2 33.8
32 INCHES	MAX MIN	42 42	42 41	41 41	41 40	41 40	41 39	40 39	40 39	39 39	39 39	39 38	39 38	39 38	40 38	38 37	38 37	38 37	37 36	37 36	37 36	37 34	37 34	37 36	37 36	37 35	37 35	38 38	37 35	38 36	38 36	38 36	38.4 38.2

Measured under Kentucky Bluegrass.

Table 7

SNOWFALL AND SNOW ON GROUND


NEW JERSEY
JANUARY 1957

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV						T	.9 1	T	1.0 T					1.0 1	2.5 T	1.8 4	T 3	3 3	2 2	T						.4 T	T					.3 T
BASS RIVER ST FOREST	SNOWFALL SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BELVIDERE	SNOWFALL SN ON GND	T						.5 -		.5 -	T					2.5 -	-	-	-	-	-	-	-	-	-		.8 -		2.0 -				T
CHARLOTTEBURG	SNOWFALL SN ON GND							1.0 1	1 1	.3 1	1.5 2	.5 2	2 2	1 1	1 1	3.5 5	.5 5	5 5	5 5	5 5	4 4	2 2					.5 1	1.0 1	1 1	1 1	1 1	1 1	
CLAYTON	SNOWFALL SN ON GND							.5 T		.6 T					1.0 1	.5 2	2.5 3	2 2	2 2	1 1	T					T							
FLEMINGTON 1 NE	SNOWFALL SN ON GND	.8 T	T					1.0 T		1.0 T	2.0 1	1 1	T	T	T	2.0 1	1 1	1 1	1 1	1 1	T					1.0 1	T	2.0 1	T	T			.8 T
FREEHOLD	SNOWFALL SN ON GND							.8 1		1.3 T	T	T			.1 T	3.5 4	4 4	4 4	3 3	2 2						.2 T		.3 T					
HIGHTSTOWN 1 N	SNOWFALL SN ON GND	T						.5 T	T	1.2 T	1.5 T			T	.1 T	2.5 2	2 2	2 2	2 2	2 2	1 1					.2 T		.4 T	T				T
INDIAN MILLS 2 W	SNOWFALL SN ON GND	T						1.0 1	T	1.1 T	T				.9 T	T	1.9 T	2 2	2 2	2 2	T					.3 T			T				T
LAMBERTVILLE	SNOWFALL SN ON GND							1.0 T		1.0 T	1.5 T				T	T	2.0 1	1 1	1 1	1 1	T	T				T		.1 T					
LAYTON 3 NW	SNOWFALL SN ON GND							1.2 T		.5 T	2.7 2	2 2	2 2	2 2	2 2	2 2	3.1 5	5 5	5 5	5 5	5 5	2 2	T			1.6 2	1 1	3.0 2	2 2	T	2 2	2.5 3	
LITTLE FALLS WATER CO	SNOWFALL SN ON GND							1.5 2	1 1	.3 1	.6 1	.3 1	1 1	1 1	1 1	3.0 4	.5 4	4 4	4 4	3 3	1 1						.8 1	1.0 1	T	.1 T		.1 T	
LONG BRANCH	SNOWFALL SN ON GND	T						T	.7 T	T	1.2 T	T			.1 T	1.5 1	2.5 4	4 4	4 4	3 3	T					.2 T		.1 T	T				T
LONG VALLEY	SNOWFALL SN ON GND							1.0 -			2.0 -						4.0 -	-	-	-	-					1.0 -		2.0 -					
MAYS LANDING	SNOWFALL SN ON GND							1.5 -	T					2.0 -	-	-	3.0 -	-	-	-	-					.5 -							.5 -
MILLVILLE	SNOWFALL SN ON GND	-	-	-	-	-	-	1.0 -		.5 -					-	1.5 -	3.0 -	-	-	-	-	-	-	-	-	T		-	-	-	-	-	T
MOORESTOWN	SNOWFALL SN ON GND							.5 1	.2 T	1.2 1					1.6 2	2.2 1	T 3	2 2	2 2	2 1	T						T	T					
MORRIS PLAINS	SNOWFALL SN ON GND	.1 T	T					1.0 1		.5 T	2.3 T					3.2 3		T								.5 1	.1 1	1.5 2	T	T			.1 T
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV	T						.3 1	.5 T	.4 T	.3 T			T	T	1.9 3	1.9 2	3 2	2 2	2 1	T					.8 T		1.7 1	T	T			T
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND							.7 T		1.0 1	.5 T					2.5 2	2 2	2 2	1 1	T						.3 T		1.0 T					
NEWTON	SNOWFALL SN ON GND							1.0 1		T	2.0 2	1.0 2	1 1	1 1	1 1	3.0 4	T 4	4 4	4 4	3 3	1 1						1.0 1	1.0 1	1 1	1 1	1 1	1 1	
PATERSON	SNOWFALL SN ON GND							1.0 -		.3 -	.4 -	T				3.0 3	1.0 3										1.0 1	1.5 1					
PEMBERTON 3 E	SNOWFALL SN ON GND							.8 1		1.0 T					.8 1	2.5 3	3 3	3 3	2 2	T							T						
PHILLIPSBURG	SNOWFALL SN ON GND	T T						.5 1		.5 T	.5 T		T T	T T	T T	2.0 T	2 2	2 2	2 2	T T	T T					T T	T T	2.0 T	2 1	T 1			.5 1
PLAINFIELD	SNOWFALL SN ON GND	T						.7 T		1.0 T	1.5 T		T T	T T		.2 T	2.8 3	2 2	2 2	2 1	T					.8 1	T 1	1.7 1	1 1	T T			T T
RAHWAY	SNOWFALL SN ON GND	T						T T		T T	T T			T T		3.5 T	3 3									.3 T		1.8 T		T T			T T
RIDGEFIELD	SNOWFALL SN ON GND	T						T 1		.8 T	.4 T	.2 T	T T	T T		1.0 1	4.0 5	4 4	4 4	3 3	2 2	1.0 1				.5 1	T 1	2.0 2	1 1	T T			T T
SOMERVILLE	SNOWFALL SN ON GND	T						1.0 T		1.0 T	1.5 T					1.5 2	2 2	1 1	1 1	1 1						.7 T		2.0 T					T T
TRENTON WB CITY	SNOWFALL SN ON GND	T						.3 T	.5 T		2.0 1	T T			T T	.3 T	.9 T	.8 2	1 1	1 1	1 1	T				.2 T		.8 1	T T				T T
WANAQUE RAYMOND DAM	SNOWFALL SN ON GND							1.5 2	1 1	.2 T	1.5 2	1 1					3.2 3	.5 4	3 3	2 2							.7 T	1.2 T					

See reference notes following Station Index.


TOTAL PRECIPITATION

NEW JERSEY
JANUARY 1957



AVERAGE TEMPERATURE

NEW JERSEY
JANUARY 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
JANUARY 1957

Station	Index No.	County	Drainage I	Latitude	Longitude	Elevation	Observation Time	Temp.	Precip.	Observer	Refer To Tables	Station	Index No.	County	Drainage I	Latitude	Longitude	Elevation	Observation Time	Temp.	Precip.	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MIO	BERGEN COUNTY ENGS					HARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM				3
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8	MIO	U. S. WEATHER BUREAU	2 3 5	C			HAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50	SP	ELMER EARLE				3 7
AUDUBON	0346	CAMDEN	2 39 54	75 04	50	11P	IRVIN J. WYDEN	2 3 5				MILANO PARK	5503	BERGEN	8 40 59	74 09	210	MIO	CORNELIUS HOWARD				3
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 26	20	6P	N.Y. FORESTRY SVC	2 3 5	7			MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60	MIO	L. J. GALLAMER				3 7 C
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	49	5P	MRS. ED C. HOFFMAN	2 3 5				MILLVILLE AIRPORT	5581	CUMBERLAND	6 39 22	75 04	68	BA	AIRPORT MANAGER				2 3 5
BELMAR	0721	MORRISTOWN	1 40 10	74 02	19	MIO	CITY WATER DEPT	2 3 5	7			MILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS				3
BELVIDERE	0729	WARREN	2 40 50	75 05	289	5P	MISS C. S. HESION	2 3 5	7			MORRISTOWN	5728	BURLINGTON	2 39 58	74 58	55	MIO	PA. J. WILLARD				2 3 5 7
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150	7A	SAMUEL H. MC CULLEY	2 3 5				MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500	AP	JAMES C. LONG				2 3 5 7
BLACKWELLS MILLS	0867	SOMERSET	10 40 29	74 35	27	7A	HENRY H. MILLER	2 3 5				NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MIO	W. S. WEATHER BUREAU				2 3 5 7 C
BOONTON 2 SE	0907	MORRIS	6 40 54	74 24	260	6A	JERSEY CITY WTR WKS	2 3 5				NEW BRUNSWICK EXP STA	6082	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR W. ANHOLIST				2 3 5 7 G
BOUNO BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	BA	AMERICAN CYANAMID CO	2 3 5				NEW MILFORD	6145	BERGEN	4 40 57	74 02	12	MIO	HACKENSACK WATER CO				3
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A	ALBERT H. OVENHUT	2 3 5				NEWTON	6177	SUSSEX	2 41 03	74 45	565	BA	NEWTON WTR SWR COMM				2 3 5 7 C
BRIDGE TON 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WSHJ	2 3 5				OAK RIDGE RESERVOIR	6480	PASSAIC	8 41 02	74 30	870	BA	NEWARK WATER DEPT				3
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC E + G CO	2 3 5				OLIVER	6544	HUNTERDON	10 40 40	74 45	260	BA	DAN A. COUGHLIN				3
CANISTEER RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	BA	NEWARK WATER DEPT	2 3 5				ORANGE	6560	ESSEX	8 40 47	74 14	140	MIO	COUNTY ENGINEER				3 7 C
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5 6				PATERSON	6775	PASSAIC	8 40 55	74 09	100	BA	P. J. OEL VECCHI				2 3 5 7
CANTON	1343	SALEM	2 39 28	75 25	10	9A	GERTRUDE S. WILLIS	2 3 5				PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. DOEHLERT				2 3 5 7
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P	N. WEST MAGNETIC CO	2 3 5	C			PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT				2 3 5 7
CEAR GROVE	1472	ESSEX	8 40 52	74 13	400	BA	J. A. PLUNKETT	2 3 5				PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE COM				3
CENTERTON	1512	SALEM	6 39 31	75 10	60	MIO	JOHN HOPKINS UNIV.	2 3 5				PLAINFIELD	7079	UNION	10 40 36	74 25	120	BP	S. K. PEARSON				2 3 5 7
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7			PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	7A	JOHN H. BERRYMAN				3
CHATHAM	1590	MORRIS	8 40 44	74 23	185	BA	EDWARD P. MOLITOR	2 3 5				PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	BA	ATLANTIC CITY WTR WKS				2 3 5 6
CHATHAMSHORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P	WILLIAM S. HAINES	2 3 5				PRINCETON WATER WORKS	7320	MERCER	10 40 10	74 40	90	MIO	PRINCETON WATER CO				3
CLAYTON	1708	GLoucester	2 39 19	74 18	250	6A	BOROUGH ESSEX TILLS	2 3 5	7			RAYWAY	7393	UNION	9 40 36	74 15	20	MIO	RAYWAY VLY SHG AUTH				3 7 C
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER	2 3 5				RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MIO	GEORGE P. KIRSTEN				2 3 5 7
COEPWATER	2209	SALEM	2 39 41	75 30	12	MIO	DU PONT CO NEUMOURS	2 3 5				RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	N. JERSEY WTR SUPPLY				3
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5				RUNYON	7825	MIDDLESEX	1 40 26	74 18	18	6P	N. J. WATER COMM				2 3 5 6
ELIZABETHPORT	2652	UNION	8 40 39	74 12	50	MIO	SEWAGE TREATMENT PL	2 3 5				SARATOGA HOOK LBSTA	7869	BERGEN	10 40 28	74 01	22	7P	U. S. COAST GUARD				2 3 5 7
ESSEX FELS SERV BLOG	2768	ESSEX	8 40 50	74 18	250	6A	BOROUGH ESSEX TILLS	2 3 5				SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	W. E. HAYES				2 3 5 7
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	DONALD YOUNG	2 3 5	7			SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY O P W				3
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	7A	JOHN LOPER	2 3 5				SPRINGFIELD	8423	UNION	1 40 43	74 18	-	MIO	N. J. DEPT OF CONS				2 3 5 C
FREENHOLD	3161	MORRISTOWN	10 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7			SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON				2 3 5 C
GLACEDURO	3516	GLoucester	2 41 10	74 07	110	6A	FRANK J. MOREAU	2 3 5				TUCKERTON 2 SW	8863	MERCER	2 40 13	74 46	56	BA	U. S. WEATHER BUREAU				2 3 5 7 C
GREAT MEADOWS 4 N	3618	WARREN	4 40 56	75 55	50	MIO	MICHAEL OZYMSKI JR.	2 3 5				TOMES RIVER	8816	UNION	1 39 57	74 14	10	SP	ROBERT F. SNOVER				2 3 5 7
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	7A	GEORGE T. WIGGINS	2 3 5				TRANQUILITY 2 W	8878	WARREN	2 40 57	74 30	551	MIO	H. J. REYSTER				3
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MIO	BERGEN COUNTY ENGS	2 3 5				C TRENTON 2	8898	MERCER	2 40 14	74 46	105	MIO	E. M. ERMIST				2 3 5
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	BA	H. H. HUBBARD PAKHURST	2 3 5				ATRENTON WB CITY	9183	MERCER	2 40 13	74 46	56	MIO	U. S. WEATHER BUREAU				2 3 5 7 C
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	BP	JAMES R. PICKERING	2 3 5	7			VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	BA	STATE HOME FOR WOMEN				3
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MIO	EPT WATER + SEWAGE	2 3 5				WANAUKE RAYMOND OAH	9187	PASSAIC	8 41 03	74 18	320	BA	WATER SUPPLY COMM				3 7 C
INDIAN MILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7			WATCHUNG	9271	UNION	8 40 40	74 25	-	MIO	JOHNIE BURN SAN.				3
IRVINGTON	4280	ESSEX	1 40 45	74 15	120	MIO	JOINT MEETING GARAGE	2 3 5				WERTVILLE	9363	HUNTERDON	10 40 27	74 48	16	7A	ROBERT M. MANNERS				3
JERSEY CITY	4339	UNION	1 40 44	74 04	135	MIO	JERSEY CITY WTR DEPT	2 3 5	7			WESTFIELD	9455	UNION	9 40 29	74 21	135	SP	TOWN ENGINEER				3
LAKESWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	MIO	GEORGE G. WADLOFF	2 3 5	7			WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MIO	HACKENSACK WATER CO				3 C
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5				WOOSTOWN 2 NW	9910	SALEM	2 39 40	75 20	16	6P	WOODHUN W. HALTER				INAC 2/58
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	400	6P	A. M. DEPUDE	2 3 5	7														
LEESBURG STATE FARM	4762	CUMBERLAND	2 39 14	74 58	10	BA	LEESBURG STATE FARM	2 3 5	7														
LITTLE FALLS 1 E	4887	PASSAIC	8 40 53	74 14	157	9A	PASSAIC VLY WTR COMM	2 3 5	7														
LONG BRANCH	4997	MORRISTOWN	4 40 18	74 59	34	MIO	STORM MARK OSPAL STA	2 3 5	7														
LONG VALLEY	5003	MORRIS	10 40 48	74 46	600	6P	ARTHUR BARKMAN	2 3 5	7														
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MIO	JAMES LAWTON	2 3 5															
MACPION INTAKE	5071	PASSAIC	8 41 01	74 54	58	9A	NEWARK WATER DEPT	2 3 5															
MANHAW	5104	BERGEN	8 41 06	74 10	253	7A	ROBERT G. GLASGOW	2 3 5															
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MIO	JOHN L. RACLIFF	2 3 5															
MARLBORO SCS	5244	MORRISTOWN	1 40 20	74 14	120	MIO	GEROW BRILL	2 3 5															

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULICA; 8-PASSAIC; 9-RAMWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 8.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent samples published in Table 7 are necessarily taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 5, and 6 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.
- + And also on a later date or dates.
- * Amount indicated in following measurement, time distribution unknown.
- // Data is equipped with a windshield.
- ° Thermometers are generally exposed in a shelter located a few feet above sod-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.
- AM Data based on observational day ending before noon.
- B Adjusted to a full month.
- C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data".
- D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
- G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.
- M One to nine days of record missing; see Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.
- R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in Hourly Precipitation Data).
- T Trace, an amount too small to measure.
- V Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of substation through 1955 may be found in the publication "Station History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents, Resistance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC., Asheville, N. C. --- 3/19/57 --- 750

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

FEBRUARY 1957

Volume LXII No. 2



APR 22 1957
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

The State's weather in February was warmer than usual in all divisions, and the divisional precipitation averages did not vary much from the long-term mean.

Temperature averages for the month ranged from 28.0° at High Point Park to 40.0° at Cape May 3 W, and all stations having long-term means reported positive departures ranging from +1.8° at Sussex 3 N to +5.7° at Runyon. The highest temperatures for the month occurred during the period 25th-28th, with over half the stations recording this value on the 27th. Hammonton 2 NNE topped the list with a reading of 72° on the 28th. Low readings were most predominant on the 3rd and 12th, and 3° on the 3rd at Layton 3 NW was lowest.

Precipitation averages for stations with long-term means were fairly well divided between positive and negative values. The range of monthly totals was from 1.57 inches at Deepwater to 4.01 inches at Atlantic City WB. The 26th and 27th were the most outstanding dates for the greatest daily amounts, with a measurement of 1.54 inches at Paterson on the 27th topping the list. Flemington 1 NE reported 13.0 inches for the greatest total snowfall for the month, however several more stations recorded total amounts exceeding 10.0 inches. Atlantic City WB and Trenton WB City both showed a deficiency in the percentage of possible sunshine, and this was reflected in the greater than usual daytime cloudiness.

WEATHER DETAILS

Temperatures for the first three days of the month did not depart from seasonal levels enough to be worthy of special mention. On the 4th rising temperatures occurred with readings more than 10° above the long-term average, and the period that followed from the 5th to 10th inclusive, positive values prevailed. This warm spell was replaced by slightly cooler weather on the 11th, 12th, and 13th. From the 14th to 27th inclusive, there was considerable fluctuation in temperatures, but daily departures were mostly on the positive side. The most outstanding departures during this period occurred on the 25th, 26th, and 27th when average readings ranged well above seasonal means. Late on the 27th an

eastward moving high pressure system began to bring cooler weather to the State, and the month ended with average temperatures slightly below the long-term value.

During the first half of the month precipitation occurrences were rather frequent, but daily measurements were not too great, ranging mostly from very light to moderate. There were also several days during this part of the month on which some snow fell, and some stations reported several inches on the 1st. Most of the precipitation which occurred during the last half of February fell on the 26th, 27th, and 28th, with many stations reporting their greatest daily amount on the 26th or 27th. Light falls of sleet and snow were reported on the 28th.

WEATHER EFFECTS

Field activity during February was fairly limited. Some plowing was done and a few onions were set out in South Jersey. Some fruit growers completed pruning and vegetable growers made progress in getting hot beds in shape and starting early season plants under glass. The 5.0 inch snowfall at Trenton on the 1st was the greatest of the winter thus far, and resulting slippery conditions produced many traffic accidents. Winds of the 17th and 20th caused minor damage in the Trenton area.

DESTRUCTIVE STORMS

Over the entire State, except the extreme SE coast, freezing rain, sleet and snow occurred during the afternoon and night of February 28th and morning of March 1st. The direction of advance was north-eastward. The accumulation of sleet and snow was up to 2 inches in the north. The principal damage was to trees, power lines, telephone wires and poles. Many traffic accidents were also reported.

FLOODS

The Weather Bureau Office at Atlantic City reported that February weather was climaxed by a northeast storm on the 28th with minor flooding occurring as a result of high tides on the evening of the 28th.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
FEBRUARY 1957

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days		
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											32° or Above	32° or Below	32° or Below	0° or Below										
NORTHERN																								
BELVIDERE	AM	43.5	27.5	35.5	4.3	56	26+	11	3	819	0	0	21	0	2.00	-1.03	.56	26	6.3			8	1	0
BOONTON 2 SE	AM	41.9	25.2	33.6	4.3	57	28	15	12+	873	0	1	26	0	2.63	.06	1.24	27				4	2	1
CANOE BROOK	AM	43.4	24.6	34.0	4.7	57	28	14	12	860	0	1	26	0	2.98	.16	1.30	27	8.4	8	2	5	3	1
CHARLOTTEBURG	AM	41.1	21.6	31.4	2.2	57	26+	6	3	935	0	3	26	0	2.66	.36	1.02	27	6.6	6	2	5	2	1
ELIZABETH		45.1	28.3	36.7	3.5	60	27	15	3	785	0	0	22	0	2.84	.22	.70	27	7.5	5	2	7	1	0
ESSEX FELS SERV BLDG	AM	44.8	29.7	37.3		62	27	13	12	775	0	1	19	0	2.57		.93	27	7.5	8	2			0
FLEMINGTON 1 NE		43.8	25.8	34.8	2.5	57	25+	5	3	837	0	1	23	0	2.42	.21	.47	9+	13.0	8	1	7	0	0
HIGH POINT PARK		36.0	20.0	28.0		53	26+	5	12+	1029	0	11	27	0	1.81		1.03	27				3	1	1
JERSEY CITY		41.5	29.8	35.7	3.0	57	27	16	12	812	0	2	19	0	2.42	.34	.96	26				6	2	0
LAMBERTVILLE		43.8	27.9	35.9	3.6	60	27	15	3+	809	0	0	22	0					6.5	5	2			
LAYTON 3 NW	AM	42.1	20.7	31.4	5.0	55	25	3	3	934	0	1	7	0	2.41	.13	.57	2	10.9	5	1+	6	1	0
LITTLE FALLS 1 E		45.0	26.4	35.7	4.2	60	28	15	3+	814	0	0	26	0	2.73	.20	1.29	27	8.4	7	2+	5	2	1
LONG VALLEY		42.7	25.8	34.3		57	27	4	3	854	0	0	21	0	D3.08	.22	.92	26	7.0			5	3	0
MORRIS PLAINS		43.2	26.4	34.8		55	27	9	3	840	0	1	23	0	2.66		.81	27	8.1	3	1+	8	2	0
NEWARK WB AIRPORT	R	43.8	29.0	36.4	4.7	61	27	18	12	795	0	0	22	0	2.77	.33	1.13	26	8.8	6	2	7	2	1
NEWTON	AM	40.6	23.0	31.8	3.7	53	27+	7	3	923	0	4	27	0	2.07	.44	.72	27	6.0	4	2	5	2	0
PATERSON	AM	44.6	28.4	36.5	4.5	60	28	16	12+	791	0	1	22	0	3.56	.66	1.54	27	9.0	9	2	5	3	1
PHILLIPSBURG		45.2	27.7	36.5	5.6	60	27	10	3	790	0	0	22	0	2.11	.89	.45	9+	7.0	7	2	7	0	0
PLAINFIELD		43.6	28.3	36.0	3.6	57	27	16	3	807	0	0	21	0	2.34	.50	.67	26	8.9	8	1	6	2	0
RIDGEFIELD		43.3	27.7	35.5	4.2	60	26	15	12	820	0	1	22	0	2.75	.14	.95	26	8.7	8	1	6	3	0
SOMERVILLE		43.3	26.6	35.0	3.1	57	26+	10	3	835	0	1	22	0	2.02	.62	.54	26	9.2	6	2	7	1	0
SUSSEX 3 N	AM	40.0	21.7	30.9	1.8	54	28	7	3	946	0	4	26	0	2.18	.56	.75	27	7.5	6	2	5	2	0
DIVISION				34.4	3.6										2.52	.28			8.2					
SOUTHERN																								
AUDUBON		46.0	30.5	38.3		64	27	19	12	742	0	0	20	0	3.10		.82	10	2.0	1	1	6	4	0
BELLEPLAIN	AM	48.9	29.6	39.3		65	27	19	22	714	0	0	21	0	3.11	.11	.51	10				10	2	0
BRIOTON 1 NE		46.7M	29.0M	37.9M		65	28			751	0	0	23	0	2.71		.78	27				5	3	0
BURLINGTON		46.1	30.9	38.5	3.7	62	27	19	12	735	0	0	19	0	2.67	.07	.67	10				8	2	0
CHATSWORTH 5 S																								
CLAYTON		46.5	31.3	38.9		64	27	19	12	725	0	0	16	0	2.25		.87	10	T	0		7	1	0
FREEHOLD	AM	44.8	29.1	37.0	4.2	64	25	16	12	779	0	0	20	0	3.18	.23	.80	27	11.3	5	2			0
HAMMONTON 2 NNE		46.1M	30.2M	38.2M	3.8	72	28	18	12	745	0	2	19	0	3.02	.04	1.04	10				5	3	1
HIGHTSTOWN 1 N		44.3	28.8	36.6	3.9	62	27	14	3	792	0	0	22	0	2.30	.29	.40	9	6.3	3	1+	6	0	0
INDIAN MILLS 2 W		46.3	28.4	37.4	3.6	65	25	17	12+	768	0	0	22	0	3.23	.31	.97	10	1.5	T	2+	7	3	0
LAKEWOOD 2 ENE																								
LEESBURG STATE FARM	AM	44.4	28.4	36.4		60	27+	17	3	794	0	1	22	0	3.11		.84	27				9	2	0
MILLVILLE AIRPORT	AM	46.3M	30.0M	38.2M		64	28	20	12	750	0	0	21	0	2.37		.66	2				6	3	0
MOORESTOWN		44.3	29.6	37.0	3.8	64	27	19	12	778	0	1	23	0	2.75	.18	.92	10	4.8	3	2	5	3	0
NEW BRUNSWICK EXP STA		44.4	28.1	36.3	3.7	60	27	15	12	797	0	1	22	0	2.51	.09	.49	27	10.8	5	2	7	0	0
PEMBERTON 3 E		46.7	29.1	37.9	3.7	65	25	18	12	752	0	0	22	0	3.07	.45	.78	10	3.5	2	1	8	1	0
PLEASANTVILLE 1 N	AM	46.0	27.9	37.0	3.2	65	28	19	18	776	0	0	23	0	3.14	.11	1.08	10				7	3	1
RUNYON		46.9	26.5	36.7	5.7	61	27	10	1	789	0	0	23	0	2.44	.43			7.0					0
TRENTON 2		44.1	29.8	37.0		63	27	18	12	779	0	0	19	0	3.02	.16	.98	26	7.9	6	1	5	2	0
TRENTON WB CITY	R	43.3	30.4	36.9	4.2	62	27	18	12	783	0	0	20	0	2.86	.20	.77	26	6.7	5	2	5	3	0
TUCKERTON 2 SW	AM																							
DIVISION				37.5	3.8										2.82	.03			5.6					
COASTAL																								
ATLANTIC CITY WB	R	44.4	33.4	38.9	3.5	61	27	25	12+	721	0	0	13	0	4.01	.77	.77	28	1.0	T	6+	9	3	0
CAPE MAY 3 W		46.7M	33.3M	40.0M		61	27	23	12	692	0	0	15	0										
LONG BRANCH		43.4	29.5	36.5	3.6	62	27	23	12+	793	0	0	23	0	2.83	.54	.77	26	8.0	5	1+	7	2	0
SANJOY HOOK LBSTA		41.7	31.3	36.5	3.5	52	27	20	12	790	0	0	18	0	2.36	.14	.55	9	5.1	5	2	7	1	0
DIVISION				38.0	3.9										3.07	.11			4.7					

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB	-	-	14.9	58	NE	28	-	-	-	-	4	4	6	3	0	0	17	39	7.8
LONG BRANCH	NW	20	13.3	38	N	10	-	78	84	72	4	3	5	2	0	0	14	53	7.3
NEWARK WB AIRPORT	SW	12	9.2	29++	NW	10+	73	74	60	89	1	4	5	1	1	0	12	-	7.1
TRENTON WB CITY	-	-	8.5	31	NW	20	-	-	-	-	4	8	2	3	0	0	17	40	7.3
Ø 12:00 Noon																			

See Reference Notes Following Station Index

NEW JERSEY
FEBRUARY 1957

Station

See Reference Notes Following Station Index
- 14 -

Table 5

DAILY TEMPERATURES

NEW JERSEY
FEBRUARY 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX MIN	39 36	42 32	43 37	54 40	41 31	39 33	44 37	44 35	46 37	53 34	35 30	34 25	39 32	43 28	41 32	42 33	37 30	46 27	50 32	40 25	43 26	44 29	56 39	44 38	51 40	53 46	61 38	38 34				44.4 33.4
AUDUBON	MAX MIN	37 30	40 27	39 26	56 37	43 30	39 33	41 37	45 40	48 38	51 38	38 28	38 19	29 28	46 28	45 28	41 37	37 28	48 33	49 34	40 25	45 24	50 28	54 35	60 35	60 50	64 54	45 27				46.0 30.5	
BELLEPLAIN	MAX MIN	41 35	41 32	44 24	53 39	52 30	39 31	45 36	46 40	51 26	53 45	46 25	36 20	45 22	43 30	40 25	44 22	41 28	50 22	52 23	52 22	46 19	52 23	56 28	63 30	60 51	65 45	52 32				48.9 29.6	
BELVIDERE	MAX MIN	33 26	43 25	42 11	48 37	42 27	40 29	40 33	40 36	40 26	43 35	38 26	38 20	34 25	39 21	47 26	47 27	36 25	45 25	50 36	38 23	45 22	48 27	48 31	52 31	56 35	56 41	37 20				43.5 27.5	
BOONTON 2 SE	MAX MIN	34 29	33 26	49 16	38 18	49 30	37 28	38 30	49 34	37 25	45 29	45 30	36 15	35 22	32 15	35 19	43 24	35 26	41 25	47 23	34 25	41 21	46 26	45 29	47 32	52 32	55 41	57 20				41.9 25.2	
BRIDGETON 1 NE	MAX MIN	38 33	38 30		46 24	52 30	37 30	38 31	41 34		44 26	50 25		36 19	42 23	46 28		44 2#	50 33	50 24	41 23	48 18	52 25	58 31	61 43	61 53	65 31					46.7 29.0	
BURLINGTON	MAX MIN	39 30	39 28	43 30	57 48	48 39	43 33	40 35	41 33	48 29	57 39	45 31	37 19	35 28	38 21	39 30	42 26	36 28	44 33	41 38	34 24	44 33	50 26	51 37	57 46	60 30	62 46	58 27				46.1 30.9	
CANOE BROOK	MAX MIN	34 26	32 25	41 15	43 27	52 24	38 27	47 31	47 28	46 22	42 29	41 20	37 14	34 22	33 24	37 22	45 20	37 28	36 24	45 29	49 26	36 24	44 16	48 28	50 21	56 35	56 41	57 42				43.4 24.6	
CAPE MAY 3 W	MAX MIN		42 32	41 29	46 37	45 29	40 28	43 36	44 33	47 35	50 36	43 29	36 23	46 31		47 28		42 34	43 31	47 33		47 26	48 32	55 36	50 39	53 46	61 44					46.7 33.3	
CHARLOTTEBURG	MAX MIN	33 27	32 21	36 6	40 18	49 24	35 24	39 28	42 32	45 20	42 27	44 19	35 9	33 10	29 19	33 19	43 17	34 22	33 23	42 25	46 20	31 19	40 17	47 19	45 29	52 27	57 33	57 36	57 16				41.1 21.6
CHATSWORTH 5 S	MAX MIN																																
CLAYTON	MAX MIN	36 32	39 34	39 27	49 39	45 33	38 33	40 36	43 31	42 29	52 33	48 26	36 19	48 28	44 28	43 31	40 33	43 29	49 24	48 30	42 24	45 30	48 24	50 35	53 33	63 46	60 59	64 66	56 27				46.5 31.3
ELIZABETH	MAX MIN	35 29	42 27	37 15	52 34	45 27	39 29	43 35	46 28	40 26	46 37	40 25	34 18	33 24	39 30	47 26	40 25	39 27	46 25	55 36	41 24	47 22	48 26	51 32	51 29	56 40	49 22					45.1 28.3	
ESSEX FIELDS SERV BLDG	MAX MIN	36 26	32 28	42 30	45 36	52 40	40 30	44 36	44 35	50 35	52 48	45 35	43 18	38 26	36 22	28 28	44 28	38 26	36 28	44 28	48 22	34 26	40 26	46 38	59 30	60 46	62 55	55 26				44.8 29.7	
FLEMINGTON 1 NE	MAX MIN	34 26	40 25	36 5	50 33	46 28	41 23	47 33	43 29	42 22	48 33	38 25	35 14	30 20	41 30	44 26	42 22	36 26	46 22	50 32	38 22	43 22	47 16	45 22	51 27	54 36	57 45	45 21				43.8 25.8	
FREEHOLD	MAX MIN	35 29	39 27	40 20	48 34	44 26	39 29	42 34	43 30	48 27	50 37	38 25	33 16	34 27	41 28	44 29	39 27	38 26	46 23	49 35	42 22	44 20	49 25	48 35	64 50	61 46	62 46	46 26				44.8 29.1	
HAMMONTON 2 NNE	MAX MIN	39 33	36 30	40 26	42 36	34 34	37 31	41 32	44 32		52 34	48 27	32 18	31 23	42 41	41 30	42 25	41 28	40 33	46 33	54 24	44 22	50 24	45 32	44 33	51 32	65 44	63 39	72 31				46.1 30.2
HIGH POINT PARK	MAX MIN	29 19	25 18	26 13	38 26	41 21	30 20	39 26	39 27	25 25	36 28	46 21	31 5	31 11	26 15	28 19	39 20	30 17	27 21	38 23	36 14	25 5	43 16	44 23	45 25	53 30	53 42	45 25	43 11				36.0 20.0
HIGHTSTOWN 1 N	MAX MIN	34 30	38 27	35 14	47 33	44 26	39 29	41 34	48 29	42 26	48 40	42 26	33 17	34 26	42 26	44 29	40 26	36 26	46 27	50 37	41 23	44 21	46 23	47 30	51 30	58 32	60 44	50 24				44.3 28.8	
INDIAN HILLS 2 W	MAX MIN	35 32	39 29	39 21	56 35	46 27	38 30	45 35	42 29	50 22	50 39	41 24	39 17	40 28	45 27	43 28	40 23	36 26	49 36	41 23	50 20	43 17	50 24	55 28	62 30	63 49	48 29				46.3 28.4		
JERSEY CITY	MAX MIN	35 28	37 26	37 26	49 35	36 29	39 31	46 36	44 35	44 35	43 30	35 24	31 16	32 25	37 30	42 28	37 31	36 28	44 27	49 30	35 24	44 23	41 27	46 35	45 44	54 57	54 48	57 34	34 21				41.5 29.8
LAKEWOOD 2 ENE	MAX MIN																																
LAMBERTVILLE	MAX MIN	34 30	38 27	34 15	50 33	44 25	39 30	40 34	45 29	39 26	48 40	40 27	36 15	34 27	43 31	44 25	37 24	36 23	47 23	49 33	39 24	44 24	47 20	48 26	50 30	56 40	57 40	60 24	47 24				43.8 27.9
LAYTON 3 NW	MAX MIN	33 20	38 20	37 3	50 31	43 19	40 28	40 23	45 29	48 18	40 29	40 23	36 16	30 17	35 16	48 25	45 19	34 14	45 10	43 12	33 10	41 12	46 13	50 23	50 28	55 28	50 30	53 35	38 18				42.1 20.7
LEESBURG STATE FARM	MAX MIN	39 34	39 32	38 17	42 30	53 31	38 31	42 32	43 33	29 29	49 35	51 26	30 20	36 22	41 23	41 25	44 26	36 29	34 22	44 26	51 24	40 24	44 26	53 26	50 28	59 29	60 43	60 33				44.4 28.4	
LITTLE FALLS 1 E	MAX MIN	36 29	34 25	45 15	40 22	54 27	39 31	42 32	44 31	49 25	46 29	47 23	38 15	36 21	34 15	38 24	47 24	39 26	38 26	46 30	52 24	38 23	46 21	48 19	52 32	54 30	59 44	58 21	60 42				45.0 26.4
LONG BRANCH	MAX MIN	36 30	39 25	39 24	50 36	43 29	39 30	45 36	42 28	48 27	50 31	41 27	39 23	40 23	45 32	43 30	39 28	35 29	46 25	48 30	36 24	43 24	42 29	49 31	57 33	55 48	62 32	44 27				43.4 29.5	
LONG VALLEY	MAX MIN	36 26	40 24	41 4	50 33	42 24	40 30	39 33	45 36	39 24	45 35	35 24	32 12	33 22	36 12	44 28	39 20	36 23	42 34	48 34	35 21	42 23	46 19	47 23	51 30	53 30	54 43	57 42	45 20				42.7 25.8
MILLVILLE AIRPORT	MAX MIN	39 33	38 31		44 25	53 29	38 31	41 33	43 31	44 26	52 33	52 27	36 20	34 29	42 23	46 34		44 39		50 26	41 26	44 25	43 21	48 28	50 45	61 50	61 41	64 32				46.3 30.0	
MOORESTOWN	MAX MIN	35 30	38 24	39 27	53 38	37 30	39 30	41 36	44 30	46 29	50 32	34 26	37 19	38 30	45 29	44 29	40 30	37 29	48 26	49 31	43 24	43 22	48 22	53 30	61 41	60 47	64 36	32 27				44.3 29.6	
MORRIS PLAINS	MAX MIN	34 27	40 24	38 9	td																												

DAILY TEMPERATURES

NEW JERSEY
FEBRUARY 1957

Table 5-Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RIDGEFIELD	MAX MIN	33 26	40 22	36 20	52 33	36 28	41 31	44 33	44 31	42 28	44 28	38 22	36 15	35 23	37 29	44 28	38 27	44 24	53 39	39 24	45 23	47 24	50 30	50 33	56 33	60 45	58 27	31 22				43.3 27.7	
RUNYON	MAX MIN	37 27	40 28	40 10	57 35	43 23	42 28	47 27	45 23	47 26	50 36	40 22	35 18	34 23	41 23	47 27	46 26	44 23	51 26	54 34	45 22	47 19	48 23	49 26	54 27	60 32	57 39	61 45	51 23			46.9 26.5	
SANDY HOOK LBSTA	MAX MIN	35 28	36 29	38 31	45 35	40 29	38 32	41 35	44 35	44 37	45 36	38 28	33 20	33 26	40 31	41 31	39 31	37 32	43 26	47 36	38 24	43 25	43 29	44 31	45 35	51 35	50 40	52 43	45 26			41.7 31.3	
SOMERVILLE	MAX MIN	34 28	42 26	35 10	49 33	41 25	41 23	39 34	45 30	43 23	49 36	37 26	34 16	32 25	41 28	45 27	36 22	37 26	46 23	51 35	37 23	43 23	46 22	48 26	51 27	54 28	57 36	57 43	43 22			43.3 26.6	
SUSSEX 3 N	MAX MIN	33 23	29 20	36 7	37 21	46 20	34 21	40 27	39 30	44 25	45 26	46 23	35 9	30 9	30 18	34 22	43 22	35 21	33 21	43 26	43 20	31 18	40 19	45 20	42 27	48 27	53 34	53 37	54 15			40.0 21.7	
TRENTON 2	MAX MIN	37 29	39 25	37 21	50 36	39 29	39 20	40 27	44 30	43 25	50 33	37 24	36 18	34 28	42 31	44 29	38 30	38 27	48 25	50 32	39 24	45 24	47 25	48 25	52 34	59 36	60 49	63 36	36 26			44.1 29.8	
TRENTON WB CITY	MAX MIN	36 28	36 27	35 24	50 35	37 30	40 30	41 37	45 35	44 32	49 32	35 25	33 18	33 27	43 30	43 30	39 30	36 30	48 27	48 30	37 25	43 25	47 28	48 34	50 36	59 37	60 50	62 34	34 25			43.3 30.4	
TUCKERTON 2 SW	MAX MIN																																

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	32	32	32	33	35	37	37	40	38	42	38	34	33	35	41	34	35	38	40	37	40	41	40	48	47	48	52	40			38.7	
	MIN	30	31	30	29	30	32	34	33	33	34	33	32	32	31	32	32	32	31	33	31	31	31	32	33	34	40	40	33			32.5	
2 INCHES	MAX	32	32	33	33	34	36	37	38	38	42	37	34	33	33	38	34	35	35	39	36	37	37	38	42	43	46	49	42			37.4	
	MIN	30	31	31	30	30	32	34	34	33	35	33	32	32	31	32	33	33	32	33	32	32	32	33	34	35	40	42	34			33.1	
4 INCHES	MAX	32	32	33	32	34	36	37	38	38	41	27	34	33	33	38	34	35	36	39	35	36	37	37	41	43	45	49	43			37.2	
	MIN	30	31	31	30	30	32	34	35	33	35	32	32	32	31	33	33	33	32	33	32	32	32	33	35	35	40	43	35			33.3	
8 INCHES	MAX	33	33	33	33	33	35	36	37	37	38	37	36	35	35	36	35	35	34	36	35	35	35	36	38	40	42	45	44			36.4	
	MIN	32	32	31	31	31	34	35	35	35	36	36	37	34	34	34	34	34	33	34	34	33	33	34	35	37	40	42	37			34.5	
16 INCHES	MAX	35	35	35	34	34	35	36	36	37	37	37	36	36	35	36	36	36	35	36	36	35	35	36	37	38	40	42	42			36.4	
	MIN	33	33	32	32	32	34	35	36	36	36	37	35	35	35	35	35	35	35	35	35	35	35	35	36	37	38	40	39			35.3	
32 INCHES	MAX	37	37	37	36	37	37	37	37	38	38	39	38	38	38	38	38	38	38	37	37	37	37	37	37	38	38	39	40			37.8	
	MIN	36	36	35	35	36	36	36	37	37	37	38	38	37	37	37	37	37	37	37	37	37	37	37	37	37	37	38	39			36.8	

Measured under Kentucky Bluegrass.

SNOWFALL AND SNOW ON GROUND

NEW JERSEY
FEBRUARY 1957


Table 7

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV					.3	.3						T							.4	T												
BASS RIVER ST FOREST	SNOWFALL SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SELVIDERE	SNOWFALL SN ON GND	4.0	1.8				T					T		.5			T																
CHARLOTTEBURG	SNOWFALL SN ON GND	1	5.0	5	2	T								.3	.5	.8	T	T															
CLAYTON	SNOWFALL SN ON GND						T										T													T			
FLEMINGTON 1 NE	SNOWFALL SN ON GND	8.0	3.0			1	1.0	T	T			T		1.0	T		T	T															
FREEHOLD	SNOWFALL SN ON GND	3.5	6.5				1.0																								.3		
HIGHTSTOWN 1 N	SNOWFALL SN ON GND	3.0	2.0				1.3							T	T		T	T													T	T	
INDIAN MILLS 2 W	SNOWFALL SN ON GND	T					1.5							T		T	T														T	T	
LAMBERTVILLE	SNOWFALL SN ON GND	4.0	1.5				1.0							T																	T		
LAYTON 3 NW	SNOWFALL SN ON GND	3.0	4.2			3	3	1	1	1	2.0	T		.6			1.1	T															
LITTLE FALLS WATER CO	SNOWFALL SN ON GND	.1	7.5			7	7	3	1	T	T			.2	.6		T																
LONG BRANCH	SNOWFALL SN ON GND	6.5	T				.1	1.0						.2			T														.2		
LONG VALLEY	SNOWFALL SN ON GND	7.0	-	-	-	-																											
MAYS LANDING	SNOWFALL SN ON GND						1.0																										
MILLVILLE	SNOWFALL SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOORESTOWN	SNOWFALL SN ON GND		3.4	3	1		1.4	1					T		T		T	T															
MORRIS PLAINS	SNOWFALL SN ON GND	2.7	4.3	3	3	T	T	T	.1				T		1.0	T	T	T			T												
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV	7.5	T	6	3	2	.2	T						.8	T		T														.3		
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND	3.8	8.0	4	5	4	T	.5						.5			T																
NEWTON	SNOWFALL SN ON GND	1.0	4.0	2	4	3	2							T	1.0	1																	
PATERSON	SNOWFALL SN ON GND	T	9.0	9	7	4		T					T	T		T		T															
PEMBERTON 3 E	SNOWFALL SN ON GND	1.5	.5				1.5																									T	T
PHILLIPSBURG	SNOWFALL SN ON GND	1.0	6.0	2	7	3	T	T						T	T		T																
PLAINFIELD	SNOWFALL SN ON GND	8.0	.3	8	7	4	2	1	.1	T	T			.5	1	T		T	T													T	
RAHWAY	SNOWFALL SN ON GND	6.6	7	6	2	T		T						.5			T															T	T
RIDGEFIELD	SNOWFALL SN ON GND	8.0	T	8	5	4		T						.3	.2		T														.2	T	
SOMERVILLE	SNOWFALL SN ON GND	5.1	3.2	5	8	3	2	2	.5	1				.4	T		T																
TRENTON WB CITY	SNOWFALL SN ON GND	5.0		5	3	1	.8	.5	1			T	T	.3	.1		T														.2		
WANAQUE RAYMOND DAM	SNOWFALL SN ON GND		5.2	5	4	3									T																		

See reference notes following Station Index.

TOTAL PRECIPITATION


NEW JERSEY
FEBRUARY 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

AVERAGE TEMPERATURE

NEW JERSEY
FEBRUARY 1957



Isohines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication 'Hourly Precipitation Data'.

STATION INDEX

NEW JERSEY
FEBRUARY 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables
ALLFOALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS				MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM		3	
ATLANTIC CITY WR	0125	ATLANTIC	3 39 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 5	7 C		NAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50	SP	ELMER EARLE		3 7	
AUDUBON	0146	CAMDEN	3 39 44	75 04	50	11P	IRVIN, J. NYGREN	2 3 5			NIDLAND PARK	5503	BERGEN	8 40 59	74 09	210	8A	CONNELIUS HOWARD		3	
BASS RIVER ST FOREST	0528	BURLINGTON	4 19 37	74 26	20	6P	W. FOREST SVC	2 3 5	7		NILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60	MID	L. J. GALLAHER		3 7 C	
BELLEPLAIN	0590	CAPE MAY	1 39 16	74 52	49	5P	MRS. ED C. HOFFMAN	2 3 5			MILLVILLE AIRPORT	5561	CUMBERLAND	6 39 22	75 04	68	8A	AIRPORT MANAGER		2 3 5	
BELMAR	0721	HONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT	3			NILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS		3	
BELVIDERE	0729	WARREN	2 40 50	75 05	289	5P	MISS C. S. HIXSON	2 3 5	7		NORRENTOWN	5728	BURLINGTON	2 39 58	74 58	55	MID	H. J. WILLARD		2 3 5 7	
BERLIN 1 W	0787	CAMDEN	3 39 48	74 57	150	7A	SANUEL H. MC CULLEY	2 3 5			MORRIS PLAINS	5769	NORRIS	8 40 50	74 30	500	4P	JAMES C. LONG		2 3 5 7	
BLACKWELLS HILLS	0847	SOMERSET	10 40 29	74 35	27	7A	HENRY H. MILLER	2 3 5			NEWARK WD AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU		2 3 5 7 C	
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	8A	JERSEY CITY WTR WKS	2 3 5			NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR H. AHLQUIST		2 3 5 7 G	
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	8A	AMERICAN CYANAMID CO	3			NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	NID	HACKENSACK WATER CO		3 C	
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A	ALBERT H. DAVENPORT	3			SEMTON	6177	SUSSEX	2 41 03	74 45	565	8A	NEWTON WTR SHR CONN		2 3 5 7 C	
BRIDGEVIEW 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RAO RAO STATION WSNJ	2 3 5			OAK RIDGE RESERVOIR	6480	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT		3	
BURLINGTON	1231	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC E & G CO	2 3 5			OLDWICK	6544	HUNTERDON	10 40 40	74 45	260	8A	OAN A. COUGHLIN		3	
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	8A	NEWARK WATER DEPT	3			ORANGE	6540	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER		3 C	
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5	6		PATERSON	6775	PASSAIC	8 40 55	74 39	100	8A	P. J. DEL VECCHIO		2 3 5 7	
CANTON	1343	SALEN	2 39 28	75 25	10	9A	GERTRUDE S. WILLIS	3			PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 39	60	5P	CHARLES A. DOEHLERT		2 3 5 7	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P	NWEST MAGNETIC CO	2 3 5			PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT		2 3 5 7	
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	6P	HARRY P. CAMPBELL	2 3 5	7		PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE COM		3	
CLAYTON	1512	SALEN	8 39 31	75 10	80	NID	JOHN HOPKINS UNIV.	3			PLAINFIELD	7079	UNION	10 40 36	74 25	120	8P	S. K. PEARSON		2 3 5 7	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7		PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	7A	JOHN H. BERYMAN		2 3 5 6	
CHATHAM	1590	NORRIS	8 40 44	74 23	185	8A	EDWARD P. MOLITOR	3			PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	6	8A	ATLANTIC CITY WTR WK		2 3 5 6	
CHATHAM 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P	WILLIAM S. HAINES	2 3 5			PRINCETON WATER WOKS	7328	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO		3	
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7		RAHWAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SHG AUTH		3 7 C	
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER	3			RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	WID GEORGE P. KIRSTEN		2 3 5 7	
DEEPWATER	2209	SALEN	2 39 41	75 30	12	MID	QUINT DE NEHOURS	3			RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NO JERSEY WTR SUPPLY		3	
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P	UNION CO PARK CONN	2 3 5			ROSELAND	7825	MIDDLESEX	1 40 26	74 20	18	6P	N. J. WATER CONN		2 3 5 6	
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30	MID	SEWAGE TREATMENT PL	2 3 5			SANMOUTH	8685	GLOUCESTER	1 40 28	75 01	22	7P	U. S. COAST GUARD		2 3 5	
ESSEX FIELDS SERV BLDG	2748	ESSEX	2 40 50	74 18	250	8A	BOROUGH ESSEX FIELDS	2 3 5	7		SONERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	M. E. HAYER		2 3 5 7	
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	DONALD YOUNG	2 3 5	7		SPLIT ROCK POND	8402	NORRIS	8 40 56	74 28	800	10A	JERSEY CITY D P W		3	
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	7A	JOHN LOPER	3			SPRINGFIELD	8423	UNION	1 40 43	74 18	18	-	N. J. DEPT OF CONS		3	
FREEDLAND	3181	NONMOUTH	10 40 15	74 17	194	6P	FRANK J. NORA	2 3 5	7 C		SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON		2 3 5	
GLOUCESTER	3291	GLOUCESTER	2 39 42	75 07	150	MID	PROF. J. A. SANGREE	2 3 5			SWEDSBORO 5 NW	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO		3	
GREAT MEADOWS 4 N	3416	WARREN	2 40 56	74 55	550	NID	MICHAEL OZOWSKI JR.	3			TOMS RIVER	8816	OCEAN	1 39 57	74 14	10	5P	ROBERT P. SNYDER		3 C	
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	7A	GEORGE T. WIGGINS	3			TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551	NID	H. J. ERVY		3	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS	3			TRENTON 2	8878	MERCER	2 40 14	74 40	105	MID	E. H. HURST		2 3 5	
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	8A	W. HURDARD PARKHURST	2 3 5			TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU		2 3 5 7 C	
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 18	1600	8A	H. J. DEPT. OF CONS.	2 3 5			TUCKERTON 2 SW	8899	OCEAN	1 39 35	74 22	45	8A	VERNON W. NOTT		2 3 5	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P	BP JAMES R. PICKERING	2 3 5	7		VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR WOMEN		3	
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE	3			WANAKEE RAYMOND DAM	9167	PASSAIC	8 41 03	74 18	320	8A	WATER SUPPLY COMM		3 7 C	
INDIAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7		WATCHUNG	9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.		3	
IRVINGTON	4280	ESSEX	2 40 43	74 13	120	MID	JOINT MEETING GARAGE	3			WESTVILLE	9343	HUNTERDON	10 40 27	74 48	160	7A	ROBERT H. HANNES		3 C	
JERSEY CITY	4339	HUDSON	1 40 44	74 04	135	MID	NID JERSEY CITY WTR DEPT	2 3 5	7		WESTFIELD	9455	UNION	9 40 39	74 21	135	5P	TOWN ENGINEER		3	
LAKESIDE 2 ENE	4427	OCEAN	1 40 06	74 11	55	MID	MID GEORGE W. MADWILL	2 3 5	7 C		WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO		3	
LAMBERTVILLE	4435	HUNTERDON	2 40 22	74 57	75	6P	E. V. E. CASE	2 3 5	7		WOODSTOWN 2 NW	9910	SALEN	2 39 40	75 20	16	6P	WODDOM W. HALTER		INAC 2/58	
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. N. DEPUCE	2 3 5	7												
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	8A	LEESBURG STATE FARM	2 3 5													
LITTLE FALLS 1 E	4887	PASSAIC	8 40 53	74 14	157	9A	PASSAIC VLY WTR COMM	2 3 5	7 C												
LONG BRANCH	4987	NONMOUTH	4 40 18	73 59	34	MID	STORM WINDY DSPL STA	2 3 5	7 C												
LONG VALLEY	5003	MORRIS	10 40 48	74 46	600	6P	ARTHUR BARKMAN	2 3 5	7												
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LAWTON	3	C												
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	584	9A	NEWARK WATER DEPT	3													
MAHWAH	5104	BERGEN	8 41 06	74 10	253	7A	ROBERT G. GLASGOW	3													
MANVILLE	5197	SOMERSET	10 40 33	74 34	34	NID	JOHN L. RADCLIFFE	3													
MARLBORO CCS	5244	NONMOUTH	1 40 20	74 14	120	NID	GEROM BRILL	3	C												

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MORRIS; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of times in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.

+ Amount included in following measurement, time distribution unknown.

/ Gauge is equipped with a windshield.

* Thermometers are generally exposed in a shelter located a few feet above sod-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Monthly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gauge (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Monthly Precipitation Data".)

T Trace, an amount too small to measure.

U Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 4/3/57 --- 750

J
g
1
U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

MARCH 1957

Volume LXII No. 3



ASHEVILLE: 1957

THE LIBRARY OF THE

MAY 21 1957

UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

Compared with records of previous years March weather did not depart from long-term averages enough to be particularly noteworthy.

Divisional temperature averages for the month were a few degrees warmer than February, but varied very little from long-term averages for March (see Table 2). Individual station departures for the month where comparative figures are available were also small. Practically all stations recorded their high temperatures for the month on the 14th or 15th, and most high readings exceeded 70° with a reading of 78° at Belvidere on the 14th topping the list. Low temperatures for nearly all stations occurred during the period 4th-5th, and low values for over one-half of the stations were 20° or below with 10° at Layton 3 NW on the 3rd and also on later dates being lowest for the month.

For stations where comparisons would be made, monthly precipitation totals showed minus departures from long-term means, except for a very few locations. Extreme monthly totals ranged from 1.26 inches at Canton to 4.98 inches at Belleplain. The greatest daily amount was 1.85 inches on the 20th at Leesburg State Farm. The snowfall average over the northern division was more than twice the average for each of the other two divisions. Top snowfall honors went to Canistear Reservoir with a monthly total of 8.5 inches and the greatest depth on the ground of 6 inches on the 10th. The percentage of possible sunshine and average daytime cloudiness, at stations where such records are available, did not depart from long-term means enough to receive special mention.

WEATHER DETAILS

There was nothing spectacular about daily temperature changes during the first eleven days of March, however, the over-all picture for this period places it slightly on the cool side. This was followed by a warm spell during the period 12th to 18th, with departures on the 12th, 13th, and 14th being greatest in most all areas. During the remainder of the month

pressure changes caused temperatures to fluctuate considerably, but departures from long-term averages were not large enough to be especially outstanding. Minimum temperatures for this period of the month were in the 30's on most days and reached the freezing level or below in a few instances.

Pressure patterns that controlled the State's weather caused rather frequent occurrences of precipitation with some falling on slightly more than half of the days during the month at most places. Daily measurements were mostly in the light to moderate category; however, a number of stations reported heavy amounts for their greatest day. Snowfall occurred on several days during March, with individual daily measurements ranging from very light to moderate.

WEATHER EFFECTS

March weather in the State permitted good progress at early field work during the last half of the month. Pastures, hay, and most fall-sown grains were coming out of the winter in unusually good condition with ample soil moisture for rapid growth with the occurrence of warmer weather. Winter damage to fruit buds appeared to be limited to peaches in a few areas of North Jersey and to blueberries in a limited area of Ocean County.

DESTRUCTIVE STORMS

During all day the 10th the entire State was affected by strong, gusty NW and N winds, which were associated with an intense NE moving storm, causing considerable damage throughout the State. Telephone and power lines were down, trees were uprooted and some roof damage was sustained. According to the report several persons were also injured. Minor local wind damage was also reported in the Trenton area on the 19th.

FLOODS

None were reported.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
MARCH 1957

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days		
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											90° or Above	32° or Below	32° or Below	0° or Below										
NORTHERN																								
BELVIDERE		51.2M	30.4	40.8M	1.1	78	14	20	4+	742	0	0	17	0	2.57	-1.67	.50	9	1.0	0		8	1	0
BOONTON 2 SE	AM	47.4	29.9	38.7	1.0	75	15	18	5	804	0	1	18	0	2.33	-1.68	.74	9				6	2	0
CANOE BROOK	AM	50.6M	27.6	39.1M		75	15	14	5	758	0	1	20	0	2.55	-1.81	.83	9	2.7	2	1+	6	3	0
CHARLOTTEBURG	AM	46.0	26.1	36.1	-1.2	73	15	12	5	890	0	1	26	0	3.16	-1.43	.98	9	6.3	3	10	9	2	0
ELIZABETH		51.8	31.1	41.5	.1	76	14	20	4	722	0	0	17	0	3.93	-.54	.90	1	2.6	7	1+	8	3	0
ESSEX FELS SERV BLDG	AM	47.4	29.9	38.7		68	15	20	4+	815	0	0	20	0	1.99	-.65	.9					5	2	0
FLEMINGTON 1 NE		50.7	28.6	39.7	-1.1	76	14	18	4+	776	0	0	20	0	2.81	-1.32	.69	9	7.5	1	1+	9	2	0
HIGH POINT PARK		40.9	23.8	32.4		70	15	11	4+	1003	0	8	29	0	2.65	-.76	.9					7	2	0
JERSEY CITY		47.6	34.1	40.9	.6	66	14	22	4+	742	0	0	10	0	3.10	-.90	.69	1				6	4	0
LAMBERTVILLE		50.5	30.4	40.5	.3	75	14	18	4+	752	0	0	18	0	2.73	-1.38	.88	9	2.1	1	1	9	1	0
LAYTON 3 NW		50.0	24.3	37.2		76	14	10	3+	856	0	0	27	0	2.30	-1.18	.60	9	4.7	1	19	8	2	0
LITTLE FALLS 1 E	AM	50.6	30.3	40.5	.8	75	15	19	5	754	0	0	18	0	3.07	-1.23	1.23	9	2.8	2	1	6	2	1
LONG VALLEY		50.2	27.9	39.1		75	14	17	4	798	0	0	21	0	2.59	-1.76	.53	9		0		2	0	0
MORRIS PLAINS		50.2	28.9	39.6		74	14+	18	4+	780	0	0	20	0	2.80	-.86	.9		1.6	1	1	7	2	0
NEWARK WB AIRPORT	R	50.0	34.0	42.0	1.5	72	14	23	4+	705	0	0	10	0	2.73	-1.05	.81	15	2.1	2	1	6	2	0
NEWTON	AM	46.5	27.5	37.0	.1	75	15	16	6	862	0	1	23	0	2.03	-1.55	.52	9	2.0	2	2	8	1	0
PATERSON	AM	49.3	32.2	40.8	.9	74	15	22	1+	746	0	1	12	0	3.24	-1.22	1.30	9	1.1			7	2	1
PHILLIPSBURG		51.5	31.5	41.5	2.2	75	14+	20	4	719	0	0	16	0	2.74	-1.50	.69	9	.9	1	1	9	1	0
PLAINFIELD		50.4	31.4	40.9	.7	75	14	20	4	739	0	0	15	0	2.66	-1.63	.62	1	2.5	2	1	8	3	0
RIDGEFIELD		50.0	31.9	41.0	1.3	72	14	21	4+	737	0	0	14	0	3.19	-1.32	.78	15	4.0	3	1	6	3	0
SOMERVILLE		50.9	29.7	40.3	.3	76	14	18	4+	757	0	0	19	0	2.42	-1.66	.69	9	1.5	0		7	2	0
SUSSEX 3 N	AM	45.9	25.9	35.9	-2.0	75	15	13	5	893	0	1	26	0	2.30	-1.33	.48	16	4.0	2	2	9	0	0
DIVISION				39.3	.3										2.72	-1.47			2.9					
SOUTHERN																								
AUGUBON		50.8	33.9	42.4		74	14	24	4	692	0	0	9	0	3.55		1.08	15	T	0		8	2	1
BELLEPLAIN		52.9	32.8	42.9		74	14	20	4+	680	0	0	14	0	4.98	.67			.0	0				
BRIDGETON 1 NE	AM					73	15				0	0		0	2.70		1.02	1	.0	0		8	1	1
BURLINGTON		51.3	33.3	42.3	- .4	75	14	23	4	697	0	0	13	0	2.98	-1.53	.72	1	.0	0		7	3	0
CLAYTON		51.6	32.8	42.2		73	14	24	4+	697	0	0	11	0	3.25		.75	8	T	T	1	9	3	0
FREEHOLD		49.6	31.6	40.6	.2	75	14	20	4+	749	0	0	14	0	4.20	.00	1.58	16	1.5	2	1	8	3	1
HAMMONTON 2 NNE	AM	53.3	33.8	43.6	1.2	77	15	22	4+	658	0	0	9	0	3.09	-1.21	1.20	1	.0	0		10	1	1
HIGHTSTOWN 1 N		49.3	31.1	40.2	.5	75	14	20	4	764	0	0	18	0	2.83	-1.07	.80	1	2.3	1	1	7	3	0
INDIAN MILLS 2 W		50.2	30.8	40.5	.8	75	14	17	5	752	0	0	16	0	3.50	-.74	.99	1	T	0		9	2	0
LAKEWOOD 2 ENE		49.2	30.0	39.6	-1.2	72	14	18	5+	779	0	0	18	0	3.75	-.52	1.08	1	T	1	1	8	3	1
LEESBURG STATE FARM	AM	50.9	32.7	41.8		68	15+	23	5	713	0	0	14	0	3.90		1.85	20	.0	0		5	3	1
MILLVILLE	AM										0	0		0	2.26		.95	19				5	1	0
MILLVILLE AIRPORT	AM																							
MOORESTOWN		49.5	33.1	41.3	.2	74	14	22	4	727	0	0	13	0	4.12	.25	1.53	16	T	T	2	10	2	1
NEW BRUNSWICK EXP STA		50.3	31.3	40.8	.2	74	14	20	4	743	0	0	16	0	2.98	-.88	.73	1	2.0	2	1	9	3	0
PENBERTON 3 E		50.7	31.5	41.1	-1.2	75	14	18	4	733	0	0	15	0	3.67	-.06	.98	1	.0	0		9	2	0
PLEASANTVILLE 1 N	AM	49.6	31.5	40.6	.2	73	15	20	5	750	0	0	18	0	4.75	.49	1.35	1	.0	0		8	3	2
RUNYON		51.9	30.1	41.0	1.7	69	13+	15	5	737	0	0	14	0	3.01	-1.24	.67	9		1	1	8	2	0
TRENTON 2		50.5	33.5	42.0		75	14	22	4+	705	0	0	12	0	3.38	-1.03	.84	1	2.5	1	1	6	2	0
TRENTON WB CITY	R	48.8	34.6	41.7	.4	74	14	23	4+	713	0	0	10	0	2.70	-.50	.55	1	4.5	1	1+	6	2	0
DIVISION				41.4	- .1										3.45	-.61			.8					
COASTAL																								
ATLANTIC CITY WB	R	47.4	36.8	42.1	.6	64	14	25	4	701	0	0	7	0	4.30	.77	1.62	19	.2	T	9	6	3	1
CAPE MAY 3 W						67	14				0	0		0					.0	0				
LONG BRANCH		48.1	34.0	41.1	.9	68	13+	24	4+	734	0	0	10	0	4.22	-.07	1.45	15	1.7	2	1	7	3	1
SANDY HOOK LBSTA		47.3	35.1	41.2	1.2	68	14	23	4	728	0	0	9	0	3.66	.03	1.09	20	3.0	2	1	5	4	1
DIVISION				41.5	.8										4.06	.20			1.2					

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h				Relative humidity averages - percent				Number of days with precipitation								Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	.01-.09	.10-.49	50-.99	1.00-1.99	2.00 and over	Total			
ATLANTIC CITY WB CITY	-	-	15.8	47	NW	10	-	-	-	-	5	8	3	2	1	0	19	57	6.3	
LONG BRANCH	NW	22	16.1	48	NW	10	-	76	59	57	2	7	3	2	1	0	15	80	6.0	
NEWARK WB AIRPORT	NNE	12	9.8	30+	WNW	10	68	71	51	57	5	7	4	2	0	0	18	-	5.9	
TRENTON WB CITY	-	-	9.2	36	N	10	-	-	-	-	4	5	4	2	0	0	15	50	8.2	
Ø 12:00 Noon																				

See Reference Notes Following Station Index

DAILY PRECIPITATION

NEW JERSEY
MARCH 1957

Table 3

Station	Total	Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	4.30	.75	T				.05	.28	.52	.49		T	T			.02	.01	T		.02	.07						.02	.04	.39	.02	.06	T	
AUGUBON	3.55	.55	.40					T	.41	.15						1.08	T			.41	.00						T	T	.50	T	.10	T	
BASS RIVER ST FOREST	5.81	1.18						.16	.24	.64										.75	.20						T	.10	.34	T	.10	.11	
BELLEPLAIN	4.98	*	1.10					.18	.35	.49										2.01	.23							.10	.29	.06	.15		
BELMAR	4.14	.83	.10					.79	.28								.42	.45		.04	T					.20	.06	T	.37	T			
BELVIDERE	2.57	.40	T					T	.45	.50							T			.17	.13						.23	.50		.80			
BERLIN 1 W	4.47	.52	1.45	.35				.15	.60	.05							.30			.35								.40		.05	.17	.05	.11
BLACKWELLS HILLS	3.29	.58	.09	.12				.09	.74	.23							.55			.08	.31	.02					.14	.05	.17	.05	.11		
BOONTON 2 SE	2.33	.34	.02	T				.04	.74	.14							.53			.04	.22	.02					.11	T	.09	.04	T		
BOUNO BROOK 1 W	2.35	.45	.08	.04				.10	.78								.20			.11	.19						.10	.10	.07	.07			
BRANCHVILLE	2.09	.12	.20	T				T	.23	.46			.03				.45			T	.27	.02	T					.09	.07	.22	.01	.05	.13
BRIDGETON 1 NE	2.70	1.02					.02	.10	.18	.16				.01			.15		T	.25	.45	.03					.02	.08	.28	.09			
BURLINGTON	2.98	.72		.02				.12	.50								.34			.37	.08	.09						.12	.03	.13	T	.25	
CANISTEAR RESERVOIR	2.80	.28	.15					.02	.70	.29	T						.43			.08	.21	.11					.12	.03	.05	.05			
CANOE BROOK	2.55	.51	.07					.07	.85								.51			.12	.12	.02					.17	.05	.05			.05	
CANTON	1.26	.08	.06					T	*	.21							.50			.25	.22	.01						.12		.01			
CAPE MAY 5 W	-	-						-	-	-							.06			.10							.02			.18			
CEAR GROVE	2.72	.15						.05	.05	.35							.79				.30							.10		.07			
CHARLOTTESBURG	3.16	.33	.13	.02				.05	.98	.27							.52			.00	.27	.08					.12	.01	.12	.20	.02		
CHATHAM	2.46	.44	.05					T	.86	.04							.55			.00	.14	T					.12	.03	.07		.03		
CLAYTON	3.25	.42	T					.13	.75	.50							.35			.50	.12						T	.04	.31	T	.15	T	
CLINTON	2.43	.48	.03					.22	.42								.60			.10	.20						.25	.27	.02	.06			
OEPWATER	1.59	.00						*	.36								.64			*	.26							.29	.27				
ELIZABETH	5.93	.90	.35	T				.02	.20	.79							.01	.81		.22	.05						.51	.12			.08		
ELIZABETHPORT	2.54	.56	.05					T	.55	.46							.50	.02		.18	.01	.01					.08	.02	.06		.08		
ESSEX FELS SERV BLDG	1.99	.32						.52	.65								.58			.52	.12							.19	.28	.05	.01	.13	.01
FLEMINGTON 1 NE	2.81	.57	.04					T	.10	.69	.01						.17	.02		.22	.22	.02					.19	.28			.10	.01	
FORTESCUE	5.11	.80						.25	.48								.40	.00	.03		.00	.03					.12	.23			.12		
FRESHOLO	4.20	.90						.05	.60								.01	1.58		.35	.11						T	.07	.23			.12	
GREENWOOD LAKE	5.11	.35	.10					.03	.98	.50							.44			.00	.25	.13					.00	T	.10		.28		
HAMMONTON 2 WNE	3.09	1.20	.15					.19	.15	.55	.01						.14			.18	.55				.04		.13	.22		.10	.08		
HIGH POINT PARK	2.65	.23	.09	T				.00	.78	.05							.60			.10	.20	.00					T	.13	.22		.16		
HIGHTSTOWN 1 M	2.83	.80	.02					.01	.14	.54							.50			.27	.08						T	.08	.30	.01	.10		
INOIAN HILLS 2 W	3.50	.00	.04	T				.04	.30	.28		T	T				.20	.53		.40	.10	.02					T	.01	.31	.01	.02	.10	
IRVINGTON	2.60	.48						.03	.58	.50							.58	.02		.22	.03						.06	.03	.07				
JERSEY CITY	5.10	.69						.55	.61								.60			.25	.05						.08	.02	.18		.08	.03	
LAKEWOOD 2 ENE	3.75	1.08	.04					.07	.10	.80			T				.47			.50	.10						.67	.03	.31	.02	.13	.05	
LAMBERTVILLE	2.73	.20	.15					T	.35	.88							.02	.12		.27	.07	T					T	.12	.28		.27		
LAYTON 5 NW	2.50	.24						.15	.60				.03				.53			.02	.12	.01					.21	.10		.20			
LEESBURG STATE FARM	3.00	.91	.02					.04	.12	.60							.08			1.85	.02						.21				.09		
LITTLE FALLS 1 E	3.07	.43	.08	T				.08	1.23	.10							.80			.10	.10	.03					.08	.09	.01	.66	.01	.03	
LONG BRANCH	4.22	.74	.01	T				.04	.67	.32			T				1.45	.32		.34	.02	.08					.08	.02	.08	T	.16	.01	
LONG VALLEY	2.59	.30						.40	.53								*	.50		.22	.08							.20	.18				
MACOPIN INTAKE	2.56	.37	.05	.02				.00	.86	.14							.43			.10	.12	.05					.08	.05	.04		.17	.01	
MANHAW	2.81	.23	.06					.01	1.05	.24							.00			.04	.16	.06					.08		.03		.17		
NANVILLE	2.54	.60						.20	.70								.30			.10	.29						.06	T	.21	T	.08		
NARLTON 1 W	5.73	.00	.05					.64	.10								.10	.74		.48	.15							.04	.29		.21	.05	
NAYS LANDING	2.36	.10	.10					.10	.25								.10			.00	.25							.11		.10			
MIDLAND PARK	2.96	.53						.02	1.22								.14	.18		.14	.18						.00	.07			.03		
MILLVILLE	2.20	.45	.04					.01	.00	.52	.16						.02			.95	.03						.01		.13		.04		
MILLVILLE AIRPORT		RECORD MISSING																															
MILTON	3.00	.04	.38	.09				.15	.32	.63							.47			.10	.20	.08					.10	.16		.23	.00		
MOORESTOWN	4.12	.75	.17	.12				.10	.45	T	T						1.55			.10	.20	.09					.05	.26	.07	T	.11	T	
MORRIS PLAINS	2.80	.46	.01					T	.53	.86							T	.58		.17	.11	.01					.15	.08	T	.08			
NEWARK WB AIRPORT	2.73	.40	.03	T				.01	.57	.48							.81	.01		.12	.05	T					.00	.01	.15	T	.04	T	
NEW BRUNSWICK EXP STA	2.98	.73	.10					T	.28	.05							.50			.27	.08							.10	.17	T		.10	
NEW MILFORD	2.92	.52						.45	.81								.60			.22	.12	.02					.08	.13	.04	.02	.04		
NEWTON	2.05	.24	.10	T				.02	.52	.12							.30			.00	.23	.03					.13	.08	.04		.16		
OAK RIDGE RESERVOIR	5.40	.35	.13	.09				.11	.89	.34							.43			.06	.20	.11					.14	.05	.14	.30	.05		
OLWICK	2.72	.18	.30					.09	.76	.06				</																			

DAILY TEMPERATURES

NEW JERSEY

MARCH 1957

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	37 34	46 34	42 30	38 25	37 26	41 32	41 36	42 40	44 33	45 32	45 29	61 42	56 42	64 45	51 44	60 45	60 42	50 40	44 39	40 35	51 37	45 38	52 40	55 40	42 34	42 40	42 39	49 40	53 37	50 39	43 32	47.4 36.8
AUDUBON	MAX MIN	35 31	46 29	40 28	40 24	48 25	47 26	42 35	41 36	44 35	44 36	49 31	63 30	67 34	74 39	64 42	59 40	63 35	54 36	45 34	50 32	50 33	62 39	63 33	49 37	42 35	44 34	54 40	53 37	51 37	54 31	50.8 33.9	
BELLEPLAIN	MAX MIN	36 32	55 28	50 30	42 20	49 20	40 21	43 20	43 21	46 34	45 32	65 26	66 32	74 38	68 44	58 43	63 28	60 39	48 40	42 35	52 30	62 30	65 29	62 33	43 38	45 39	53 37	56 38	54 35	52 36	52 30	52.9 32.8	
BELVIDERE	MAX MIN	37 28	46 27	41 24	40 20	47 20	48 22	45 31	39 35	40 35	42 20	43 24	63 35	27 34	78 41	61 41	59 36	60 26	58 27	51 34	37 33	48 36	50 29	65 27	60 29	59 29	49 35	46 34	58 47	55 37	53 34	57 25	51.2 30.4
BOONTON 2 SE	MAX MIN	30 24	37 24	42 24	37 20	37 18	42 19	44 25	41 34	38 33	39 30	48 26	59 30	64 35	75 38	41 38	53 38	56 28	56 28	37 34	40 33	47 30	56 29	61 30	56 26	53 32	42 34	52 37	56 39	52 35	50 29	47.4 29.9	
BRIDGETON 1 ME	MAX MIN	46 29					43 23	46 33	43 36			44 23	64 30	67 31	73 42	67 47	64 41	57 36	62 43	54 39	42 34	43 35			62 29	48 36	43 37	47 37	53 35	55 36			
BURLINGTON	MAX MIN	33 26	42 29	42 28	40 23	43 24	44 29	42 36	42 36	42 33	42 30	62 29	68 31	75 41	68 42	68 42	62 31	62 40	61 34	52 37	44 34	50 34	50 32	62 32	64 36	56 32	44 36	44 37	54 38	52 38	51 36	54 30	51.3 33.3
CANOE BROOK	MAX MIN	31 24	46 18	40 23	17 14	14 17		26 34	39 32		39 30	40 25	48 32	59 24	68 30	75 36	48 34	56 25	57 24	56 35	37 33	42 33	48 25	53 24	61 25	58 25	52 35	46 34	56 35	54 34	18		50.6 27.6
CAPE MAY 3 W	MAX MIN	33				42 25	48 28	45 36	44 39	44 34	42 34	58 33	52 37	67 39	78 47	58 45	67 44	58 43	51 40	45 41	48 37				59 35	55 35							55 34
CHARLOTTEBURG	MAX MIN	29 17	34 20	45 22	35 12	35 12	44 16	40 16	45 34	37 32	36 26	35 22	46 24	50 24	63 32	73 35	41 35	55 32	56 26	35 30	37 30	43 29	50 25	60 26	50 26	52 28	40 33	42 31	51 36	49 32	46 21		46.0 26.1
CLAYTON	MAX MIN	34 31	45 32	40 28	39 24	44 24	45 27	42 34	40 37	50 33	43 29	50 25	63 33	66 28	73 34	66 36	60 38	61 31	62 33	51 36	48 33	52 36	60 34	60 36	63 36	42 35	44 35	52 41	53 36	51 38	52 31		51.6 32.8
ELIZABETH	MAX MIN	36 29	40 24	41 26	40 20	45 20	45 22	41 23	45 35	41 33	44 29	53 25	60 30	69 30	76 35	62 40	60 35	60 30	56 32	50 36	39 32	51 32	55 29	65 33	64 36	56 26	46 35	43 37	60 36	56 37	57 26		51.8 31.1
ESSEX FIELDS SERV BLDG	MAX MIN	38 28	38 24	42 24	38 20	36 21	42 20	48 22	42 27	36 30	42 26	42 22	60 26	64 24	68 30	68 32	42 36	54 30	56 31	52 32	40 38	41 35	44 34	52 35	58 38	50 32	44 28	46 36	56 38	54 38	40 28		47.4 29.9
FLEMINGTON 1 NE	MAX MIN	36 28	43 24	39 26	30 18	43 18	45 19	42 20	39 34	41 33	42 29	45 25	61 35	68 25	76 33	74 39	58 35	60 25	55 27	50 36	38 34	48 34	55 26	62 25	60 25	52 24	41 32	43 31	56 37	53 36	51 35		50.7 28.6
FREEDHOLD	MAX MIN	33 30	41 24	40 26	38 20	41 20	44 24	40 33	40 35	40 32	42 29	49 25	60 35	66 36	75 40	61 39	58 38	60 33	55 32	48 36	38 33	49 34	52 31	61 35	61 35	43 28	43 35	52 36	52 35	53 26			49.6 31.6
HAMMONTON 2 NNE	MAX MIN	50 31	40 30	50 30	48 22	42 22	47 25	46 34	46 36	56 30	43 33	40 28	55 33	70 37	67 38	77 44	62 42	62 39	63 35	53 39	48 35	48 35	53 33	55 33	64 38	62 30	40 37	45 36	53 38	63 37	54 38		53.3 33.8
HIGH POINT PARK	MAX MIN	25 13	30 23	38 15	30 11	30 11	37 12	37 23	35 20	32 29	30 26	33 16	38 19	52 25	62 33	70 33	39 31	50 26	47 26	46 25	30 25	31 26	47 26	60 32	60 32	47 17	46 26	36 30	41 31	48 31	44 28		40.9 23.8
HIGHTSTOWN 1 M	MAX MIN	33 28	40 25	30 27	38 20	42 21	43 24	40 31	39 35	40 32	42 30	45 26	60 34	66 32	75 37	62 30	57 37	60 31	55 31	49 36	38 33	47 35	51 30	61 31	60 30	51 27	49 35	41 37	55 37	53 35	50 35		49.3 31.1
INDIAN MILLS 2 W	MAX MIN	33 31	48 27	40 28	39 20	44 17	46 21	42 33	41 35	43 33	43 31	50 27	61 30	68 27	75 31	62 41	58 40	62 29	54 30	44 38	30 30	50 26	51 26	61 32	60 27	51 29	42 36	41 38	51 37	53 33	50 34		50.2 30.8
JERSEY CITY	MAX MIN	33 28	40 30	39 28	38 22	40 22	46 28	40 35	39 36	38 33	40 29	47 27	59 41	65 45	66 39	47 40	56 40	57 38	53 35	44 32	36 33	46 32	52 35	60 38	58 36	49 34	42 36	41 39	53 39	52 40	55 35		47.6 34.1
LAKEWOOD 2 EME	MAX MIN	35 31	45 28	39 21	30 18	44 18	41 18	39 33	40 36	41 33	43 28	50 25	61 33	69 27	72 38	52 36	60 39	62 37	53 35	41 33	36 28	40 28	50 29	62 26	63 28	48 27	41 36	40 34	54 36	52 35	53 30		40.2 30.0
LAMBERTVILLE	MAX MIN	34 29	42 23	39 27	39 18	45 18	45 24	41 31	40 35	42 33	43 30	49 27	62 33	67 28	75 32	66 40	58 37	61 28	57 29	51 37	30 34	48 35	52 28	62 29	60 28	52 29	47 27	43 35	53 37	53 38	51 36		50.5 30.4
LAYTON 3 NW	MAX MIN	35 23	45 16	40 10	36 10	45 10	46 12	44 25	40 32	38 27	47 20	60 17	70 32	76 31	71 24	57 32	57 30	52 27	48 30	37 30	44 31	53 20	60 19	56 22	53 22	48 33	45 30	54 36	53 30	47 30	55 24		50.0 24.3
LEESBURG STATE FARM	MAX MIN	49 38	38 33	53 30	40 24	38 23	44 25	43 26	42 29	45 34	37 33	47 28	51 36	64 32	64 32	68 30	68 43	58 30	59 35	54 36	43 35	40 35	50 32	59 38	62 35	62 34	44 38	44 38	55 38	52 37	53 31		50.9 32.7
LITTLE FALLS 1 E	MAX MIN	34 23	39 27	45 25	42 20	40 19	47 21	46 28	43 34	41 33	40 30	42 26	52 33	63 29	69 35	75 38	47 36	58 36	60 29	57 33	40 33	44 32	48 30	55 20	55 28	48 28	47 35	48 38	57 36	55 38	53 28		50.6 30.3
LONG BRANCH	MAX MIN	33 31	41 28	38 26	37 24	41 25	39 24	40 35	40 34	40 30	40 24	49 20	58 38	68 39	68 43	51 40	57 41	60 35	55 37	42 33	37 36	46 35	49 34	60 36	60 36	47 32	43 36	42 36	53 38	54 38	50 30		48.1 34.0
LONG VALLEY	MAX MIN	35 28	41 24	45 20	43 17	44 20	47 19	40 24	38 34	37 33	40 27	44 27	61 29	66 24	75 31	70 36	55 32	58 23	55 24	50 40	41 31	44 34	53 25	62 27	57 25	46 27	41 33	55 34	52 35	51 33		50.2 27.9	
MILLVILLE	MAX MIN																																
MILLVILLE AIRPORT	MAX MIN																																

DAILY TEMPERATURES

NEW JERSEY
MARCH 1957

Table 5-Continued

Station		Day Of Month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
RIOGIEFIELD	MAX	36	40	39	38	41	42	45	40	39	38	41	50	58	69	72	54	58	59	55	43	36	51	56	64	60	57	42	42	59	55	53	58	50.0
	MIN	28	26	26	21	21	24	33	36	32	28	26	40	58	34	38	39	37	31	30	35	33	33	29	33	34	28	37	38	38	38	35	27	31.9
RUNYON	MAX	36	42	38	41	46	44	40	44	40	40	44	64	61	69	69	60	62	64	62	56	39	45	51	65	64	58	49	48	60	58	55	56	51.9
	MIN	23	24	24	18	15	18	27	33	33	30	23	38	25	33	40	33	34	25	36	33	35	34	35	34	35	32	36	28	36	35	35	28	30.1
SANDY HOOK L8STA	MAX	34	40	39	36	39	39	40	40	40	40	41	45	52	61	68	47	53	56	50	45	41	46	53	59	60	48	45	42	54	52	50	52	47.3
	MIN	31	31	29	23	25	30	35	36	35	32	26	38	41	41	38	38	37	36	38	34	36	38	39	41	40	32	38	40	39	37	34	35.1	
SOMERVILLE	MAX	36	43	38	39	45	45	40	40	42	42	45	61	68	76	63	59	60	55	50	40	48	54	64	61	53	48	46	57	55	53	54	50.9	
	MIN	29	19	25	18	18	21	29	35	31	30	25	35	26	30	39	36	27	30	36	33	35	27	29	28	27	34	35	36	35	33	24	29.7	
SUSSEX 3 N	MAX	28	33	44	34	36	43	41	42	36	37	37	43	58	65	75	44	55	55	52	34	37	42	51	60	52	53	40	43	53	51	49	45.9	
	MIN	15	20	21	17	13	16	21	30	31	22	20	24	31	33	33	34	25	25	27	30	30	26	24	28	25	27	32	34	36	30	23	25.9	
TRENTON 2	MAX	34	43	40	40	45	45	43	40	41	43	45	61	68	75	57	59	62	56	45	40	48	55	62	63	51	43	43	58	54	53	54	50.5	
	MIN	31	29	27	22	22	27	34	37	32	30	28	36	47	40	40	40	36	32	47	34	36	33	37	37	30	36	34	40	36	37	30	33.5	
TRENTON WB CITY	MAX	34	42	37	38	43	45	41	40	42	42	46	61	66	74	50	57	61	54	42	38	47	52	61	60	49	42	43	53	52	49	52	48.8	
	MIN	30	29	28	23	23	29	35	37	33	31	29	39	39	43	40	39	40	34	37	34	37	37	40	39	32	35	34	40	37	49	32	34.6	

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STA																																	
MEASURED UNDER SOO																																	
1 INCH	MAX MIN	34 33	36 33	38 32	38 31	42 31	39 31	37 34	38 36	37 35	40 32	40 31	47 35	52 35	59 38	42 41	54 40	51 37	52 38	42 38	39 37	45 36	49 35	56 36	55 40	53 37	42 39	43 39	55 39	52 40	50 39	55 36	45.4 35.9
2 INCHES	MAX MIN	35 34	35 34	38 33	37 32	38 32	37 32	36 34	37 36	37 35	39 32	38 32	43 35	47 36	52 39	42 41	49 40	48 38	48 39	42 39	39 38	43 38	45 36	50 37	50 40	48 38	41 40	42 40	50 40	48 42	48 41	50 37	43.8 36.7
4 INCHES	MAX MIN	35 34	35 34	37 33	37 32	38 33	37 33	36 34	37 36	37 35	38 33	37 32	42 35	46 36	51 40	42 42	48 41	47 38	47 39	42 39	39 38	43 38	45 36	49 38	49 40	47 39	41 40	42 40	49 40	48 42	47 41	49 38	42.4 37.0
8 INCHES	MAX MIN	37 36	36 36	36 34	36 35	36 34	36 35	36 36	37 36	37 36	36 35	40 34	42 36	45 38	44 40	44 42	43 41	43 41	42 40	40 39	40 39	40 38	42 38	45 40	49 42	44 41	42 41	42 41	45 41	45 43	45 43	45 42	40.8 38.5
16 INCHES	MAX MIN	39 38	38 37	37 37	37 36	36 36	36 36	37 36	36 37	37 37	36 36	38 36	39 36	42 38	42 39	42 41	42 41	42 41	42 41	41 40	40 40	41 39	41 38	42 40	43 41	42 41	42 41	43 41	42 41	43 42	43 42	43 42	40.0 39.0
32 INCHES	MAX MIN	40 40	40 39	39 39	39 38	38 38	38 38	38 38	38 38	38 38	38 38	38 38	38 37	39 38	39 39	40 40	40 40	41 41	41 41	41 41	41 41	41 41	41 41	41 41	41 41	41 41	42 41	42 41	42 41	42 42	42 42	42 42	40.0 39.8

Measured under Kentucky Bluegrass.

Table 7

SNOWFALL AND SNOW ON GROUND


NEW JERSEY
MARCH 1957

Station		Day of month																																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV	T								.2 T																	T							
BASS RIVER ST FOREST	SNOWFALL SN ON GND	- -																																
BEKVIDERE	SNOWFALL SN ON GND	1.0								T																								
CHARLOTTEBURG	SNOWFALL SN ON GND	1.0 1	1.5 2	.3 1						1.0 1	2.5 3	2	1															T T						
CLAYTON	SNOWFALL SN ON GND	T T																																
FLEMINGTON 1 NE	SNOWFALL SN ON GND	3.0 1	2.0 1		T	T	T	T	T	1.0 1										T	T									1.5				
FREEHOLD	SNOWFALL SN ON GND	1.5 2		T																	T								T					
HIGHTSTOWN 1 N	SNOWFALL SN ON GND	1.5 1		T T						.5											T						T			.3				
INDIAN MILLS 2 W	SNOWFALL SN ON GND	T																											T					
LAKEWOOD 2 ENE	SNOWFALL SN ON GND	T 1		T																														
LAMBERTVILLE	SNOWFALL SN ON GND	1.5 1	.1 T							.5																			T					
LATTON 3 NW	SNOWFALL SN ON GND	1.3 T								1.2 T										1.0 1	.7						.5					T		
LITTLE FALLS WATER CO	SNOWFALL SN ON GND	1.8 2		1	T	T				1.0 1	T										T T													
LONG BRANCH	SNOWFALL SN ON GND	1.7 2		T T						T											T													
LONG VALLEY	SNOWFALL SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MAYS LANDING	SNOWFALL SN ON GND	T		T				T																										
MILLVILLE	SNOWFALL SN ON GND	- -																																
MOORESTOWN	SNOWFALL SN ON GND		T									T																	T					
MORRIS PLAINS	SNOWFALL SN ON GND	1.6 1	T					T	T	T											T	T						T	T					
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV	2.1 2 .3	T 1 T	T				T		T											T	T					T		T			T		
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND	1.5 2	.5 1	T						T											T								T					
NEWTON	SNOWFALL SN ON GND	1.0 1	.5 2	T 1						.5 1																			T T					
PATERSON	SNOWFALL SN ON GND	1.0 -	T 1	T T						.1 T	T										T	T												
PHILLIPSBURG	SNOWFALL SN ON GND	.9 1	T T							T T												T	T							T				
PLAINFIELD	SNOWFALL SN ON GND	1.8 2	.2 1		T	T	T	T		.5											T	T	T					T	T					
RAHWAY	SNOWFALL SN ON GND	1.7 2	T 1		T					T												T												
RIDGEFIELD	SNOWFALL SN ON GND	3.0 3	T 2		2	T			T	1.0											T T	T						T						
SOMERVILLE	SNOWFALL SN ON GND	1.5								T																			T					
TRENTON WB CITY	SNOWFALL SN ON GND	1.6 1	.1 1							2.0 T		T										T						T		.8 T				
WANAUKE RAYMOND DAM	SNOWFALL SN ON GND	1.3 1	1																															

See reference notes following Station Index.

TOTAL PRECIPITATION


NEW JERSEY
MARCH 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
MARCH 1957



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
MARCH 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS				HARLTON 1 W	5252	BURLINGTON	2 30 54	74 57	90	6P	DAVID GRISCOM		3	
ATLANTIC CITY WB	0325	ATLANTIC	1 30 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 5	7 C		MAYS LANDING	5346	ATLANTIC	3 30 27	74 44	50	SP	ELMER EARLE		3 7	
AUDUBON	0340	CAMDEN	2 30 54	75 04	50	11P	IRVIN J. NYGREN	2 3 5			MIDLAND PARK	5503	BERGEN	8 40 59	74 09	210	BA	CORNELIUS HOWARD		2 3 5 7 C	
BALMISTON ST FOREST	0517	BURLINGTON	1 30 37	74 26	20	6P	W. T. FORESTRY SVC	3			MILLVILLE	5576	CUMBERLAND	6 30 26	75 03	60	BA	J. J. GALLANER		2 3 5 7 C	
BELLEPLAIN	0646	CAPE MAY	1 30 16	74 52	49	SP	WMS. ED. C. HOFFMAN	2 3 5	7		MILLVILLE AIRPORT	5581	CUMBERLAND	6 30 22	75 04	60	BA	AIRPORT MANAGER		2 3 5	
BERLAW	0721	HONMOUTH	1 40 10	74 02	19	MIO	CITY WATER DEPT	2 3 5			HILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS		3	
BELVIDERE	0729	WARREN	2 40 50	75 05	289	SP	MISS C. S. MIXSON	2 3 5	7		MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	MID	BA H. J. WILLARD		2 3 5 7	
BERLIN 1 W	0787	CAMDEN	7 30 48	74 57	150	7A	SAMUEL H. MC COLLEY	2 3 5			MORRIS PLAINS	5768	MORRIS	8 40 50	74 30	500	4P	JAMES C. LONG		2 3 5 7 C	
BLACKWELLS MILLS	0847	SOMERSET	10 40 29	74 35	27	7A	HENRY M. MILLER	3			NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU		2 3 5 7 G	
BOUNTON 2 SE	0907	MORRIS	8 40 54	74 24	280	BA	JERSEY CITY WTR WKS	2 3 5			NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	SP	ARTHUR H. AHLSTUETZ		2 3 5 7 G	
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	BA	AMERICAN CYANAMID CO	3			NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO		3 C	
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A	ALBERT M. DAVENPORT	3			NEWTON	6177	SUSSEX	2 41 03	74 45	365	BA	NEWTON WTR SWR COMM		2 3 5 7 C	
BRIDGETON 1 NE	1028	CUMBERLAND	2 30 28	75 12	114	BA	RADIO STATION WJMU	2 3 5			OLD RIDGE RESERVOIR	6440	PASSAIC	8 41 02	74 30	970	3P	SEWAGE DISPOSAL PLT		2 3 5 7 C	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC E + C CO	2 3 5			OLDWICK	6544	HUNTERDON	10 40 40	74 45	240	BA	DAN A. COUGHLIN		3	
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	BA	NEWARK WATER DEPT	3			ORANGE	6560	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER		3 C	
CAPE MAY	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5 6			PATERSON	6775	PASSAIC	8 40 55	74 09	100	BA	P. J. DEL VECCHIO		2 3 5 7	
CANTON	1343	SALEM	2 30 28	75 21	10	9A	GERTRUDE S. WILLIS	3			PENBERTON 3 E	6843	BURLINGTON	2 30 58	74 38	60	SP	CHARLES A. ODEHART		2 3 5 7	
CAPE BROOK 3 W	1351	CAPE MAY	1 38 56	74 57	17	SP	WEST MAGNESITE CO	2 3 5	C		PHILIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT		2 3 5 7	
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	BA	J. A. PLUNKETT	3			PHILIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE COM		2 3 5 7	
CERTONTON	1512	SALEM	6 30 31	75 10	80	MIO	JOHN HOPKINS UNIV.	3	C		RAHWAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH		3 7 C	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7		PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	7A	JOHN H. BERRYMAN		3	
CHATHAM	1590	MORRIS	8 40 44	74 23	185	BA	EDWARD P. MOLLITOR	3			PLEASANTVILLE 1 N	7131	ATLANTIC	1 30 25	74 31	8	BA	ATLANTIC CITY WTR WK		2 3 5 6	
CHATHAMSWORTH 5 S	1598	BURLINGTON	1 30 44	74 32	90	SP	WILLIAM S. MAINES	INAC	1/57		PRINCETON WATER WORKS	7326	MERCER	10 40 19	74 40	90	MIO	PRINCETON WATER CO		3	
CLAYTON	1708	GLOUCESTER	6 30 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7		RAHWAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH		3 7 C	
CLINTON	1740	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER	3			RIDGEFIELD	7545	BERGEN	8 40 58	74 28	800	MID	MIO GEORGE P. KIRSTEN		2 3 5 7	
DEEPWATER	2200	SALEM	2 30 41	75 30	12	MIO	DU PONT DE NEMOURS	3			RIDGEFIELD	7545	BERGEN	8 40 58	74 28	800	10A	NO JERSEY WTR SUPPLY		3	
ELIZABETH	2644	UNION	1 40 40	74 14	33	SP	UNION CO PARK COMM	2 3 5			RUNYON	7625	MIDDLESEX	1 40 26	74 20	18	6P	N. J. WATER COMM		2 3 5 6	
ELIZABETHPORT	2652	UNION	8 40 30	74 12	30	MIO	SEWAGE TREATMENT PL	3	C		SANDY HOOK LBSTA	7860	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD		2 3 5	
ESSEX FIELDS SERV BLDG	2708	ESSEX	8 40 50	74 18	250	BA	BOROUGH ESSEX FIELDS	2 3 5	C		SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	P. E. HAVER		2 3 5 7	
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 33	75 13	134	SP	DOMALD YOUNG	2 3 5	7		SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY O P W		3	
FORTESCUE	3102	CUMBERLAND	2 30 14	75 10	5	7A	JOHN LOPEZ	3			SPRINGFIELD	8423	UNION	1 40 43	74 18	-	MID	N. J. DEPT OF CONS		2 3 5	
FREHOLD	3161	MONMOUTH	10 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7 C		SUSSEX 3 N	8644	SUSSEX	5 41 14	75 35	530	7A	BRICE B. STANTON		2 3 5 C	
GALBORO	3291	GLOUCESTER	2 30 42	75 07	150	MID	PROF. J. B. SANGREE	3			SWEDSBORO 5 NW	8665	GLOUCESTER	2 30 47	75 24	10	12N	SUN OIL CO		2 3 5	
GREAT MEADOWS 4 N	3502	MERCER	2 30 46	75 00	550	MID	MICHAEL OZVONSKY JR.	3			TOMES RIVER	9135	CUMBERLAND	1 30 57	74 14	10	SP	ROBERT F. SNYDER		3	
GREENWOOD 4 N	3516	PASSAIC	8 41 04	74 20	60	7A	GEORGE T. WIGGINS	3			TRANQUILITY 2 W	8958	WARREN	2 40 57	74 50	551	MID	H. J. ERVEY		C	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS				TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	M. E. RISTON		2 3 5	
HANMONTOWN 2 MME	3662	ATLANTIC	7 30 39	74 48	85	BA	HUBBARD PARKHURST	2 3 5			TRENTON WB CITY	8883	MERCER	2 40 13	74 46	58	MID	U. S. WEATHER BUREAU		2 3 5 7 C	
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 40	1600	BA	N. J. DEPT. OF CONS.	2 3 5			TUCKERTON 2 SW	8890	OCEAN	1 30 35	74 22	45	BA	VERNON M. HOTT		INAC 12/56	
HIGHTSTOWN 1 N	4027	OCEAN	1 40 06	74 11	54	MID	JAMES R. PASTERING	2 3 5	7		VINELAND	9135	CUMBERLAND	1 30 57	74 14	10	SP	ROBERT F. SNYDER		3	
HIGHTSTOWN PUMPING STA	4256	MERCER	10 40 17	74 32	75	MIO	DEPT WATER + SEWAGE	2 3 5			WANAQUE RAYMOND DAM	9187	PASSAIC	8 41 03	74 18	320	BA	WATER SUPPLY COMM		3 7 C	
INDIAN MILLS 2 W	4299	BURLINGTON	7 30 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7		WATCHEUNG	9271	UNION	8 40 40	74 25	-	MIO	BONNIE BURN SAN		3	
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MIO	JOINT MEETING GARAGE	2 3 5			WERTSVILLE	9363	HUNTERDON	10 40 27	74 18	160	7A	ROBERT M. MANNERS		3	
JERSEY CITY	4339	HUNTERDON	1 40 44	74 16	135	MIO	JERSEY CITY WTR DEPT	2 3 5	C		WESTFIELD	9455	UNION	9 40 40	74 21	138	SP	CITY ENGINEER		3 C	
JERSEY CITY 2 ENE	4427	OCEAN	1 40 06	74 11	54	MID	GEORGE G. MADILL	2 3 5	7 C		WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	13	MIO	HACKENSACK WATER CO		3	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5	7		WOODSTOWN 2 NW	9910	SALEM	2 30 40	75 20	16	6P	WOODROW W. HALTER		INAC 2/56	
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. DEPUÉ	2 3 5	7												
LEESBURG STATE FARM	4762	CUMBERLAND	6 30 14	74 58	10	BA	LEESBURG STATE FARM	2 3 5													
LITTLE FALLS 1 E	4887	PASSAIC	9 40 53	74 14	157	9A	PASSAIC VLY WTR COMM	2 3 5	7 C												
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34	MIO	STORM WATER, OSP. STA	2 3 5	7 C												
LONG VALLEY	5003	MORRIS	10 40 48	74 48	860	6P	ARTHUR BARKMAN	2 3 5	7												
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	NIO	JAMES LAWTON		C												
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	584	9A	NEWARK WATER DEPT	3													
MANAWA	5104	BERGEN	8 40 50	74 19	293	7A	ROBERT G. GLASGOW	3													
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MIO	JOHN L. RADCLIFFE	3													
NARBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MIO	GEROW BRILL	3	C												

1-COASTAL; 2-OCEAN; 3-GREAT BAY HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSN, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sum of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

+ And also on a later date or dates.

++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.

* Amount included in following measurement, time distribution unknown.

// Gage is equipped with a windshield.

Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data."

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M One or more days of record missing. If average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data.")

T Trace, an amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of stations through 1955 may be found in the publication "Station History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC., Asheville, N. C. --- 5/2/57 --- 750

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

APRIL 1957
Volume LXII No. 4



THE LIBRARY OF THE
JUN 2 1957
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

April's weather in New Jersey was warmer and wetter than usual, with all divisions showing positive departures for both temperature and precipitation.

Temperature division averages were in the 50's and exceeded March averages by more than eleven degrees in all divisions. Sussex 3 N with a departure of -0.5° was the only station to have a negative value, while Runyon with $+4.8^{\circ}$ had the greatest plus departure. High temperatures at all stations were reported during the period 21st-29th. Maximum readings at all stations exceeded 80° , except for Atlantic City WB with 77° . Top honors went to Hammonton 2 NNE with a reading of 91° on the 28th. Trenton WB City with a low temperature for the month of 33° was the only station that failed to record a minimum of freezing or below. Two stations were credited with the lowest for the month, an 18° reading at High Point Park on the 4th and Layton 3 NW on the 16th.

Precipitation averages in all divisions, and monthly totals at practically all stations where comparisons could be made showed positive departures from long-term means. There was considerable variation in monthly totals which ranged from 1.35 inches at Fortescue to 8.00 inches at Westfield. The greatest daily amount was 2.10 inches on the 5th at Branchville. The snowfall average of 4.6 inches in the Northern Division was much more than was received elsewhere. The following stations had monthly snowfall totals exceeding 8 inches: Layton 3 NW, 8.4 inches; Charlotteburg, 8.5 inches; Mahwah, 8.8 inches; Greenwood Lake and Oldwick, 9.0 inches. Sunshine was somewhat less than usual in the Trenton area, but in the Atlantic City area it was average. Daytime cloudiness at stations where such records are kept was equal to, or very near equal to the long-term mean.

WEATHER DETAILS

The atmospheric pressure patterns that controlled the State's weather for the first sixteen days of April caused temperatures to fluctuate considerably. While there were no drastic daily departures from long-term averages during this period the over-all picture placed it quite definitely on the cool side, with minimum readings dropping into the 30's on a majority of the days. The last fourteen days of the month was quite a different story, even though pressure movements brought about variations in daily departures from long-term means, the positive values which accumulated during this period was a sure indication that springtime had arrived and the last decade ended with almost summerlike warmth.

The occurrence of precipitation was quite frequent during the month, with most stations receiving more than usual expectancy. Most stations received the major portion of their

precipitation for the month during the first nine days, with many places reporting their heaviest falls on the 2nd, 4th, and 5th. The remainder of the month was marked by frequent occurrences of precipitation with most amounts ranging from light to moderate. The most noteworthy occurrence of snowfall for the month was on the 4th and was mostly confined to the northern half of the State. A few stations reported small amounts on the 9th, and Atlantic City WB and Belleplain reported small measurable amounts on the 13th. Other occurrences were of little consequence.

WEATHER EFFECTS

The warm days of the last two weeks in April more than offset cooler temperatures during the first half, and soil moisture was ample in most areas since early in the month. The additional moisture in April, which followed three months of inadequate precipitation, was very beneficial to all crops. Hays, pastures, and fall sown grains continued to make good growth after coming through the winter in good shape. Oats seeding was delayed by early April rains. Pasture condition was reported to be the highest since 1952. Condition of all hay was above a year ago and slightly above average. Good progress in field work was made during the last two-thirds of the month including completion of plowing in most areas. In fact, favorable moisture and weather conditions have placed this season, to date, well in advance of last years. Early planted potato fields were up and volume harvest was under way on asparagus, broccoli, and spinach. The weather was favorable for pollination of fall fruits.

DESTRUCTIVE STORMS

In the early morning of the 6th a cold front passage caused general statewide thunderstorms. The most violent of these appeared to be in the Ewingville-Lawrenceville (Mercer County) area where damage included one barn and corn crib demolished, a house trailer and car damaged, and a few trees and wires downed. On the 28th a thunderstorm with high winds and hailstones $1/2$ inch in diameter occurred at Audubon in Camden County, and two homes and a church were struck by lightning in or near Camden. A storm at Plainfield on the 29th featuring rain, hail, and lightning caused street flooding, and moderate damage to one home that was struck by lightning.

FLOODS

During the period April 5th to 8th bankfull or basic flood stages were reached on the following New Jersey rivers: Ramapo, Pequannock, Passaic, Raritan, and Millstone. Since only bankfull (or slightly above) stages were reached, no flood damage was reported.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
APRIL 1957

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
																			Total	Max. Depth on Ground	Date	10 or More	50 or More	1.00 or More
											30° or Above	32° or Below	32° or Below	30° or Below										
NORTHERN																								
BELVIDERE		64.6	41.7	53.2	2.3	90	28	27	11+	380	1	0	9	0	7.10	3.16	1.55	5	5.0			11	6	3
800NTON 2 SE		61.0	40.3	50.7	2.0	86	29	27	1	433	0	0	8	0	5.95	2.25	1.85	5			9	4	1	
CANOE BROOK		62.7	40.9	51.6	3.5	86	28	22	16	407	0	0	7	0	6.92	3.06	1.83	5	1.3	1	4			
CHARLOTTEBURG		60.0	37.8	48.9	.9	85	27	20	16	486	0	0	11	0	5.82	1.73	1.91	5	8.5	4	5	9	4	1
ELIZABETH		65.7	42.0	53.9	2.2	87	21	27	15	351	0	0	8	0	6.00	2.14	1.42	5	2.0	2	4	12	4	1
ESSEX FELS SERV BLDG		61.8	42.5	52.2		85	22	30	10+	391	0	0	5	0	4.78		1.73	5	5.0	3	5	8	4	2
FLEMINGTON 1 NE		64.1	40.4	52.3	1.2	87	26	23	16	396	0	0	10	0	5.55	1.90	1.01	4	4.0	2	4	10	5	2
HIGH POINT PARK		56.0	35.6	45.8		81	27+	18	4	574	0	1	13	0	6.23		2.01	5			8	5	2	
JERSEY CITY		59.7	43.7	51.7	1.3	82	21	30	9	404	0	0	3	0	4.86	1.41	1.18	5		0		11	4	1
LAMBERTVILLE		64.9	41.9	53.4	2.7	88	28	26	11+	369	0	0	7	0	5.60	2.01	1.06	2	1.0	T	4	9	5	1
LAYTON 3 NW		63.3	37.9	50.6	3.2	88	27	18	16	453	0	0	12	0	5.28	1.51	.94	5	8.4	8	4	11	5	0
LITTLE FALLS 1 E		63.6	41.4	52.5	2.1	87	22	29	16	390	0	0	6	0	5.55	1.31	1.64	5	4.7	3	5	10	4	1
LONG VALLEY		63.3	39.1	51.2		85	21+	22	16	427	0	0	11	0	6.17	2.36	1.40	2	6.0			12	6	1
MORRIS PLAINS		63.5	40.5	52.0		85	28	24	11	405	0	0	11	0	6.48		1.28	5	5.3			11	5	2
NEWARK WB AIRPORT		63.5	43.0	53.3	3.3	88	21	31	10+	367	0	0	3	0	5.45	2.18	1.16	4	4.1	1	5	10	5	2
NEWTON		60.4	39.1	49.8	1.6	86	28	23	16	465	0	0	12	0	5.56	1.98	1.70	5	6.0	5	5	10	4	1
PATERSON		63.5	42.9	53.2	2.3	86	22	31	4+	372	0	0	6	0	4.86	.90	1.12	5	6.0	3	5	8	4	1
PHILLIPSBURG		65.6	42.6	54.1	3.9	88	27+	27	16	352	0	0	7	0	7.21	3.31	2.01	5	3.5	4	4	10	6	2
PLAINFIELD		63.3	42.5	52.9	2.2	86	21	26	15	376	0	0	7	0	5.93	2.18	1.01	4	3.0	2	4	10	6	1
RIDGEFIELD		63.8	42.3	53.1	2.9	85	21+	28	15	377	0	0	5	0	5.38	1.72	1.20	4	5.0	5	4	10	6	2
SOMERVILLE		64.5	41.0	52.8	2.5	88	28	24	11	379	0	0	9	0	5.77	2.23	1.10	5	3.0	2	4	9	6	1
SUSSEX 3 N		60.4	37.2	48.8	.5	87	28	23	1	494	0	0	13	0	5.38	1.64	1.57	5	5.0	4	5	9	4	1
DIVISION				51.7	2.0									5.81	2.03			4.6						
SOUTHERN																								
AUDUBON		66.3	43.8	55.1		90	27	30	11	324	1	0	5	0	3.61		.97	2	.0	0		9	2	0
BELLEPLAIN		69.4	42.0	55.7		90	21+	23	11	312	2	0	9	0	2.69	.87	.50	9	1.5			10	1	0
BRIDGETON 1 NE		64.9M	42.6M	53.8M		89	29	24	11	354	0	0	6	0	3.38		.90	29	.0	0		7	3	0
BURLINGTON		66.8	43.5	55.2	2.2	86	21	29	11+	319	0	0	3	0	4.98	1.56	1.10	2	.0	0		10	4	1
CLAYTON		66.8	43.2	55.0		89	27	29	15+	327	0	0	5	0	3.15		.86	2	.0	0		6	2	0
FREEHOLD		65.0	42.6	53.8	3.3	87	28	28	11+	349	0	0	8	0	4.85	1.29	1.20	2	1.8	T	4	11	3	1
HAMMONTON 2 NNE		66.4	43.6	55.0	3.0	91	28	28	11	325	3	0	5	0	2.45	1.22	.44	29	.0	0		8	0	0
HIGHTSTOWN 1 N		64.4	42.7	53.6	3.0	86	28	28	15+	360	0	0	8	0	5.83	2.53	1.14	28	.8	T	4	11	4	2
INDIAN MILLS 2 W		65.8	42.0	53.9	2.7	89	27+	22	11	350	0	0	6	0	3.46	.00	.95	2	T	0		9	2	0
LAKEWOOD 2 ENE		62.6	39.4	51.0	.4	89	21	22	11+	424	0	0	10	0	4.72	1.00	1.17	2	T	0		9	3	2
LEESBURG STATE FARM		66.9	44.0	55.5		88	21+	25	11	321	0	0	7	0	1.87		.35	9	.0	0		6	0	0
MILLVILLE		66.8M	45.0M	55.9M		90	28+	28	11	296	2	0	5	0	2.49		.70	2				9	1	0
MILLVILLE AIRPORT																								
MOORESTOWN		63.8	42.5	53.2	2.2	88	27	27	11	372	0	0	4	0	3.67	.20	.86	2	T	0		9	2	0
NEW BRUNSWICK EXP STA		64.2	42.2	53.2	2.4	85	28	28	11+	363	0	0	10	0	5.66	2.32	1.30	5	2.0	2	4	11	4	2
PEMBERTON 3 E		66.0	41.7	53.9	1.8	87	21+	24	16	349	0	0	6	0	4.53	1.09	1.29	28	.0	0		11	3	1
PLEASANTVILLE 1 N		63.6	42.3	53.0	3.0	90	22	24	11	372	1	0	8	0	3.28	.31	1.08	29	.0	T	13	8	2	1
RUNYON		67.2	40.6	53.9	4.8	90	28	21	16	356	1	0	8	0	5.02	1.66	1.15	5	1.3	0		10	2	2
TRENTON 2		64.3	43.3	53.8		88	27	30	11+	359	0	0	4	0	5.57	1.84	1.05	2	1.2	0		10	5	1
TRENTON WB CITY		63.1	43.7	53.4	2.7	87	27	33	4+	364	0	0	0	0	4.93	1.93	.95	2	1.4	T	4	10	5	0
DIVISION				54.1	2.8									4.01	.57			.6						
COASTAL																								
ATLANTIC CITY WB		58.4	44.9	51.7	2.3	77	21+	30	13	394	0	0	1	0	2.28	1.12	.50	8	1.0	T	13	8	1	8
CAPE MAY 3 W		63.9M	46.2M	55.1M		83	21	32	13	301	0	0	1	0	3.42		.0		.0	0				
LONG BRANCH		59.4	42.5	51.0	1.5	85	21	31	11	425	0	0	2	0	5.64	2.10	1.29	5	1.0	T	4	9	4	2
SANJOY HOOK LBSTA																								
DIVISION				52.6	2.9									3.78	.93			.7						

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset	
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 A EST	7:30 A EST	1:30 P EST	7:30 P EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total			
ATLANTIC CITY WB	-	-	15.9	50	NW	9	-	-	-	-	4	8	7	1	0	0	20	59	8.2	
LONG BRANCH	W	18	14.1	40	SE	5	-	79	81	59	1	8	4	2	2	0	15	60	6.5	
NEWARK WB AIRPORT	WNW	11	10.0	32++	NNW	9	74	78	53	61	3	6	5	3	2	0	19	-	8.4	
TRENTON WB CITY	-	-	10.3	43	N	9	-	-	-	-	1	5	5	5	0	0	16	49	6.5	

* 12:00 Noon

DAILY PRECIPITATION

NEW JERSEY
APRIL 1957

Table 3

Station		Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	R	2.28	T	.17		.12	T	.12		.30	.14			.09					.04	.06	T		.06		.28	T	.01	.02	.01	.42	.08			
AUDUBON		4.97		.97	.01	.21	.49	.34		.28				T	.16				.08	.04	.13						.18	.03	.00	.30				
BASS RIVER ST FOREST		2.09		.45			.18	.25		.14	.50				.18				.15	.14														
BELLEPLAIN		5.61		1.20		.56	1.22	.10		.44	.14			.06	.01				.07	.52	.29					.36	.04			.30				
BELMAR																					.29							.96	.08	.12	.26			
BELVIERE		7.10		1.37		1.05	1.55	.57		.65	.16			T	.09	T			T	.51	.35		.02		.43		.88	.03	.12	.10				
BERLIN 1 W				.90	.30	.80								.22																		.43		
BLACKWELLS MILLS		3.87		.56	.37	.03	1.63	.93		.52				.04					.51	.45		.03			.24	.05		.21		.08				
BOONTON 2 SE		5.95		.79	.23		.06	1.85	.89	T				.03					.30	.29	.03			.48		.21						.08		
BOND BROOK 1 W		6.21		.83		.14	1.59	.72		.52				.01					.55	.27	.03			.40		.40						.73		
BRANCHVILLE		5.50		.70	.13	T	2.10	1.03	T		.82									.32			T	.44		.05								
BRIDGETON 1 NE		3.38		.70	T		.32			.18	.19	.02						.05	.05	.10	.07			.08	.03	T		.01			.90	.02		
BURLINGTON		4.98		1.10		.28	.63	.54		.32	.06				.03				.22	.15				.47		.19		.88	.81					
CANISTEAR RESERVOIR		5.27		.56	.28	.09	1.90	.74		.77									.22	.14		.04		.32	.03		.08							
CANOE BROOK		6.92		.59	.15	.09	1.83	.94		.61					.03				.32	.31		.02	.01	.69	.02	.48	.35	.02		.46				
CANTON		2.77		.58			.41	.13		.33				T					.03	.18	T										.77	T		
CAPE MAY 3 W		3.42		.16				1.80		.14	.51			.20					.03	.18				.42										
CEADAR GROVE		6.23		.64	.22		1.75	1.14	.02	.92				.05					.31	.29				.62					.17		.10			
CHARLOTTETBURG		5.82		.71	.30		.06	1.91	.97		.91			.03					.22	.21		T		.34		.16								
CHATHAM		6.81		.65	.21	.09	1.82	.99		.62									.33	.30		.08		.73	.01	.37	.34	.01	T	.28				
CLAYTON		3.15		.86		.21	.40			.08	T			T					.04	.05	T			.29		.41						.81		
CLINTON		6.40		T	1.12	.83	1.26	.48		.55	.25			.07					.05	.64	.24	.20												
DEEPWATER		3.20	.11	1.41		.13	.38	.52		.31				.02					.02	.02							.13		.08	.03	.09			
ELIZABETH		6.00		.84		.80	1.42	.77		.35	.25			.01					.01	.38							.29	.18		.04	.01			
ELIZABETHPORT		5.37	.04	.86		1.08	1.01	.21		.43	.08								.02	.60		.02		.58	.13	.21						.03	.87	
ESSEX FELS SERV BLOG		4.78		.26	T	T	1.73	1.02		.62									.34	.18				.53		.10								
FLEMINGTON 1 NE		5.55	T	.86		1.01	1.00	.67		.49	.10			T	.02	T			T	.57	.33			.28	T	.03	T		.09	.12				
FORTESCUE		1.35		.35		.12	.18			.27					.07				.08	.08				.19		.03								
FREEDLO		4.89	T	1.20		.43	.95	.11		.31	.15								.38	.59				.41						.11	.21			
GREENWOOD LAKE		5.78		.59	.38	T	1.82	.98	.04	.83	T								.21	.15				.29	T		.19	T	.20					
NAHMONTON 2 NNE		2.45		.21	.14		.38	.26		.36					.03				.04	.03	.09			.23		.01	.22					.44		
NIGHT PAT PARK		6.23		.69		.23	2.01	.76		.88					.02				.08	.20				.08	.11						1.09			
HIGHTSTOWN 1 N		5.83	T	1.00		.48	.84	.28		.25	.13			T	.02				T	.33	.72	T		.31		.61		1.14	.32					
INOJAN MILLS 2 W		3.46		.95		.21	.39	.12		.24	.09				.01				T	.09	.16			.23		.01	.33		.08	.57				
IRVINGTON		5.90	.04	.91		1.18	.87	.36		.43	.17			.05					.07	.46	.03			.65	.13	.31		.07	.17					
JERSEY CITY		4.86	.19	.79		.20	1.18	.24		.54	.14			.04					.08	.21	.03	.03			.85		.01		.18	.17				
LAKEWOOD 2 ENE		4.72		1.17		.19	1.05	.10		.02	.49								.23	.43			T	.58		.05	.03		.34					
LAMBERTVILLE		5.60	T	1.06		.66	.98	.70		.44	.09				.05				.04	.46	.75			.10		T		.03	.18					
LAYTON 3 NW		5.28		.91		.03	.94	.73		.60	.20			.02	.10				.16	.16			.13	.31	.08		.03							
LEESBURG STATE FARM		1.87		.30		.03	.99	.18		.99	.35				.11				.09	.08				.28		.27								
LITTLE FALLS 1 E		5.55		.84	.15	.14	1.64	.92	T	.64				.03					.28	.20		.03		.47	.01	.11			.01					
LONG BRANCH		6.46	.04	1.14		.88	1.29	.10		.36	.07			.01					.03	.76	.11			.31		T		.03	.43	.03				
LONG VALLEY		6.17		1.40		.60	.93	.53		.68	.18								.42	.34		.10		.31				.08		.14	.16			
MACOPIN INTAKE		5.83		.93	.06	.19	1.87	.84	T	.76					.04				.25	.23		.04		.38		.28								
MANHAW		5.65		.68	.43	.00	1.86	.95	.04	.80					.05				.23	.15		.03		.23	.81	.10		T						
MANVILLE		5.93	.05	.80		1.10	.78	.58		.90	.02			T					.05	.81	T	.04		.41		.04	T		.73					
MARLTON 1 W		4.65		1.08		.21	.47	.26		.15	.26				.01				.02	.08	.16			.27		.33				1.33				
MAYS LANDING		2.63		.35		.12		.12		.12	.10								.20	.10		.08		.10	.08	.18		.08			1.20			
MIDLAND PARK		4.70		.28		.93	.08		.98	.68				.03						.47	.01			.35		.07								
MILLVILLE		2.49	.04	.70		.15	.04	.11		.21					.04				.05	.11				.27		.03	.18		.37	.18				
MILLVILLE AIRPORT																																		
MILTON		5.52		.50	.65		.90	.55	.54	1.05				.10					.31	.27		.04		.40		.09								
MOORESTOWN		3.67		.86	.15	T	.64	.40	.06	.35				.06					T	.04	.22			.23		.24					.42	T		
MORRIS PLAINS		6.48		1.20		.84	1.28	.58		.36	.35			T	.04	T			.39	.23	.05		.78	.18	.14	.88	T	.09						
NEWARK WB AIRPORT	R	5.45	.07	.76		1.16	1.01	.35		.40	.08			.01					.02	.53	.01	.03		.60	T	.10	T		.12	.20				
NEW BRUNSWICK EXP STA		5.66		1.00		.75	1.30	.35		.30	.21			.03					.07	.52		.00		.35										

DAILY TEMPERATURES

NEW JERSEY
APRIL 1957

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	NAX MIN	40 41	69 42	47 36	45 39	59 45	55 46	64 44	50 42	50 38	56 36	51 37	58 42	49 30	50 37	50 33	53 40	56 48	55 49	51 47	54 47	77 54	58 49	64 49	72 52	54 51	62 52	76 53	69 52	72 59	72 57	58.4 44.0	
AUDUBON	NAX MIN	61 32	65 40	66 32	47 35	64 38	64 46	66 44	55 30	52 36	56 44	63 30	75 42	40 33	40 35	55 33	63 31	62 48	59 52	64 50	70 43	67 54	74 52	71 48	83 53	63 53	78 60	90 58	88 78	78 59	72 58	66.3 43.8	
BELLEPLAIN	NAX MIN	61 28	70 50	65 30	62 31	62 36	62 48	65 42	63 41	51 37	58 27	59 23	75 51	68 30	52 27	54 28	59 26	65 37	66 50	75 44	90 57	88 48	68 53	88 54	80 56	72 53	80 54	00 56	89 52	75 62	75 50	69.4 42.0	
BELVIDERE	NAX MIN	61 28	58 45	51 31	45 32	40 33	51 35	61 42	54 40	47 34	53 30	63 27	71 36	40 31	51 28	58 31	64 27	56 47	61 49	66 52	69 45	85 46	76 47	75 50	71 52	82 51	89 53	00 52	83 58	70 48	64.6 41.7		
BOOMTOWN 2 SE	NAX MIN	53 27	57 39	63 34	48 31	35 30	50 35	52 43	60 30	44 33	44 33	51 28	58 36	60 32	46 32	47 31	53 30	50 40	55 47	59 49	63 38	73 45	83 49	66 45	72 50	82 50	84 49	80 52	86 53	77 55	61.0 40.3		
BRIDGETON 1 NE	NAX MIN	52 28	60 44	60 33	52 38	50 36		64 41	52 36	30 24	56 25	64 50	75 30	49 30	54 26	60 46	64 51	65 50	85 46	72 40	83 44	70 46	67 56	65 48	75 52	81 53	60 53	78 56	89 54	75 53	64.9 42.9		
BURLINGTON	NAX MIN	61 32	61 48	52 35	50 32	62 36	62 46	63 37	62 35	51 36	55 34	65 29	76 50	53 34	50 35	54 33	62 29	50 48	61 45	62 50	66 43	86 53	82 56	72 49	84 57	75 54	83 51	85 54	85 58	70 55	68.8 43.5		
CANOE BROOK	NAX MIN	55 34	59 43	62 31	45 31	49 31	60 38	52 43	61 42	44 34	44 27	51 26	62 34	68 34	47 24	47 37	54 22	62 43	57 49	66 54	61 46	75 47	84 48	65 47	74 54	82 51	84 44	84 54	84 53	78 56	62.7 40.9		
CAPE MAY 3 W	NAX MIN		60 30	55 40		50 37	58 41	62 43	61 43	52 36	56 43	65 35	65 50	57 32	52 39	53 39	57 42	62 47	66 50	61 48	83 44	71 54	66 50	79 52	67 54	75 53	79 56	79 57	74 57	70 56	63.9 46.2		
CHARLOTTEBURG	NAX MIN	57 22	58 35	59 29	45 29	35 29	43 33	50 40	58 37	42 29	49 20	49 27	50 35	70 29	45 20	45 29	52 20	60 33	56 46	60 48	64 33	71 42	81 50	65 44	78 49	80 49	80 50	85 51	81 58	84 51	75 37.8		
CLAYTON	NAX MIN	60 31	68 49	56 34	49 34	62 37	62 41	64 42	61 40	50 34	62 33	50 32	73 40	55 33	46 31	54 29	59 29	60 40	59 50	62 45	72 44	88 53	84 55	70 48	78 53	74 52	89 58	88 53	87 53	74 52	66.8 43.2		
ELIZABETH	NAX MIN	60 29	63 49	59 31	48 32	55 33	60 44	64 42	60 39	48 34	54 20	62 28	72 30	63 32	52 27	57 30	59 23	59 43	57 40	62 45	87 54	78 49	70 54	83 45	71 49	78 52	81 50	83 53	81 58	70 52	65.7 42.0		
ESSEX FELS SERV BLDG	NAX MIN	62 46	60 48	62 37	50 33	60 36	52 44	60 32	40 30	58 42	68 30	47 30	58 35	68 47	30 35	57 30	58 44	57 45	60 45	62 49	73 54	85 49	64 50	69 43	80 49	69 50	80 50	77 50	82 57	70 55	61.8 42.5		
FLEMINGTON 1 NE	NAX MIN	50 24	62 45	51 32	48 31	42 33	61 42	63 42	58 40	47 34	53 20	62 24	74 31	47 32	48 30	55 25	62 23	58 46	55 48	62 50	65 37	84 50	77 49	75 48	84 56	63 51	80 50	85 57	87 52	70 48	64.1 40.4		
FREEMOUL	NAX MIN	61 31	62 48	55 30	48 32	59 34	62 45	63 41	58 38	47 33	52 30	62 28	75 48	60 33	49 32	55 28	63 30	58 45	55 50	60 47	69 41	86 55	76 53	71 46	82 49	78 50	80 50	76 50	87 57	78 53	70 53	65.0 42.6	
HAMMONTON 2 NNE	NAX MIN	56 32	62 47	60 33	55 38	52 37	65 51	63 42	65 36	49 30	53 23	58 26	64 33	76 34	51 30	53 33	56 33	64 47	62 50	64 43	71 50	90 54	66 48	73 51	86 54	86 52	84 53	82 57	91 52	00 57	78 53	66.4 43.6	
HIGH POINT PARK	NAX MIN	48 27	51 31	52 23	30 18	32 25	43 24	44 35	50 31	34 24	33 23	42 26	56 33	65 23	47 24	38 24	47 33	55 42	50 45	62 45	67 49	78 46	74 41	72 42	74 43	59 45	81 51	81 54	79 51	71 44	56.0 35.6		
HIGHTSTOWN 1 N	NAX MIN	60 31	63 40	55 31	46 32	60 34	62 46	65 41	50 38	48 34	63 31	62 29	73 47	53 33	48 30	54 28	62 28	58 46	54 50	60 49	64 54	84 54	74 47	72 50	72 50	77 50	81 51	86 56	78 53	70 53	64.4 42.7		
INDIAN HILLS 2 W	NAX MIN	60 28	64 48	52 34	44 35	63 38	63 46	65 42	58 39	50 35	55 27	63 30	76 38	50 26	47 33	55 26	62 31	61 47	62 49	73 52	88 54	78 48	72 54	88 56	66 52	79 52	89 56	80 52	77 57	70 51	65.8 42.0		
JERSEY CITY	NAX MIN	58 37	61 46	49 34	40 32	55 32	55 45	62 42	49 36	44 30	50 34	50 34	70 38	47 33	47 35	56 35	55 36	55 48	54 50	57 48	60 59	82 49	68 48	78 49	62 49	72 60	72 63	70 58	74 50	72 58	59.7 43.7		
LAKEWOOD 2 ENE	NAX MIN	52 32	62 38	51 29	41 32	61 34	58 45	65 43	50 40	49 30	53 28	60 22	77 30	49 31	48 27	54 30	62 22	59 47	53 47	57 30	71 36	80 55	67 46	73 47	70 50	54 51	80 50	76 51	82 50	74 44	72 44	62.6 39.4	
LAMBERTVILLE	NAX MIN	59 29	61 47	52 34	47 32	62 33	62 45	63 43	59 30	49 35	54 30	62 26	72 40	51 33	48 27	55 30	62 26	57 47	56 50	63 51	85 41	77 46	74 46	83 57	77 52	70 51	87 58	88 52	78 60	76 48	64.9 41.0		
LAYTON 3 NW	NAX MIN	57 19	58 42	50 25	42 28	37 30	50 34	58 38	50 35	42 31	55 28	60 20	70 28	46 28	45 28	50 19	62 18	56 46	63 44	66 48	72 38	83 50	78 47	82 62	73 54	88 55	85 50	81 52	77 57	72 47	63.3 37.0		
LEESBURG STATE FARM	NAX MIN	52 38	70 40	64 32	55 36	58 28	59 48	64 44	63 42	52 37	57 35	71 25	62 30	47 29	54 31	58 26	63 47	65 51	64 44	63 49	88 54	86 55	68 49	83 54	64 55	68 55	87 54	88 58	62 58	76 52	66.0 44.0		
LITTLE FALLS 1 E	NAX MIN	58 34	60 44	60 33	52 31	38 30	48 37	52 38	63 42	46 33	46 32	52 32	62 38	74 33	48 30	50 29	58 29	63 47	58 48	61 50	78 47	87 50	68 46	75 51	83 50	64 48	85 54	81 55	86 57	82 56	63.6 41.4		
LONG BRANCH	NAX MIN	56 33	61 40	50 34	41 33	58 38	59 45	62 44	40 39	45 35	51 44	55 31	76 40	46 34	46 32	52 32	56 43	59 37	52 48	64 43	85 51	62 46	65 46	70 51	56 48	78 50	82 49	70 50	72 50	73 54	59.4 42.5		
LONG VALLEY	NAX MIN	57 28	60 40	50 26	42 31	41 37	65 40	60 43	55 37	44 31	55 27	54 23	71 38	65 29	48 26	54 24	60 22	56 44	58 47	61 47	65 50	70 45	71 52	81 52	75 50	82 51	83 51	85 57	60 52	70 42	63.3 39.1		
MILLVILLE	NAX MIN	54 32	60 44	70 34	54 41	58 38	62 43	65 43	59 38	62 44	52 31	58 28	62 44			31	55 30	60 42	65 51	67 45	70 52	89 57	67 49	69 52	83 54	61 54	80 57	90 54	00 57	77 54	66.8 45.0		
MILLVILLE AIR																																	

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY

APRIL 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RIOGEFIELD	MAX	60	60	50	40	59	59	64	49	43	54	62	75	50	50	57	62	57	60	66	66	85	71	70	83	61	80	81	85	81	73	63.8	
	MIN	35	37	31	33	33	43	43	35	33	30	30	38	34	33	28	30	45	50	50	42	58	50	49	53	49	49	59	54	60	56	42.3	
RUNYON	MAX	62	65	61	50	51	63	65	63	47	54	65	77	57	48	58	65	62	62	64	66	88	76	80	87	65	82	81	90	81	81	87.2	
	MIN	26	50	25	33	38	43	42	39	35	25	23	42	28	26	25	21	47	50	44	35	54	48	46	58	50	50	56	51	81	57	40.6	
SANDY HOOK LBSTA	MAX																																
SOMERVILLE	MAX	60	63	53	45	52	61	63	56	47	53	63	74	50	50	54	62	58	56	63	65	86	79	74	80	64	80	81	88	79	76	64.5	
	MIN	25	48	30	32	33	46	43	39	34	27	24	34	32	29	25	25	46	50	51	38	50	53	47	57	52	50	57	59	56	46	41.0	
SUSSEX 3 N	MAX	54	57	59	49	34	47	51	58	40	41	49	59	68	44	44	53	61	55	62	66	69	81	69	71	82	60	83	87	83	76	60.4	
	MIN	23	33	29	27	27	31	37	36	30	27	26	33	28	26	29	26	32	45	46	38	45	46	44	45	50	48	50	54	55	50	37.2	
TRENTON 2	MAX	57	62	52	44	62	62	64	50	50	55	63	75	49	50	56	62	58	55	63	65	86	69	75	84	58	79	88	86	78	71	64.3	
	MIN	34	38	34	33	37	44	43	39	34	33	30	40	33	32	30	31	46	52	49	45	55	48	48	58	52	52	58	53	58	56	43.3	
TRENTON WB CITY	MAX	59	62	50	43	63	61	63	47	48	53	62	73	46	47	55	61	57	55	60	68	85	63	73	83	58	78	87	86	77	71	63.1	
	MIN	35	40	35	33	37	45	44	39	34	36	34	38	33	34	33	35	49	52	48	45	56	50	46	54	51	50	54	52	59	57	43.7	

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
PLEASANTVILLE 1 N	EVAP WIND	45	46	94	33	53	72	102	60	73	97	62	63	81	40	66	31	63	26	10	13	37	50	33	22	23	19	*	*	.42	.21		1404

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	52	52	53	43	46	46	53	45	47	46	51	56	51	43	53	52	50	50	56	55	66	60	61	64	55	64	65	66	66	70	55.0	
	MIN	37	43	39	36	37	42	41	41	36	36	36	40	51	40	36	37	37	44	47	47	46	50	51	51	54	53	52	57	55	56	54	44.6
2 INCHES	MAX	46	51	50	44	46	47	50	45	46	46	48	54	49	42	50	49	46	49	53	53	60	57	56	61	55	67	62	64	65	65	52.5	
	MIN	36	45	41	36	36	43	41	42	40	37	37	41	42	39	36	39	44	47	46	47	50	52	51	54	53	52	57	56	59	57	45.6	
4 INCHES	MAX	46	50	49	49	45	47	49	43	45	45	46	52	46	41	49	49	46	49	52	52	59	57	57	60	59	60	62	63	64	64	52.6	
	MIN	39	45	41	36	36	43	41	42	40	36	36	42	43	40	39	40	45	49	46	47	52	50	52	51	54	53	52	57	56	59	45.8	
6 INCHES	MAX	44	47	46	44	42	45	46	45	43	43	44	46	47	44	46	46	47	50	47	50	54	54	54	57	56	56	58	59	60	60	49.4	
	MIN	41	44	43	40	40	42	43	43	42	40	40	43	44	42	41	42	44	46	47	49	52	51	53	53	52	56	56	56	56	56	48.4	
16 INCHES	MAX	43	45	44	44	42	44	44	44	44	43	43	45	45	45	44	44	45	45	47	47	50	51	51	53	53	53	55	55	57	57	47.4	
	MIN	42	43	43	42	41	42	43	43	43	42	41	43	44	43	43	44	45	45	46	47	50	50	51	52	51	53	54	54	55	56	46.0	
32 INCHES	MAX	42	43	43	43	43	43	43	43	43	43	43	43	43	44	44	44	44	44	44	45	45	46	47	48	49	49	50	50	51	52	45.2	
	MIN	42	42	42	43	42	42	42	43	43	43	43	43	43	43	43	43	43	43	44	44	45	46	47	47	47	48	49	49	50	51	44.6	

Measured under Kentucky Bluegrass.

Table 7

SNOWFALL AND SNOW ON GROUND


NEW JERSEY
APRIL 1957

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV													1.0 T																		
BKLVIDERE	SNOWFALL SN ON GND				5.0 -										T																	
CHARLOTTEBURG	SNOWFALL SN ON GND				.5 1	7.0 4	2			1.0 1																						
FLEMINGTON 1 NE	SNOWFALL SN ON GND				4.0 2	T							T		T																	
FREKHOLD	SNOWFALL SN ON GND				1.8 T																											
HIGHTSTOWN 1 N	SNOWFALL SN ON GND				.8 T																											
INDIAN MILLS 2 W	SNOWFALL SN ON GND													T																		
LAKEWOOD 2 ENE	SNOWFALL SN ON GND				T																											
LAMBERTVILLE	SNOWFALL SN ON GND				1.0 T					T																						
LATTON 3 NW	SNOWFALL SN ON GND				8.2 8					.2																						
LITTLE FALLS 1 E	SNOWFALL SN ON GND				.7 1	4.0 3	T			T T																						
LONG BRANCH	SNOWFALL SN ON GND				1.0 T					T																						
LONG VALLEY	SNOWFALL SN ON GND				6.0 -	-																										
MILLVILLE	SNOWFALL SN ON GND													- -																		
MOORESTOWN	SNOWFALL SN ON GND				T																											
MORRIS PLAINS	SNOWFALL SN ON GND				5.3 -	T				T					T																	
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV				4.1 T	1				T																						
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND				2.0 2					T																						
NEWTON	SNOWFALL SN ON GND				2.0 2	3.0 5	1			1.0 1																						
PATERSON	SNOWFALL SN ON GND				.5 1	5.5 3																										
PHILLIPSBURG	SNOWFALL SN ON GND				3.5 4	T				T					T																	
PLAINFIELD	SNOWFALL SN ON GND				3.0 2					T					T																	
RAHWAY	SNOWFALL SN ON GND				2.0 2	T			T																							
RIDGEFIELD	SNOWFALL SN ON GND				5.0 5					T T																						
SOMERVILLE	SNOWFALL SN ON GND				3.0 2																											
TRENTON WB CITY	SNOWFALL SN ON GND				1.4 T					T																						
WARAQUE RAYMOND DAM	SNOWFALL SN ON GND				.7 1	4.5 5																										

See reference notes following Station Index.

TOTAL PRECIPITATION


NEW JERSEY
APRIL 1957



Isohyets are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
APRIL 1957



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
APRIL 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS				5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM				3
ATLANTIC CITY WB	0125	ATLANTIC	1 39 22	74 25	25	MID	U. S. WEATHER BUREAU	2 3 5	T C		5346	ATLANTIC	1 39 27	74 44	50	5P	ELMER EARLE				3
AUDUBON	0140	CAMDEN	2 39 54	74 04	50	11P	JOHN J. RYDER	2 3 5			5503	BERGEN	8 40 59	74 09	210	8A	CONNELLUS HOWARD				3
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 26	20	6P	W. FORESTRY SVC	3	7		5578	CUMBERLAND	6 39 24	75 03	60	8A	L. J. GALLAHER	2 3 5	7	C	
BELLEPLAIN	0690	CAMP MAY	1 39 16	74 52	49	5P	MRS. E. C. HOFFMAN	2 3 5			5581	CUMBERLAND	6 39 22	75 04	68	8A	AIRPORT MANAGER	2 3 5			
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT	3			5597	MORRIS	8 41 01	74 32	950	TA	JERSEY CITY WTR WKS				3
BEVERLY	0729	WARREN	1 39 54	74 57	19	5P	MISS C. S. HILSON	2 3 5	T		5728	BURLINGTON	2 39 58	74 58	55	MID	H. J. WILLARD	2 3 5	7		
BERLIN 1 W	0787	CAMDEN	2 39 54	74 57	19	7A	SAUEL H. MC CULLEY	3			5769	MORRIS	8 40 50	74 30	500	4P	JAMES C. LONG	2 3 5	T		
BLACKWELL'S HILLS	0847	SOMERSET	10 40 29	74 35	27	TA	MENRY M. MILLER	3			6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU	2 3 5	7	C	
BONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	8A	JERSEY CITY WTR WKS	2 3 5			5062	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR H. AHLQUIST	2 3 5	7	G	
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	8A	AMERICAN CYANAMID CO	3			6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO	3		C	
BRANCHVILLE	0976	SUSSEX	2 41 09	74 47	570	TA	ALBERT H. OVENPORT	3			6177	SUSSEX	2 41 03	74 43	565	8A	NEWTON WTR SWM COMM	2 3 5	7	C	
BRIDGEVIEW	1029	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WSNJ	2 3 5			6460	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT	3			
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC C + G CO	2 3 5			6544	HUNTERDON	10 40 40	74 45	260	8A	DAN A. COUGHLIN	3			
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	6P	NEWARK WATER DEPT	3			6560	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER	3		C	
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5	8		6775	PASSAIC	8 40 55	74 09	100	8A	P. J. DEL VECCHIO	2 3 5	7		
CANTON	1343	SALEN	2 39 28	75 10	10	9A	GERTRUDE E. WILLIS	3			6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. OODHURT	2 3 5	7		
CAMP MAY 3 W	1351	CAMP MAY	1 38 56	74 57	17	5P	W. WEST MAGNETIC CO	2 3 5	C		6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT	2 3 5	T		
CEADAR GROVE	1472	ESSEX	8 40 52	74 13	400	8A	J. A. FLEWITT	3			6979	WARREN	2 40 42	75 12	190	9A	JOINT TOLL BRIDGE CO	3			
CENTERTON	1512	SALEN	8 41 01	75 10	10	MID	JOHN HOPKINS UNIV.	3			7079	UNION	10 40 36	74 25	120	6P	S. K. PEARSON	2 3 5	7		
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	780	TA	NEWARK WATER DEPT	2 3 5	T		7123	HUNTERDON	10 40 34	74 48	140	TA	JOHN H. BERRYMAN	3			
CHATHAM	1590	MORRIS	8 40 44	74 23	185	8A	EDWARD P. MOLITOR	3			7131	ATLANTIC	1 39 25	74 31	18	8A	ATLANTIC CITY WTR WKS	2 3 5	6		
CHATSORTH 5 S	1598	BURLINGTON	1 39 44	74 32	50	5P	WILLIAM S. MAINES	INAC	1/57		7328	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO	3			
CLAYTON	1701	GLoucester	8 40 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5	7		7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH	3		7	C
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER	3			7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN	2 3 5	7		
DEPOT WATER	2209	SALEN	2 39 41	75 10	12	MID	DU POINT OF MEMOURS	3			7587	PASSAIC	8 41 08	74 18	305	10A	NEW JERSEY WTR SUPPLY	3			
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5			7825	MIDDLESEX	1 40 26	74 20	18	6P	N. J. WATER COMM	2 3 5	6		
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30	MID	SEWAGE TREATMENT PL	3			7869	MONMOUTH	1 40 28	74 10	22	6P	N. J. COAST GUARD	2 3 5	7		
ESSEX FIELDS SERV BLDG	2768	ESSEX	8 40 50	74 18	280	8A	BOROUGH ESSEX FIELDS	2 3 5	C		8116	OCEAN	1 39 57	74 14	10	5P	ROBERT F. SNYDER	3			
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	DONALD YOUNG	2 3 5	7		8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY D P W	3			
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	TA	JOHN LOPER	3			8423	UNION	1 40 43	74 18	-	MID	H. J. DEPT OF CONS	3		C	
FREEDHO	3181	MONMOUTH	10 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	T C		8644	SUSSEX	5 41 14	74 35	530	7A	BRUCE B. STANTON	2 3 5	7		
GLASSBORO	3291	GLoucester	2 39 42	75 07	150	MID	PROF. J. B. SANKOFF	3			8685	GLoucester	1 39 57	74 24	10	12N	SUN OIL CO	3			
GREAT MEADOWS 4 N	3416	UNION	8 40 50	74 15	250	MID	MICHAEL OZYNSKI	2 3 5			8816	OCEAN	1 39 57	74 14	10	5P	ROBERT F. SNYDER	3			
GREENWOOD LAKE	3518	PASSAIC	8 41 00	74 20	660	TA	GEORGE T. WIGGINS	3			8858	WARREN	2 40 57	74 50	551	MID	H. J. ERYEY	3			
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS	3			8878	MERCER	2 40 14	74 46	105	MID	H. J. RISTOW	2 3 5	7		
HAMMONTON 2 NE	3662	ATLANTIC	1 39 39	74 48	85	8A	M. HUBBARD PARKMURST	2 3 5			8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU	2 3 5	7	C	
HIGH POINT PARK	3291	GLoucester	2 39 42	75 07	150	6P	J. A. DEPT. OF CONS.	2 3 5			8899	OCEAN	1 39 55	74 22	45	8A	VERNON W. MOTT	INAC	12/56		
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P	JAMES R. PICKERING	2 3 5	T		9135	CUMBERLAND	6 39 29	75 00	110	8A	STATE HOME FOR WOMEN	3			
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER + SEWAGE	3			9187	PASSAIC	8 41 03	74 18	320	6P	WATER SUPPLY COMM	3		T	
INJOAN HILLS 2 W	4220	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7		9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.	3			
IRVINGTON	4260	ESSEX	8 40 43	74 15	120	MID	JOINT MEETING GARAGE	3			9363	HUNTERDON	10 40 27	74 48	160	TA	ROBERT M. MANNERS	3			
JERSEY CITY	4339	HUDSON	40 43 18	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5			9415	ATLANTIC	9 40 39	74 21	138	5P	CITY ENGINEER	3			
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	MID	GEORGE G. WADILL	2 3 5	T C		9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO	3		C	
LAMBERTVILLE	4635	BERGEN	2 40 22	74 57	75	6P	E. E. CASE	2 3 5	7		9910	SALEN	2 39 40	75 20	16	6P	H. WOODROW M. HALTER	INAC	2/56		
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. DEPUY	2 3 5	7												
LEESBURG STATE FAIRM	4762	CUMBERLAND	8 40 14	74 58	10	4P	LEESBURG STATE FAIRM	2 3 5													
LITTLE FALLS 1 E	4887	PASSAIC	8 40 53	74 14	187	9A	PASSAIC VLY WTR COMM	2 3 5	T C												
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34	MID	STORM WARR. DSPL STA	2 3 5	7												
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	6P	ARTHUR BARKMAN	2 3 5	7												
LUNEBURG	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LAYTON	3													
MACOPIN INTAKE	5091	PASSAIC	8 41 21	74 26	584	9A	NEWARK WATER DEPT	3													
MANHAW	5104	BERGEN	8 41 06	74 10	253	TA	ROBERT G. GLASGOW	3													
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADCLIFFE	3													
MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	SEWELL BRILL	3													

1-COASTAL; 2-DELAWARE; 3-GRAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind speed in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6.

Long-term means for full-time stations (those shown in the Station Index as "D. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CMA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

++ And also on a later date or dates.

* Fastest observed one minute wind speed. This station is not equipped with automatic wind instrument.

* Amount included in following measurement, time distribution unknown.

// Gage is equipped with a windshield.

* Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

AD Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are procured for special purposes and are published later in "Monthly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Monthly Precipitation Data".)

T Trace, an amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in location, elevations, exposure etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issue of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 6/11/57 --- 750

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

MAY 1957
Volume LXII No. 5



THE LIBRARY OF THE

JUL 23 1957

UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

The weather in May was characterized by drier than usual conditions with somewhat variable temperatures. Several communities suffered considerable damage from thunderstorms.

Temperatures averaged slightly lower than seasonal in the Northern Division and somewhat higher than seasonal in the other divisions. High readings for the month varied from 81° at High Point Park on the 10th to 95° at Little Falls 1 E on the 14th. Almost one-half of the stations in the State reported minimum temperatures for May that were freezing or below with a reading of 26° at High Point Park on the 3rd as the lowest.

Precipitation averages were well below the long-term values in all divisions. Deficiencies in precipitation were indicated at all stations except Ridgefield for which comparative data are available. A torrential downpour of 4.65 inches at Ridgefield on the 14th was the greatest amount for one day as well as being the major factor in producing a departure of +1.75 inches, and a total of 6.02 inches which was the greatest total in the State. Mays Landing was the driest station with a total of only 0.21 inch. The percentage of possible sunshine showed an excess at Atlantic City and a slight deficiency at Trenton. Daytime cloudiness averages at Atlantic City, Newark and Trenton were less than the long-term values.

WEATHER DETAILS

Warm weather which prevailed as April ended continued on May 1st with maximum readings that exceeded 80 degrees, however a cold front moved across the State late on the 1st bringing cooler temperatures. The next four days brought the coldest spell of the month with most stations reporting their lowest reading of the month on the 4th. During the period 6th-15th average temperatures showed positive departures that were well above average for the period. For the remainder of the month pressure patterns that controlled the State's weather caused considerable fluctuation in temperatures, but the most noteworthy occurrence during this time was the four day period 19th-22nd when average readings dropped well below expected levels.

Precipitation which occurred during the first ten days of the month was very light and of little consequence. Middle of the month rains were more pronounced over North Jersey, but rains which occurred on and around the 20th were more general and furnished some relief to most of the State. Showers with rather widely variable amounts were reported from some stations on the 26th, and on the 27th from most stations.

WEATHER EFFECTS

The growth of field corn was slow due to the cool temperatures occurring during the month,

and some of it was planted very late because of dry soil conditions. Some oats were planted late due to early April rains and growth has been slow in most areas. Fields of winter wheat made fair growth in May due to the dry weather but rainfall was timely enough and heads filled out satisfactorily. Hay prospects varied considerably from excellent in North Jersey where rainfall was adequate and insect damage was light to poor in some South Jersey fields where precipitation was very limited and weevil infestation was heavy. Vegetables made good progress where irrigation was used, but dry weather had its effect in most areas.

Apple prospects appeared favorable with a heavy bloom and set on most varieties in most areas, but May frost caused damage on some unfavorable locations. The weather was good for keeping a good spray cover, and fruit sized well despite the dry May. Peach orchards in the State came into bloom on an average of about 8 days earlier than last year. The weather was warm and sunny during the pollination period and resulted in a good set generally, although some orchards were lighter than last year. Canker was a serious problem in some locations. Curculio and twig injury were also much in evidence in some orchards.

DESTRUCTIVE STORMS

From mid-afternoon of the 14th to early morning of the 15th a series of thunderstorms occurred over central and southern Bergen County, southeast Passaic County, eastern Essex County, and Hudson County. These storms produced torrential rains resulting in flooding of cellars, numerous street and highway washouts, and damage to stalled automobiles. Accompanying lightning set small fires in several residences and one theater. Wind and lightning damage disrupted power service in some communities.

About midnight of the 23rd-24th in Essex County, a few homes and utility poles were damaged by lightning, and localized wind squalls downed trees and power lines.

On the 26th from 7 p.m. to 9 p.m. thunderstorms occurred over the northwest portions of Gloucester, Camden, and Burlington Counties, also parts of Mercer and Middlesex Counties. These storms accompanied a cold front passage which moved rapidly across the area. Even though the duration was brief, the intensity was severe in communities affected. Strong winds downed trees and power lines, also caused minor building damage. Lightning interrupted power service, particularly in Camden County, and set fire to several buildings. About one-half inch of rain in 30 minutes slowed highway traffic.

FLOODS

None were reported.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
MAY 1957

TABLE 2

Station		Temperature										Precipitation												
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days		
																			Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											30° or Above	32° or Below	32° or Above	32° or Below										
NORTHERN																								
BELVIDERE		77.0	48.6	62.8	- .5	92	13	34	3	124	2	0	0	0	3.41	- .82	1.23	24	.0	0		6	3	1
BOONTON 2 SE	AM	70.5	46.8	58.7	- .6	85	14	35	3	217	0	0	0	0	2.84	- 1.51	1.91	15	.0	0		3	1	1
CANOE BROOK	AM	71.6	45.5	58.6	- .3	88	27	34	4	230	0	0	0	0	1.79	- 2.74	.68	15	.0	0		3	1	0
CHARLOTTEBURG	AM	69.6	43.7	56.7	- 2.2	84	11	30	17	271	0	0	3	0	1.65	- 2.76	.45	24	.0	0		6	0	0
ELIZABETH		75.7	49.7	62.7	- .4	88	10	34	3	123	0	0	0	0	1.42	- 2.92	.66	15	.0	0		4	1	0
ESSEX FELS SERV BLDG	AM	72.1	49.8	61.0	- .3	84	13	34	4	166	0	0	0	0	4.32	-	3.14	15	.0	0			2	1
FLEMINGTON 1 NE		77.0	46.5	61.8	- .3	90	13	31	3	154	1	0	2	0	1.00	- 3.34	.45	20	.0	0		4	0	0
HIGH POINT PARK		65.1	43.8	54.5	- .5	81	10	26	3	332	0	0	4	0	3.40	- .99	.99	21	.0	0		5	4	0
JERSEY CITY		70.3	51.5	60.9	- .5	86	10	38	3	164	0	0	0	0	2.62	- 1.33	1.18	14	.0	0		3	3	1
LAMBERTVILLE		77.0	48.4	62.7	- 1.1	88	13	31	3	137	0	0	2	0	1.53	- 2.84	.72	27	.0	0		3	2	0
LAYTON 3 NW		74.6M	44.1M	59.4M	- 1.0	89	9	27	17	202	0	0	5	0	2.64	- 1.47	.95	20	.0	0		5	2	0
LITTLE FALLS 1 E	AM	74.4	48.3	61.4	- .1	95	14	35	4	157	1	0	0	0	3.38	- 1.20	2.19	15	.0	0		4	1	1
LONG VALLEY		72.8	44.9	58.9	- .8	86	10	32	3	208	0	0	1	0	3.31	- .99	1.90	15	.0	0		5	2	1
MORRIS PLAINS		74.8	46.8	60.8	- .8	87	13	30	3	166	0	0	1	0	4.23	-	3.21	15	.0	0		4	1	1
NEWARK WB AIRPORT	R	73.8	51.9	62.9	- 1.8	90	10	39	3	132	2	0	0	0	1.87	- 1.86	.91	14	.0	0		3	1	0
NEWTON	AM	70.1	45.0	57.6	- 1.8	86	11	31	17	254	0	0	1	0	1.82	- 2.42	.35	24	.0	0		8	0	0
PATERSON	AM	72.9	50.6	61.8	- .3	90	11	37	3	154	1	0	0	0	3.93	- .55	2.55	15	.0	0		3	2	1
PHILLIPSBURG		75.6	49.3	62.5	- 1.1	89	1	32	4	137	0	0	1	0	3.06	- 1.24	1.87	15	.0	0		5	1	1
PLAINFIELD		74.2	48.6	61.4	- .1	88	10	32	4	147	0	0	1	0	1.70	- 2.68	.57	20	.0	0		5	1	0
RIDGEFIELD		73.9	50.0	62.0	- .9	89	9	37	3	142	0	0	0	0	6.02	- 1.75	4.65	14	.0	0		3	2	1
SOMERVILLE		75.8	47.9	61.9	- .7	89	13	31	4	149	0	0	1	0	.77	- 3.35	.25	15	.0	0		3	0	0
SUSSEX 3 N	AM	69.8	43.8	56.8	- 3.6	85	9	31	3	263	0	0	3	0	2.99	- .97	1.16	15	.0	0		7	3	1
DIVISION				60.4	- .3										2.71	- 1.58			.0					
SOUTHERN																								
AUDUBON		75.5	51.9	63.7	- .8	89	13	38	4	112	0	0	0	0	1.54	-	.65	20	.0	0		4	2	0
BELLEPLAIN		77.5	50.0	63.8	- .8	90	26	31	4	124	1	0	2	0	.80	- 3.28	.51	19	.0	0		3	1	0
BRIDGETON 1 NE	AM	76.8M	51.4M	64.1M	- .8	92	27	32	4	116	1	0	1	0	1.00	-	.55	20	.0	0		2	1	0
BURLINGTON		79.6	52.1	65.9	- 1.6	91	26	36	4	90	3	0	0	0	.46	- 3.62	.23	26	.0	0		2	0	0
CLAYTON		77.3	51.9	64.6	- .8	90	26	35	4	109	1	0	0	0	.92	-	.57	27	.0	0		2	1	0
FREEHOLD		75.9	49.0	62.5	- .8	90	26	31	4	142	1	0	2	0	1.43	- 2.70	1.05	27	.0	0		2	1	1
HAMMONTON 2 NNE	AM	76.6M	51.0M	63.8M	- 1.0	94	27	34	4	129	4	0	0	0	.55	- 3.60	.32	27	.0	0		3	0	0
HIGHTSTOWN 1 N		74.8	49.0	61.9	- .5	88	26	31	4	145	0	0	1	0	1.83	- 2.01	1.05	20	.0	0		3	2	1
INDIAN HILLS 2 W		75.9	47.9	61.9	- .2	91	26	29	4	160	2	0	2	0	.75	- 3.35	.49	27	.0	0		3	0	0
LAKEWOOD 2 ENE		72.9	46.3	59.6	- 1.8	92	10	32	4	218	3	0	1	0	.55	- 3.61	.29	26	.0	0		2	0	0
LEESBURG STATE FARM		76.1	51.3	63.7	- .8	88	15	36	3	108	0	0	0	0	.41	-	.28	12	.0	0		1	0	0
MILLVILLE	AM	75.4	52.6M	64.0M	- .8	90	27	36	4	121	1	0	0	0	.41	-	.13	14	.0	0		2	0	0
MILLVILLE AIRPORT	AM																							
MOORESTOWN		73.8	49.3	61.6	- .1	89	26	33	3	159	0	0	0	0	1.69	- 2.64	.98	20	.0	0		3	1	0
NEW BRUNSWICK EXP STA		75.7	49.1	62.4	- .7	87	10	33	4	138	0	0	0	0	.96	- 3.03	.56	20	.0	0		4	1	0
PENBERTON 3 E		77.5	47.8	62.7	- .3	91	26	30	3	145	1	0	2	0	.74	- 3.24	.34	27	.0	0		3	0	0
PLEASANTVILLE 1 N	AM		50.1			86	10	32	5		0	0	2	0	.81	- 2.73	.46	20	.0	0		2	0	0
RUNYON		77.7	46.2	62.0	- 1.7	91	10	28	3	150	4	0	3	0	1.96	- 1.78	.80	20	.0	0		3	2	0
TRENTON 2		74.8	51.8	63.3	- .8	89	13	34	4	125	0	0	0	0	1.44	- 2.90	.73	20	.0	0		2	2	0
TRENTON WB CITY	R	73.2	52.5	62.9	- 1.1	88	26	36	4	133	0	0	0	0	1.40	- 2.08	.88	20	.0	0		2	1	0
DIVISION				63.0	- .9										1.03	- 2.96			.0					
COASTAL																								
ATLANTIC CITY WB		66.5	53.5	60.0	- .9	83	1	38	4	173	0	0	0	0	.54	- 2.44	.28	19	.0	0		2	0	0
CAPE MAY 3 W		70.7M	53.5M	62.1M	- .8	84	9	41	4	126	0	0	0	0	.40	-	.14	14	.0	0		3	0	0
LONG BRANCH		70.1	49.9	60.0	- .2	88	10	33	4	195	0	0	0	0	1.00	- 2.64	.76	26	.0	0		2	1	0
SANDY HOOK LBSTA		74.5	51.6	63.1	- 2.9	87	15	38	4	108	0	0	0	0	1.17	- 2.44	1.17	20	.0	0		1	1	1
DIVISION				61.3	- 1.4										.78	- 2.59			.0					

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:30 a EST	7:30 a EST	1:30 p EST	7:30 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB CITY	-	-	15.3	35	NE	16+	-	-	-	-	5	3	2	0	0	0	10	73	5.3
LONG BRANCH	S	17	14.1	50	NW	26	-	72	58	61	2	3	1	1	0	0	7	71	5.4
NEWARK WB AIRPORT	SW	12	11.3	29++	WNW	1+	70	68	48	57	7	4	2	1	0	0	14	-	5.3
TRENTON WB CITY	-	-	9.2	32	NW	26	-	-	-	-	6	2	1	1	0	0	10	60	5.7
Ø 12:00 Noon																			

See Reference Notes Following Station Index

DAILY PRECIPITATION

Table 3

NEW JERSEY
MAY 1957

Station	Total	Day of month																																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
ATLANTIC CITY WB	R	.54					.04					T	.07		.10		T		.04	.28	.17	T	T	T					.58	.01				
AUDUBON		1.54					T												T	.05	.05								.58	.14				
BASS RIVER ST FOREST		.35																	T	.04	.19		.02								.02			
BELLEPLAIN		.80																		.51	.12									.06				
BELMAR		.84										.06							.05	.23	T								.48	.06				
BELVIOERE		3.41											.79				.60			.13	.46					1.23				.20				
BERLIN 1 W		1.47																		T		.55								.92				
BLACKWELLS MILLS		.96										.09							.02	.02	.02	.54								.12				
BOONTON 2 SE		2.84										T	.07						.02	.05	.09	.32							.38	T				
BOUND BROOK 1 W		1.08										.10							.02	.10	.31	.20							.08		.20			
BRANCHVILLE		2.28										.16					.47	.23		.11	.23	.51				.43				.14				
BRIDGETON 1 NE		1.00					.03	.03							.08	.12	T			.55				.04	.02					.09		.04		
BURLINGTON		.46							.02			.06				.15													.23		.09			
CANISTEAR RESERVOIR		2.52															.88			.08	.17	.31			T	.44			.11	T				
CANOE BROOK		1.79										.06					.08		.37	T	.15	.15	.27		.02	T	.40			.06	T			
CANTON		.80																	.07		.36	.02									.14	.02		
CAPE MAY 3 W		.40																			.14													
CEDAR GROVE		4.08										.01	.01				2.00			.10	.13	.60					1.80				.06			
CHARLOTTEBURG		1.65														.10		.30		.06	.17	.37								.45				
CHATHAM		2.47														.08		.96		.20		.25								.46		.05		
CLAYTON		.92																		T	.27	.05									.37			
CLINTON		1.41															.04			.15	.45	.05									.10			
DEEPWATER		1.74																		.04	.22	.51							.92					
ELIZABETH		1.42																		.01	.10	.21								.20		.08		
ELIZABETHPORT		.88																		.07	.06	.56								.06		.08	.01	
ESSEX FELS SERV BLOG		4.32																			*	.50									.68		T	
FLEMINGTON 1 NE		1.00																	T	.12	.45	.02					T			.21				
FORTESCUE		.71																			.20	.13												
FREEMO		1.43																			.27													
GREENWOOD LAKE		2.17															.10		.84	.33		.04	.14	.35				.28			1.05	.07	.02	
HAMMONTON 2 NNE		.55																				.10	.13											
HIGH POINT PARK		3.40										.10		.13			.57				.03	.67	.99			.02	.97							
HIGHTSTOWN 1 N		1.83																		.01	.12	T									.63			
INOIAN MILLS 2 W		.75										.01								T	.12	T									.49		.12	
IRVINGTON		2.20										.03					1.00	.05		.06	.06	.49					.45	.02		.04				
JERSEY CITY		2.62										.09					1.18			.02	.06	.73								.02				
LAKEWOOD 2 ENE		.55															.03			.02		.10	T					.52		.29				
LANBERTVILLE		1.53										.07					.14			.03	.53	.04									.72			
LAYTON 3 NW		2.64										.07	.07				.21	.20			.07	.95	.15					.92						
LEESBURG STATE FARM		.41															.28		.03		.02								.02	.03				
LITTLE FALLS 1 E		3.38																		.01	.05	.10	.48								.45		.02	
LONG BRANCH		1.00																		.02	.18										.76	T		
LONG VALLEY		3.31										.04							.09	.02	.10	.43	.02								.55		.16	
MACOPIN INTAKE		1.91																		.07	.29	.34									.61			
MAHWAH		1.80															.11		.48	.24		.05	.07	.51							.33		.01	
MANVILLE		1.16																																
MARLTON 1 W		1.27																		.06	.01													
MAYS LANDING		.21																																
MIDLAND PARK		2.41																																
MILLVILLE		.41																	.03		.03	.86	.12								.53			
MILLVILLE AIRPORT		RECORD MISSING																																
MILTON		1.97																																
MOORESTOWN		1.69																	.08		.37	.15												
MORRIS PLAINS		4.23																		.05	.04	T	.32								.39	T		
NEWARK WB AIRPORT	R	1.87																		.05	T													
NEW BRUNSWICK EXP STA		.96																		.10	.02	T	.12								.11			
NEW MILFORD		3.54																		.04	.02	2.08	.12	.04		.04								
NEWTON		1.82																		.10	.28	.25				.22	.02				.35		.13	
OAK RIDGE RESERVOIR		1.90																		.08	.35	.27									.52			
OLONICK		1.53																		.07	.54										.21		.12	
ORANGE		3.38																																
PATERSON		3.93																																
PEMBERTON 3 E		.74																		.07	.09													
PHILLIPSBURG		3.06																		.04	.15	T	1.87								.30		.04	
PHILLIPSBURG BRIDGE		2.96																																

Table 5

DAILY TEMPERATURES

NEW JERSEY
MAY 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	83 55	62 47	59 41	53 38	56 43	65 47	78 49	74 58	75 58	67 52	65 51	57 51	70 54	68 58	75 61	70 52	61 48	68 57	57 54	56 49	54 48	61 50	66 58	80 64	67 59	69 60	82 62	71 55	62 55	65 57	66.5 53.5	
AUGUBON	MAX MIN	82 51	72 48	58 40	56 38	68 46	72 48	78 42	83 51	86 55	88 59	76 52	78 51	89 59	78 62	88 60	78 52	74 44	76 53	62 49	55 44	60 44	67 43	86 60	80 66	80 61	85 79	79 67	71 56	74 49	82 52	75.5 51.9	
BELLEPLAIN	MAX MIN	83 50	81 50	65 32	59 31	70 35	68 40	78 39	88 59	80 58	88 61	80 51	79 52	83 54	79 60	89 65	88 55	79 36	79 57	68 53	58 46	57 46	66 35	88 50	85 60	79 50	90 60	84 54	78 58	74 46	74 42	79 52	77.5 50.0
BELVIOERE	MAX MIN	87 42	80 41	60 34	56 36	65 43	75 46	85 39	85 46	89 50	90 55	80 54	76 52	92 58	81 59	85 59	80 58	74 52	73 57	67 51	57 42	62 39	84 42	85 58	78 52	80 48	85 61	72 53	76 44	81 48	85 48	77.0 48.6	
BOONTON 2 SE	MAX MIN	70 39	81 38	62 35	55 37	55 41	65 45	70 39	78 48	78 47	82 53	83 59	61 50	72 52	85 55	71 57	82 53	68 38	69 45	69 50	54 45	49 44	63 37	63 46	77 50	75 44	74 61	82 54	78 43	69 38	71 43	70.5 46.8	
BRIDGETON 1 NE	MAX MIN	70 48	81 47	65 35		65 32		69 44	77 52	83 56	85 60	87 62		76 51	87 60	80 64	87 64	70 41		77 51		51		60 39	66 59	86 65	81 51	92 57	78 54	71 47	73 46	76.8 51.4	
BURLINGTON	MAX MIN	82 49	82 46	66 38	56 46	68 48	70 48	79 42	84 52	85 53	85 59	84 53	85 53	89 56	90 62	85 59	86 56	88 45	89 56	88 50	59 44	60 48	67 42	87 60	81 55	90 60	80 55	91 59	98 68	78 53	69 49	78 49	79.6 52.1
CANOE BROOK	MAX MIN	70 38	80 37	62 35	56 34	58 36	67 44	69 43	79 43	81 47	85 48	87 52	60 58	74 56	84 54	68 55	85 53	67 35	72 48	68 44	56 37	56 40	61 42	65 44	80 54	75 44	80 53	88 66	79 52	69 43	67 43	71.6 45.5	
CAPE MAY 3 W	MAX MIN	77 55	74 53	58 42	58 41	63 47	67 50	73 55	80 58	84 60	80 61	77 58	69 54	75 56	69 50	81 60	74 58	65 44	78 57	65 55	61 48	57 45	63 45	80 59						67 53	69 50	74 57	70.7 53.5
CHARLOTTEBURG	MAX MIN	75 40	75 36	59 32	59 34	63 37	64 44	68 40	76 44	79 47	82 52	84 56	59 49	72 50	82 52	70 55	82 50	65 30	69 38	66 46	51 43	48 41	61 31	79 38	73 54	75 48	82 60	78 41	65 35	72 37	74 37	69.6 43.7	
CLAYTON	MAX MIN	83 50	81 47	64 37	57 35	66 43	70 43	77 42	82 50	85 56	86 58	83 55	79 50	87 59	86 63	88 64	86 62	71 44	78 56	70 54	56 45	64 40	65 59	85 70	79 59	90 63	83 59	74 48	76 54	79 52	77.3 51.9		
ELIZABETH	MAX MIN	86 43	69 44	64 34	65 34	70 43	74 46	80 41	85 48	87 52	88 56	83 53	70 52	87 53	84 61	86 57	74 54	74 44	72 55	66 46	56 45	61 45	66 40	77 54	79 63	85 55	67 67	78 53	85 45	76 47	77 50	75.7 49.7	
ESSEX FIELDS SERV BLDG	MAX MIN	68 54	78 40	60 36	54 34	58 39	60 45	59 44	78 47	82 54	78 58	82 60	64 54	84 58	82 56	76 58	82 52	76 46	75 56	56 51	66 44	45	65 42	72 44	81 55	80 63	84 64	80 52	68 42	66 48	74 48	72.1 49.8	
FLEMINGTON 1 NE	MAX MIN	83 36	81 41	62 31	63 41	68 45	72 45	80 34	84 45	88 48	88 50	77 52	74 50	90 51	87 56	87 56	86 52	72 44	74 55	65 44	55 44	52 44	64 44	83 57	82 66	79 53	87 61	85 58	75 38	78 41	80 43	77.0 46.5	
FREEHOLD	MAX MIN	82 45	76 44	61 32	52 31	66 38	71 44	78 45	82 51	85 53	88 56	83 51	76 49	87 52	85 58	88 56	86 55	71 40	73 54	66 53	56 44	60 44	66 37	82 57	79 48	90 55	84 65	76 52	71 44	74 46	75 46	75.9 49.0	
HAMMONTON 2 NNE	MAX MIN	73 50	85 45	69 35	61 34	58 38	62 42	73 47	81 51	86 58	89 60	91 63	74 51	82 56	90 62	80 82		83 41	71 56	61 50	56 45	62 38	68 53	90 65	84 51	85 58	94 67	79 54	73 44	76 48	78 50	76.6 51.0	
HIGH POINT PARK	MAX MIN	63 43	74 32	54 26	50 28	49 33	62 41	62 43	74 49	77 61	81 61	79 46	60 46	69 48	77 51	69 52	80 42	60 32	65 41	60 43	44 39	43 37	55 38	66 46	82 52	78 44	88 50	73 45	74 38	68 44	71 50	65.1 43.8	
HIGHTSTOWN 1 N	MAX MIN	81 44	78 45	59 33	53 31	67 38	70 45	77 44	81 53	85 58	87 56	80 50	74 50	87 54	80 58	86 57	79 53	73 40	73 55	64 44	53 44	60 44	82 57	78 66	88 57	78 66	80 58	73 52	74 44	77 45	78 48	74.8 49.0	
INDIAN HILLS 2 W	MAX MIN	82 43	72 45	57 30	56 29	69 34	71 39	79 35	84 48	87 56	90 53	76 52	80 50	89 54	77 62	89 59	77 55	75 38	77 54	61 52	54 48	61 45	67 33	87 58	80 67	81 51	91 63	71 54	74 40	79 43	80 45	75.9 47.9	
JERSEY CITY	MAX MIN	83 52	63 44	57 38	55 39	64 46	69 51	78 50	82 54	84 60	86 64	72 51	63 50	86 52	70 53	82 53	72 54	63 44	67 57	51 45	59 44	62 47	76 56	76 52	80 60	78 63	70 54	68 50	68 52	66 52	70.3 51.5		
LAKEWOOD 2 ENE	MAX MIN	84 41	65 43	58 33	53 32	63 37	72 38	79 38	85 54	89 56	92 58	66 48	75 56	89 53	69 57	90 57	72 51	66 38	70 53	59 45	51 39	59 45	68 38	87 54	79 58	72 44	91 55	77 48	71 67	67 40	72 42	72.9 46.3	
LAMBERTVILLE	MAX MIN	84 40	84 42	62 31	55 32	67 38	72 48	80 37	82 44	86 48	87 53	85 51	75 51	88 56	87 50	87 58	85 56	73 47	74 55	70 45	57 48	60 45	64 31	83 58	83 45	79 55	87 65	78 54	71 41	77 46	81 48	77.0 48.4	
LAYTON 3 NW	MAX MIN	81 31	72 36	54 30	53 34	67 39	70 44	81 30	84 35	89 40	87 45	85 40	75 50	83 55	78 48	88 55	82 48	70 27	70 45	62 41	47 41	63 41	81 60	80 58	77 48	83 48	80 55	75 32	78 38	79 38		74.6 44.1	
LEESBURG STATE FARM	MAX MIN	83 49	79 48	66 36	62 38	69 39	76 44	82 50	84 63	80 49	83 51	74 52	77 59	82 60	84 68	84 64	79 61	77 42	81 54	70 53	58 46	46 46	63 40	80 50	85 52	75 60	88 68	73 45	78 43	75 52	75 55	76.1 51.3	
LITTLE FALLS 1 E	MAX MIN	74 39	84 41	65 36	58 41	64 47	67 47	73 48	83 47	84 51	87 47	88 58	61 50	76 53	95 56	72 57	86 50	70 42	72 52	69 45	56 44	62 45	66 54	66 61	78 54	79 65	86 55	80 53	72 41	76 47	74 47	74.4 48.3	
LONG BRANCH	MAX MIN	83 45	63 46	56 37	56 33	62 44	68 43	78 45	83 55	87 58	88 58	67 50	64 50	83 52	64 56	88 55	67 52	62 43	68 54	56 45	52 45	58 45	63 41	77 59	76 60	72 55	85 65	77 54	67 42	68 45	68 47	70.1 49.9	
LONG VALLEY	MAX MIN	83 38	79 38	54 32	52 33	66 42	69 43	71 33	80 43	83 41	86 47	81 51	72 49	81 51	75 55	69 56	67 46	69 35	73 53	64 43	52 44	60 44	62 35	77 56	79 58	82 45	76 51	72 50	73 38	75 40	77 41	72.8 46.9	
MILLVILLE	MAX MIN	73 52	83 41	67 40	58 36	64 41	67 44	71 44	79 50	83 56	87 60	88 63	76 53	79 54	89 61	80 63	88 67	71 46															

DAILY TEMPERATURES

NEW JERSEY
MAY 1957

Table 5-Continued

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RIDGEFIELD	MAX	83	65	59	62	70	73	81	84	89	89	73	72	87	75	84	65	72	71	55	54	65	66	78	76	79	85	80	70	73	77	79	73.9
	MIN	45	43	37	38	43	47	41	51	59	60	51	51	54	58	58	52	43	54	53	44	44	44	58	61	50	58	60	50	44	48	50	50.0
RUNYON	MAX	76	72	62	57	70	75	80	89	88	91	87	73	91	85	91	76	71	76	71	51	67	75	84	84	85	90	86	79	74	74	78	77.7
	MIN	38	44	28	29	31	38	36	46	49	51	50	50	52	52	52	55	34	50	50	49	42	33	59	54	50	50	60	50	48	54	48	46.2
SANDY HOOK LBSTA	MAX	79	79	68	55	61	74	76	82	88	86	84	63	82	85	87	86	73	70	59	62	67	76	78	71	83	82	78	71	69	68	74.5	
	MIN	52	46	39	38	46	48	46	50	51	59	52	50	50	50	52	55	49	54	55	50	46	46	54	64	61	64	60	56	51	53	53	51.6
SOMERVILLE	MAX	84	77	57	54	67	74	80	83	86	88	84	74	89	84	87	75	73	75	64	56	62	65	82	80	78	87	84	74	73	77	79	75.8
	MIN	40	40	33	31	42	45	36	43	47	52	53	51	54	60	56	54	38	55	54	48	45	47	57	61	61	56	56	64	50	40	44	44
SUSSEX 3 N	MAX	68	80	60	52	55	68	68	80	88	85	85	55	75	83	69	82	66	69	65	51	46	62	63	73	73	73	81	78	65	72	76	69.8
	MIN	46	35	31	32	37	42	41	42	50	54	50	49	50	53	55	48	32	35	47	41	41	35	41	57	45	47	52	50	36	42	43	43.8
TRENTON 2	MAX	84	68	57	52	69	72	79	83	87	88	74	76	89	77	89	78	73	76	60	54	60	65	85	79	79	88	79	70	73	77	80	74.8
	MIN	50	45	37	34	44	49	45	53	57	60	51	51	58	60	58	57	44	57	54	46	45	45	60	65	62	61	65	54	48	50	50	51.8
TRENTON WB CITY	MAX	83	64	56	51	66	69	78	82	85	86	71	75	87	74	87	74	72	73	59	53	59	83	83	79	79	88	78	70	72	75	78	73.2
	MIN	54	43	39	36	46	51	48	54	58	62	50	50	56	59	58	54	46	57	53	45	45	44	60	67	56	61	64	55	50	52	52	52.5

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
PLEASANTVILLE 1 N	EVAP	.29	.34	-	.81	.59	.25	.18	.28	.25	.26	-	.07	.14	.15	.11	.20	.18	.19	.14	.05	.04	.16	.02	.04	.40	.29	.14	.17	.22	.33	.18	86.70
	WIND	43	79	39	62	14	30	28	48	34	41	35	34	24	31	39	34	47	42	58	56	38	41	27	35	67	22	25	39	41	34	27	121.4
RUNYON	EVAP	-	.35	-	.15	.10	.19	.11	.42	-	-	-	-	.13	.15	-	-	.20	.23	.15	-	-	.06	.08	.09	.18	.20	-	-	.14	.22	.32	-
	WIND	9	10	8	12	12	7	16	10	18	13	15	16	12	9	12	1	11	11	21	35	14	12	8	7	4	5	5	5	7	7	8	340
	MAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-


DAILY SOIL TEMPERATURES

STATION AND DEPTH		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STA																																	
MEASURED UNDER SOD																																	
1 INCH	MAX MIN	72 51	71 52	67 47	57 45	67 44	72 50	74 47	76 52	78 53	79 52	62 55	70 55	78 58	69 60	79 59	70 55	77 51	75 58	60 55	55 52	60 52	61 50	72 57	78 59	82 55	82 59	72 62	76 58	79 53	82 54	83 55	72.1 53.7
2 INCHES	MAX MIN	64 54	63 54	60 50	54 48	58 48	62 52	63 51	66 53	67 55	74 53	61 55	- 55	- 55	64 60	71 59	66 59	68 55	67 59	61 56	58 52	59 54	65 52	71 57	72 61	72 57	69 60	62 63	68 60	70 56	72 57	73 57	64.2 55.2
4 INCHES	MAX MIN	83 54	62 54	59 51	53 49	58 48	61 52	61 52	65 54	65 55	57 53	62 56	62 55	67 58	64 60	70 59	67 60	67 56	66 60	61 57	57 53	58 54	58 52	64 57	70 61	70 58	71 60	68 64	68 60	89 57	70 58	71 58	64.2 55.9
8 INCHES	MAX MIN	59 55	59 55	56 53	54 51	54 50	57 53	57 53	59 54	59 56	62 57	61 57	59 58	62 58	62 60	64 59	64 62	62 58	62 60	62 58	58 55	56 54	57 54	61 56	64 60	64 60	66 62	65 63	64 61	84 59	64 59	65 60	60.6 57.0
16 INCHES	MAX MIN	57 55	56 55	55 53	54 52	53 51	54 52	55 53	57 54	56 54	58 56	57 55	58 56	58 58	60 59	60 58	60 59	60 59	60 58	60 58	58 55	57 55	56 55	58 55	80 58	60 59	61 59	62 57	62 57	61 59	61 60	62 60	58.2 56.4
32 INCHES	MAX MIN	52 52	52 52	52 52	52 51	52 51	52 51	52 51	52 51	52 51	53 52	54 52	54 53	54 53	55 54	55 54	56 55	56 55	56 57	56 57	57 57	56 55	55 55	55 54	58 54	58 54	58 55	56 58	57 57	57 57	58 57	58 57	54.6 53.9

Measured under Kentucky Bluegrass.

TOTAL PRECIPITATION


NEW JERSEY
MAY 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
MAY 1957



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
MAY 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To
ALLENDALE	0100	BERGEN	8 41 02	74 08	270			MIO BERGEN COUNTY ENGS		HARLTON 1 W	3252	BURLINGTON	2 39 54	74 57	90		6P	DAVID GRISON	
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8			MIO W. S. WEATHER BUREAU	2 3 5 7 C	HAYS LANDING	5348	ATLANTIC	3 39 27	74 44	50		SP	OLIVER EAGLE	3
AUGUBION	0348	CAMDEN	2 39 54	75 04	50			MIO J. J. NYGREN	2 3 5	NILAND PARK	5503	BERGEN	8 40 59	74 09	210		BA	CORNELIUS HOWARD	3
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 26	20			6P N.Y. FORESTRY SVC	2 3 5	MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60		BA	LA J. GALLAHER	2 3 5 7
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	49			SP WRS. ED C. HOFFMAN	2 3 5	MILLVILLE AIRPORT	5581	CUMBERLAND	6 39 22	75 04	68		BA	AIRPORT MANAGER	2 3 5
BELMAR	0721	MONMOUTH	1 40 10	74 02	19			NIO CITY WATER DEPT	3	NILTON	5597	MORRIS	8 41 01	74 32	950		7A	JERSEY CITY MTR WKS	3
BEVERLY	0729	WARREN	2 40 50	75 05	289			SP MISS C. S. HIRSON	2 3 5 7	MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55		MIO	BA J. J. WILLARD	2 3 5 7
BERLIN 1 W	0767	CAMDEN	7 39 48	74 57	150			7A SAMUEL H. NC CULLEY	3	MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500		4P	JAMES C. LONG	2 3 5 7
BLACKWELLS NILLS	0847	SOMERSET	10 40 29	74 35	27			7A HENRY M. MILLER	3	NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11		MIO	W. S. WEATHER BUREAU	2 3 5 7 C
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280			BA JERSEY CITY MTR WKS	2 3 5	NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80		SP	ARTHUR H. AHLGUST	2 3 5 7
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20			BA AMERICAN CYANAMID CO	3	NEW MILFORD	6146	BERGEN	4 40 57	74 02	12		NIO	HACKENSACK WATER CO	3
BRANDYVILLE	0978	SUSSEX	2 41 09	74 47	570			7A ALBERT M. GARDNER	3	NEWTON	6177	SUSSEX	2 41 03	74 45	565		BA	NEWTON MTR SMR COMM	2 3 5 7 C
BURDICK	1028	CUMBERLAND	2 39 28	75 12	114			9A RADIO STATION WSNJ	2 3 5	OLD RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870		BA	NEWARK WATER DEPT	3
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12			6P PUBLIC USE E & G CO	2 3 5	OLDRIK	6554	HUNTERDON	10 40 46	74 45	260		BA	DAN A. COUGHLIN	3
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040			BA NEWARK WATER DEPT	3	ORANGE	6560	ESSEX	8 40 47	74 14	140		NIO	COUNTY ENGINEER	3
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180			9A COMMONWEALTH MTR CO	2 3 5 6	PATERSON	6575	PASSAIC	8 40 55	74 09	100		BA	PA J. DEL VECCHIO	2 3 5 7
CANTON	1343	SALEM	2 39 28	75 25	10			9A GERTRUDE S. WILLIS	3	PENBENTON 3 E	6643	BURLINGTON	2 39 58	74 38	80		SP	CHARLES A. OEHRLT	2 3 5 7
CAPE MAY 3 W	1351	CAPE MAY	1 38 50	74 57	17			SP N.WEST MAGNETIC CO	2 3 5	PHILLIPSBURG	6674	WARREN	2 40 41	75 12	182		3P	SEWAGE DISPOSAL PLT	2 3 5 7
CECILD GROVE	1472	ESSEX	8 40 52	74 13	400			BA J. A. PLUNKETT	3	PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196		9A	JOINT TOLL BRIDGE COMM	3
CENTERTON	1512	SALEN	6 40 31	75 10	80			MIO JOHN HOPKINS UNIT	3	PLAINFIELD	7076	UNION	10 40 36	74 25	120		8P	PA J. PEARSON	2 3 5 7
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760			7A NEWARK WATER DEPT	2 3 5 7	PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140		7A	JOHN M. BERRYMAN	3
CHATHAM	1590	MORRIS	8 40 44	74 23	155			BA EDWARD P. MOLITOR	3	PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8		BA	ATLANTIC CITY MTR WK	2 3 5 6
CHATHAM NORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90			SP WILLIAM S. HAINES	INAC 1/57	PRINCETON WATER WORKS	7328	MORRIS	10 40 19	74 40	90		MIO	PRINCETON WATER CO	3
CLAYTON	1608	GLoucester	2 40 10	74 18	250			6P HARRY P. CAMPBELL	2 3 5 7	RAHWAY	7393	UNION	9 40 16	74 15	20		MIO	RAHWAY VLY SWG AUTH	3
CLINTON	1749	HUNTERDON	10 40 38	74 55	300			6P L. W. KLOCKNER	3	RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80		MIO	GEORGE P. KIRSTEN	2 3 5 7
DEEPWATER	2209	SALEM	2 39 41	75 30	12			MIO DU PONT DE NEMOURS	3	RINGWOOD	7587	PASSAIC	8 41 08	74 18	305		10A	NO JERSEY MTR SUPPLY	3
ELIZABETH	2444	UNION	1 40 40	74 14	33			SP UNION CO PARK COMM	2 3 5	RYMOND	7825	NIOLESEX	1 40 26	74 20	18		6P	N.Y. WATER COMM	2 3 5 6
ELIZABETHPORT	2652	UNION	1 40 40	74 12	30			MIO SEWAGE TREATMENT PL	3	SANDY HOOK LBST	7869	NONMOUTH	1 40 28	74 01	22		7P	PA J. COAST GUARD	2 3 5
ESSER FIELDS SERV BLDG	2769	ESSEX	2 40 56	74 18	250			BA BORDOUM ESSEX FIELDS	2 3 5	SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75		6P	PA J. HAYES	2 3 5 7
FLEMINGTON 1 NE	3026	MUNTERDON	10 40 31	74 51	134			SP DONALD YOUNG	2 3 5 7	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800		10A	JERSEY CITY D P W	3
FORTESQUE	3102	CUMBERLAND	2 39 14	75 10	5			7A JOHN LOPER	3	SPRINGFIELD	8423	UNION	1 40 43	74 18	-		MIO	N.Y. DEPT OF CONS	3
FREEDHOLD	3181	MONMOUTH	40 15	74 17	194			6P FRANK J. MOREAU	2 3 5 7 C	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530		7A	BRICE B. STANTON	2 3 5
GLASSBORO	3291	GLoucester	2 39 42	75 07	150			MIO PROF. J. G. SANGREE	3	SWOESBORO 5 NW	8685	GLoucester	2 39 47	75 24	10		12N	SUN OIL CO	3
GREAT MEADOWS 4 N	3410	WARREN	2 40 56	74 05	550			MIO MICHAEL DZYMOSKI JR.	3	TOMS RIVER	8816	OCEAN	1 39 57	74 14	10		SP	ROBERT F. SNYDER	3
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660			7A GEORGE T. HIGGINS	3	TRANQUILITY 2 W	8858	WARREN	2 40 57	74 50	551		MIO	PA J. ERYEY	3
HACKENSACK	3572	BERGEN	4 40 53	74 03	10			MIO BERGEN COUNTY ENGS	3	TRENTON 2	8878	MORRIS	2 40 14	74 46	105		MIO	PA J. RISTOW	2 3 5
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85			BA W. HUBBARD PARKHURST	2 3 5	TRENTON WB CITY	8883	MORRIS	2 40 13	74 46	56		MIO	PA J. WEATHER BUREAU	2 3 5 7 C
HIGH POINT PARK	3709	SALEM	2 40 10	74 18	250			MIO W. J. DEPT. OF CONS	2 3 5	TUCKERTON 2 SW	8899	OCEAN	1 39 35	74 21	138		SP	CITY ENGINEER	INAC 12/56
HIGHTSTOWN 1 N	3951	MORRIS	10 40 16	74 31	100			6P JAMES R. PICKERING	2 3 5 7	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110		BA	STATE HOME FOR WOMEN	3
HIGHTSTOWN PUMPING STA	3956	MORRIS	10 40 17	74 32	75			MIO DEPT WATER & SEWAGE	3	WANAQUE RAYMOND DAN	9187	PASSAIC	8 41 03	74 18	320		BA	WATER SUPPLY COMM	3
INDIAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100			7P EDWARD ENTWISTLE	2 3 5 7	WATKINS	9271	UNION	8 40 40	74 25	-		MIO	BONNIE BURN SAN	3
IRVINGTON	4280	ESSEX	1 40 43	74 15	120			MIO JOINT MEETING GARAGE	3	WERTSFIELD	9363	HUNTERDON	10 40 27	74 48	160		7A	ROBERT M. MANNERS	3
JERSEY CITY	4310	HUDSON	1 40 44	74 04	139			MIO JERSEY CITY MTR DEPT	2 3 5 7	WESTFIELD	9455	UNION	9 40 39	74 21	138		SP	CITY ENGINEER	3
LAKESIDE 2 ENE	4627	OCEAN	1 40 06	74 11	54			MIO GEORGE G. MADOLL	2 3 5 7 C	WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103		MIO	HACKENSACK WATER CO	3
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75			6P E. E. CASE	2 3 5 7	WOODSTOWN 2 NW	9910	SALEN	2 39 40	75 20	16		6P	WOODROW W. HALTER	INAC 2/56
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480			6P A. W. DEPU	2 3 5 7										
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 34	74 58	10			9A LEESBURG STATE FARM	2 3 5										
LITTLE FALLS 1 E	4867	PASSAIC	8 40 53	74 14	157			9A PASSAIC VLY MTR COMM	2 3 5 7 C										
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34			NIO STORM WARR. OSL STA	2 3 5 7 C										
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660			6P ARTHUR BARKMAN	2 3 5 7										
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25			NIO JAMES LAWTON	3										
MACOPIN INTAKE	5058	PASSAIC	8 41 01	74 54	58			9A NEWARK WATER DEPT	3										
MAHWAH	5104	BERGEN	8 41 06	74 10	253			7A ROBERT G. GLASGOW	3										
MANVILLE	5197	SOMERSET	10 40 33	74 34	50			MIO JOHN L. RADCLIFFE	3										
MARLBORO SCS	5244	GLoucester	1 40 20	74 14	120			NIO GEROW BRILL	3										

I 1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sum of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6. Max and Min in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1831-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 5, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

+ And also on a later date or dates.

++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.

* Amount included in following measurement, time distribution unknown.

// Gage is equipped with a windshield.

Thermometers generally exposed in a shelter located a few feet above sod-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

H One or more days of record missing; if average value in entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data").

T Trace, an amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposure etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for their respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Resittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC., Asheville, N. C. --- 7/11/57 --- 750

15
-1
U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

JUNE 1957
Volume LXII No. 6

THE LIBRARY OF THE
AUG 2 1957
UNIVERSITY OF ILLINOIS



WEATHER SUMMARY

GENERAL

Warmer and drier than usual and damage resulting from lightning strikes were outstanding features of June's weather.

The temperature averages for all divisions exceeded long-term values by more than 2.0°. Maximum readings for the month ranged from 87° on the 19th at Atlantic City WB to 102° on the 17th at Runyon. The lowest temperature for the month was 29° at Charlotteburg on the 10th, but was closely followed by a low of 30° at Layton 3 NW also on the 10th. Newark WB Airport reported this to be the warmest June since 1943 and the second warmest in period of record (1931 - 1957). Trenton WB City reported the warmest June since 1943, and the eight consecutive days with 90° or above (12th through 19th) was a new June record.

The precipitation averages for all divisions were less than long-term values by more than one inch. All stations for which comparative data are available showed minus departures, and in many instances these departures exceeded two inches. Monthly totals ranged from 1.04 inches at Charlotteburg to 4.05 inches at Pleasant Run, while the greatest amount on one day was 2.20 inches at Phillipsburg measured on the 25th. Newark WB Airport reported the third driest June in the period of record (1931 - 1957).

The percentage of possible sunshine was greater than usual at Atlantic City and less than usual at Trenton, while average daytime cloudiness was slightly deficient at Atlantic City and Newark, and slightly greater than usual at Trenton.

WEATHER DETAILS

Even though temperatures during the first week in June showed fluctuating tendencies daily departures were not of noteworthy significance; however, a cold front moved across the State late on the 7th ushering in a four day cool spell with low readings for the month occurring at most stations on the 8th or 9th. During the remainder of the month temperatures were above the long-term average on most every day, but the period 12th-19th was warmest with some stations reporting departures in excess of 10° on several of these days.

Precipitation during June was very spotty and showed a wide variation in amounts of occurrence. However, with the occurrence of thunderstorms being responsible for a large percentage of the month's rainfall, the pattern which prevailed was not unusual.

WEATHER EFFECTS

Dry soil conditions in New Jersey delayed corn planting and this plus cool temperatures up to June 10th resulted in slow growth. Wheat, which got off to a good start last fall, was helped by April rains, and the dry, hot June weather hastened maturity. Oats ripened fast during the hot June and yields are expected to be the lowest in several years. The favorable fall

and early spring weather got hays off to a good start, but dry, hot conditions after mid-June and earlier weevil damage cut yields. The hot, dry weather also had an adverse affect on potatoes and sweet potatoes.

Despite the unusually heavy drop in June, apple production is expected to exceed any of the past 5 years. Dry weather favored insect and disease control, and apples sized well but needed a soaking rain at the end of the month. Except for some winter damage to peaches in North Jersey, the set was generally heavy - too heavy on some varieties. Dry weather during June caused some concern, but early varieties sized well. The early plantings of commercial vegetables such as snap beans, cabbage, sweet corn, onions, and tomatoes developed fairly well, but later plantings showed some damage from the dry, hot weather.

DESTRUCTIVE STORMS

Thunderstorms with heavy rain and high wind occurred on the 16th from 4 to 10 p.m. in Burlington, Camden and Gloucester Counties and caused flooding of highways especially at underpasses. Power and telephone services were disrupted when utility poles and trees were blown down. Also on the 16th from 4 to 8 p.m. in north and central Bergen County lightning struck a gasoline service station and at least nine homes. Power and communications lines were downed by falling trees and poles, and highways were flooded in a few localities.

On the 24th in the mid-afternoon three soldiers were injured at Fort Dix when lightning struck an emergency communications pole they were erecting on the rifle range. The three men were treated for shock and superficial body burns. On the 25th at 7:21 p.m. in southeast Passaic County only minor damage was done when one home was struck by lightning. On the 26th at 10 a.m. in central Bergen County there was minor property damage with a two-hour power failure when lightning struck transmission equipment in one community. In Union County at mid-day on the 26th two golfers were injured when struck by lightning. Both men were treated for shock. On the 26th at 3:30 p.m. in western Burlington County a construction worker was killed and another knocked unconscious when both were struck by lightning in Maple Shade.

Considerable damage occurred in Bergen and Passaic Counties on the 27th from 3 to 8 p.m. when winds up to 55 mph downed trees and utility poles leaving several communities without power for six hours or longer. Telephone service was also disrupted and lightning struck a church and numerous houses. Heavy rain flooded storm sewers, streets and highways in a few areas.

FLOODS

None reported on rivers.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
JUNE 1957

TABLE 2

Station		Temperature											Precipitation													
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days				
											Max	Min	30" or Above	32" or Below					34" or Below	36" or Below	Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
NORTHERN																										
		87.6	60.9	74.3	3.5	98	16+	41	10	10	15	0	0	0	3.37	- 1.03	1.30	24	.0	0			7	2	2	
	AM	83.1	58.7	70.9	3.0	96	17+	37	10	34	6	0	0	0	1.38	- 2.68	.40	25	.0	0			5	0	0	
	AM	84.2	59.8	72.0	4.1	96	17	44	9+	25	10	0	0	0	1.69	- 2.52	.51	25	.0	0			5	1	0	
	AM	82.2	53.3	67.8	* 1.0	95	19	29	10	78	6	0	1	0	1.04	- 3.45	.39	25	.0	0			4	0	0	
		85.6	62.6	74.1	3.1	96	16+	44	9	10	8	0	0	0	1.93	- 1.98	1.21	25	.0	0			5	1	1	
		82.9	59.6	71.3		96	17+	42	9+	31	7	0	0	0	2.56		1.10	25	.0	0			6	2	1	
		87.2	58.8	73.0	2.2	100	16+	37	9+	23	13	0	0	0	3.30	- .62	.90	25	.0	0			7	2	0	
		77.4	57.6	67.5		89	17	44	9	48	0	0	0	0	1.94		.42	17	.0	0			6	0	0	
		78.8	64.1	71.5	1.2	93	16+	49	10	24	3	0	0	0	2.16	- 1.36	.71	2	.0	0			6	2	0	
		86.9	61.5	74.2	4.2	98	16+	40	10	15	14	0	0	0	1.52	- 2.43	.58	2	.0	0			5	1	0	
	AM	84.9	54.3	69.6	2.3	95	18	30	10	44	8	0	1	0	2.43	- 1.78	.73	14	.0	0			8	2	0	
		85.8	60.0	72.9	3.2	99	17	40	10	23	10	0	0	0	2.35	- 2.10	.79	3	.0	0			5	1	0	
		84.5	57.6	71.1		97	16	34	10	36	9	0	0	0	2.43	- 1.86	1.15	24	.0	0			8	1	1	
		84.7	58.2	71.5		97	16+	36	10	31	7	0	0	0	1.62		.46	25	.0	0			4	0	0	
	R	83.2	64.4	73.8	3.3	97	17	47	9	17	6	0	0	0	1.54	- 2.26	.73	24	.0	0			5	1	0	
	AM	84.0	55.8	69.9	2.4	96	17+	33	10	49	9	0	0	0	1.96	- 2.51	.72	28	.0	0			5	1	0	
	AM	85.3	62.7	74.0	3.3	100	17	45	10	17	9	0	0	0	2.97	- 1.38	.82	27	.0	0			5	3	0	
		86.1	61.5	73.8	4.0	98	17	41	10	12	8	0	0	0	3.03	- 1.36	2.20	25	.0	0			6	1	1	
		85.0	60.9	73.0	3.1	97	16	40	9	16	7	0	0	0	3.14	- 1.43	.74	25	.0	0			7	3	0	
		85.3	62.5	73.9	3.9	97	16	45	10	10	8	0	0	0	2.65	- 1.11	1.38	26	.0	0			5	2	1	
		87.5	60.4M	74.0M	4.2	99	16	39	9+	14	15	0	0	0	2.22	- 1.78	.87	24	.0	0			5	2	0	
	AM	83.4	54.3	68.9	.0	96	19	35	10	58	7	0	0	0	1.44	- 2.76	.30	25	.0	0			6	0	0	
DIVISION				72.2	3.0										2.23	- 1.93			.0							
SOUTHERN																										
		86.5	63.8	75.2		98	16	38	9	14	14	0	0	0	1.84		.68	16	.0	0			5	1	0	
		86.8	61.9	74.4		98	15+	43	9	19	13	0	0	0	1.67	- .76	.50	8	.0	0			5	1	0	
	AM	85.0M	63.2M	74.1M	2.3	97	17			12	9	0	0	0	2.88	- .56	.93	6	.0	0			6	1	0	
		87.5	63.5	75.5	2.7	100	16	48	9	4	14	0	0	0	2.04	- 1.69	.57	26	.0	0			8	1	0	
		84.9	63.6	74.3		98	16	45	9	9	9	0	0	0	3.53		1.16	8	.0	0			8	2	1	
		85.4	61.1	73.3	3.0	96	15+	43	9+	14	9	0	0	0	2.21	- 1.52	.85	26	.0	0			6	2	0	
	AM	86.8	61.1	74.0	2.5	102	17	44	9	29	12	0	0	0	4.39	.35	1.96	17	.0	0			7	3	1	
		85.6	61.1	73.4	3.6	96	15+	41	9	14	12	0	0	0	2.09	- 1.91	.72	16+	.0	0			5	2	0	
		85.2	60.2	72.7	2.4	100	16	41	9+	23	10	0	0	0	3.13	- .92	.98	26	.0	0			7	2	0	
		82.8	58.8	70.8	.9	97	19	39	9	45	7	0	0	0	1.31	- 2.20	.52	24	.0	0			4	1	0	
		83.4	62.1	72.8		96	18	40	9	20	6	0	0	0	1.85		.47	5+	.0	0			6	0	0	
	AM	84.6M	63.9M	74.3M		99	17	47	9	22	11	0	0	0	2.53		.92	6	.0	0			5	2	0	
		85.4	62.4	73.9	3.7	99	16	43	9	26	13	0	0	0	1.56	- 2.08	.47	27	.0	0			5	0	0	
		85.2	61.3	73.3	3.3	95	16+	41	9	16	10	0	0	0	2.19	- 1.64	.93	26	.0	0			5	2	0	
		86.7	58.8	72.8	1.6	100	16+	39	9	18	13	0	0	0	1.78	- 2.11	.76	26	.0	0			5	1	0	
	AM	81.3	62.9	72.1	2.7	94	20+	45	9	30	7	0	0	0	2.26	- .88	.60	9	.0	0			5	2	0	
		88.7	58.3	73.5	4.2	102	17	40	11	14	14	0	0	0	1.92	- 1.93	.81	26	.0	0			6	1	0	
		86.3	63.9	75.1		98	16+	45	9	14	12	0	0	0	2.18	- 2.07	.48	14	.0	0			8	0	0	
	R	84.4	64.5	74.5	3.7	99	16	46	9	19	10	0	0	0	1.47	- 2.40	.28	16	.0	0			7	0	0	
DIVISION				73.9	3.2										2.14	- 1.57			.0							
COASTAL																										
	R	74.9	64.8	69.9	1.2	87	19	51	8	29	0	0	0	0	2.76	- .23	.84	7	.0	0			7	3	0	
		81.1M	64.2M	72.7M		94	17	49	9	11	3	0	0	0	2.97		1.19	6	.0	0			5	2	2	
		79.5	61.8	70.7	1.5	94	17	44	9	37	3	0	0	0	1.43	- 2.16	.54	26	.0	0			5	1	0	
		81.6	64.5	73.1	3.4	96	19	53	9	5	4	0	0	0	1.27	- 1.85	.48	25	.0	0			4	0	0	
DIVISION				71.6	2.2										2.11	- 1.06			.0							

† DATA RECEIVED TOO LATE TO BE
INCLUDED IN DIVISION AVERAGES

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages - percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:00 a EST	7:00 a EST	1:00 p EST	7:00 p EST	Trace	01-09	10-49	50-99	100-199	200 and over	Total		
ATLANTIC CITY WB	-	-	14.5	49	S	29	-	-	-	-	2	0	4	3	0	0	9	73	5.2
LONG BRANCH	S	18	13.0	50	NW	30	-	83	60%	62	5	3	4	1	0	0	13	74	5.0
NEWARK WB AIRPORT	SSW	13	8.3	39++	SSW	29	80	76	50	64	4	2	4	1	0	0	11	-	5.7
TRENTON WB CITY	-	-	8.7	33	S	29	-	-	-	-	4	1	7	0	0	0	12	59	6.2
† 12:00 Noon																			

See Reference Notes Following Station Index

NEW JERSEY
JUNE 1957

Table 3

Station		Total	Day of month																																	
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
ATLANTIC CITY WB	R	2.78	.29	.14	T	.87	.10	.84	.81																											
AUGUBON		1.84	.20	.73	1.02	.18	.02	T	.48				T		T	T		.68	.81										T		.10					
MASS RIVER ST FOREST		3.64																												.32		.41				
BELLEPLAIN		1.87		.10		.40	.38		.50	.20			.81						.81													.20				
BELMAR		1.17	.28						.10																	.00						.48				
BELVIDERE		3.37	.03										.20		1.13	T								T	1.30	.30	.10				.15	.10				
BERLIN 1 W		2.40		.13														1.40	T												.47					
BLACKWELLS MILLS		3.08		.30																								.78	.02	.08		.08				
BOONTON 2 SE		1.38		.17					.03				T		.10	.22	1.84		.02									.40	T	.10	.07	.20				
BOUND BROOK 1 W		1.99		.84												.38				.02			.02	.02				.07	.02			.24	.02			
BRANCHVILLE		2.56		.18													.83		.20	.00								.38	T			.14	.52			
BRIDGETOWN 1 NE		2.88			.38	.03	.03	.02	.35	.46			.03			.02			.03													.21				
BURLINGTON		2.04	.13				.01		.18	.10			.05				.22		.22	.03					.40		.10	.37				.28				
CANISTEAR RESERVOIR		2.78		.12												.17	.02		.58									.30	.03		.55	1.01				
CANOE BROOK		1.69		.00					T							.02	.38											.31	.11	.22		.30				
CANTON		3.48		.78	.05	.83			.32	.47							.43		.13													.13	.30			
CAPE MAY 3 W		2.07		.22	.02	1.00	1.10		.28	.14																				.05		.07				
CEDAR GROVE		2.68		.33																													.42			
CHARLOTTEBURG		1.04		.12										.01		.12		T	.08										.71	.30	T		.30	.04		
CHATHAM		1.66		.02												.24													.73	.10	.14		.37			
CLAYTON		3.93		.42		.31	.18	T	1.10	.14					T			T	.38													.22				
CLINTON		2.10		.00					.83					.13			.08									1.08	.13					.25				
DEEPWATER		1.84	.00	.00		.20			.72								.08		.20													.18				
ELIZABETH		1.03	.21						.01								.10												.02	1.21	.20		.17	.01		
ELIZABETHPORT		1.48	.24														.02											.82	.22			.10	.02			
ESSEX FELS SERV BLDG		2.58														.10	.30																			
FLEMINGTON 1 NE		3.30	.87						.07				.00	T	.37	.40									.17	.00	.13	.18				.34	T			
FORTESCUE		2.43			.11	.10	.02										.25															.24	.10			
FREEMOLD		2.21	.22	.10			.01		.14	.40			.01			.01	.04		.27	.04								.51	.30	.83		.13	T			
GREENWOOD LAKE		1.84		.07									T			.07															.88	.28	T			
HAMMONTON 2 NNE		4.39		.24	.01		.61	.30	.53							.03													.04	.31		.33	.01			
HIGH POINT PARK		1.94	.17						.40							.40		T	.42										.29	.02	.23	.39				
HIGHTSTOWN 1 N		2.00	.02		T			T	.17				.02			.10		.72	.72									T	.08			.28	T			
INDIAN HILLS 2 W		3.13	T			.10	.00	.42	.20	.03				.11				.03	.00											.08		.21	T			
IRVINGTON		1.82	.40										T			.13													.50	.37		.30	.01			
JERSEY CITY		2.18	.71					.02	.01							.93		.20											.33	.20		.11	.03			
LAKEWOOD 2 ENE		1.31	.02			.02			.17																				.52	.38		.17	.02			
LAMBERTVILLE		1.52	.38						.21				.01			.10		.00										T	.24	.03		.22	.07			
LAYTON 3 NW		2.43	.10										T			.73		.10				.01									.15	.00	.01			
LEESBURG STATE FARM		1.85		.12		.47	.47		.32	.24								.10										.03	.10	.21	.31		.23			
LITTLE FALLS 1 E		2.33		.70					.01				T			.03	T		.04											.33	.44	.37	.00	.01		
LONG BRANCH		1.43	T	.28		T		T	.11							.03	T		.02											.03	.44		.17	.25		
LONG VALLEY		2.43	.27											.08		.41	.01														1.15		.38	.15		
NACDIN INTAKE		1.10		.00										.01		.11		T	.00												.40	.01		.20	.13	
MAHWAH		2.50		.00												.23	.27		.08												.57	.01	.10	.81	.20	.07
NANVILLE		2.07	.72													.33																.03		.28		
NARLTON 1 W		2.08	.08		.03	.00			.30	.10			T		.04																.07		.07			
MAYS LANDING		2.74		.30		.20	.30		.47	.08						.03	.01														.80	.00		.37	.10	
MIDLAND PARK		3.12	.02	.02				.01																								.14	1.04		.31	.24
MILLVILLE		2.53	.05	.15				.00	.38	.33							.00		.01												.02		.33			
NILTON		1.09		.23													.20																.84			
MOORESTOWN		1.36		.11		.02							.03	T			T		.23	.41										.25	T	.47	.25	.09		
MORRIS PLAINS		1.54	.40					.04		.34				T		.13		T												.40	.02	.07	T	.28	.02	
NEWARK WB AIRPORT		1.54	.33					T	T					T		.38			.01											.73	.14		.13	.02		
NEW BRUNSWICK EXP STA		2.19	.11					T	.03					T		.37				.08											.20	.03		.24	.03	
NEW MILFORD		2.84	.40																																	
NEWTON		1.00																.28		.18	.18	.58							.12	.02	1.18	.58		.10	.12	
DAK RIDGE RESERVOIR		2.01		.29									.03			.13	.03	.03	.02												.47	.04		.72	.33	
OLDWICK		2.00	.01	.01	.07				T	.01			.03			.22		.02													.28		.08		.00	
ORANGE		2.18	.30					.04	.03								.34															.01	.08		.17	
PATERSON		2.97	T	.00																																
PEMBERTON 3 E		1.78		.39		.00			.12	.14						T		.74		.08											.38	.08	.82		.28	
PHILLIPSBURG		3.03	.12	T					T																							.20	.70	T	.27	
PHILLIPSBURG BRIDGE		3.20														.13		.24													.24	.17		.17		
PLAINFIELD		3.14	.44					T								.08		.34														1.83	.33		.38	
PLEASANT RUN		4.05	.23							.11																										
PLEASANTVILLE 1 N		2.26	.35	.00	.03	.57	T		.28	.80						.12	.17	.02	1.00																	
PRINCETON WATER WORKS		1.48	.18						.10							.02		.37		.10											.02	.03		.27	.01	
RAHWAY		2.50		.80					.04								.04																			

MONTHLY AND SEASONAL SNOWFALL

Season of 1956 - 1957

NEW JERSEY

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total
ATLANTIC CITY WB						T	7.9	1.0	.2	1.0			10.1
AUDUBON						T	12.0	2.0	-	-			14.0
BASS RIVER ST FOREST							-	-	-	-			-
BELLEPLAIN						1.0	7.0	-	-	1.5			-
BELMAR							-	-	-	-			-
BELVIDERE					T	T	6.3	6.3	1.0	5.0			18.6
BERLIN 1 W							3.5	-	-	-			-
BLACKWELLS MILLS	-	-	-	-			-	-	4.4	2.4			-
BOONTON 2 SE					T	-	-	-	-	-			-
BOUND BROOK 1 W	-	-	-	-	-	-	4.0	9.3	4.5	2.0			-
BRANCHVILLE					T	1.0	12.5	10.5	-	7.5			-
BRIDGETON 1 NE							-	-	-	-			-
BURLINGTON					T	-	-	-	-	-			-
CANISTEAR RESERVOIR					.5	1.5	8.0	6.0	8.5	4.5			29.0
CANOE BROOK						-	8.3	8.4	2.7	1.3			-
CANTON						T	-	-	-	-			-
CAPE MAY 3 W							-	-	-	T			-
CEDAR GROVE							6.5	6.0	4.0	-			-
CHARLOTTEBURG					1.0	1.8	8.8	6.6	6.3	8.5			33.0
CHATHAM							-	-	-	-			-
CHATSWORTH 5 S	-	-	-	-			-	-	-	-			-
CLAYTON					T	T	5.1	T	T	-			5.1
CLINTON						.5	7.1	10.5	.5	3.0			21.6
DEEPWATER					T	T	T	T	T	T			-
ELIZABETH					T	.5	7.5	7.5	2.6	2.0			20.1
ELIZABETHPORT						-	-	-	-	-			-
ESSEX FIELDS SERV BLDG					T	-	-	7.5	-	5.0			-
FLEMINGTON 1 NE					.5	.5	10.6	13.0	7.5	4.0			36.1
FORTESCUE	-	-	-	-			-	-	-	-			-
FREEHOLD					T	.6	6.2	11.3	1.5	1.8			21.6
GREENWOOD LAKE					T	1.3	-	-	5.0	9.0			-
HAMMONTON 2 NNE						-	-	-	-	-			-
HIGH POINT PARK	-	-	-	-			-	-	-	-			-
HIGHTSTOWN 1 N					T	T	6.4	6.3	2.3	.8			15.8
INDIAN MILLS 2 W						T	5.2	1.5	T	T			6.7
IRVINGTON					T	-	6.0	-	-	5.7			-
JERSEY CITY							-	-	-	-			-
LAKEWOOD 2 ENE					T	-	-	-	T	T			-
LAMBERTVILLE							5.6	6.5	2.1	1.0			15.2
LAYTON 3 NW					3.4	9.7	14.6	10.9	4.7	8.4			51.7
LEESBURG STATE FARM							-	-	-	-			-
LITTLE FALLS 1 E					-	-	8.2	8.4	2.8	4.7			-
LONG BRANCH						.2	6.3	8.0	1.7	1.0			17.2
LONG VALLEY					T	1.0	10.0	7.0	-	6.0			-
MACOPIN INTAKE						1.0	7.5	6.6	2.5	6.5			24.1
MAHWAH	-	-	-	-		2.5	-	-	5.2	8.8			-
MANVILLE							-	3.4	-	-			-
MARLTON 1 W							6.5	-	-	-			-
MAYS LANDING						T	7.5	1.0	T	-			8.5
MIOLANO PARK					T	-	9.5	-	-	6.0			-
MILLVILLE							6.0	-	-	-			-
MILLVILLE CAA AIRPORT					T	T	-	-	-	-			-
MILTON							-	-	-	-			-
MOORESTOWN						T	5.7	4.8	T	T			10.5
MORRIS PLAINS				T	.4	.9	9.3	8.1	1.6	5.3			25.6
NEWARK WB AIRPORT						T	1.3	7.8	8.8	2.1			24.1
NEW BRUNSWICK EXP STA						-	-	6.0	10.8	2.0			-
NEW MILFORD							-	-	-	-			-
NEWTON					.7	2.5	9.0	6.0	2.0	6.0			26.2
OAK RIDGE RESERVOIR					1.3	1.4	9.1	6.5	7.3	7.5			33.1
OLOWICK	-	-	-	-			-	-	3.7	9.0			-
ORANGE							-	-	-	-			-
PATERSON					T	.1	8.2	9.0	1.1	6.0			24.6
PEMBERTON 3 E							5.1	3.5	-	-			8.6
PHILLIPSBURG					T	.5	6.0	7.0	.9	3.5			17.9
PHILLIPSBURG BRIDGE						1.0	8.1	7.0	-	-			-
PLAINFIELD					T	.2	8.5	8.9	2.5	3.0			23.1
PLEASANT RUN							13.5	9.4	5.9	2.0			30.8
PLEASANTVILLE 1 N						.5	-	-	-	-			-
PRINCETON WATER WORKS						T	-	-	-	1.5			-
RAHWAY						T	5.6	7.1	1.7	2.0			16.4
RIDGEFIELD					T	1.3	9.9	8.7	4.0	5.0			28.9
RINGWOOD						-	7.8	5.3	1.7	2.5			-
RUNYON						-	-	7.0	-	1.3			-
SANDY HOOK LBSTA					-	T	5.0	5.1	3.0	-			-
SOMERVILLE						.2	7.7	9.2	1.5	3.0			21.6
SPLIT ROCK POND							-	-	-	-			-
SUSSEX 3 N					1.0	-	-	7.5	4.0	5.0			-
SWEDESBORO 5 NW						T	3.3	2.0	.1	T			5.4
TOMS RIVER						1.0	5.6	2.0	-	-			8.6
TRENTON 2					T	-	6.5	7.9	2.5	1.2			-
TRENTON WB CITY					T	.2	5.6	6.7	4.5	1.4			18.4
VINELAND						-	6.9	-	-	-			-
WANAOUE RAYMOND OAM							8.8	5.2	1.3	5.2			20.5
WERTSVILLE	-	-	-	-		.2	-	-	-	-			-
WESTFIELD					T	.5	9.6	9.3	3.1	2.6			25.1
WOODCLIFF LAKE						-	-	-	-	-			-

See Reference Notes Following Station Index

DAILY TEMPERATURES

NEW JERSEY
JUNE 1957

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	66 61	70 60	66 56	65 58	65 61	65 58	70 59	64 51	63 52	66 60	71 58	77 64	78 67	75 67	77 67	83 71	85 73	84 74	87 74	82 66	76 66	75 68	79 68	76 69	77 69	77 69	79 69	79 70	86 68	86 68	74.9 64.8	
AUDUBON	MAX MIN	80 57	85 62	69 60	75 53	71 64	80 62	88 63	72 51	74 38	80 47	82 52	91 67	92 67	94 68	96 69	91 71	93 73	97 73	82 65	87 58	91 63	94 66	95 74	91 70	86 71	92 72	92 71	85 66	86 67	86.5 63.8		
BELLEPLAIN	MAX MIN	78 55	88 59	85 56	71 46	70 52	73 62	85 61	84 50	74 43	75 44	80 45	89 65	93 62	92 66	98 70	96 70	98 70	97 73	89 60	87 56	87 61	94 65	93 73	91 68	91 70	92 70	90 70	86 69	86 65	86.8 61.9		
BELVIERE	MAX MIN	84 52	80 63	75 53	80 46	77 56	83 56	88 66	70 50	80 43	85 41	85 41	90 67	92 63	93 66	97 68	98 69	98 70	98 70	90 57	84 53	90 53	93 64	96 71	90 69	88 69	91 68	90 71	88 65	82 60	87.6 60.9		
BOONTON 2 SE	MAX MIN	77 48	77 55	75 55	72 43	75 51	76 55	80 59	81 53	66 40	75 37	78 47	81 61	87 62	89 64	90 64	91 67	96 66	94 68	89 62	78 52	86 54	88 57	87 65	91 67	87 69	84 70	86 67	81 69	80 66	83.1 58.7		
BRIDGETON 1 NE	MAX MIN	82 54	85 58	80 55	72 55	88 59	76 61	74 54	88 61	85 54	78 45	80 65	89 67	91 65	89 68	86 68	97 98	95 98	96 98	92 83	87 61	87 61	92 66	92 66	93 70	89 71	83 70	88 72	80 68	85 62	85.0 63.2		
BURLINGTON	MAX MIN	79 57	82 61	73 62	76 63	73 63	80 63	86 62	80 54	74 48	81 51	85 55	94 66	92 69	96 68	98 70	100 72	98 72	99 74	95 63	90 58	93 64	94 65	90 65	87 65	85 66	91 66	89 66	87 63	88 64	87.5 63.5		
CANOE BROOK	MAX MIN	79 52	77 57	79 56	71 46	78 52	74 58	80 61	84 54	65 44	72 44	78 48	84 64	86 64	88 66	93 68	95 64	96 68	95 68	94 75	92 62	79 53	92 57	91 66	93 66	92 68	86 68	80 70	87 66	82 62	84.2 59.8		
CAPE MAY 3 W	MAX MIN	74 59	77 59	71 57	68 57	86 62	72 63	82 60	75 54	67 49	72 60	75 56	88 66	87 70	88 68	89 66	91 63	92 69	94 70	88 72	82 69	82 65	80 68	84 71	84 71	80 67	83 69	80 69	84 67	86 67	81.1 64.2		
CHARLOTTEBURG	MAX MIN	76 59	76 43	74 50	70 38	73 43	78 51	80 53	65 31	73 29	78 36	82 56	86 56	86 59	81 51	92 61	94 61	93 61	95 65	90 54	77 45	84 46	87 51	85 62	90 67	85 67	82 67	86 69	85 66	84 62	82.2 53.3		
CLAYTON	MAX MIN	79 55	84 61	77 57	71 68	69 63	77 61	84 62	82 51	70 45	77 51	80 51	89 66	91 67	90 68	94 71	98 91	95 91	95 91	91 82	87 58	87 61	91 66	91 66	88 70	87 71	87 71	88 72	85 69	85 66	84.9 63.6		
ELIZABETH	MAX MIN	75 57	80 61	74 60	75 50	75 59	81 62	86 63	77 55	76 44	79 45	85 50	91 65	89 68	91 67	95 68	96 71	96 72	94 72	87 71	85 61	85 57	89 59	88 64	92 68	86 70	84 69	87 70	85 63	86 63	85.6 62.6		
ESSEX FIELDS SERV BLDG	MAX MIN	74 48	78 54	80 56	70 48	76 52	76 56	78 60	82 56	66 42	74 44	76 48	82 65	84 62	86 66	90 66	92 68	96 68	94 68	90 58	78 56	86 58	86 56	87 68	90 72	87 68	82 69	84 68	83 65	85 65	82.9 59.6		
FLEMINGTON 1 NE	MAX MIN	79 49	81 56	71 56	76 42	76 55	82 60	87 64	79 53	75 40	81 37	85 45	90 60	92 64	94 66	100 68	98 68	100 68	94 68	87 55	89 50	91 54	95 59	88 67	95 69	89 67	90 67	83 67	85 62	87.2 58.8			
FREEHOLD	MAX MIN	78 55	84 60	69 48	78 49	72 59	79 60	87 52	78 43	72 35	77 42	84 50	91 61	89 65	93 66	96 69	95 69	95 71	95 70	87 59	85 56	88 60	91 62	92 68	87 67	84 67	89 69	87 69	84 67	85 64	85.4 61.1		
HAMMONTON 2 NNE	MAX MIN	81 55	80 59	80 57	62 54	73 59	70 61	85 66	87 56	74 44	73 46	78 51	84 62	92 65	94 67	96 66	101 71	102 69	97 72	98 72	84 71	86 57	95 74	95 75	95 68	92 70	84 70	88 70	89 71	86 62	86.8 61.1		
HIGH POINT PARK	MAX MIN	74 52	72 57	69 49	71 46	70 52	66 54	74 57	73 45	63 44	69 47	73 53	78 60	82 61	85 65	88 67	88 67	86 68	88 68	80 52	69 50	81 59	82 63	81 65	87 63	79 63	82 63	79 57	74 57	77.4 57.6			
HIGHTSTOWN 1 N	MAX MIN	76 54	82 61	68 61	78 60	72 60	78 61	86 61	77 53	71 41	81 42	84 49	91 63	90 63	94 67	96 67	95 71	93 69	96 70	83 72	83 59	88 55	91 61	93 70	91 68	84 68	90 69	88 69	84 66	85.6 61.1			
INDIAN HILLS 2 W	MAX MIN	78 52	86 59	69 58	73 52	70 61	77 60	86 60	69 51	72 41	78 41	81 44	91 64	90 61	93 64	97 68	100 67	96 68	99 71	94 71	82 56	88 50	89 62	91 68	92 68	88 67	81 67	88 69	85 65	85 65	85.2 60.2		
JERSEY CITY	MAX MIN	74 55	75 60	67 57	73 61	75 62	78 61	82 62	61 50	79 49	69 57	76 65	87 68	81 68	80 69	85 69	93 74	93 76	88 76	90 73	80 63	79 65	78 68	85 71	80 70	85 70	79 68	81 68	81 68	78.8 64.1			
LAKEWOOD 2 ENE	MAX MIN	73 51	80 60	64 48	71 48	69 59	74 59	88 61	70 48	39 40	75 43	86 62	93 66	83 62	90 66	93 66	92 69	96 69	92 74	83 61	82 53	86 60	89 63	85 68	81 69	88 69	85 69	86 66	86 63	82.8 58.8			
LAMBERTVILLE	MAX MIN	81 52	82 61	73 58	75 48	77 58	80 61	87 65	80 53	76 41	81 40	82 48	90 65	90 63	92 66	96 66	98 69	96 69	98 69	91 74	87 61	88 53	92 60	92 63	93 69	90 69	87 71	91 71	85 69	85 65	86.9 61.5		
LAYTON 3 NW	MAX MIN	80 40	77 55	74 45	80 38	72 50	81 45	80 62	71 44	78 35	78 30	85 43	87 65	92 54	90 60	93 64	93 65	93 65	95 65	88 65	82 48	85 46	90 45	89 55	84 66	87 65	86 65	82 66	83 58	84.9 54.3			
LEESBURG STATE FARM	MAX MIN	80 56	81 55	77 55	66 53	67 62	74 62	84 61	82 50	66 40	75 40	84 48	86 66	88 63	89 66	92 66	91 69	93 69	96 74	92 64	84 55	85 61	89 68	84 71	82 70	84 71	83 72	87 65	87 60	83.4 62.1			
LITTLE FALLS 1 E	MAX MIN	78 51	79 59	79 56	72 46	79 56	77 62	82 60	84 46	67 42	76 40	81 54	86 66	90 63	91 64	93 66	96 69	99 70	98 70	92 60	81 52	90 56	89 56	89 68	94 68	89 68	84 69	88 66	84 66	85.8 60.0			
LONG BRANCH	MAX MIN	69 54	75 60	65 57	68 54	67 59	72 60	86 59	62 50	70 44	79 46	89 51	80 63	84 67	87 65	90 65	94 70	94 70	92 73	80 63	78 59	80 61	86 63	86 68	80 69	78 66	84 66	85 66	85 65	79.5 61.8			
LONG VALLEY	MAX MIN	76 47	77 60	69 52	75 41	74 51	80 53	85 67	79 52	74 43	79 43	83 60	89 62	90 58	94 67	92 62	97 63	93 67	95 66	90 66	85 52	89 56	90 67	95 67	87 68	83 68	81 68	80 63	81 63	84.5 57.6			
MILLVILLE	MAX MIN	80 56	81 61	87 59	61 56	71 59	68 62	75 62	86 57	47 47	72 51	78 50	91 62	91 63	97 67	95 72	99 71	97 74	97 74	95 64	84 60	87 67	90 72	92 67	92 70	89 71	88 71	89 72	88 67	84.6 63.9			
MOORESTOWN	MAX MIN	78 56	84 60	69 53	75 50	71 63	77 62	88 61	61 48	72 43	79 44	80 51	91 65	90 63	93 68	97 68	99 																

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
JUNE 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	82	84	79	77	81	82	89	77	79	82	84	95	93	94	99	99	192	199	99	88	92	90	93	94	99	85	84	93	89	87	88.7	
	MIN	59	58	54	42	59	52	61	55	44	42	40	62	58	62	65	67	68	67	68	56	56	58	63	62	62	67	66	66	67	62	58.3	
SANGY HOOK LBSTA	MAX	69	71	72	69	70	76	87	77	78	77	81	91	85	85	88	88	94	95	96	79	78	78	84	88	84	89	82	83	81	83	81.6	
	MIN	57	64	59	55	62	69	59	59	53	56	56	65	67	67	65	62	73	74	79	66	69	69	67	72	79	79	67	79	71	62	64.5	
SOMERVILLE	MAX	89	89	72	78	77	82	88	79	76	83	85	93	93	95	96	99	98	98	93	83	99	92	93	94	99	86	90	92	85	85	87.5	
	MIN	59	61	59	45	56	61	63	54	39	39	47	66	62	66		69	71	69	73	57	52	56	62	79	67	79	69	79	67	61	69.4	
SUSSEX 3 N	MAX	79	78	69	74	76	72	80	79	68	76	80	84	85	91	90	93	95	94	96	88	76	86	89	87	94	86	85	88	85	89	83.4	
	MIN	44	48	50	49	46	47	50	48	37	35	40	54	55	62	64	63	64	64	67	55	45	51	56	60	65	66	66	67	63	58	54.3	
TRENTON 2	MAX	79	83	73	75	75	81	87	67	75	81	83	92	92	94	97	98	97	98	94	81	87	99	93	93	89	86	90	89	84	86	86.3	
	MIN	56	62	58	49	63	62	63	52	45	47	53	65	68	69	70	74	72	74	74	62	60	64	65	73	69	79	72	71	68	66	63.9	
TRENTON WB CITY	MAX	76	82	69	73	72	78	85	60	71	79	85	90	90	92	96	99	95	96	92	80	88	89	99	90	88	84	88	88	84	83	84.4	
	MIN	56	61	57	53	64	62	60	51	46	50	55	66	71	69	69	75	73	76	71	64	63	65	65	74	70	70	71	72	69	67	64.5	

Table 6

EVAPORATION AND WIND

Station		Day of month																														Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
CANOE BROOK	EVAP	-	-	-	-	-	.07	.19	.20	.04	.09	.28	.23	.13	.23	.19	*	.39	*	.43	.26	.17	.16	.15	.14	.16	.20	.12	.13	.17	.10	85.08
	WIND	8	18	5	4	5	3	4	3	9	31	11	8	10	8	7	3	5	9	8	8	18	10	5	24	1	5	8	7	29	14	285
PLEASANTVILLE 1 N	EVAP	.24	.09	.22	.07	.10	.03	.12	*	*	.32	.32	.27	.19	.22	.22	.23	.15	.33	.27	.28	.35	.15	.27	.25	.14	.20	.17	.26	.24	.30	6.00
	WIND	31	24	34	39	6	12	15	38	17	33	33	60	36	21	30	30	15	8	43	28	44	22	24	48	53	49	7	39	72	63	974
RUNYON	EVAP	.06	.19	.30	.11	.24	.18	.19	.18	.20	.25	.13	.23	.19	*	.57	.35	.11	.14	.22	.24	.23	.13	.14	*	*	.50	.14	.10	.37	.11	5.80
	WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MAX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DAILY SOIL TEMPERATURES

STATION AND DEPTH		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	82	82	77	84	75	82	88	64	82	87	93	92	91	78	94	95	95	97	98	93	94	98	95	102	89	81	91	87	95	87	88.8	
	MIN	58	63	58	55	62	64	64	57	52	53	58	65	66	88	70	73	73	73	72	87	63	84	67	72	71	72	73	73	72	87	65.5	
2 INCHES	MAX	71	72	70	74	70	74	77	66	72	75	78	79	81	84	85	86	87	87	86	81	83	85	85	88	84	80	84	82	80	79	79.5	
	MIN	60	63	61	58	63	64	65	59	55	56	80	66	67	69	70	74	73	74	74	89	66	67	69	73	73	73	73	74	72	89	88.9	
4 INCHES	MAX	70	71	70	72	69	73	74	67	71	74	76	78	79	82	83	84	86	86	84	80	81	84	83	86	82	79	83	80	78	77	78.1	
	MIN	61	63	62	59	63	64	65	60	56	52	61	66	67	69	70	74	73	74	75	70	67	68	70	73	73	73	73	74	73	69	87.4	
8 INCHES	MAX	65	66	65	66	66	67	69	68	65	67	69	70	72	73	78	77	78	78	78	76	75	78	77	78	77	78	77	78	75	74	72.4	
	MIN	62	64	63	61	64	64	65	64	61	60	63	66	68	68	70	72	73	73	74	72	70	70	71	73	73	73	73	73	73	70	88.2	
16 INCHES	MAX	62	63	63	63	63	63	85	65	63	63	64	66	67	68	70	71	72	72	73	73	71	71	72	73	73	73	73	73	73	72	88.4	
	MIN	61	62	62	61	62	62	63	63	61	61	62	64	65	66	67	69	70	71	72	71	89	69	70	71	71	71	71	71	72	72	88.7	
32 INCHES	MAX	58	59	59	59	59	59	60	60	60	60	60	60	61	61	62	63	63	65	65	66	66	86	86	87	87	87	87	87	88	88	62.9	
	MIN	57	58	58	58	59	59	59	60	59	59	59	59	60	60	61	61	62	63	63	85	65	65	85	85	85	86	86	87	87	87	87	82.1

Measured under Kentucky Bluegrass.

MONTHLY AND SEASONAL HEATING DEGREE DAYS

Season of 1956 - 1957

NEW JERSEY

Station	July	August	September	October	November	December	January	February	March	April	May	June	Total	Normal July-June
ATLANTIC CITY W8	1	0	70	183	524	605	1019	721	701	394	173	29	4420	4741
AUDUBON	1	1	110	229	555	704	1088	742	692	324	112	14	4572	
BELLEPLAIN	0	3	100	196	479	635	1029	714	680	312	124	19	4291	
BELVIDERE	10	2	94	257	638	851	1203	819	742	380	124	10	5130	
BOONTON 2 SE	14	13	190	369	656	879	1233	873	804	433	217	34	5715	
BRIDGETON 1 NE	0	5		226	557	715		751		354	116	12		
BURLINGTON	3	1	90	192	527	698	1080	735	697	319	90	4	4436	
CANOE BROOK	13	14	153	354	616	856	1230	860	758	407	230	25	5516	
CAPE MAY 3 W	0	0	64	138	455	575		692		301	126	11		
CHARLOTTEBURG	29	50	246	466	716	918	1294	935	890	486	271	78	6379	
CHATSWORTH 5 S					552	691								
CLAYTON	2	11	114	231	524	687	1075	725	697	327	109	9	4511	
ELIZABETH	5	1	111	225	547	769	1141	785	722	351	123	10	4790	
ESSEX FELLE SERV BLDG	11	10	166	310	649	834	1230	785	815	391	166	31	5398	
FLEMINGTON 1 NE	9	8	162	327	638	808	1204	837	776	396	154	23	5342	
FREEHOLD	6	6	119	250	558	746	1139	779	749	349	142	14	4857	
HAMMONTON 2 NNE	1	5	105	277	536	691	1092	745	658	325	129			
HIGH POINT PARK							1019	1504	1029	1003	574	332		
HIGHTSTOWN 1 N	9	6	129	269	565	744	1144	792	764	360	145	14	4941	
INDIAN MILLS 2 W	3	7	133	284	583	735	1136	768	752	350	160	23	4934	
JERSEY CITY	12	5	138	275	581	788	1162	812	742	404	164	24	5107	
LAKEWOOD 2 ENE	7	18	148	315	618				779	424	218	45		
LAMBERTVILLE	7	2	136	287	594	771	1145	809	752	369	137	15	5024	
LAYTON 3 NW	21	19	204	417	751	978	1339	934	856	453	202	44	6218	
LEESBURG STATE FARM	1	7	116	244	535	656	1088	794	713	321	108	20	4603	
LITTLE FALLS 1 E	10	5	130	313	595	813	1189	814	754	390	157	23	5193	
LONG BRANCH	6	8	134	293	552	717	1126	793	734	425	195	37	4983	
LONG VALLEY	19	26	178	319	660	862	1239	854	798	427	208	36	5626	
MILLVILLE										296	121	22		
MILLVILLE CAA AIRPORT		7	112	236	515	625		750						
MOORESTOWN	5	4	132	267	584	726	1102	778	727	372	159	26	4862	
MORRIS PLAINS	12	18	163	318	635	848	1222	840	780	405	166	31	5436	
NEWARK W8 AIRPORT	9	2	117	244	565	767	1140	795	705	367	132	17	4860	
NEW BRUNSWICK EXP STA	9	5	124	259	575	765	1147	797	743	363	138	16	4941	5252
NEWTON	27	33	224	427	741	952	1308	923	862	465	254	49	6265	
PATERSON	9	3	124	267	563	781	1152	791	746	372	154	17	4979	
PEMBERTON 3 E	4	7	113	244	535	701	1121	752	733	349	145	18	4722	
PHILLIPSBURG	9	3	94		586	800	1184	790	719	352	137	12		
PLAINFIELD	9	7	130	261	593	791	1152	807	739	376	147	16	5028	
PLEASANTVILLE 1 N	1	9	105	227	558	722	1130	776	750	372		30		
RIDGEFIELD	11	3	134	265	615	814	1177	820	737	377	142	10	5105	
RUNYON	3	10	119	309	599	796	1155	789	737	356	150	14	5047	
SANDY HOOK LBSTA	5	3	77	213		723	1105	790	728		108	5		
SOMERVILLE	11	1	141	272	604	794	1189	835	757	379	149	14	5146	
SUSSEX 3 N	20	13	197	360	740	990	1337	946	893	494	263	98	6311	
TRENTON 2	6	2	111	241	567		1101	779	705	359	125	14		
TRENTON W8 CITY	8	2	123	240	565	728	1115	783	713	364	133	19	4793	5068

CORRECTIONS

MONTH: AUGUST 1958

Table 2:

Newton

Temperature departure from long-term means should be - 1.7

Table 2:

Pateron

Temperature departure from long-term means should be - 0.6

MONTH: DECEMBER 1956
DELAYED DATA

Table 2, 3, 5:

Millville Airport

Data published as Millville should be Millville Airport

ANNUAL: 1956

Table 1:

Newton

August temperature departure from long-term means should be - 1.7

MONTH: FEBRUARY 1957

Table 2:

Essex Felle Serv Bldg

Average maximum temperature should be 44.4; average minimum temperature 29.3; average temperature, 36.9; total degree days 785.

Table 5:

Essex Felle Serv Bldg

Maximum temperature for the 25th should be 49; minimum temperature for the 26th should be 40; average maximum temperature should be 44.4; average minimum temperature should be 29.3

MONTH: MARCH 1957

Table 5:

Phillipsburg

Maximum temperature on the 30th should be 53; 31st, 53; minimum temperature on the 30th should be 37

CLIMATOLOGICAL DATA

NEW JERSEY
DELAYED DATA

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days		
											Max		Min.						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											31° or Above	30° or Below	31° or Above	30° or Below										
DECEMBER 1956		53.9M	35.0M	44.5M		71	8	15	31	625	0	0		0	3.84		.86	16	T	0		8	4	0
MILLVILLE AIRPORT																								

DAILY PRECIPITATION

Table 3

Station	Day of Month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
DECEMBER 1956																																
MILLVILLE AIRPORT						T				.19		.20	.04	.52	.80	.66		T			.21	T		.73		.05	T	.05	T		.18	3.84

DAILY TEMPERATURES

Table 5

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
DECEMBER 1958																																	
MILLVILLE AIRPORT	MAX MIN			46 19	58 28	59 33	56 45	66 45	71 56		67 21	45 30	56 39	61 46	62 48	57 40		54 39	51 44	51 28	45 28	54 42	55 42		55 40		51 24	39 24	44 27	51 36		40 15	53.9 35.0

DAILY SOIL TEMPERATURES


NEW JERSEY
DELAYED DATA

STATION AND DEPTH		Day of month																														Average		
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		31	
JULY 1956																																		
NEW BRUNSWICK EXP STA																																		
MEASURED UNDER SOD																																		
1 INCH	MAX MIN	87 65	86 71	87 71	73 67	67 63	65 62	64 64	79 67	82 71	78 69	81 69	83 69	82 66	80 67	81 68	82 65	74 67	80 65	85 64	77 64	74 65	67 65	77 64	84 69	75 69	83 66	87 68	83 71	86 72	84 69	75 64	83 64	80.2 86.8
2 INCHES	MAX MIN	81 66	81 70	82 71	72 68	67 63	64 63	76 64	78 67	76 71	78 70	80 67	78 67	75 67	77 68	77 69	72 66	77 66	80 66	73 66	72 66	67 65	74 65	79 69	74 70	80 67	83 69	81 71	82 73	81 70	76 65	79 65	76.8 87.5	
4 INCHES	MAX MIN	79 67	79 71	80 71	73 68	68 64	64 63	73 64	76 67	75 70	77 70	76 67	76 68	74 68	76 70	76 68	72 67	76 67	79 67	73 68	71 66	67 66	72 66	78 69	73 70	78 68	81 69	80 72	74 70	79 68	76 67	78 68	73.4 87.9	
8 INCHES	MAX MIN	73 68	74 70	74 71	73 69	68 65	64 64	67 64	71 67	72 70	74 69	73 68	72 68	71 69	72 70	72 68	71 67	72 68	73 68	71 68	70 68	69 67	69 66	89 68	73 70	72 68	75 69	75 72	73 73	76 72	75 69	73 68	71.8 86.5	
16 INCHES	MAX MIN	69 67	70 68	71 69	71 69	69 66	66 65	68 64	69 66	69 66	70 68	69 68	69 68	69 68	69 68	69 68	69 68	69 68	70 68	69 68	69 68	68 67	68 66	69 67	69 68	70 68	71 69	72 70	72 71	72 71	71 70	71 69	89.1 88.0	
32 INCHES	MAX MIN	64 64	64 64	65 64	65 65	65 65	64 64	64 63	64 63	64 63	64 63	65 64	66 64	65 65	65 65	65 65	66 65	86 65	66 65	66 65	66 65	65 65	65 65	65 65	65 65	65 65	68 65	66 65	68 86	87 86	87 87	87 87	85.5 84.8	

Measured under Kentucky Bluegrass.

TOTAL PRECIPITATION


NEW JERSEY
JUNE 1957



Isohyets are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
JUNE 1957



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
JUNE 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To
ALLEDALE	0100	BERGEN	8 41 02	74 06	270	MID	BERGEN COUNTY ENGS				5252	BURLINGTON	2 39 34	74 57	90	OP	DAVID GRISON				3
ATLANTIC CITY WB	0325	ATLANTIC	1 30 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 8	C		5346	ATLANTIC	3 30 27	74 44	50	SP	ELMER EARLE				3 7
AUDUBON	0346	CANON	2 30 54	75 04	80	11P	IRVIN J. NYGREN	2 3 5			5503	BERGEN	1 40 50	74 09	210	BA	RIDGEWOOD WATER CO.				3
BASS RIVER ST FOREST	0518	BURLINGTON	1 36 37	74 28	20	OP	M. Y. FORESTRY SVC	2 3 5	7		5576	CUMBERLAND	0 30 24	75 03	60	BA	L. J. GALLAGHER				2 3 5 7 C
BELLEPLAIN	0600	CAPE MAY	1 30 16	74 52	40	SP	MRS. ED C. MOFFMAN	2 3 5			5507	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS				3
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID	JIT WATER DEPT	3			5726	BURLINGTON	2 39 58	74 58	55	MID	H. J. WILLARD				2 3 5 7
BELVIDERE	0729	WARREN	2 40 50	75 05	289	SP	MISS C. S. HIXSON	2 3 9	7		5769	MORRIS	8 40 50	74 10	500	4P	JAMES C. LONG				2 3 5 7
BERLIN 1 W	0767	CANON	1 30 40	74 57	130	BA	SAUEL H. MC CULLEY	2 3 5			5876	CUMBERLAND	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU				2 3 5 7 C
BLACKWELLS MILLS	0847	SOMERSET	10 40 20	74 35	27	7A	HENRY N. MILLER	2 3 5			6062	MIDDLESEX	10 40 28	74 28	80	SP	ARTHUR H. ALQUIST				2 3 5 7 C
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	BA	JERSEY CITY WTR WKS	2 3 5			6186	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO.				3 C
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	29	BA	AMERICAN CYANAMID CO.	3			0177	SUSSEX	2 41 03	74 45	565	BA	NEWTOWN WTR SWR COMM				2 3 5 7 C
BRANCHVILLE	0976	SUSSEX	2 41 09	74 47	370	7A	ALBERT M. DAVENPORT	3			0460	PASSAIC	9 41 02	74 30	870	BA	NEARBY WATER DEPT				3
BRIDGTON 1 NE	1028	CUMBERLAND	2 30 28	75 12	114	OP	RADIO STATION WJL	2 3 5			0544	HUNTERDON	10 40 40	74 45	280	BA	DAN A. COUGHLIN				3
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	OP	PUBLIC SVC E * G CD	2 3 5			0560	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER				3 C
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	BA	NEARBY WATER DEPT	3			0775	PASSAIC	8 40 55	74 09	100	BA	P. J. DEL VECCHIO				2 3 5 7
CANOE BROOK	1395	ESSEX	8 40 45	74 21	180	OP	COMMONWEALTH WTR CO.	2 3 5	0		0643	BURLINGTON	2 39 58	74 38	00	SP	CHARLES A. DOERFLER				2 3 5 7
CANTON	1343	SALEM	2 30 28	75 25	20	BA	GERTRUDE S. WILLIS	3			0974	WARREN	2 40 41	75 12	182	SP	SEWAGE DISPOSAL PLT				2 3 5 7
CAPE MAY 3 W	1391	CAPE MAY	1 36 56	74 57	17	SP	N. WEST MAGNESITE CO.	2 3 5			0670	WARREN	2 40 42	75 12	198	OP	JOINT TOLL BRIDGE COM				3
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	BA	A. A. PLUNKETT	3			1070	UNION	10 40 36	74 25	120	6P	F. K. PEARSON				2 3 5 7
CENTERTON	1512	SALEM	6 59 31	75 10	80	MID	JOHN HOPKINS UN.	3			7123	HUNTERDON	10 40 34	74 48	140	7A	JOHN H. BERTMAN				3
CHARLOTTEBURG	1562	PASSAIC	8 41 03	74 26	760	7A	NEARBY WATER DEPT	2 3 5	7		7131	ATLANTIC	1 39 25	74 31	8	BA	ATLANTIC CITY WTR WK				2 3 5 6
CHATHAM	2444	UNION	1 40 44	74 14	33	SP	UNION CO PARK COMM	2 3 5			7228	MERCER	10 40 19	74 40	00	MID	PRINCETON WATER CO.				3
CHATSWORTH 5 S	1508	BURLINGTON	1 30 44	74 32	60	OP	WILLIAM S. HAINES	INAC	1/57		7393	UNION	0 40 36	75 15	20	MID	RAHWAY VLY SWG AUTN				3 7 C
CLAYTON	1708	GLOUCESTER	6 30 30	75 06	120	OP	HARRY P. CAMPBELL	2 3 5	7		7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN				2 3 5 7
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	OP	L. W. KLOCKER	3			7567	PASSAIC	8 41 08	74 16	305	10A	NO JERSEY WTR SUPPLY				3
DEEPWATER	2209	SALEM	2 30 41	75 30	12	MID	DU PONT DE NEMOURS	3			7825	MIDDLESEX	1 40 26	74 20	18	OP	N. J. WATER COMM				2 3 5 6
ELIZABETH	2444	UNION	1 40 44	74 14	33	SP	UNION CO PARK COMM	2 3 5			7860	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD				2 3 5
ELIZABETHPORT	2652	UNION	8 40 30	74 12	30	MID	SEWAGE TREATMENT PL.	3			8194	SOMERSET	10 40 36	74 37	75	OP	M. E. NAVER				2 3 5 7
ESSEX FIELDS SERV BLDG	3029	ESSEX	8 40 50	74 18	250	BA	BOROUGH ESSEX FIELDS	2 3 5			8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY D. P. W.				3 C
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 38	74 55	300	OP	JOHNALD YOUNG	2 3 5	7		8423	UNION	1 40 43	74 18		MID	N. J. DEPT OF COMS				3
FORTESQUE	3102	CUMBERLAND	2 30 14	75 30	5	7A	JOHN LOPER	3			8644	SUSSEX	3 41 14	74 35	530	7A	BRICE B. STANTON				2 3 5
FREEDHOLD	3101	MONMOUTH	10 40 15	74 17	194	OP	FRANK J. MOREAU	2 3 5	7		8685	GLOUCESTER	2 30 47	75 24	10	12N	SUN DIL CO.				3
GLASSBORO	3291	GLOUCESTER	2 30 42	75 07	150	MID	PROF. J. B. SANGREE	2 3 5			8816	OCEAN	1 39 57	74 14	10	SP	ROBERT P. SNYDER				3
GREAT MEADOWS 4 N	3509	MERCER	8 40 35	74 51	130	OP	MICHAEL OZYNSKI JR.	2 3 5	7		9187	PASSAIC	8 41 03	74 18	320	OP	WATER SUPPLY COMM.				3 7 C
GREENWOOD LAKE	3510	PASSAIC	8 41 00	74 20	660	7A	GEORGE T. VIGGINS	3			9676	MERCER	2 40 14	74 46	105	MID	E. H. RISTOW				2 3 5 C
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS				8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU				2 3 5 7 C
HAMMONTON 2 NNE	3462	ATLANTIC	7 39 30	74 48	85	BA	HUBBARD PARKHURST	2 3 5			8990	UNION	1 39 55	74 22	45	BA	VERNON M. MOTT				INAC 12/56
HIGH POINT PARK	3955	SUSSEX	2 41 16	74 40	1600	BA	N. J. DEPT. OF COMS.	2 3 5			9135	CUMBERLAND	6 39 29	75 00	110	BA	STATE HOME FOR WOMEN				3
HIGHTSTOWN 1 N	3955	MERCER	7 39 30	74 31	100	OP	GEORGE G. PICKERING	2 3 5	7		9211	PASSAIC	8 41 03	74 18	320	OP	WATER SUPPLY COMM.				3 7 C
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE				9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.				3
INDIAN HILLS 2 W	4229	BERKLEY	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	T		9363	HUNTERDON	10 40 27	74 48	160	7A	ROBERT N. MANNERS				3
IRVINGTON	4260	ESSEX	1 40 43	74 15	130	MID	JOINT MEETING GARAGE	3			9455	UNION	0 40 39	74 21	138	SP	CITY ENGINEER				3 C
JERSEY CITY	4339	HUGSON	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5			9532	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO.				3 C
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	50	MID	GEORGE G. PICKERING	2 3 5	T		9610	SALEM	2 39 40	75 20	16	OP	WOODROW W. HALTER				INAC 2/56
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5	7												
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. DEPUCE	2 3 5	7												
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	4P	LEESBURG STATE FARM	2 3 5													
LITTLE FALLS 1 E	4807	PASSAIC	8 40 53	74 14	157	BA	PASSAIC VLY WTR COMM.	2 3 5	T												
LONG BRANCH	4987	MONMOUTH	8 40 18	73 50	34	MID	STORM WARR. DSSL STA	2 3 5	C												
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	6P	ARTHUR BARKMAN	2 3 5	7												
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LANTON														
NACPIN IN TAKE	5071	PASSAIC	8 41 01	74 24	584	BA	NEARBY WATER DEPT	3													
NANNAH	5106	BERGEN	8 41 03	74 23	243	BA	ROBERT GLASSGOW	2 3 5													
NANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADCLIFFE	3													
NORBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	HEROW BRILL														

1 - COASTAL; 2 - DELAWARE; 3 - GREAT EGG HARBOR; 4 - HACKENSACK; 5 - HUDSON; 6 - MAURICE; 7 - MULLICA; 8 - PASSAIC; 9 - RAHWAY; 10 - RARITAN; 11 - ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 5. Max and Min in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.
- + And also on a later date or dates.
- ++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.
- Δ Amount included in following measurement, time distribution unknown.
- // Gauge is equipped with a windshield.
- Θ Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.
- Δ Adjusted to a full month.
- C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data".
- D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of snowfall.
- G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.
- N One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.
- E Amounts from recording gauge (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data").
- T Trace, an amount too small to measure.
- V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposure etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Resittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NVBC., Asheville, S. C. --- 8/9/57 --- 750

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

JULY 1957
Volume LXII No. 7

THE LIBRARY OF THE

SEP 23 1957

UNIVERSITY OF ILLINOIS



WEATHER SUMMARY

GENERAL

Severe drought conditions prevailed during the month, and temperatures averaged mostly near seasonal but several days on which maximum readings were unusually high contributed to the drought damage.

All division temperature averages for the month showed departures from long-term means that were less than 1° (-0.9° in the Northern Division to +0.6° in the Coastal Division). A large percentage of the stations reported maximum readings that equaled or exceeded 100°, but top honors went to Runyon with 106° on the 22nd. Nearly all stations in the State recorded their low for the month on the 3rd, with a 36° reading at Layton 3 NW being lowest closely followed by 38° at Charlotteburg.

The precipitation averages for all divisions were deficient from long-term means by more than two inches. All stations for which comparative data are available had quite noteworthy minus departures. The monthly totals ranged from 0.31 inch at Atlantic City WB to 4.89 inches at High Point Park, while the greatest amount on one day was 2.01 inches at Jersey City on the 13th. Atlantic City WB reported a total of 3.61 inches for May, June and July, which was the lowest total for these three months on record. A total of 4.92 inches for these three months at Newark was reported as the lowest for that period since 1843, and at Trenton a total of 4.10 inches for these three months was the least for that period since records began in 1865.

The percentage of possible sunshine was well above average at Atlantic City and slightly above at Trenton, while daytime cloudiness was just slightly more than average at Atlantic City and somewhat less than average at Newark and Trenton.

WEATHER DETAILS

Temperatures during July fluctuated rather frequently, but for most of the month daily departures were not of noteworthy significance. There were two warm periods which were somewhat unusual, the 4th-5th and 20th-22nd. Some stations reported departures from the long-term mean on some of these days that were 10° or more. There were many stations in the State that reported maximum temperatures of 100° or above during the 20th-22nd period. Minimum readings for the month were reported from most stations on the 3rd with readings in the 40's at about one-half of the stations in the State.

Precipitation in July was quite deficient in all areas of the State. Measurable amounts of rainfall which occurred as a result of showers and thunderstorms were mostly in the light category and furnished little relief.

WEATHER EFFECTS

Reports received indicated that field corn was heavily damaged in all areas of the State by severe drought conditions. Most fields were stunted at the critical silking stage and a high percentage of plants failed to start ears.

Wheat yield was slightly smaller than last year. Oats showed the lowest yield per acre and production since 1947. Soybeans were also damaged by drought conditions. Most hay fields have furnished only one cutting to date and prospects for later cuttings declined further during July. Production of potatoes and sweet potatoes is expected to be less than last year.

Early variety apples sized fairly well, but later varieties were retarded by the continued dry weather. The dry weather favored insect and disease control. Heavy set and continued dry weather limited the size of peaches; however, growers have been able to maintain a good spray cover. Grape crop prospects declined and the yield of most vegetable crops was adversely affected by the prolonged drought.

DESTRUCTIVE STORMS

On the afternoon of the 27th two boys were killed when struck by a bolt of lightning while playing in woods near their home in Roselle Park in north central Union County.

In northern Camden County and adjacent portion of Burlington County during mid-afternoon of the 28th wind blew down the tent of a summer theater, also blew down trees and disabled power and communication lines. Driving rain flooded some streets and highways, stalling traffic. Lightning set fire to one home and tore hole in the roof of another. In southwestern Union County on the afternoon of the 28th, the roof of a home was damaged by a lightning bolt.

On the 31st in the late afternoon in eastern Monmouth County, trees and utility poles were blown down, an electrical substation and two homes were struck by lightning and heavy rains flooded streets and highways. An isolated thunderstorm struck Clementon Borough in Camden County on the afternoon of the 31st. Winds were estimated to have reached 75 mph or higher in gusts. Several buildings were partially unroofed and plate glass windows were blown out of three business establishments. Several trees were uprooted. Lightning struck one large tree, the top of which fell on a private residence. Heavy rain damaged the interior of unroofed buildings, and also those buildings with windows blown out. Damage by rain also occurred in private homes. Three persons were injured in an amusement park by flying debris. One home was struck by lightning, with minor damage by fire as a result.

FLOODS

None reported on rivers. The U. S. Geological Survey reported that streamflow continued to decline especially in the southern half of the State where, at the key station Great Egg Harbor River at Folsom, it dropped to 25.7 cfs for the month - slightly less than the previous minimum in September 1931. Water levels in wells continued to decline at a greater than average rate and in some observation wells reached new low levels for July.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
JULY 1957

TABLE 2

Station		Temperature											Precipitation													
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days				
											Max	Min	90° or Above	32° or Below					32° or Below	32° or Below	Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
NORTHERN																										
BELVIDERE		89.5	60.6	75.1	- .4	101	21	48	3	0	16	0	0	0	1.17	- 4.20	.45	9	.0	0		3	0	0		
BOONTON 2 SE	AM	84.5	59.6	72.1	- .9	97	23	45	3	3	5	0	0	0	1.30	- 2.90	.39	14	.0	0		4	0	0		
CANOE BROOK	AM	87.3M	58.4	72.9M	- .2	100	22+	42	3	8	11	0	0	0	1.03	- 3.59	.29	14	.0	0		4	0	0		
CHARLOTTEBURG	AM	83.6M	55.2M	69.4M	- 1.8			38	3	19	4	0	0	0	2.10	- 2.63	.52	14	.0	0		8	1	0		
ELIZABETH		88.9	63.7	76.3	.3	102	21+	50	3	0	14	0	0	0	2.83	- 1.55	.47	13	.0	0		9	0	0		
ESSEX FELS SERV BLDG	AM	84.0	58.6	71.3		100	22	46	3	5	6	0	0	0	1.21		.49	13	.0	0		3	0	0		
FLEMINGTON 1 NE		90.4	59.0	74.7	- 1.0	104	22	41	3	0	17	0	0	0	.97	- 3.41	.63	14	.0	0		2	1	0		
HIGH POINT PARK	AM	77.3	57.1	67.2		89	22	45	2	41	0	0	0	0	4.89		1.94	30	.0	0		7	4	1		
JERSEY CITY		83.4	66.4	74.9	- .8	100	22	56	3	0	4	0	0	0	2.61	- 1.35	2.01	13	.0	0		3	1	1		
LAMBERTVILLE		89.5	60.7	75.1	.2	101	21	45	3	1	14	0	0	0	.91	- 3.56	.56	9	.0	0		2	1	0		
LAYTON 3 NW		85.9	53.9	69.9	- 1.9	97	21+	36	3	16	6	0	0	0	3.22	- 1.69	1.10	13	.0	0		8	3	1		
LITTLE FALLS 1 E	AM	87.9	61.0	74.5	- .4	102	22	47	3	1	12	0	0	0	1.50	- 3.00	.41	14	.0	0		8	0	0		
LONG VALLEY		86.1	56.9	71.5		99	22	40	3	6	7	0	0	0	.90		.50	9	.0	0		2	1	0		
MORRIS PLAINS		88.1	59.3	73.7		99	22	43	3	1	14	0	0	0	1.16		.53	13	.0	0		4	1	0		
NEWARK WB AIRPORT	R	87.9	66.6	77.3	2.0	101	22	56	3	0	12	0	0	0	1.51	- 2.69	.71	13	.0	0		3	2	0		
NEWTON	AM	85.1	57.5	71.3	- 1.2	98	22+	40	3	17	8	0	0	0	2.11	- 2.57	.39	29	.0	0		8	0	0		
PATERSON	AM	87.8M	63.3M	75.6M	- .3	102	23	53	3	0	13	0	0	0	*				.0	0						
PHILLIPSBURG		87.5	60.5	74.0	- .4	101	22	47	3	0	10	0	0	0	.92	- 4.72	.28	29	.0	0		4	0	0		
PLAINFIELD		87.1	61.6	74.4	- .7	101	21	46	3	0	10	0	0	0	2.45	- 2.04	.82	14	.0	0		5	2	0		
RIDGEFIELD		86.7	63.6	75.2	.0	100	22	50	3	0	10	0	0	0	1.06	- 2.36	.55	13	.0	0		6	2	0		
SOMERVILLE		90.2	60.7	75.5	.8	103	21+	44	3	0	16	0	0	0	1.36	- 3.08	.92	14	.0	0		3	1	0		
SUSSEX 3 N	AM	84.7	55.7	70.2	- 3.2	97	23	42	3	14	6	0	0	0	3.54	- 1.53	1.08	14	.0	0		6	3	1		
DIVISION				73.3	- .9										1.80	- 2.82			.0							
SOUTHERN																										
AUDUBON		89.5	65.3	77.4		103	21	51	3	0	15	0	0	0	.47		.28	9	.0	0		2	0	0		
BELLEPLAIN		89.5	61.7	75.6		101	22	46	3	1	15	0	0	0	.60		.60	23	.0	0		1	1	0		
BRIDGETON 1 NE	AM																		.0	0						
BURLINGTON		91.0	65.5	78.3	1.0	105	21	53	3	0	18	0	0	0	1.10	- 3.14	.35	31	.0	0		4	0	0		
CLAYTON		88.8	63.8	76.3		101	21	52	3	0	11	0	0	0	.90		.38	28	.0	0		3	0	0		
FREEHOLD		88.2	62.1	75.2	.1	101	21+	49	3	0	12	0	0	0	1.67	- 2.35	.45	30	.0	0		7	0	0		
HAMMONTON 2 NNE	AM	89.2M	63.9M	76.6M	.4	103	21	51	2	0	14	0	0	0	.71	- 3.48	.36	24	.0	0		2	0	0		
HIGHTSTOWN 1 N		88.7	61.9	75.3	.3	103	21	47	3	0	13	0	0	0	1.17	- 3.08	.48	31	.0	0		3	0	0		
INDIAN MILLS 2 W		88.3	59.6	73.5	- 1.4	101	21+	42	3	3	12	0	0	0	.83	- 3.01	.30	9	.0	0		8	0	0		
LAKEWOOD 2 ENE		87.1	60.2	73.7	- 1.0	105	22	43	3	0	7	0	0	0	1.65	- 2.15	.52	23	.0	0		5	1	0		
LEESBURG STATE FARM		87.0	63.1	75.1		98	22	47	3	0	12	0	0	0	.54		.24	9	.0	0		3	0	0		
MILLVILLE	AM	88.4	64.6M	76.5M		100	23	53	3	0	14	0	0	0	.63		.38	24	.0	0		2	0	0		
MOORESTOWN		88.1	63.5	75.8	.6	102	21	49	3	0	12	0	0	0	1.67	- 2.31	1.21	29	.0	0		2	1	1		
NEW BRUNSWICK EXP STA		88.3	62.8	75.6	.5	102	22	49	3	0	13	0	0	0	1.31	- 2.94	.50	30	.0	0		4	1	0		
PEMBERTON 3 E		90.1	59.8	75.0	- .7	103	21+	48	2+	0	14	0	0	0	1.15	- 3.20	.58	28	.0	0		3	1	0		
PLEASANTVILLE 1 N	AM	86.0	60.8	73.4	- 1.0	100	23	46	3	1	7	0	0	0	.36	- 3.50	.19	9	.0	0		2	0	0		
RUNYON		90.9	59.8	75.4	.9	106	22	43	3	1	16	0	0	0	1.07	- 3.18	.23	13	.0	0		5	0	0		
TRENTON 2		88.4	65.4	76.9		102	21+	53	3	0	13	0	0	0	1.67		.67	28	.0	0		3	2	0		
TRENTON WB CITY	R	86.8	66.6	76.7	1.4	100	21+	56	3	0	12	0	0	0	1.23	- 2.83	.49	28	.0	0		4	0	0		
TUCKERTON		86.0	62.2	74.1		101	22	45	3	1	7	0	0	0	.40		.26	9	.0	0		2	0	0		
WOODSTOWN 5 WSW	AM	88.4	63.5	76.0		102	23	50	3	0	12	0	0	0	.90		.52	9	.0	0		2	1	0		
DIVISION				75.7	.2										.97	- 3.08			.0							
COASTAL																										
ATLANTIC CITY WB	R	80.1	67.4	73.8	.2	92	5	60	2	0	1	0	0	0	.31	- 3.47	.14	23	.0	0		2	0	0		
CAPE MAY 3 W		85.3M	65.7M	75.5M		95	22			0	5	0	0	0	.52		.34	23	.0	0		2	0	0		
LONG BRANCH		84.2	64.1	74.2	- .4	102	22	51	3	0	6	0	0	0	.84	- 3.25	.26	30	.0	0		3	0	0		
SANDY HOOK LBSTA		87.9	67.5	77.7	2.3	101	22	58	2+	0	15	0	0	0	2.45	- 1.11	1.53	31	.0	0		4	2	1		
DIVISION				75.3	.6										1.03	- 2.38			.0							

† DATA RECEIVED TOO LATE TO BE INCLUDED IN DIVISION AVERAGES

NEW JERSEY
JULY 1957

NEW JERSEY
JULY 1957

NEW JERSEY
JULY 1957

NEW JERSEY
JULY 1957

NEW JERSEY
JULY 1957

NEW JERSEY
JULY 1957

Table 5

DAILY TEMPERATURES

NEW JERSEY
JULY 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX	80	81	75	85	92	82	78	81	88	80	81	79	74	83	83	76	76	78	81	83	83	88	80	73	75	76	79	79	77	79	79	80.1
	MIN	66	60	61	66	67	65	65	69	67	69	62	68	69	69	72	62	65	67	67	69	73	84	67	68	63	69	69	70	71	70	69	67.4
AUDUBON	MAX	81	82	89	95	95	89	91	92	91	81	84	90	86	92	88	85	89	92	92	96	103	102	83	84	87	87	88	83	90	95	92	89.5
	MIN	66	59	51	66	78	64	65	64	68	65	58	67	70	72	68	60	61	61	62	58	70	76	71	63	63	63	65	65	65	71	70	65.3
BELLEPLAIN	MAX	84	80	89	97	95	89	90	94	91	84	81	92	92	95	89	84	83	85	90	95	100	101	95	81	80	88	88	89	97	93	89.5	
	MIN	62	48	46	68	75	55	60	60	65	52	50	68	69	72	67	58	52	54	54	62	70	74	70	64	54	60	59	62	64	70	70	61.7
BELVIDERE	MAX	80	85	90	94	92	89	92	93	92	85	84	92	83	91	87	84	89	91	96	97	101	100	85	84	86	87	90	86	86	92	92	89.5
	MIN	58	50	48	67	70	57	69	58	67	60	52	59	63	68	64	50	51	55	58	57	65	70	68	55	54	56	62	69	66	65	69	60.6
BOONTON 2 SE	MAX	80	77	78	84	88	88	83	87	88	90	76	80	84	75	88	81	81	85	89	89	92	96	97	81	80	85	84	85	76	82	91	84.5
	MIN	58	56	45	57	67	56	58	59	66	60	54	56	61	62	63	55	53	57	58	61	65	68	69	59	53	57	58	63	64	66	65	59.6
BRIDGETON 1 NE	MAX	87	80	81	88	95	93	90	91	90	80	84	84	92	92	85	88	88	88	90	95	88	90	95	88	90	88	88	85	90	94	93	91.0
	MIN	61	56	48	68	75	54	62	68	64	54	67	67	69	70	68	60	62	63	61	66	72	79	73	63	62	61	65	66	66	68	69	65.5
BURLINGTON	MAX	85	83	90	95	95	91	93	92	93	91	84	89	87	93	88	86	89	90	92	96	105	103	98	89	87	88	88	85	90	94	93	91.0
	MIN	65	58	53	68	76	63	64	64	68	67	58	62	69	70	68	60	62	63	61	66	72	79	73	63	62	61	65	66	66	68	69	65.5
CANOE BROOK	MAX	82	77	78	87	91	90	85	89	91	90	83	86	87	86	94	84	86	87	93	96	99	100	100	80	81	85	88	84	75	87	94	87.3
	MIN	56	46	42	63	72	54	56	56	66	60	48	55	62	66	54	49	51	52	54	60	64	68	71	56	52	56	60	65	65	66	65	58.4
CAPE MAY 3 W	MAX	77	77	78	89	88	83	86	86	87	87	87	85	83	90	88	82	81	85	84	93	95	93	80	79	80	82	83	85	83	85	85.3	
	MIN	70	70	70	73	68	65	64	63	62	61	68	69	69	68	69	64	60	61	60	68	73	72	67	58	58	65	61	61	68	68	65.7	
CHARLOTTEBURG	MAX	80	76	76	84	84	87	83	85	89	87	75	80	85	73	86	78	83	86	89	95	97	80	80	84	87	85	76	82	91	83	83.6	
	MIN	56	52	38	44	64	55	54	50	64	59	45	53	54	62	61	47	47	50	57	60	67	55	67	55	48	53	55	63	65	61	62	55.2
CLAYTON	MAX	82	81	87	94	93	87	89	89	90	87	83	88	89	90	89	86	89	89	90	94	101	99	98	82	85	84	86	82	87	90	92	88.8
	MIN	65	54	52	62	77	54	63	64	64	65	55	66	69	68	68	59	59	61	64	64	69	74	70	64	59	61	63	63	65	68	70	63.8
ELIZABETH	MAX	81	81	90	94	95	89	89	94	88	87	81	88	82	90	86	84	90	91	93	98	102	102	93	84	86	86	85	76	86	93	92	88.9
	MIN	60	54	50	68	75	58	63	62	68	69	59	61	66	69	67	58	57	59	59	64	70	72	72	64	58	61	63	68	68	67	67	63.7
ESSEX FELS SERV BLDG	MAX	78	76	76	82	88	90	82	88	90	88	79	78	78	79	90	88	80	79	81	86	84	100	98	82	80	82	84	84	80	84	90	84.0
	MIN	58	52	46	58	58	56	52	60	64	56	52	54	53	60	61	63	54	53	56	58	63	68	68	60	56	60	62	61	62	66	68	58.6
FLEMINGTON 1 NE	MAX	84	80	91	95	93	88	90	94	92	87	83	90	85	90	85	83	89	92	95	98	103	104	95	84	89	88	89	85	91	95	95	90.4
	MIN	55	51	41	66	71	53	56	56	67	60	48	58	58	67	64	53	49	52	54	64	66	69	70	58	53	55	59	66	62	63	64	59.0
FREEHOLD	MAX	79	80	87	93	94	90	88	91	89	89	82	84	81	89	85	84	85	90	92	96	101	101	98	83	85	86	84	79	87	93	90	88.2
	MIN	60	53	49	63	68	59	62	61	66	61	53	63	65	63	67	54	56	61	59	65	68	73	72	63	57	60	63	65	65	65	66	62.1
HAMMONTON 2 NNE	MAX	80	82	89	97	98	88	90	93	89	80	84	89	90	92	91	82	88	90	93	96	103	102	82	83	85	86	88	87	88	94	95	89.2
	MIN	54	51	64	76	63	64	66	67	64	56	65	69	72	68	57	57	60	59	63	69	75	72	65	57	60	63	62	65	68	67	66	63.9
HIGH POINT PARK	MAX	74	64	69	80	82	80	76	79	82	81	66	73	78	68	81	70	72	78	81	81	86	89	88	73	74	77	78	79	73	80	84	77.3
	MIN	54	45	49	55	62	54	59	59	62	52	49	52	56	58	61	49	52	56	62	62	64	69	63	51	52	56	60	61	62	58	65	57.1
HIGHTSTOWN 1 N	MAX	81	82	88	92	95	89	88	93	90	80	84	87	77	91	87	84	88	90	93	97	103	102	92	81	87	88	86	79	89	94	94	88.7
	MIN	59	50	47	66	74	58	61	59	66	61	54	63	66	69	66	66	53	54	58	62	68	73	70	61	57	60	64	64	66	67	69	61.9
INOIAN HILLS 2 W	MAX	79	80	87	93	94	87	90	92	88	80	81	87	89	90	87	85	87	90	91	95	101	101	88	85	85	84	85	83	88	93	92	88.3
	MIN	59	44	42	63	75	51	58	57	67	50	48	61	65	70	63	49	50	53	52	60	67	71	67	61	51	54	59	59	61	63	66	58.6
JERSEY CITY	MAX	79	79	85	88	91	85	83	89	81	75	78	81	74	88	83	82	83	85	88	97	93	100	79	80	83	78	76	72	83	85	83	83.4
	MIN	63	58	56	68	73	65	67	67	66	64	59	66	67	69	65	59	62	65	68	72	75	78	72	62	61	65	68	69	68	70	66.4	
LAKEWOOD 2 ENE	MAX	83	83	88	96	98	88	89	89	88	82	85	82	76	89	88	80	83	89	90	99	101	105	74	80	80	86	82	82	84	92	89	87.1
	MIN	55	49	43	65	70	53	58	59	67	55	50	63	64	68	60	51	53	55	54	63	70	73	69	60	55	60	60	67	67	67	63	60.2
LAMBERTVILLE	MAX	82	80	89	94	93	89	88	92	90	90	83	88	88	89	89	83	87	90	92	97	101	100										

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
JULY 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX MIN	87 62	84 48	84 43	92 56	94 63	89 64	89 62	94 62	92 67	85 59	86 46	91 58	89 62	94 67	91 67	88 46	90 48	94 55	94 59	100 68	102 66	106 66	97 71	85 60	87 57	89 56	89 57	86 66	86 66	90 62	94 64	90.9 59.8
SANDY HOOK LBSTA	MAX MIN	83 64	79 58	82 58	93 69	93 75	92 72	83 69	92 66	87 67	82 65	84 61	86 70	80 72	96 69	90 69	83 62	91 66	95 65	91 66	96 71	101 75	95 71	82 65	85 65	86 66	82 73	85 68	91 69	90 68	87.9 67.5		
SOMERVILLE	MAX MIN	82 60	82 49	91 44	96 64	95 74	89 53	90 58	95 59	93 67	83 57	83 51	89 60	85 62	91 68	88 65	83 56	87 53	91 60	93 67	98 70	103 72	95 70	85 59	87 55	87 57	88 62	82 67	90 67	96 66	95 67	90.2 60.7	
SUSSEX 3 N	MAX MIN	81 57	77 46	78 42	87 48	91 62	69 55	85 55	88 55	90 56	88 58	75 49	61 52	86 57	74 59	67 64	77 50	78 48	84 50	88 54	89 64	95 63	96 60	97 66	80 52	81 49	83 51	86 55	86 61	78 64	90 60	85 65	84.7 55.7
TRENTON 2	MAX MIN	80 62	80 56	88 53	93 69	93 76	87 62	90 65	92 64	90 69	80 65	83 58	88 66	81 71	92 68	85 69	85 59	88 60	91 61	93 64	95 66	102 71	82 75	84 70	83 63	65 60	87 63	87 63	82 68	89 69	92 69	94 70	88.4 65.4
TRENTON WB CITY	MAX MIN	79 64	79 57	87 56	92 68	91 73	85 65	88 67	90 67	90 69	76 67	81 60	87 69	77 70	90 69	84 67	84 60	87 63	90 65	95 67	100 69	100 73	82 77	82 70	85 63	85 63	84 64	86 68	80 67	86 68	90 69	92 71	86.8 66.6
TUCKERTON	MAX MIN	81 60	82 51	83 45	83 65	94 66	92 54	85 60	88 62	90 67	89 63	83 53	83 65	81 68	88 70	88 65	82 53	81 60	87 55	88 55	93 67	96 67	101 74	90 71	79 67	79 56	62 58	82 58	81 68	83 67	87 69	85 70	86.0 62.2
WOODSTOWN 5 WSW	MAX MIN	83 64	80 56	81 50	87 60	94 69	94 58	88 65	89 61	90 68	91 64	79 57	83 61	89 69	91 72	92 68	89 59	85 59	87 60	90 58	91 62	94 65	100 72	102 73	83 65	87 60	86 63	86 64	85 62	88 64	92 69	88.4 63.5	

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or Avg
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP	.29	.21	.21	.22	.15	.24	.18	.25	.17	.06	.31	.14	.25	.09	.08	.22	.21	.17	.19	.24	.06	.32	.25	.02	.17	.26	.16	.16	*	.17	.18	5.65
	WIND	13	31	25	7	5	6	6	14	4	6	26	5	5	10	10	4	7	5	4	4	3	2	14	3	7	5	4	13	6	5	6	262
PLEASANTVILLE 1 N	EVAP	.33	.35	.32	.26	.16	.38	.21	.29	.35	.24	.35	.37	.15	.10	.20	.17	.40	.27	.26	.25	.19	.37	.29	.14	.23	.22	.13	.26	.24	.22	.23	7.93
	WIND	58	54	48	28	49	38	36	20	32	40	67	33	25	18	20	34	30	49	1	7	41	38	13	34	27	25	24	34	37	47	42	1051

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	86	90	93	94	91	98	87	100	93	91	90	89	79	90	89	94	97	95	96	103	105	105	79	96	100	96	98	83	94	101	93	93.3
	MIN	64	61	60	69	69	64	67	66	71	65	82	67	70	70	67	62	63	65	65	67	72	73	68	64	63	65	67	67	88	69	70	67.2
2 INCHES	MAX	78	77	81	83	83	87	80	87	82	83	80	84	75	84	82	85	87	84	86	90	92	93	79	83	85	82	85	78	83	87	83	83.4
	MIN	67	64	63	69	71	67	69	68	78	69	65	68	71	71	70	66	67	68	68	69	74	75	71	68	67	69	70	70	69	70	71	68.8
4 INCHES	MAX	77	79	79	81	81	83	79	85	81	82	79	82	75	82	81	83	85	82	83	87	89	90	78	81	83	81	82	77	81	84	82	81.7
	MIN	88	65	64	69	72	68	70	69	72	70	65	69	71	71	71	67	68	69	69	70	75	76	73	89	69	70	70	71	70	71	72	69.7
8 INCHES	MAX	73	73	73	75	78	76	75	77	76	76	74	76	74	76	76	76	76	76	77	79	81	82	80	76	77	76	77	75	76	77	77	76.2
	MIN	70	67	67	70	72	71	71	71	72	71	69	70	72	71	72	70	70	70	71	72	75	76	75	72	72	72	72	72	71	72	72	71.3
16 INCHES	MAX	71	70	70	71	72	72	72	72	72	72	72	72	72	72	72	72	73	72	72	74	75	76	76	74	73	73	73	72	73	73	73	72.5
	MIN	70	89	68	69	70	70	70	70	72	71	71	70	70	71	71	71	71	71	71	72	74	72	74	72	72	72	72	72	71	72	72	70.9
32 INCHES	MAX	66	87	87	67	87	67	87	67	67	68	68	66	88	88	86	68	68	68	68	68	68	69	70	70	70	69	69	69	69	69	69	68.2
	MIN	67	67	66	66	66	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	68	69	69	69	69	69	69	69	69	69	67.6

Measured under Kentucky Bluegrass.


TOTAL PRECIPITATION

NEW JERSEY
JULY 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

NEW JERSEY
JULY 1957



STATION INDEX

NEW JERSEY
JULY 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	270		MID	BERGEN COUNTY ENGS		5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM			3
ATLANTIC CITY W	0325	ATLANTIC	1 39 22	74 25	28		MID	W. S. WEATHER BUREAU	2 3 5 7 C	5346	ATLANTIC	3 39 27	74 44	50	5P	ELMER EARLE			3
AURORA	0346	CAMDEN	2 39 54	75 04	50		11P	IRVIN J. MYER	2 3 5	5503	BERGEN	1 40 59	74 09	210	8A	RIEWOOD WATER CO.			7
BASS RIVER ST FOREST	0529	BURLINGTON	1 39 37	74 28	20		8P	Navy FORESTRY SVC	3 7	5576	CUMBERLAND	6 39 24	75 03	60	8A	L. J. GALLAHER			2 3 5 7 C
BELLEPLAIN	0840	CAPE MAY	1 39 16	74 52	49		5P	MRS. E. C. HOFFMAN	2 3 5	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS			3
BELMAR	0721	MORRIS	1 40 10	74 02	19		MID	CITY WATER DEPT	2 3 5	5728	BURLINGTON	2 39 58	74 58	55	WID	H. J. WILLARD			2 3 5 7
BELVIDERE	0729	WARREN	2 40 50	75 05	27		5P	MISS C. S. NIXON	2 3 5	5749	MORRIS	8 40 50	74 30	500	4P	JAMES C. LONG			2 3 5 7
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150		7A	SAMUEL W. NC CULLEY	3	6026	ESSEX	1 40 42	74 10	11	WID	W. S. WEATHER BUREAU			2 3 5 7 C
BLACKWELL HILLS	0847	SOMERSET	10 40 29	74 55	27		7A	MERRY N. MILLER	2 3 5	6052	NIDOLESE	10 40 28	74 26	80	5P	ARTHUR N. AHLQUIST			2 3 5 7 C
BOONTON 2 SE	0807	MORRIS	8 40 54	74 24	280		8A	JERSEY CITY WTR WKS	2 3 5	6146	BERGEN	4 40 57	74 02	12	WID	HACKENSACK WATER CO			3
BOUND BROOK 1 W	0927	SOMERSET	10 40 39	74 53	20		8A	AMERICAN CYANAMID CO		6177	SUSSEX	2 41 03	74 45	565	8A	NEWTOWN WTR SWR COMM			2 3 5 7 C
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570		7A	ALBERT W. DAVENPORT	2 3 5	6400	PASSAIC	8 41 02	74 30	870	8A	NEWTOWN WATER DEPT			3
BRIDGETON 1 NE	1028	CUMBERLAND	2 39 28	75 12	114		9A	RADIO STATION WSNJ	2 3 5	6544	HUNTERDON	10 40 40	74 45	200	8A	DAN A. COUGHLIN			3
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12		6P	PUBLIC SVC E & G CO	2 3 5	6560	ESSEX	8 40 47	74 14	140	WID	COUNTY ENGINEER			3
CANISTEAR RESERVOIR	1927	SUSSEX	8 41 07	74 30	1040		8A	NEWTOWN WATER DEPT		6775	PASSAIC	8 40 55	74 09	100	8A	P. J. DEL VECCHIO			2 3 5 7
CANOE BROOK	1355	ESSEX	8 40 49	74 21	180		9A	COMMONWEALTH WTR CO	2 3 5 6	6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. ODEHLERT			2 3 5 7
CANTON	1345	SALEN	2 39 28	74 25	28		8A	HEITRICK S. WILLES	3	6974	WARREN	2 40 47	75 12	182	3P	SEWAGE DISPOSAL PLT			2 3 5 7
CAPE MAY 3 W	1391	CAPE MAY	1 38 56	74 57	17		5P	WEST NAGESITE CO	2 3 5 C	6979	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE CO			3
CEDAR GROVE	1472	ESSEX	8 40 52	74 15	400		8A	J. A. PLUNKETT	3	7019	UNION	10 40 36	74 25	120	6P	S. K. PEARSON			2 3 5 7
CENTERTON	1512	SALEN	8 39 31	75 10	80		MID	JOHN HOPKINS UNIT		7123	HUNTERDON	10 40 34	74 48	140	10A	N. JERSEY CITY D W			3
CHARLOTTEBURG	1562	PASSAIC	8 41 05	74 26	760		7A	NEWTOWN WATER DEPT	2 3 5 7	7131	ATLANTIC	1 39 25	74 31	38	8A	ATLANTIC CITY WTR WKS			2 3 5 6
CHATHAM	1590	MORRIS	8 40 44	74 23	185		9A	EDWARD P. MOLITOR	3	7328	MERCER	10 40 19	74 40	90	WID	PRINCETON WATER CO			3
CHATHAM 3 S	1598	BURLINGTON	1 39 44	74 32	90		5P	WILLIAM S. HAINES	INAC 1/57	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH			3 7 C
CLAYTON	1787	GLOUCESTER	3 39 39	74 18	120		6P	HARRY P. CAMPBELL	2 3 5 7	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KRISTEN			2 3 5 7
CLINTON	1749	HUNTERDON	10 40 38	75 35	300		6P	L. W. KLODNER	2 3 5 7	7587	PASSAIC	8 41 08	74 10	305	10A	N. JERSEY CITY D W			3
DEEPWATER	2209	SALEN	2 39 41	75 30	12		MID	DU PONT DE NEMOURS		7825	NIDOLESE	1 40 26	74 20	18	6P	N. J. WATER COMM			2 3 5 6
ELIZABETH	2644	UNION	1 40 40	74 14	33		5P	UNION CO PARK COMM	2 3 5	7869	NONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD			2 3 5
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30		MID	SEWAGE TREATMENT PL	3	8044	SOMERSET	10 40 34	74 37	75	6P	W. E. NAVER			2 3 5 7
ESSEX FIELDS SERV BLDG	2789	GLOUCESTER	3 39 39	74 18	120		6P	HARRY P. CAMPBELL	2 3 5 7	8402	MORRIS	8 40 58	74 28	80	10A	JERSEY CITY D W			3
FLEMINGTON 1 NE	3020	HUNTERDON	10 40 31	74 51	134		5P	DONALD YOUNG	2 3 5 7	8423	UNION	1 40 43	74 18	-	WID	N. J. DEPT OF CONS			3 C
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5		7A	JOHN LOPER	3	8644	SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON			2 3 5
FREEDHOLD	3141	MORRIS	10 40 15	74 17	194		6P	FRANK J. NOREAU	2 3 5 7 C	8685	GLOUCESTER	2 39 47	75 24	10	12N	SUN DIL CO			3
GLASSBORO	3291	GLOUCESTER	2 39 42	75 07	150		MID	PROF. J. B. SANGRE		8816	OCEAN	1 39 57	74 14	10	5P	ROBERT F. SNYDER			3
GREAT MEADOWS & N	3316	PASSAIC	8 41 09	74 20	680		7A	MICHAEL DZONSKI JR.	2 3 5	8838	WARREN	2 40 57	74 50	551	MID	H. J. EGGY			3
HACKENSACK	3572	BERGEN	4 40 53	74 03	10		MID	BERGEN COUNTY ENGS		8878	MERCER	2 40 14	74 46	105	MID	E. H. RISTON			2 3 5
HAMMONTON 2 NHE	3642	ATLANTIC	7 39 30	74 48	85		8A	W. S. WEATHER BUREAU	2 3 5	8899	UNION	1 39 36	74 20	10	6P	REV EDWARD D. NEGILL			2 3 5 7 C
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 48	1600		8A	N. J. DEPT. OF CONS.	2 3 5	9135	CUMBERLAND	6 39 29	75 20	110	8A	STATE HOME FOR WOMEN			3
NIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100		6P	JAMES R. PICKERING	2 3 5 7	9187	PASSAIC	8 41 03	74 18	320	8A	WATER SUPPLY COMM			3 7 C
NIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75		MID	DEPT WATER & SEWAGE		9271	UNION	8 40 40	74 25	-	WID	BONNIE BURN SAN			3
INDIAN HILLS 2 W	4220	BURLINGTON	7 39 48	74 47	100		7P	EDWARD ENTWISTLE	2 3 5 7	9363	HUNTERDON	10 40 27	74 48	160	7A	ROBERT N. HANNERS			3
IRVINGTON	4280	ESSEX	1 40 45	74 15	120		MID	JOINT MEETING GARAGE	3	9455	UNION	9 40 39	74 21	138	5P	CITY ENGINEER			3
JERSEY CITY	4287	HUDSON	40 59	74 04	135		MID	JOINT MEETING GARAGE	2 3 5 7	9511	UNION	2 41 01	74 03	153	MID	HACKENSACK WATER CO			3
LAKEWOOD 2 ENE	4427	OCEAN	1 40 06	74 11	54		MID	GEORGE G. WADILL	2 3 5 7	9910	SALEN	2 39 38	75 25	30	7A	RAYMOND L. BLEW JR.			2 3 5
LAKEVILLE	4635	HUNTERDON	2 40 22	74 57	75		6P	E. E. CASE	2 3 5 7										
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480		6P	A. N. DEPU	2 3 5 7										
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10		4P	LEESBURG STATE FARM	2 3 5										
LITTLE FALLS 1 E	4887	PASSAIC	8 40 59	74 14	157		9A	PASSAIC VLY WTR COMM	2 3 5 7 C										
LONG BRANCH	4967	MORRIS	10 40 18	75 59	34		NID	STORM WTR. DSPL STA	2 3 5 7 C										
LONG VALLEY	5003	MORRIS	10 40 48	74 46	860		6P	ARTHUR BARKMAN	2 3 5 7										
LUNEBERTON	5055	BURLINGTON	2 39 58	74 48	25		MID	JAMES LANTON											
MACPHER INTAKE	5071	PASSAIC	8 41 01	74 24	84		9A	NEWTOWN WATER DEPT	3										
NAHMAN	5104	BERGEN	8 41 08	74 10	253		7A	ROBERT G. GLASSGOW	3										
NANVILLE	5197	SOMERSET	10 40 39	75 34	50		MID	JOHN L. RADCLIFFE	3										
NEARFORD SCS	5244	MORRIS	1 40 20	74 14	120		MID	GEORGE BRILL	3										

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURORA; 7-MULICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are sinking or were received too late to be included in this issue.

Divisions, as used in Table 2, become effective with date for September 1858.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sum of the negative departures of average daily temperature from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 8. Max and Min in Table 8 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variation in the snowpack result in apparent inconsistency in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 8 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 5, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

+ And also on a later date or date.

++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.

* Amount included in following measurement, time distribution unknown.

// Gage is equipped with a windshield.

* Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AS Data based on observational day ending before noon.

S Adjusted to a full month.

C is the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Sourly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

E In the "Refer to Tables" column in the Station Index the letter "E" indicates that soil temperatures are published.

G One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 3 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.

N Amounts from recording gage (these amounts are essentially accurate but may vary slightly from the amounts to be published later in "Sourly Precipitation Data").

T Trace, an amount too small to measure.

Y Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposure etc. of stations through 1955 may be found in the publication "Station History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issue of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks and money orders should be made payable to the Superintendent of Documents. Resittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWBC, Asheville, N. C. --- 9/3/57 --- 750

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

AUGUST 1957

Volume LXII No. 8



WEATHER SUMMARY

GENERAL

Cooler and drier than usual were significant features in New Jersey's weather during August.

Temperature averages for all stations having long-term averages showed minus departures which ranged from -0.1° at Newark WB Airport to -5.5° at Sussex 3 N. The high reading of 101° on the 3rd at Flemington 1 NE took top honors, while Atlantic City WB reported 86° on the 12th for the lowest maximum reading. The lowest temperature for the month was 34° at Layton 3 NW on the 24th.

The precipitation averages for all stations which have long-term values were deficient, and in a number of instances these deficiencies exceeded three inches and in a few cases they exceeded four inches. Monthly totals ranged from 0.65 inch at Indian Mills 2 W to 3.79 inches at Midland Park, while the greatest measurement on one day was 2.65 inches at Runyon on the 26th. Trenton WB City reported the fourth consecutive dry month, and the second driest August of record, the driest being 0.92 inch in 1869. Also the 30.46 inches of reduced pressure of the 22nd was the highest ever recorded for August.

WEATHER DETAILS

The month began with temperatures averaging above seasonal for the first few days, but the passage of a cold front brought cooler weather on the 5th that continued for the next few days. During the remainder of the month pressure patterns that controlled the State's weather produced daily temperatures that were predominantly cooler than the long-term average. However, there was considerable fluctuation in temperatures and there were several instances when daily values were slightly above long-term averages.

The only precipitation of real significance occurred on the 25th and 26th during the passage of a low pressure system which produced general rains over the State. There were several prior dates on which some precipitation fell and also some thunderstorm activity, but amounts that occurred were mostly in the light category.

WEATHER EFFECTS

During the first decade of the month drought

conditions continued statewide. Corn, tomato, potato, and fruit yields were poor to date and prospects were poor. Pastures were mostly dry. Local showers around mid-month helped to start pasture growth and improve prospects of late hay cuttings. Corn which had been damaged at tassel time was not benefited. The harvest of corn damaged by drought was active for use as silage. The peach harvest was near peak, with Elbertas on the market sooner than usual. The cool weather and showers were helpful in starting plantings of fall vegetables. Harvests of cucumbers and market tomatoes continued, with light yield.

Rains on the 25th and 26th came too late to help many crops, such as field corn, peaches, and tomatoes for processing, but were of considerable benefit to fall pastures, hay for late cuttings, for new seedings which survived the drought, late apples, and fall vegetable crops. The rains also permitted plowing for fall grain, cover crops, and emergency pasture crops. As the month came to an end more rain was needed to bring about further recovery of pastures and hayfields, also needed for recently planted pastures and hay seedings, including alfalfa and emergency rye plantings, fall grains, and cover crops. The harvest of lima beans for freezing was active in the south, with fields showing considerable earlier drought damage.

DESTRUCTIVE STORMS

None reported.

FLOODS

None on rivers. According to the U. S. Geological Survey the general storm around the 26th yielded an inch or more of precipitation to most of New Jersey and broke the drought temporarily as far as agriculture was concerned, but did little to improve the seriously deficient streamflow. Runoff was record low for the second consecutive month at the key station, Great Egg Harbor River at Folsom, with 32 years of record, and a new minimum daily flow of 18 cfs occurred on several days. Water level in the key well near Old Bridge declined to within 0.05 ft. of the lowest August level of record.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

CLIMATOLOGICAL DATA

NEW JERSEY
AUGUST 1957

TABLE 2

Station		Temperature												Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days			
											Max		Min.						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More	
											30° or Above	32° or Below	32° or Above	30° or Below											
NORTHERN																									
BELVIOERE		84.8	57.1	71.0	- 1.7	98	3	44	6	8	6	0	0	0	1.28	- 3.88	.71	13	.0	0		3	1	0	
BOONTON 2 SE	AM	82.1	55.3	68.7	- 2.1	93	4	44	24	17	4	0	0	0	2.44	- 2.52	1.35	26	.0	0		4	1	1	
CANOE BROOK	AM	83.5	54.3	68.9	- 2.2	98	4+	43	6	15	6	0	0	0	2.18	- 3.24	1.22	26	.0	0		3	2	1	
CHARLOTTEBURG	AM	81.1	48.3	64.7	- 4.7	94	4	37	24	72	2	0	0	0	2.00	- 2.98	.93	26	.0	0		4	2	0	
ELIZABETH	AM	84.5	60.4	72.5	- 1.7	99	3	50	24	0	7	0	0	0	2.97	- 2.04	2.06	26	.0	0		6	1	1	
ESSEX FELS SERV BLOG	AM	81.3	55.8	68.6		98	4	48	6+	18	4	0	0	0	1.35		1.12	26	.0	0		2	1	1	
FLEMINGTON 1 NE		86.8	55.6	71.2	- 2.4	101	3	41	24	8	11	0	0	0	1.28	- 4.05	.94	26	.0	0		2	1	0	
HIGH POINT PARK		74.5	53.4	64.0		87	4	41	24	71	0	0	0	0	3.69		.90	5	.0	0		9	9	0	
JERSEY CITY		78.7	62.4	70.6	- 3.4	93	3	53	28	5	3	0	0	0	3.07	- 1.43	1.03	25	.0	0		9	2	1	
LAMBERTVILLE		85.5	57.6	71.6	- 1.3	96	3	45	23+	5	7	0	0	0	1.98	- 3.40	1.45	26	.0	0		4	1	1	
LAYTON 3 NW		82.2	51.1	66.7	- 3.0	93	4	34	24	41	2	0	0	0	1.41	- 3.14	.41	26	.0	0		4	0	0	
LITTLE FALLS 1 E	AM	84.9	56.1	70.5	- 2.3	98	4	47	24	3	8	0	0	0	2.38	- 2.89	1.33	26	.0	0		4	1	1	
LONG VALLEY		83.1	54.0	68.6		96	3	39	24	33	5	0	0	0	1.54	- 3.77	.65	26	.0	0		4	1	0	
MORRIS PLAINS		84.3	55.6	70.0		95	3+	41	24	20	10	0	0	0	1.82		.89	26	.0	0		5	1	0	
NEWARK WB AIRPORT	R	82.7	63.2	73.0	- .1	99	3	56	24+	0	4	0	0	0	2.64	- 1.55	1.47	25	.0	0		4	1	1	
NEWTON	AM	81.5	51.4	66.5	- 3.7	94	4	40	23+	51	3	0	0	0	1.30	- 3.36	.50	13	.0	0		2	1	0	
PATERSON	AM	82.2M	58.0M	70.1M	- 3.5			50	24	2	7	0	0	0	5.85	- 3.77	1.75	26	.0	0		4	2	1	
PHILLIPSBURG		85.5	58.0	71.8	- .5	94	4	46	23+	2	4	0	0	0	2.22	- 3.09	1.46	26	.0	0		4	1	1	
PLAINFIELD		83.3	59.1	71.2	- 1.9	97	3	46	24	5	7	0	0	0	2.93	- 2.47	1.82	26	.0	0		4	1	1	
RIDGEFIELD		82.2	59.3	70.8	- 2.2	97	3	50	6+	2	5	0	0	0	3.33	- 1.40	2.01	25	.0	0		4	1	1	
SOMERVILLE		86.5	57.8	72.2	- .6	98	3	45	24	2	9	0	0	0	1.30	- 4.11	.54	26	.0	0		5	1	0	
SUSSEX 3 N	AM	81.8	49.6	65.7	- 5.5	96	4	40	24	45	2	0	0	0	1.49	- 3.38	.44	26	.0	0		5	0	0	
DIVISION				69.4	- 2.7										2.08	- 2.99			.0						
SOUTHERN																									
AUQUON		85.0	61.9	73.5		98	3	50	24	0	6	0	0	0	1.12		.56	25	.0	0		3	1	0	
BELLEPLAIN		83.3	60.1	71.7		97	3	45	24	13	4	0	0	0	3.17	- 2.71	1.01	4	.0	0		7	2	1	
BRIOTEGON 1 NE	AM	84.3M	59.6M	72.0M	- 2.7	95	4	48	24	1	6	0	0	0	1.90	- 3.20	1.15	26	.0	0		4	1	1	
BURLINGTON		86.4	62.2	74.3	- 1.2	97	3	53	24	0	10	0	0	0	1.38	- 3.21	1.12	26	.0	0		2	1	1	
CLAYTON		84.0	61.5	72.8		96	3	50	24	0	5	0	0	0	1.71		.67	26	.0	0		3	2	0	
FREEHOLD		83.2	59.1	71.2	- 1.9	95	3	47	24	7	4	0	0	0	2.73	- 2.27	1.35	26	.0	0		5	2	1	
HAMMONTON 2 NNE	AM	85.9M	60.0M	73.0M	- 1.2	98	4	49	24	0	9	0	0	0	1.82	- 4.13	1.34	26	.0	0		3	1	1	
HIGHTSTOWN 1 N		83.8	58.5	71.2	- 1.6	95	3	44	24	7	6	0	0	0	1.39	- 3.38	.87	26	.0	0		3	1	0	
INOIAN MILLS 2 W		83.7	56.1	69.9	- 3.0	96	3	38	24	15	5	0	0	0	.65	- 4.96	.24	25	.0	0		3	0	0	
LAKEWOOD 2 ENE		80.5	55.9	68.2	- 4.3	98	3	45	14+	28	3	0	0	0	2.94	- 2.20	1.61	15	.0	0		4	5	1	
LEESBURG STATE FARM		82.2	60.3	71.3		91	2+	48	24	2	4	0	0	0	2.83		1.02	4	.0	0		7	2	1	
MILLVILLE	AM	83.9	61.7M	72.8M		94	4	51	24	2	5	0	0	0	2.15		.68	25	.0	0		5	2	0	
MOORESTOWN		83.5	59.6	71.6	- 1.5	96	3	47	24	1	3	0	0	0	1.13	- 3.80	.94	26	.0	0		1	1	0	
NEW BRUNSWICK EXP STA		83.2	59.9	71.6	- 1.5	94	3	48	24	4	5	0	0	0	3.66	- 1.12	1.33	26	.0	0		6	3	1	
PEMBERTON 3 E		84.1	57.0	70.6	- 3.4	95	3	42	24	9	3	0	0	0	2.79	- 2.14	1.48	1	.0	0		5	2	1	
PLEASANTVILLE 1 N	AM	80.5	58.4	69.5	- 3.4	91	4	48	24	13	2	0	0	0	2.77	- 3.06	.75	5	.0	0		6	2	0	
RUNYON		84.9	56.6	70.8	- 1.7	95	9	35	24	18	5	0	0	0	3.19	- 1.22	2.65	26	.0	0		4	1	1	
TRENTON 2		93.8	61.9	72.9		96	3	51	24	0	6	0	0	0	1.43	- 4.16	1.15	25	.0	0		3	1	1	
TRENTON WB CITY	R	81.8	62.4	72.1	- 1.1	95	3	53	24	0	3	0	0	0	1.10	- 3.49	.95	25	.0	0		1	1	0	
TUCKERTON		81.1M	59.9M	70.5M		90	3	46	24	11	1	0	0	0	3.12		1.30	22	.0	0		7	2	1	
WOODSTOWN 5 WSW	AM	84.4	60.0	72.2		97	4	49	24	0	6	0	0	0	1.65		1.16	26	.0	0		3	1	1	
DIVISION				71.8	- 1.7										2.08	- 3.12			.0						
COASTAL																									
ATLANTIC CITY WB	R	75.8	65.3	70.6	- 2.5	86	12	56	6	1	0	0	0	0	3.38	- 1.34	.84	4	.0	0		5	4	0	
CAPE MAY 3 W		81.4M	64.8M	73.1M				48	24	0	1	0	0	0	2.16		.92	19	.0	0		4	2	0	
LONG BRANCH		79.1	60.6	69.9	- 2.9	95	3	49	24	6	1	0	0	0	2.82	- 2.55	1.34	4	.0	0		5	2	1	
SANDY HOOK LBSTA		82.4	64.3	73.4	- .7	92	3+	58	28+	0	6	0	0	0	1.61	- 2.94	1.08	25	.0	0		2	1	1	
DIVISION				71.8	- 1.8										2.49	- 2.42			.0						

† DATA RECEIVED TOO LATE TO BE
INCLUDED IN DIVISION AVERAGES

NEW JERSEY
AUGUST 1957

NEW JERSEY
AUGUST 1957

NEW JERSEY
AUGUST 1957

NEW JERSEY
AUGUST 1957

NEW JERSEY
AUGUST 1957

DAILY TEMPERATURES

NEW JERSEY
AUGUST 1957

Table 5

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX MIN	85 71	79 68	79 72	75 69	78 63	74 56	75 63	77 65	80 70	79 69	76 65	86 67	69 61	75 63	76 68	77 68	74 64	76 66	70 64	73 64	76 63	72 65	70 60	73 60	72 66	77 69	82 68	70 58	72 60	76 69	78 70	75.8 65.3
AUDUBON	MAX MIN	91 65	92 62	98 86	87 74	83 68	82 56	84 55	91 59	85 69	82 69	94 61	89 69	81 56	88 55	91 66	89 72	85 60	84 57	74 61	85 61	76 57	78 60	83 54	82 50	75 65	75 67	89 73	78 58	80 54	85 56	87 68	85.0 61.9
BELLEPLAIN	MAX MIN	95 67	92 60	97 67	86 70	85 65	81 49	82 52	84 67	88 71	81 69	89 61	85 68	82 56	86 56	84 67	93 80	80 54	85 81	78 60	79 58	83 56	82 59	70 45	70 45	72 65	78 68	85 67	83 54	76 51	86 69	85 67	83.3 60.1
BELVIDERE	MAX MIN	89 60	91 56	98 69	92 72	79 63	80 44	83 52	91 51	90 64	84 68	92 56	83 60	85 48	88 52	87 67	86 64	84 51	82 50	83 62	87 54	85 48	86 46	79 64	86 60	78 46	78 46	83 50	88 63	83 63	84.8 57.1		
BOONTON 2 SE	MAX MIN	91 66	87 57	89 58	93 69	83 63	79 48	83 48	93 54	79 69	81 69	88 57	90 60	82 45	78 47	83 53	89 62	86 54	80 50	85 59	79 54	81 52	85 57	77 46	80 44	80 48	71 64	78 61	83 47	75 49	73 53	80 62	82.1 55.3
BRIDGETON 1 NE	MAX MIN	92 67	92 62	95 65	85 75	84 66	84 51	83 53	88 56	88 54	82 62	90 62	89 52	80 56	83 67	83 66	92 62	84 54	68 59	81 57	88 59	77 52	82 48	81 61	77 63	77 63	87 55	79 54	80 61	86 69	84.3 59.6		
BURLINGTON	MAX MIN	90 69	95 65	97 66	91 75	86 67	83 54	85 56	91 60	90 60	84 66	93 64	91 55	87 55	91 65	91 66	89 70	86 60	84 58	77 64	85 63	87 59	84 62	81 56	82 53	77 67	75 64	89 55	85 56	88 64	86.4 62.2		
CANOE BROOK	MAX MIN	91 61	89 54	90 58	98 73	85 64	80 43	80 48	82 48	90 60	90 67	84 58	98 58	82 45	82 47	89 57	88 52	84 47	85 48	76 61	82 52	80 49	76 56	80 48	84 49	77 65	86 45	74 50	74 54	81 61	84.5 54.3		
CAPE MAY 3 W	MAX MIN	86 69	86 67	86 70	86 72	82 71	79 60	83 61	80 72	82 67	86 70	80 64	83 69	79 60	80 63	83 69	86 58	81 64	78 58	76 62	82 68	77 62	76 58	76 56	84 68	81 58	76 60	83 67	82 69	86 67	82 69	81.4 64.8	
CHARLOTTEBURG	MAX MIN	89 57	85 50	88 53	94 56	80 42	77 40	76 43	80 42	88 46	89 63	75 50	90 54	80 39	80 40	81 46	86 59	84 47	80 41	80 51	78 48	80 45	85 49	74 39	79 40	80 63	70 55	82 40	74 39	77 56	79 47	81.1 48.3	
CLAYTON	MAX MIN	90 68	90 62	96 60	93 65	82 67	80 52	83 55	88 58	84 68	83 72	90 62	89 68	83 55	85 54	87 68	89 72	84 61	83 58	73 60	82 59	87 58	80 50	82 53	80 50	74 65	76 67	86 54	85 55	86 69	86 70	84.0 61.5	
ELIZABETH	MAX MIN	92 66	93 62	99 64	93 74	83 64	80 51	86 54	92 56	94 66	86 71	93 62	83 63	80 52	84 52	88 66	84 66	84 54	81 55	76 66	84 61	87 55	80 61	83 51	80 50	74 66	74 66	88 55	82 54	85 63	87 65	84.5 60.4	
ESSEX FELS SERV BLDG	MAX MIN	90 64	89 60	89 58	98 65	84 61	78 48	80 50	82 52	88 56	78 60	90 66	80 55	82 50	78 50	90 60	85 50	74 52	80 58	84 56	76 57	78 59	72 58	69 48	69 50	74 52	79 50	82 52	78 54	78 58	81.3 55.8		
FLEMINGTON 1 NE	MAX MIN	91 62	92 53	101 62	95 72	85 65	81 49	85 47	92 48	92 65	89 69	95 55	92 58	83 44	88 45	91 62	90 62	85 48	85 58	86 54	90 48	85 56	86 43	83 41	80 63	75 65	80 62	87 48	78 47	83 62	87 63	86.8 55.6	
FREEHOLD	MAX MIN	89 65	92 60	95 64	90 69	82 64	79 48	87 54	87 56	89 65	86 70	90 60	85 65	82 52	84 52	88 64	83 67	82 55	80 52	75 59	83 60	85 55	78 60	78 48	79 47	73 65	75 66	87 53	85 50	84 62	83.2 59.1		
NAMMONTON 2 NNE	MAX MIN	95 66	94 62	92 65	98 73	82 65	84 52	86 54	86 54	92 64	87 70	84 62	95 67	92 54	82 51	87 62	88 71	92 59	87 53	70 59	85 58	90 60	77 52	84 50	77 56	84 56	75 66	88 52	80 53	82 60	86 66	85.9 60.0	
HIGH POINT PARK	MAX MIN	81 60	77 55	81 62	87 66	74 55	68 45	69 46	71 53	79 57	80 62	71 59	82 58	73 44	70 49	74 53	79 58	80 48	72 53	74 58	76 53	77 47	70 43	76 41	75 52	63 43	74 55	68 44	65 51	73 56	73.4 53.4		
HIGHTSTOWN 1 N	MAX MIN	91 65	93 58	95 63	85 73	83 63	81 49	85 51	90 52	91 66	82 69	92 58	86 63	80 51	86 49	88 66	85 70	85 53	82 49	84 59	79 61	80 52	79 49	80 44	73 64	76 67	88 63	76 52	80 49	86 62	83.8 58.5		
INDIAN MILLS 2 W	MAX MIN	90 60	92 52	96 61	80 71	81 63	81 41	84 45	90 49	87 65	78 68	92 59	89 58	80 51	86 45	89 64	89 68	85 51	81 49	79 59	84 57	88 58	77 48	81 38	80 38	75 64	72 67	87 51	81 45	85 60	87 64	83.7 56.1	
JERSEY CITY	MAX MIN	89 71	90 66	93 69	80 73	78 65	78 54	80 57	81 59	90 71	76 70	81 63	83 63	76 56	73 60	81 65	81 67	76 59	75 59	72 67	80 58	74 56	75 55	72 55	70 65	75 66	85 62	71 53	70 57	76 63	82 65	78.7 62.4	
LAKEWOOD 2 ENE	MAX MIN	90 62	86 59	98 63	82 70	85 55	78 49	79 49	85 63	93 63	77 64	84 58	88 63	75 50	80 45	86 65	78 54	77 51	78 48	74 58	79 58	81 54	73 47	74 45	74 45	71 65	78 65	89 49	71 46	73 61	81 60	80.5 55.9	
LAMBERTVILLE	MAX MIN	91 64	91 56	96 60	95 74	85 65	80 47	84 49	89 51	90 65	88 70	93 57	91 62	83 47	84 49	89 66	86 67	84 51	82 52	77 60	84 56	88 51	84 45	83 41	81 59	77 64	77 66	86 54	83 48	83 63	86 66	85.5 57.6	
LAYTON 3 NW	MAX MIN	88 58	88 51	92 52	93 63	78 57	75 48	85 45	86 43	88 55	83 60	81 53	80 62	79 40	81 40	85 64	83 60	80 40	81 50	81 59	79 58	80 40	85 45	84 41	84 34	73 59	80 54	86 46	74 40	80 57	83 50	82.2 51.1	
LEESBURG STATE FARM	MAX MIN	89 68	91 68	90 61	90 69	87 65	79 51	78 56	83 54	83 66	80 62	81 60	82 70	81 58	81 51	82 66	91 66	79 58	79 53	78 62	80 59	81 59	77 59	79 51	81 48	78 61	76 67	83 64	83 54	78 60	85 62	82.4 60.0	
LITTLE FALLS 1 E	MAX MIN	95 63	92 58	93 60	98 62	85 64	81 48	80 52	84 52	90 65	93 69	78 59	93 62	85 49	81 51	85 60	90 65	86 51	85 52	82 59	79 56	82 52	80 47	82 49	79 44	88 55	72 49	82 59	80 51	82 57	87 64	84.4 56.6	
LONG BRANCH	MAX MIN	87 66	86 63	95 65	82 70	78 64	82 52	77 54	83 55	89 66	87 67	82 63	83 66	74 50	76 45	85 63	80 77	77 59	77 60	75 60	80 57	77 44	77 44	72 37	74 49	73 56	77 65	85 58	70 52	73 52	81 66	79.8 66.6	
LONG VALLEY	MAX MIN	88 62	90 52	96 54	90 63	79 46	78 44	87 54	89 62	90 65	85 68	92 53	85 56	75 45	84 45	87 62	84 60	81 46	80 46	78 51	82 52	85 47	80 43	82 39	78 64	74 68	85 76	74 40	80 60	83 62	83.4 54.4		
MILLVILLE	MAX MIN	93 70	92 65	91 66	94 76	86 66	83 54	81 58	83 60	88 65	85 68	84 60	88 65	87 58	80 55	83 62	85 69	90 62	86 52	83 62	87 59	80 59	82 52	77 45	82 51	87 66	77 65	82 56	74 54	80 60	87 68	83.3 61.1	
MOORESTOWN	MAX MIN	88 64	90 59	96 67	82 73	81 61	83 53	85 51	89 55	85 67	78 66	92 60	86 65	91 53	83 51	86 64	88 8																

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
AUGUST 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	88	88	92	88	85	85	85	92	95	86	94	84	80	88	92	87	87	83	78	84	79	84	81	79	75	74	88	82	79	81	88	84.9
	MIN	60	52	62	68	61	40	45	54	70	68	64	60	58	50	66	67	48	42	59	57	54	60	37	35	67	62	60	51	59	60	60	56.6
SANDY HOOK LBSTA	MAX	90	90	92	92	89	81	81	86	92	90	85	82	84	78	84	80	79	80	76	80	80	77	76	76	74	75	86	83	73	78	85	82.4
	MIN	69	67	68	72	67	59	61	61	70	74	66	65	59	59	67	69	64	62	65	63	62	62	61	60	59	66	66	58	58	64	70	64.3
SOMERVILLE	MAX	93	95	98	96	84	83	88	92	93	83	96	91	82	85	91	87	85	82	84	87	88	79	82	82	74	79	88	79	85	83	88	86.5
	MIN	65	58	66	72	64	46	49	50	66	70	65	61	46	48	64	64	51	51	62	57	51	59	49	45	63	63	62	50	49	62	64	57.8
SUSSEX 3 N	MAX	87	84	87	96	80	75	78	80	68	88	78	91	81	78	82	87	84	80	80	82	87	80	83	82	69	81	81	82	76	71	80	81.8
	MIN	60	52	55	57	58	42	46	46	50	63	52	55	43	45	48	59	50	45	47	49	46	46	43	40	42	60	55	42	42	46	55	49.6
TRENTON 2	MAX	91	91	96	84	82	80	83	90	91	78	92	85	79	86	88	88	84	84	75	84	87	79	81	81	74	76	88	76	76	82	86	83.8
	MIN	69	64	66	73	66	52	55	58	70	69	62	68	54	55	68	71	56	56	62	62	59	61	54	51	65	67	65	53	54	65	67	61.9
TRENTON WB CITY	MAX	89	90	95	84	80	79	82	89	88	77	90	84	79	83	87	84	82	80	73	82	83	75	78	77	72	75	85	75	75	81	84	81.8
	MIN	70	66	68	70	60	54	58	61	71	69	64	63	55	59	67	69	60	58	63	62	61	61	55	53	65	67	61	54	56	66	68	62.4
TUCKERTON	MAX	87	85	90	84	81	60	79	62	86	85	83	87	78	80	85	82	80	78	75	78	82	78	73	74	72	76	86	83	82	82		81.1
	MIN	65	59	64	72	64	47	53	61	66	68	61	68	56	57	69	71	56	49	58	62	55	61	49	46	65	66	63	50	52	64		59.9
WOODSTOWN 5 WSW	MAX	92	92	93	97	84	84	82	86	84	85	83	91	82	82	86	89	91	84	85	72	82	68	80	84	81	74	76	87	74	80	87	84.4
	MIN	68	63	65	65	67	53	53	58	62	68	59	61	58	54	59	70	61	57	60	62	58	58	54	49	52	66	64	54	57	58	68	60.0

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or Avg
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP	.15	.23	.20	*	*	.59	.10	.24	.17	*	*	.43	.21	.15	.12	.09	.13	.20	.10	.13	.10	.17	.15	.26	-	-	-	.23	*	*	.22	B4.64
	WIND	5	16	0	16	6	20	2	16	4	6	2	3	11	6	4	2	2	2	1	2	3	11	12	9	10	6	3	13	4	3	2	202
PLEASANTVILLE 1 N	EVAP	.36	.25	.26	.21	.14	.25	.21	.06	.34	.11	-	.20	.15	.21	.21	.12	.16	.16	-	.11	.22	.05	.06	.23	.09	-	-	.19	.05	.20	.12	B5.49
	WIND	26	12	63	9	16	35	15	31	23	6	12	20	36	23	39	22	31	10	16	39	17	11	26	24	22	29	33	16	23	16	17	726


DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	95	96	96	62	67	93	94	100	97	92	96	65	93	90	95	65	66	62	75	61	64	60	61	60	71	73	66	76	72	75	61	65.2
	MIN	70	87	69	73	64	60	62	62	69	67	64	64	59	59	66	66	63	62	65	65	63	62	61	59	67	73	66	62	61	65	67	64.6
2 INCHES	MAX	85	85	85	79	80	80	80	85	83	70	84	80	81	80	82	79	80	75	78	75	77	75	74	72	70	71	75	72	69	72	75	77.6
	MIN	71	69	71	74	67	64	65	65	71	70	66	66	62	64	69	70	66	65	67	66	65	66	64	62	66	69	67	64	63	65	67	66.6
4 INCHES	MAX	63	63	63	79	79	79	79	63	62	71	62	79	60	79	60	76	76	74	72	74	75	74	74	72	70	71	74	72	69	71	74	76.6
	MIN	72	70	72	75	69	65	66	66	72	70	67	69	64	65	70	71	67	66	66	66	65	67	64	63	69	69	66	65	63	65	66	67.7
6 INCHES	MAX	76	76	79	77	76	74	74	77	77	75	76	75	74	74	75	75	74	72	71	71	72	72	71	70	69	69	72	71	66	69	71	73.5
	MIN	73	72	73	75	73	66	69	70	73	72	70	72	66	66	71	72	70	69	70	69	66	69	67	66	66	66	66	66	66	67	68	69.6
16 INCHES	MAX	74	74	74	75	74	73	72	73	73	72	72	72	72	71	72	72	72	72	70	70	70	70	70	70	66	69	70	70	69	68	70	71.4
	MIN	72	72	73	73	73	70	70	70	72	72	71	71	70	70	70	71	70	70	69	69	69	69	69	69	66	66	66	66	67	67	68	70.4
32 INCHES	MAX	69	69	70	70	70	70	69	69	69	70	70	70	69	69	69	69	69	69	69	69	69	69	66	66	66	66	66	66	67	67	67	69.0
	MIN	69	69	69	69	70	69	69	68	69	69	69	69	69	66	66	69	69	69	69	69	69	66	66	66	66	66	66	67	67	67	67	68.3

Measured under Kentucky Bluegrass.

TOTAL PRECIPITATION


NEW JERSEY
AUGUST 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
AUGUST 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
AUGUST 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	210	MID	BERGEN COUNTY ENG	2 3 5	C	WARTON 1 W	5352	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM	3	
ATLANTIC CITY WB	0325	ATLANTIC	3 39 22	74 25	8	MID	U. S. WEATHER BUREAU	2 3 5	7 C	HAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50	5P	ELMER EARLE	3	
AUBURN	0340	CAMDEN	3 39 34	75 04	50	11P	IRVIN J. NYGREN	2 3 5		MIDLAND PARK	5503	BERGEN	1 40 59	74 09	210	8A	RIDGEWOOD WATER CO.	3	
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 26	20	6P	Mrs. FORESTRY SVC.	3	7	MILLVILLE	5576	CUMBERLAND	0 39 24	75 03	60	8A	LA J. GALLAGHER	2 3 5	7 C
BELLEPLAIN	0600	CAPE MAY	1 39 16	74 52	40	5P	MRS. ED C. HOFFMAN	2 3 5		HILTON	5597	MORRIS	0 41 01	74 32	950	7A	JERSEY CITY WTR WKS	3	
BERLIN	0721	MONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT	3	7	MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	10P	HA J. WILLARD	2 3 5	7
BELVIDERE	0729	WARREN	2 40 10	75 05	280	5P	MISS C. S. HEDSON	2 3 5	7	MORRIS PLAINS	5740	MORRIS	0 40 30	74 30	500	4P	JAMES C. LONG	2 3 5	7
BLOOMTON 2 SE	0787	CAMDEN	3 39 48	74 57	150	7A	SAMUEL M. MC CULLEY	3		NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU	2 3 5	7 C
BLACKWELLS HILLS	0847	SOMERSET	10 40 29	74 35	27	7A	HENRY M. MILLER	3		NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR M. AHLQUIST	2 3 5	7 G
BLOOMTON 2 SE	0907	MORRIS	0 40 34	74 24	280	8A	JERSEY CITY WTR WKS	2 3 5		NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO.	3	C
BOND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	8A	AMERICAN CYANAMID CO.	3		NEWTON	6177	SUSSEX	2 41 03	74 45	365	8A	NEWTON WTR SWM COMM	2 3 5	7 C
BRANCHVILLE	0978	SUSSEX	2 41 09	74 27	570	7A	ALBERT M. DAVENPORT	3		OLD RIDGE RESERVOIR	6460	PASSAIC	0 41 02	74 30	870	8A	NEWARK WATER DEPT	3	
BRIDGEFORD 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WHJ	2 3 5		OKAWICK	6544	HUNTERDON	10 40 40	74 45	260	8A	DAN A. COUGHLIN	3	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC C. & G. CO.	2 3 5		ORANGE	6580	ESSEX	0 40 47	74 14	140	MID	COUNTY ENGINEER	3	
CANISTEAR RESERVOIR	1327	SUSSEX	0 41 07	74 30	1040	8A	NEWARK WATER DEPT	3		PATERSON	6775	PASSAIC	0 40 55	74 09	100	8A	PA J. DEL VECCHIO	2 3 5	7
CANOE BROOK	1335	ESSEX	0 40 45	74 21	180	9A	COMMONWEALTH WTR CO.	2 3 5	6	PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. JOELHURT	2 3 5	7
CANTON	1343	SALEM	2 39 28	75 25	20	9A	GERTRUDE S. WILLIS	3		PHILLIPSBURG	6974	WARREN	2 40 41	75 12	192	3P	SEANNE OISPOSL PLT	2 3 5	7
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P	WEST MAGNETIC CO.	2 3 5	C	PHILLIPSBURG BRIDGE	6970	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE COM	3	
CEDAR GROVE	1472	ESSEX	0 40 52	74 13	400	8A	J. A. PLUNKETT	2 3 5	7	PLAINFIELD	7070	UNION	10 40 36	74 25	120	6P	J. K. PEARSON	2 3 5	7
CHARLOTTEBURG	1512	SALEM	0 39 31	75 10	80	MID	JOHN HOPKINS UNIT	3	C	PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	7A	JOHN M. BERRYMAN	3	
CHATHAM	1582	PASSAIC	0 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7	PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	8A	ATLANTIC CITY WTR WK	2 3 5	6
CHATSWORTH 5 S	1590	MORRIS	0 40 44	74 23	185	8A	EDWARD P. MOLITOR	3		PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	95	MID	PRINCETON WATER CO.	3	
CLAYTON	1598	BURLINGTON	1 39 44	74 32	90	5P	WILLIAM S. HAINES	INAC	1/57	RAHWAY	7393	UNION	0 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH	3	7 C
CLINTON	1708	GLoucester	0 39 39	75 06	120	6P	MARY P. CAMPBELL	2 3 5	7	RIDGEFIELD	7545	BERGEN	0 40 30	74 01	80	MID	GEORGE P. KIRSTEN	2 3 5	7
DEEPWATER	2209	SALEM	2 39 41	75 30	32	MID	U. S. PONT DE NEUMOURS	3		RIDGEWOOD	7587	PASSAIC	0 41 08	74 16	305	10A	NO JERSEY WTR SUPPLY	3	
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5	C	RYNOM	7825	MIDDLESEX	1 40 26	74 20	18	6P	NY J. WATER COMM	2 3 5	6
ELIZABETHPORT	2646	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5	C	SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD	2 3 5	7
ESSEX FIELDS SERV BLDG	2768	ESSEX	0 40 50	74 18	250	8A	BOROUGH ESSEX FIELDS	2 3 5	C	SENECAVILLE PL	8194	SOMERSET	10 40 34	74 37	75	6P	PA J. K. PEARSON	2 3 5	7
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	DONALD YOUNG	2 3 5	7	SPLIT ROCK POND	8402	MORRIS	0 40 58	74 28	800	10A	JERSEY CITY D P W	3	
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	7A	JOHN LOPER	3		SPRINGFIELD	8423	UNION	1 40 43	74 18	-	MID	NY J. DEPT OF CONG	3	C
FREEDHOLD	3181	MONMOUTH	10 40 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7 C	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON	2 3 5	
GLASSBORO	3291	GLoucester	2 39 42	75 07	150	MID	PROF. J. B. SANGREE	3		SWEEPBOARD 5 NW	8685	GLoucester	2 39 47	75 24	10	12M	SNOW OIL CO.	3	
GREAT MEADOWS 4 N	3416	WARREN	2 40 56	74 55	550	MID	MICHAEL OZYMSKI JR.	3		TOMS RIVER	8810	ESSEX	1 39 57	74 14	10	5P	ROBERT F. SNYDER	3	
GREENWOOD LAKE	3516	PASSAIC	0 41 09	74 20	600	7A	GEORGE T. WIGGINS	3		TRANQUILITY 2 W	8858	WARREN	2 40 57	74 30	551	MID	NY J. ERVEY	2 3 5	C
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENG	2 3 5	C	TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	NY J. RISTOW	2 3 5	C
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 59	74 48	85	8A	W. HUBBARD PARKHURST	2 3 5		TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU	2 3 5	7 C
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 40	1600	8A	PA J. DEPT. OF CONG	2 3 5		TUCKERTON	8899	OCEAN	1 39 36	74 20	10	6P	REV EDWARD G. MEGILL	2 3 5	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	6P	JAMES R. PICKERING	2 3 5	7	VINELAND	9135	CUMBERLAND	0 39 29	75 00	110	8A	STATE HOME FOR WOMEN	3	
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE	3		WANAQUE RAYMOND DAM	9187	PASSAIC	0 41 03	74 18	320	8A	WATER SUPPLY COMM	3	7 C
INJAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5	7	WATCHUNG	9271	UNION	0 40 40	74 25	-	MID	BONNIE BURN SAN	3	
IRVINGTON	4260	ESSEX	1 40 43	74 13	120	MID	JOINT MEETING GARAGE	3	C	WERTSVILLE	9363	HUNTERDON	10 40 27	74 48	160	7A	ROBERT M. MANNERS	3	
JERSEY CITY	4339	Hudson	1 40 44	74 04	135	MID	JOHN J. DEPT. OF CONG	2 3 5	7	WESTFIELD	9455	UNION	1 39 57	74 14	10	5P	CITY ENGINEER	3	C
LAKENWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	56	MID	GEORGE G. WOODILL	2 3 5	7 C	WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103	MID	HACKENSACK WATER CO.	3	C
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5	7	WOODSTOWN 5 WSW	9910	SALEM	2 39 38	75 25	30	7A	RAYMOND L. BLEW JR.	2 3 5	
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	PA J. M. DEPU	2 3 5	7										
LEESBURG STATE FARM	4762	CUMBERLAND	0 39 14	74 56	10	6P	LEESBURG STATE FARM	2 3 5	7										
LITTLE FALLS 1 E	4887	PASSAIC	0 40 53	74 16	157	9A	PASSAIC VLY WTR COMM	2 3 5	7 C										
LONG BRANCH	4987	MONMOUTH	0 40 18	73 59	34	MID	STORM WARR. OSLP STA	2 3 5	7 C										
LONG VALLEY	5003	MORRIS	10 40 48	74 46	600	6P	ARTHUR BARKMAN	2 3 5	7										
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LANTON	3											
MACAPIN INTAKE	5071	PASSAIC	0 41 03	74 58	584	9A	NEWARK WATER DEPT	3											
MAHWAH	5104	BERGEN	0 41 06	74 10	253	7A	ROBERT G. GLASGOW	3											
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADCLIFFE	3											
MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	GERD HILF	3											

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6. Wax and Win in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1821-1850, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 8 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local time. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

++ And also on a later date or dates.

++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.

* Amount included in following measurement, time distribution unknown.

// Gain is equipped with a windshield.

Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data".

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

M One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 3 for detailed daily record. Degree day data, if carried for this stations, have been adjusted to represent the value for a full month.

R Amounts from recording gage (these amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data".)

T Trace, an amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposures etc. of stations through 1855 may be found in the publication "Station History" for this station. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWRC, Asheville, N. C. --- 10/3/57 --- 750

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

SEPTEMBER 1957

Volume LXII No. 9

THE LIBRARY OF THE

NOV 2 1957

UNIVERSITY OF ILLINOIS



WEATHER SUMMARY

GENERAL

The weather during September was warmer and drier than usual at most stations where comparisons could be made.

The temperature averages for all divisions were in excess of long-term values, ranging from + 0.9° in the Northern Division to + 2.1° in the Southern and Coastal Divisions. The maximum temperature for the month was 96° and was shared by three stations, Audubon and Pemberton 3 E on the 3rd and Lakewood 2 ENE on the 3rd and 13th. More than one-half of the stations reported minimum temperatures for the month that were below freezing, but Layton 3 NW was lowest with 23° on the 27th.

The precipitation averages for all divisions were less than long-term values by more than one-half inch. Nearly all stations for which comparative data are available showed minus departures from long-term means, and in some instances these departures exceeded two inches. Monthly totals ranged from 1.49 inches at Clinton to 6.75 inches at Deepwater. The greatest measurement on one day was 2.63 inches at Cape May 3 W on the 8th.

The percentage of possible sunshine was less than usual at Atlantic City WB and Trenton WB City, while average daytime cloudiness was greater than usual at Atlantic City WB, Newark WB Airport, and Trenton WB City.

WEATHER DETAILS

Warm weather prevailed during the first four days of the month with departures on the 3rd equaling or exceeding 10 degrees over much of the State. Temperatures fluctuated slightly during the period 5th-10th but daily departures were not significant. A rather prolonged period of warm weather prevailed from the 11th to 23rd, inclusive. Pressure patterns that controlled the weather during this period caused temperatures to fluctuate considerably and much of the State experienced averages on the 13th, 15th, 16th, 21st, and 22nd that exceeded long-term means by 10° or more. A cold front moved across the State on the 23rd and ushered in cooler weather with minus departures persisting during the period 24th-30th. During this week of cool weather most stations recorded their greatest minus departures for the month on the 27th, 28th, and 29th.

Moderate to heavy rains fell in the Northern Division around the 3rd-4th but otherwise rainfall was of little consequence through the 6th. Rain was more widespread during the period 7th-23rd. During this period occurrences were rather frequent with measured amounts mostly in the light category. On the 30th light precipitation which fell over the State was of little consequence. On some of the dates on which precipitation fell thunderstorms were also noted.

WEATHER EFFECTS

The severe summer drought in New Jersey was relieved considerably by general rains around the 10th, 16th, and 23rd. On the mornings of the 27th, 28th, and

29th killing frosts ended growth of tender crops in most of the State except for coastal and lower Delaware River areas of south Jersey. Damage to corn and soybeans from the unusually early frost was generally light since most fields had begun to dry up in August. Cranberry growers who could not flood their bogs suffered heavy freeze damage. The month's weather had little effect on New Jersey prospects for corn for grain. With earlier drought damage becoming more definite, growers reports now indicate an equivalent yield of only 22.0 bushels for all corn, which is equal to the record low yield in 1903. An unusually small percentage of the New Jersey acreage has been left for grain. Considerable acreage of soybeans, which were planned for beans, has been harvested for hay or silage or will be abandoned. Sweet potato harvesting was slowly getting under way, but general digging is not expected before mid-October. September rains aided crop growth and the production forecast for the State is slightly higher than a month ago.

General rains in late August and during September were beneficial to the late apple crop. These rains caused late apples to make larger size which accounts for the increased production from a month ago. Quality was generally good and cooler weather had aided in putting on a good finish. Peach harvest ended about mid-September with a few Rio-Oso-Gems still being sold from storage the last of the month. Grape production, compared with 1956, is down 8 percent, while cranberry production is 4 percent below last year. Pastures responded remarkably well to recent rains and conditions were considerably improved over a month ago.

September weather conditions were more favorable for market vegetables than during the earlier growing period, but for all except the late season crops, the rainfall came too late to be of much benefit. The severe drought hampered strawberry plant growth throughout the summer and beds are going into the dormant season in generally poor condition.

DESTRUCTIVE STORMS

The observer at Woodstown 5 WSW reported a windstorm that blew down trees, wires and small buildings and caused damage to large buildings.

FLOODS

The U. S. Geological Survey reported that runoff was deficient in spite of general rains during the middle of September. Flow for September 6 was lowest daily flow of record at the key station Great Egg Harbor River at Folsom. Serious water shortages in reservoirs serving heavily populated northeast New Jersey have caused drastic restrictions on water use. An estimated 65-day supply remains. The water level in the key well near Old Bridge declined to a record-low stage.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

SPECIAL NOTICE

A survey has indicated that the comprehensive narrative weather story carried in each issue of Climatological Data is of value to only a small number of recipients. This story will be discontinued, therefore, with the January 1958 issue. A table of extremes will be carried each month and a text will be carried whenever unusual and outstanding weather events have occurred. General weather conditions in the U. S. for each month are described in the publications MONTHLY WEATHER REVIEW and the MONTHLY CLIMATOLOGICAL DATA, NATIONAL SUMMARY, either of which may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C.

CLIMATOLOGICAL DATA

NEW JERSEY
SEPTEMBER 1957

TABLE 2

Station		Temperature										Precipitation												
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Dole	Lowest	Date	Degree Days	No of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No of Days		
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											90° or Above	32° or Below	32° or Below	90° or Below										
NORTHERN																								
BELVIDERE		79.7	54.5	67.1	1.1	92	13	31	27	79	5	0	2	0	2.24	- 1.49	.60	16	.0	0		8	1	0
BOONTON 2 SE	AM	77.2	52.0	64.6	1.1	88	5+	32	27+	107	0	0	2	0	2.44	- 1.84	.79	21	.0	0		6	1	0
CANOE BROOK	AM	78.4M	52.5	65.5M	1.4	92	14	27	27	104	3	0	3	0	1.86	- 2.53	.69	17	.0	0		5	1	0
CHARLOTTEBURG	AM	75.8	47.5	61.7	- .9	89	14	25	29	153	0	0	5	0	3.42	- .98	1.32	3	.0	0		6	2	1
ELIZABETH		79.9	57.3	68.6	1.4	94	13	34	27+	64	4	0	0	0	3.95	- .39	1.26	17	.0	0		6	3	2
ESSEX FELS SERV BLDG	AM	75.1	53.1	64.1		88	4+	32	29	119	0	0	1	0	2.43	- .84	.84	17	.0	0		6	2	0
FLEMINGTON 1 NE		80.9	54.0	67.5	.7	95	3	27	28	85	4	0	3	0	1.58	- 1.91	.47	11	.0	0		6	0	0
HIGH POINT PARK		70.2M	51.4M	60.8M		81	4+	28	27	152	0	0	3	0	3.13	- .89	.3		.0	0		6	3	0
JERSEY CITY		75.0	59.9	67.5	.5	90	13	40	27+	65	1	0	0	0	3.04	- .82	1.11	16	.0	0		7	2	1
LAMBERTVILLE		80.4M	57.2M	68.8M	2.8	92	3	30	27	68	4	0	1	0	1.86	- 1.43	.67	11	.0	0		5	2	0
LAYTON 3 NW		77.8	47.8	62.8	.7	88	1+	23	27	143	0	0	3	0	3.27	- .48	1.10	3	.0	0		7	2	1
LITTLE FALLS 1 E	AM	80.4	54.2	67.3	1.6	93	14	32	28	73	3	0	1	0	2.21	- 2.39	.72	21	.0	0		6	0	0
LONG VALLEY		77.2	51.1	64.2		90	3+	27	28+	126	2	0	3	0	1.98	- 1.91	.40	10+	.0	0		8	0	0
MORRIS PLAINS		79.3	52.5	65.9		90	14	29	27	96	1	0	3	0	2.50	- .62	.11		.0	0		6	2	0
NEWARK WB AIRPORT	R	78.8	60.1	69.5	2.7	93	3+	39	28	54	4	0	0	0	3.80	- .09	1.45	10	.0	0		7	2	2
NEWTON	AM	76.7	49.4	63.1	.0	88	4+	28	29	129	0	0	3	0	3.06	- .80	1.20	3	.0	0		5	2	2
PATERSON	AM	79.6	55.3	67.5	1.1	94	14	35	27	67	4	0	0	0	2.54	- 1.65	.82	21	.0	0		6	2	0
PHILLIPSBURG		79.6	54.9	67.3	2.1	90	14	33	27	79	1	0	0	0	3.15	- .87	.95	17	.0	0		8	0	0
PLAINFIELD		78.9	56.4	67.7	1.6	92	13	31	27	75	3	0	2	0	2.90	- 1.61	.87	11	.0	0		7	3	0
RIDGEFIELD		78.2	57.0	67.6	1.6	93	13	33	27	72	1	0	0	0	4.06	- .10	1.25	10	.0	0		8	2	1
SOMERVILLE		80.5	55.5	68.0	2.0	94	3+	29	27	80	3	0	3	0	2.04	- 1.40	.54	17	.0	0		5	2	0
SUSSEX 3 N	AM	76.1	47.2	61.7	- 2.1	88	4+	27	27	145	0	0	4	0	4.87	- 1.21	1.61	3	.0	0		6	4	2
DIVISION				65.9	.9										2.83	- 1.20			.0					
SOUTHERN																								
AUDUBON		80.2	60.3	70.3		96	3	35	27	58	3	0	0	0	2.13	- .68	.17	17	.0	0		4	2	0
BELLEPLAIN		80.5	59.3	69.9		94	3	28	28	65	5	0	1	0	2.23	- 1.81	.80	17	.0	0		4	3	0
BRIOGETON 1 NE	AM			M		93	4					0	0	0	2.60	- 1.31	1.35	8	.0	0		4	2	1
BURLINGTON		80.6	60.6	70.6	1.8	94	3	38	27+	55	6	0	0	0	2.02	- 1.71	.69	17	.0	0		4	2	0
CLAYTON		78.8	60.3	69.6		94	3	36	28	65	3	0	0	0	5.11	- 1.49	.8		.0	0		5	4	2
FREEHOLD		79.4	57.8	68.6	2.2	93	3	33	27	73	3	0	0	0	2.15	- 1.72	.77	17	.0	0		3	2	0
HAMMONTON 2 NNE	AM	80.0	59.1	69.6	2.0	95	4	36	27+	58	3	0	0	0	4.17	- .68	1.10	8+	.0	0		6	3	2
HIGHTSTOWN 1 N		79.7	57.4	68.6	2.5	93	3	32	28	73	5	0	1	0	2.05	- 2.06	.76	17	.0	0		3	3	0
INDIAN MILLS 2 W		79.2	57.1	68.2	1.2	95	3	27	28	85	4	0	3	0	4.02	- .57	1.25	8	.0	0		4	3	3
LAKEWOOD 2 ENE		78.3	56.2	67.3	1.5	96	3+	32	27+	85	3	0	2	0	2.48	- 1.26	1.12	10	.0	0		5	2	1
LEESBURG STATE FARM		78.5	58.7	68.6		92	3	31	28	68	2	0	2	0	2.74	- .76	.17	17	.0	0		6	3	0
MILLVILLE	AM	79.9	60.0	70.0		94	4	36	28	57	3	0	0	0	3.54	- 1.38	.7		.0	0		5	3	2
MOORESTOWN		78.9	58.3	68.6	2.3	95	3	32	27+	78	3	0	2	0	1.98	- 1.69	.79	17	.0	0		4	2	0
NEW BRUNSWICK EXP STA		78.8	57.6	68.2	1.6	90	3+	35	27	73	3	0	0	0	2.32	- 1.87	.95	10	.0	0		3	3	0
PEMBERTON 3 E		80.7	56.5	68.6	1.1	96	3	28	27	81	4	0	2	0	2.37	- 1.32	1.23	17	.0	0		4	1	1
PLEASANTVILLE 1 N	AM	78.7	57.0	67.9	1.4	93	4	32	28	75	2	0	1	0	2.10	- 1.38	.61	17	.0	0		6	1	0
RUNYON		80.5	55.0	67.8	2.7	95	3	25	27+	101	5	0	3	0	3.01	- 1.16	.89	17	.0	0		5	4	0
TRENTON 2		79.1	59.9	69.5		94	3	38	27+	58	4	0	0	0	2.78	- 1.45	1.06	23	.0	0		4	3	0
TRENTON WB CITY	R	77.4	60.6	69.0	2.0	92	3	40	27+	60	2	0	0	0	2.11	- 1.64	.80	23	.0	0		4	2	0
TUCKERTON		77.5	60.4	69.0		94	3	32	28	71	2	0	1	0	2.75	- .95	.16		.0	0		8	1	0
WOOSTOWN 5 WSW	AM	79.2	59.7	69.5		94	4	37	28	54	1	0	0	0	5.71	- 1.89	1.3	13	.0	0		7	4	4
DIVISION				69.0	2.1										2.87	- .91			.0					
COASTAL																								
ATLANTIC CITY WB	R	74.5	64.6	69.6	1.3	84	3	43	27+	40	0	0	0	0	2.14	- 1.37	.82	17	.0	0		4	2	0
CAPE MAY 3 W		78.5M	64.0M	71.3M		91	3	44	27	32	1	0	0	0	6.31	- 2.63	.8		.0	0		6	3	2
LONG BRANCH		76.2	59.6	67.9	1.8	94	3	38	27+	71	2	0	0	0	2.76	- 1.25	.66	22	.0	0		6	3	0
SANDY HOOK LBSTA		78.5	61.9	70.2	2.3	92	13	37	27	39	2	0	0	0	1.67	- 1.96	.62	17	.0	0		4	1	0
DIVISION				69.8	2.1										3.22	- .52			.0					

DAILY PRECIPITATION

NEW JERSEY
SEPTEMBER 1957

Table 3

Station	R	Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB		2.14																																
AUDUBON		2.13																																
BASS RIVER ST FOREST		3.62																																
BELLEPLAIN		2.23																																
BELMAR		2.06																																
BELVIOERE		2.24																																
BERLIN 1 W		2.74																																
BLACKWELLS MILLS		2.70																																
BOONTON 2 SE		2.44																																
BOUND BROOK 1 W		2.61																																
BRANCHVILLE		3.23																																
BRIDGETON 1 NE		2.60																																
BURLINGTON		2.02																																
CANISTEAR RESERVOIR		3.27																																
CANOE BROOK		1.86																																
CANTON		4.40																																
CAPE MAY 3 W		6.31																																
CEARAR GROVE		3.24																																
CHARLOTTEBURG		3.62																																
CHATAM		1.75																																
CLAYTON		5.11																																
CLINTON		1.49																																
DEEPWATER		6.75																																
ELIZABETH		3.95																																
ELIZABETHPORT		3.39																																
ESSEX FIELDS SERV BLDG		2.43																																
FLEMINGTON 1 NE		1.58																																
FORTESCUE		2.36																																
FREEMOUL		2.15																																
GREENWOOD LAKE		3.81																																
HAMMONTON 2 NNE		4.17																																
HIGH POINT PARK		3.13																																
HIGHTSTOWN 1 N		2.05																																
INOIAN MILLS 2 W		4.02																																
IRVINGTON		3.47																										</						

Table 5

DAILY TEMPERATURES

NEW JERSEY
SEPTEMBER 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	76 69	75 70	84 74	88 70	78 62	75 59	72 64	75 69	73 70	72 68	81 67	75 70	83 73	83 73	80 73	79 72	72 68	73 69	73 68	76 67	77 71	78 73	74 64	71 58	72 51	78 52	63 43	61 43	62 49	64 59	74.5 64.6	
AUDUBON	MAX MIN	88 84	88 67	88 74	89 72	80 59	84 51	78 65	78 64	80 60	77 65	86 66	88 65	92 68	88 72	91 70	89 70	76 66	77 60	83 58	82 60	87 67	89 70	76 62	75 54	75 43	76 35	63 37	65 40	66 51	80.2 60.3		
BELLEPLAIN	MAX MIN	82 66	83 65	94 72	93 74	82 56	83 56	76 62	78 67	74 64	71 67	85 65	87 62	92 63	90 72	90 71	87 73	83 67	76 62	77 61	82 50	87 67	89 71	84 58	75 52	75 43	79 35	70 28	68 35	62 31	80.5 59.3		
BELVIDERE	MAX MIN	90 53	88 54	91 60	90 64	80 50	84 46	80 56	81 58	75 49	69 51	78 60	80 56	92 62	83 68	88 65	89 71	76 64	78 54	81 51	77 57	81 68	90 72	86 60	70 46	75 39	73 46	65 31	69 32	69 34	66 40	79.7 54.5	
BOONTON 2 SE	MAX MIN	83 52	86 52	83 61	87 65	88 49	74 48	81 51	74 58	75 49	74 51	68 60	84 56	89 62	88 60	81 64	83 65	85 64	75 55	77 49	77 50	77 57	83 67	85 60	71 45	67 38	70 40	68 32	64 33	66 34	77.2 52.0		
BRIDGETON 1 NE	MAX MIN		87 65	85 73	93 73	88 58	78 50	80 63		76 61	72 62	84 65	87 66																				
BURLINGTON	MAX MIN	82 63	86 65	94 73	90 74	86 60	82 52	78 66	77 66	73 62	70 66	85 62	89 60	92 67	88 73	92 71	90 82	84 72	77 66	83 58	83 57	86 67	90 70	84 62	71 54	75 45	75 38	64 38	63 39	63 51	67 51	80.6 60.6	
CANOE BROOK	MAX MIN	83 52	85 53	86 67	91 65	90 47	76 44	81 55	80 54	80 48	73 57	85 58	84 55	92 60	82 67	80 64	83 70	88 65	76 52	77 51	78 52	78 62	84 68	86 39	86 45	74 27	70 28	62 31	65 34	67 45	78.4 52.5		
CAPE MAY 3 W	MAX MIN	81 70	81 68	91 73	88 74	82 66	72 62	75 64	76 68	75 67	76 69	82 70	89 74				84 74		79 66	77 63	75 60	82 69	83 73	82 67	73 60	74 52	78 44	75 45	65 44	68 57	78.5 64.0		
CHARLOTTEBURG	MAX MIN	81 44	85 45	82 57	86 58	86 52	73 41	78 58	71 51	74 62	73 42	82 60	81 50	89 62	78 60		80 61	85 52	72 43	74 47	75 57		80 66	82 53	68 43	70 30	71 44	65 31	65 27	63 25	67 28	75.8 47.5	
CLAYTON	MAX MIN	87 64	87 67	94 73	90 74	82 59	81 53	76 64	76 65	71 61	71 66	84 65	84 65	85 64	89 67	90 70	86 71	81 67	75 65	79 59	80 58	84 68	86 70	80 62	67 50	74 44	75 54	64 38	60 36	63 40	62 50	78.8 60.3	
ELIZABETH	MAX MIN	88 58	88 59	91 65	85 52	85 51	73 41	79 58	75 62	73 57	80 64	86 62	85 60	94 65	85 69	82 69	90 66	83 64	78 59	70 56	81 67	84 68	86 69	78 60	72 49	75 43	77 32	67 45	67 35	66 34	67 45	79.9 57.3	
ESSEX FELS SERV 8LDG	MAX MIN	79 58	78 62	80 65	88 66	84 53	62 50	70 50	71 46	72 48	54 56	70 56	80 60	88 64	86 64		82 67	88 62	74 54	72 56	73 59	76 62	82 68	82 58	72 48	72 40	68 38	68 35	66 32	58 32	62 34	75.1 53.1	
FLEMINGTON 1 NE	MAX MIN	89 55	88 54	95 70	92 65	87 50	85 44	82 56	87 62	78 60	85 63	82 59	93 65	82 68	90 66		88 68	76 63	77 54	81 48	79 51	86 66	88 70	83 60	75 47	75 37	74 28	64 27	60 31	68 37	71 37	80.9 54.0	
FREEHOLD	MAX MIN	84 58	87 61	93 69	90 72	85 53	76 50	72 63	76 64	72 57	85 65	82 63	87 67	89 69	87 70		89 66	82 60	76 55	80 55	86 67	87 68	82 59	79 43	73 50	74 33	62 34	64 39	65 34	66 43		79.4 57.8	
HAMMONTON 2 NNE	MAX MIN	88 63	86 70	89 72	95 73	89 58	79 51	85 58	73 62	75 62	71 61	86 66	84 60	93 71	90 70		78 67	88 61	76 58	82 56	84 60	87 62	89 62	72 51	74 40	75 47	78 36	64 44	64 36	65 39	51 51	80.0 59.1	
HIGH POINT PARK	MAX MIN	75 53	79 56	76 61	81 62	80 47	66 49	72 52	71 53	70 52	60 54	76 57	70 53	81 62	72 59		75 59	77 53	69 54		71 59		73 64	79 53	60 47	69 42	67 51	57 28	50 30	57 31	62 37	70.2 51.4	
HIGHTSTOWN 1 N	MAX MIN	86 57	88 60	93 70	90 72	79 53	85 47	76 64	78 63	71 55	89 65	86 64	82 62	92 67	86 68	91 69	80 70	83 65	79 58	81 55	86 67	89 69	80 60	70 50	74 42	76 50	64 32	65 32	65 35	65 44		79.7 57.4	
INDIAN MILLS 2 W	MAX MIN	88 62	88 64	95 72	90 51	79 42	84 51	77 63	77 64	68 58	70 66	85 62	81 60	91 65	86 69	70 70	87 76	76 68	81 57	82 66	87 66	88 68	76 60	69 48	75 36	75 49	62 30	63 32	66 37	65 49		79.2 57.1	
JERSEY CITY	MAX MIN	82 60	78 64	88 70	86 65	77 58	77 57	70 65	74 53	70 56	68 63	83 66	77 64	90 72	79 70		85 70	74 64	78 59	71 60	74 61	80 68	73 60	67 53	72 47	70 44	60 47	64 40	65 43	65 49		75.0 59.9	
LAKEWOOD 2 ENE	MAX MIN	84 56	82 61	96 71	92 65	79 50	77 46	75 62	78 63	68 56	70 66	88 64	77 60	96 65	84 71	86 72	88 73	75 63	75 54	79 52	82 68	85 71	74 58	71 43	76 41	78 39	66 32	63 33	66 37	63 47		78.3 56.2	
LAMBERTVILLE	MAX MIN	88 56	87 59	92 72	90 70	87 55	83 43	80 61	77 63	75 51	68 64	82 62	81 61	91 64	88 69	90 69	87 72	82 65	76 56	80 52	85 68	87 71	80 60	69 46	74 40	73 49	63 30	66 33	67 41		80.4 57.2		
LAYTON 3 NW	MAX MIN	88 38	83 42	88 61	86 56	78 40	80 38	76 54	74 53	78 39	79 55	82 58	73 53	88 64	81 65	83 65	85 69	74 61	73 50	80 57	87 60	87 67	80 57	79 46	73 36	65 29	66 23	66 24	68 25	65 33		77.8 47.8	
LEESBURG STATE FARM	MAX MIN	86 64	85 66	92 73	90 74	80 59	77 49	76 63	74 63	72 64	73 61	81 65	83 60	89 68	88 69		89 69	87 60	74 55	77 60	77 53	79 64	81 69	75 53	72 39	74 35	73 32	62 31	63 36	64 52		78.5 58.7	
LITTLE FALLS 1 E	MAX MIN	87 54	89 55	87 62	92 65	80 50	78 48	84 58	76 58	77 50	76 60	82 61	87 57	85 62	93 68	82 66	89 69	85 64	79 52	87 54	80 63	85 69	88 58	80 47	70 40	76 48	71 33	62 32	69 33	70 37		80.4 54.2	
LONG BRANCH	MAX MIN	83 59	83 63	92 71	88 56	76 51	75 42	72 65	75 63	70 59	85 65	80 63	82 60	93 69	81 70		86 71	72 65	72 61	73 56	80 69	85 70	74 61	67 53	70 40	73 38	58 33	63 38	63 39	65 49		76.2 59.6	
LONG VALLEY	MAX MIN	85 52	83 50	90 65	89 60	82 44	81 41	75 51	76 52	72 45	68 50	84 56	80 56	90 62	84 66		84 66	79 62	77 52	78 43	81 61	85 70	79 52	67 41	65 37	66 40	66 28	64 27	65 27	67 42		77.2 51.1	
MILLVILLE	MAX MIN	87 66	88 65	85 71	94 73	87 61	79 53	82 60	74 63	77 63	75 64	73 66	82 66	86 68	92 72	88 71	90 71	87 67	74 61	78 55	80 60	80 63	87 63	75 52	69 46	75 49	77 37	63 36	64 39	63 46		79.9 60.0	
MOORESTOWN	MAX MIN	88 61	88 67	95 73	88 68	88 53	81 47	77 65	78 60	81 57	80 66	82 65	91 65	88 68																			

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
SEPTEMBER 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX MIN	89 60	89 65	95 68	91 69	85 47	76 38	79 59	78 58	70 51	70 60	84 64	90 68	94 68	87 68	84 68	83 70	81 69	75 57	80 56	83 55	88 64	90 68	84 60	74 48	78 33	71 44	63 25	68 25	69 27	66 37	80.5 55.0	
SANDY HOOK L8STA	MAX MIN	83 66	86 75	90 72	87 69	86 62	81 61	76 62	76 60	73 56	71 66	86 66	85 65	92 70	87 70	79 69	85 72	74 66	74 59	79 62	80 68	83 71	78 62	70 57	74 54	74 58	63 37	68 44	70 46	67 48	78.5 61.9		
SOMERVILLE	MAX MIN	89 57	88 56	94 70	93 67	88 49	84 44	77 57	78 63	75 54	70 64	86 61	83 58	94 64	84 69	87 67	88 75	82 64	77 58	78 53	82 52	88 68	82 70	75 66	75 46	75 38	64 47	68 29	68 31	68 39	80.5 55.5		
SUSSEX 3 N	MAX MIN	82 47	85 47	82 49	88 60	85 42	73 42	78 43	74 50	77 46	76 46	67 57	83 51	75 53	88 63	78 63	80 60	84 60	74 48	75 45	78 45	76 58	78 65	84 55	69 44	70 35	71 35	65 27	57 28	65 28	67 30	76.1 47.2	
TRENTON 2	MAX MIN	87 60	87 60	94 66	90 73	78 56	82 52	76 67	78 62	72 59	70 65	85 65	82 64	92 68	85 70	90 71	88 70	76 65	76 60	80 57	80 60	86 69	88 71	75 61	69 52	74 45	75 52	63 38	64 38	66 40	65 48	79.1 59.9	
TRENTON WB CITY	MAX MIN	85 64	86 66	92 72	88 69	76 58	81 57	74 66	75 62	69 60	69 66	83 66	81 66	90 68	83 71	89 71	86 70	74 65	74 61	78 59	78 61	85 69	86 71	75 60	76 54	72 48	73 47	61 40	63 40	65 42	64 49	77.4 60.6	
TUCKERTON	MAX MIN	80 72	80 72	94 79	86 72	83 55	78 46	75 64	75 67	72 62	70 65	85 67	78 65	92 65	84 70	88 70	84 72	78 67	75 62	74 58	78 50	82 69	83 75	73 65	70 51	73 40	77 57	67 36	62 32	65 34	63 49	77.5 60.4	
WOODSTOWN 5 WSW	MAX MIN	87 65	88 66	87 71	94 73	89 58	80 53	81 54	75 65	77 61	70 61	83 60	81 61	85 69	89 69	84 69	88 74	86 68	76 62	75 61	80 62	79 64	85 71	80 62	79 54	69 45	74 48	77 38	63 37	67 44	64 46	79.2 59.7	

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP	.19	.17	.13	.13	.13	.21	.14	.03	.12	.06	.02	.13	.05	.14	.07	.07	.18	.09	.11	.10	*	*	.20	.05	.12	.10	.10	.03	.14	.07	3.08 131	
	WIND	3	3	5	4	4	5	3	2	0	4	7	2	2	3	1	4	6	2	5	2	1	2	4	1	11	2	25	16	1	1		
PLEASANTVILLE 1 N	EVAP	-	.14	.09	.27	.06	.07	-	.05	.18	-	-	.15	.10	.09	.15	.09	.28	.07	-	-	.14	.14	.05	.11	.17	.12	-	.14	.10	-	- 719	
	WIND	17	17	55	35	22	49	13	33	4	12	32	13	22	23	1	38	12	22	27	-	12	27	21	66	41	2	14	49	25	13		2


DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	81	83	89	86	79	89	72	79	69	67	89	76	84	79	79	80	73	72	76	73	76	78	71	72	70	70	66	66	62	80	75.4	
	MIN	65	66	69	66	60	57	64	61	61	65	64	64	64	68	70	70	68	65	64	64	67	69	65	60	56	55	50	49	50	52	62.5	
2 INCHES	MAX	75	75	78	76	75	76	70	72	67	66	75	73	78	76	76	77	73	71	73	71	74	74	71	70	67	67	63	62	59	59	71.3	
	MIN	66	67	70	69	64	61	66	64	63	66	65	66	68	71	70	70	69	66	65	65	68	70	66	63	59	58	54	52	52	54	69.2	
4 INCHES	MAX	74	74	77	76	74	75	70	73	67	66	74	73	77	76	75	76	73	71	72	70	73	74	70	70	67	67	63	62	59	59	70.9	
	MIN	67	68	70	70	65	62	66	65	64	66	65	66	69	71	70	70	69	67	65	65	68	70	67	64	59	59	55	53	52	54	64.7	
8 INCHES	MAX	72	71	73	72	71	70	69	70	68	67	70	70	72	72	72	73	72	70	70	69	71	71	71	68	66	65	63	60	59	59	68.9	
	MIN	68	69	70	70	68	65	68	68	67	66	66	67	69	71	70	70	70	69	67	67	68	69	68	66	63	63	59	57	56	57	66.4	
16 INCHES	MAX	70	70	70	70	70	69	69	69	68	67	68	69	70	70	70	70	71	70	69	69	69	70	70	69	68	66	65	63	62	81	68.9	
	MIN	68	68	69	70	69	67	68	68	67	66	66	67	68	70	70	70	70	69	68	68	68	69	69	67	65	64	63	61	60	59	67.0	
32 INCHES	MAX	67	68	68	68	68	68	68	67	67	67	67	66	67	67	67	68	68	68	68	67	67	68	68	67	66	65	64	63	64	63	67.1	
	MIN	67	67	67	67	67	67	67	67	67	66	66	66	66	67	67	67	67	68	68	68	67	67	67	67	67	66	65	64	63	62	66.4	

Measured under Kentucky Bluegrass.


TOTAL PRECIPITATION

NEW JERSEY
SEPTEMBER 1957



Isohyals are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

NEW JERSEY
SEPTEMBER 1957



STATION INDEX

NEW JERSEY
SEPTEMBER 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To
ALLEDALE	0100	BERGEN	8 41 02	74 08	270	MID BERGEN COUNTY ENGS	3	C		5252 BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM	3			
ATLANTIC CITY #8	0325	ATLANTIC	1 39 22	74 25	8	MID NJ. S. WEATHER BUREAU	2 3 5	7 C		5340 ATLANTIC	3 39 27	74 44	50	5P	ELMER EARLE	3			
AUDUBON	0304	BERGEN	41 09 19	74 09	210	11P 11P	2 3 5			5503 BERGEN	1 40 59	74 09	210	8A	RIDGEWOOD WATER CO.	3			
BASS RIVER ST FOREST	0526	BERGEN	1 39 37	74 26	20	6P N.Y. FORESTRY SVC	3	7		5576 CUMBERLAND	6 39 24	75 03	60	8A	L. J. GALLAGHER	2 3 5	7 C		
BELLEPLAIN	0080	CAPE MAY	1 39 16	74 52	49	5P MRS. ED C. HOFFMAN	2 3 5			5597 MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS	3			
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID CITY WATER DEPT	3			5728 BURLINGTON	2 39 58	74 58	55	MID	HA. J. WILLARD	2 3 5	7		
BELVIDERE	0729	WARREN	2 40 50	75 05	289	5P MISS C. S. HIXSON	2 3 5	7		5769 MORRIS	8 40 50	74 30	500	4P	JAMES C. LONG	2 3 5	7		
BELT IN 1 W	0787	CANON	1 39 48	74 57	190	7A SAMUEL H. MC GULLEY	3			6026 ESSEX	1 40 42	74 10	11	MID	MID NJ. S. WEATHER BUREAU	2 3 5	7 C		
BLACKWELLS MILLS	0847	SOMERSET	10 40 29	74 35	27	7A HENRY H. MILLER	3			6062 MIDDLESEX	10 40 28	74 20	80	5P	ARTHUR H. AHLQUIST	2 3 5	7 C		
BOONTON 2 SE	0907	MORRIS	8 40 54	74 2A	280	8A JERSEY CITY WTR WKS	2 3 5			5148 BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO	3			
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	8A AMERICAN CYANAMID CO	3			6177 SUSSEX	2 41 03	74 45	565	8A	NEWTON WTR SWR COMM	2 3 5	7 C		
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	7A ALBERT M. OVENPORT	3			6480 PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT	3			
BRIDGEVIEW 1 NE	1028	CUMBERLAND	2 39 28	74 12	114	9A RADIO STATION WJNJ	2 3 5			6544 HUNTERDON	10 40 40	74 45	200	8A	DAN A. COUGHLIN	3			
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P PUBLIC SVC C. # 6 CO	2 3 5			6560 ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER	3			
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	8A NEWARK WATER DEPT	3			6775 PASSAIC	8 40 55	74 09	100	8A	PA. J. DEL VECCHIO	2 3 5	7		
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A COMMONWEALTH WTR CO	2 3 5	6		6843 BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. UGHELIERT	2 3 5	7		
CANTON	1343	SALEM	1 39 28	74 25	20	8A EDWARD P. HOLTON	3			6874 WARREN	2 40 41	75 12	192	3P	SEWAGE DISPOSAL PLT	2 3 5	7		
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P N.WEST MAGNETIC CO	2 3 5	C		6970 WARREN	2 40 42	75 12	196	9A	JOINT TOLL BROGE COM	3			
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	8A J. A. PLUNKETT	3			7070 UNION	10 40 36	74 25	120	8P	SP. R. PEARSON	2 3 5	7		
CENTERTON	1512	SALEM	6 39 31	75 10	60	MID JOHN HOPKINS UNIV.	3	C		7123 HUNTERDON	10 40 34	74 48	140	8A	JOHN H. BERTMAN	3			
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	7A NEWARK WATER DEPT	2 3 5	7		7131 ATLANTIC	1 39 25	74 31	8	8A	ATLANTIC CITY WTR WKS	2 3 5	6		
CHATHAM	1500	MORRIS	1 39 44	74 23	185	8A EDWARD P. HOLTON	3			7138 MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO	3			
CHATSWORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P WILLIAM S. HAINES	INAC	1/57		7393 UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH	3			7 C
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	6P HARRY P. CAMPBELL	2 3 5	7		7545 BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN	2 3 5	7		
CLINTON	1749	HUNTERDON	1 40 38	74 54	300	8A J. A. RUCKEN	3			7587 PASSAIC	8 41 08	74 16	305	10A	NO JERSEY WTR SUPPLY	3			
DEEPWATER	2209	SALEM	7 39 41	75 30	12	MID DU PONT DE NEMOURS	3			7825 MIDDLESEX	1 40 78	74 20	18	6P	N.J. WATER COM	2 3 5	6		
ELIZABETH	2844	UNION	1 40 40	74 14	33	5P UNION CO PARK COM	2 3 5			7869 MONMOUTH	1 40 28	74 01	22	7P	PA. COAST GUARD	2 3 5			
ELIZABETHPORT	2852	UNION	8 40 39	74 12	30	MID SEWAGE TREATMENT PL	3	C		8104 SOMERSET	10 40 34	74 37	75	6P	PA. E. NAVY	2 3 5	7		
ESSEX FIELDS SERV BLDG	2839	WARREN	1 40 46	74 06	50	8A JERSEY CITY WTR DEPT	2 3 5	7		8402 MORRIS	8 40 58	74 28	600	10A	JERSEY CITY D P H	3			
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P DONALD YOUNG	2 3 5	7		8423 UNION	1 40 43	74 18	-	MID	N.J. DEPT OF CONS	3			C
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	7A JOHN LOPER	3			8444 SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON	2 3 5			
FREMOLD	3181	MONMOUTH	10 40 15	74 17	194	6P PROF. J. B. MOREAU	2 3 5	7 C		8685 GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO	3			
GLASSBORO	3291	GLOUCESTER	2 39 42	75 07	150	MID FRANK J. B. SANGREE	3	C		8816 OCEAN	1 39 57	74 14	10	5P	ROBERT F. SNYDER	3			
GREAT MEADOWS 4 N	3410	WARREN	1 40 46	74 06	50	MID MICHAEL R. PICKERING	2 3 5	7		8832 BERGEN	2 40 41	74 03	551	MID	HACKENSACK WATER CO	3			
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	680	7A GEORGE T. WIGGINS	3			8878 MERCER	2 40 14	74 46	105	MID	E. H. RISTOW	2 3 5	C		
HACKENSACK	3572	BERGEN	8 40 53	74 03	10	MID BERGEN COUNTY ENGS	3			8883 MERCER	2 40 13	74 46	50	MID	U.S. WEATHER BUREAU	2 3 5	7 C		
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	8A BA. HUBBARD PARKHURST	2 3 5			8990 OCEAN	1 39 36	74 20	10	6P	REV EDWARD O. MCGILL	2 3 5			
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 40	1600	8A BA. J. DEPT. OF CONS.	2 3 5			9135 CUMBERLAND	6 39 29	75 00	110	8A	STAT. HOK. FOR WOMEN	3			
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P JAMES R. PICKERING	2 3 5	7		9187 PASSAIC	8 41 03	74 18	320	9A	WATER SUPPLY COMM	3			7 C
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID DEPT WATER + SEWAGE	3	C		9271 UNION	8 40 40	74 25	-	MID	BUNNIE BURN SAN	3			
INDIAN MILLS 2 S	4229	BURLINGTON	7 39 48	74 47	100	7P EDWARD ENTWISTLE	2 3 5	7		9363 HUNTERDON	10 40 27	74 48	160	7A	ROBERT H. MANNERS	3			
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MID JOINT MEETING GARAGE	3	C		9455 UNION	9 40 39	74 21	138	5P	CITY ENGINEER	3			
JERSEY CITY	4330	HUDSON	40 16 74 04	135	MID MID JERSEY CITY WTR DEPT	2 3 5				9532 JERSEY CITY WTR DEPT	10 40 32	74 03	150	7A	HACKENSACK WATER CO	3			
LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	34	MID MID GEORGE G. WADDILL	2 3 5	7 C		9910 SALEM	2 39 38	75 25	30	7A	RAYMOND L. RLLW. JR.	2 3 5			
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P E. E. CASE	2 3 5	7											
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P A. M. DEPUY	2 3 5	7											
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	4P LEESBURG STATE FARM	2 3 5												
LITTLE FALLS 1 E	4807	PASSAIC	8 40 53	74 16	157	9A PASSAIC VLY WTR COM	2 3 5	7 C											
LITTLE FALLS 2 E	4807	PASSAIC	8 40 53	74 16	157	9A PASSAIC VLY WTR COM	2 3 5	7 C											
LONG BRANCH	4987	MONMOUTH	8 40 18	73 59	34	MID MID STORM WTR. DPL STA	2 3 5	7 C											
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	6P ARTHUR BARKMAN	2 3 5	7											
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID JAMES LAWTON	3	C											
MACUPIN INTAKE	5071	PASSAIC	8 41 01	74 24	894	7A NEWARK WATER DEPT	3												
MANAWA	5104	BERGEN	8 41 08	74 10	293	7A ROBERT G. GLASGOW	3												
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID JOHN L. RADCLIFFE	3												
MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID GEORGE BRILL	3	C											

1-1-COASTAL; 2-ORLAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURICE; 7-MULICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 35W, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 8. Max and Min in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 5, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.
- + And also on a later date or dates.
- ++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.
- // Amount included in following measurement, time distribution unknown.
- // Gage in equipped with a windshield.
- * Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.
- AM Data based on observational day ending before moon.
- B Adjusted to a full month.
- C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data".
- O Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
- G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.
- M One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this station, have been adjusted to represent the value for a full month.
- E Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data").
- T Trace, an amount too small to measure.
- V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposure etc. of substations through 1855 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Remittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

NWBC, Asheville, N. C. --- 11/1 57 --- 750

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

OCTOBER 1957
Volume LXII No. 10



THE LIBRARY OF THE
JAN 4 1958
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

The weather in October was cooler and drier than usual at a majority of the stations where comparisons could be made.

Temperature averages for all divisions were less than long-term values and ranged from -1.5° in the Coastal Division to -2.7° in the Northern and Southern Divisions. The maximum temperature for the month was 81° at Runyon on the 9th and at Little Falls 1 E on the 10th. Over two-thirds of the stations reported minimum temperatures that were freezing or below, but Runyon was lowest with 22° on the 13th.

Precipitation averages for all divisions were less than the long-term values, and slightly more than two-thirds of the stations for which comparative data are available showed minus departures from long-term means. Monthly totals ranged from 1.35 inches at Tuckerton to 4.77 inches at Cedar Grove. The greatest measurement on one day was 2.40 inches at Paterson on the 8th.

WEATHER DETAILS

As the month began temperatures were near the seasonal average, but cooler weather moved in with readings several degrees below average on the 3rd and 4th. The next noteworthy temperatures were on the 9th when averages were around 10 degrees above the seasonal level. The passage of a cold front on the 10th brought falling temperatures with rather noteworthy minus departures on the 11th, 12th, and 13th. Somewhat warmer weather was the rule for the period 15th-18th. This was followed by a few days of mostly cooler than average temperatures. Noticeably warmer than average weather prevailed on the 23rd and 24th. Colder weather moved in with slightly below average readings on the 25th, and well below the seasonal average on the 26th, 27th, and 28th. Temperatures began moderating on the 29th and rose to slightly above average for the season at most places on the 30th and 31st.

There were three periods during the month which accounted for most of the State's precipitation, the 6th-8th, 17th-19th, and the 24th. Most daily amounts during these periods were in the light to moderate category. Other amounts of precipitation which fell during the remainder of the month were insignificant, however it was noted that some stations reported very light snowfall on the 27th and 28th.

WEATHER EFFECTS

Most of the corn in New Jersey reached maturity

before the killing frost in late September. Harvest became active about mid-October and was nearing completion by the end of the month as a result of the smaller acreage utilized for grain. Combining of soybeans began in late September and continued through October with few interruptions due to weather conditions. Harvest was practically completed by the end of the month. Considerable acreage originally planned for beans was harvested for hay or silage or abandoned. Harvest of the potato crop was mostly completed by mid-October. Digging of New Jersey sweet potatoes continued through October and is expected to be completed by November 10. Additional October rainfall aided in sizing tubers but caused considerable cracking. As harvest progressed growers found the set was lighter than they had expected.

The commercial apple crop is 20 percent above average. As the month ended the harvest of Romes was nearing completion and was expected to be finished soon. Most of the Romes moved into storage and marketings were increasing. Delicious and Stayman were also being marketed. The grape production was expected to be about average. Dairymen continued on their heavy winter feeding schedule while pastures provided some additional feed as a result of October rains.

DESTRUCTIVE STORMS

On the 6th, one yacht, a yawl and other small craft sank during a coastal storm which moved northward along the coast. Some minor flooding occurred at time of A. M. and P. M. high tides. Principal losses were due to wind damage.

FLOODS

The U. S. Geological Survey reported that stream-flow continued deficient; the serious water shortage in northeast New Jersey, affecting some 1,500,000 persons, became steadily worse with the three largest reservoirs in the section down to about one-third capacity with 35-70 days' supply remaining. The reservoir supplying the city of Orange went dry October 30. The city can supply 75 percent of daily requirements from wells and purchase an additional 25 percent from neighboring East Orange. The level in the key well near Old Bridge continued to decline to a new low of record.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

SPECIAL NOTICE

A survey has indicated that the comprehensive narrative weather story carried in each issue of Climatological Data is of value to only a small number of recipients. This story will be discontinued, therefore, with the January 1958 issue. A table of extremes will be carried each month and a text will be carried whenever unusual and outstanding weather events have occurred. General weather conditions in the U. S. for each month are described in the publications MONTHLY WEATHER REVIEW and the MONTHLY CLIMATOLOGICAL DATA, NATIONAL SUMMARY, either of which may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C.

NEW JERSEY
OCTOBER 1957

TABLE 2

Station		Temperature												Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days			
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More	
											30° or Above	32° or Below	32° or Above	34° or Below											
NORTHERN																									
BELVIOERE		64.1	40.9	52.5	- 2.4	80	9	29	12+	382	0	0	6	0	3.08	- .33	1.02	8	.0	0		5	3	1	
BOONTON 2 SE	AM	62.9	39.5	51.2	- 2.3	77	10	29	21+	425	0	0	7	0	3.34	.12	.93	7	.0	0		5	4	0	
CANOE BROOK	AM	63.2	37.8	50.5	- 3.4	76	10	25	12	439	0	0	9	0	3.58	.34	1.14	7	.0	0		4	4	1	
CHARLOTTEBURG	AM	61.4	35.5	48.5	- 4.2	76	10	25	12	506	0	0	16	0	3.87	.10	1.61	8	T	0		5	3	1	
ELIZABETH	AM	66.4	44.4	55.4	- 1.4	79	9	33	28	294	0	0	0	0	2.83	- .48	.93	8	.0	0		6	3	0	
ESSEX FELS SERV 8LOG	AM	65.2	40.8	53.0		77	10+	29	12	368	0	0	5	0	2.97		1.02	7	.0	0				1	
FLEMINGTON 1 NE		64.9	39.3	52.1	- 4.0	78	9	26	12	395	0	0	11	0	2.30	- .88	.64	8	T	0		5	1	0	
HIGH POINT PARK		55.9	38.5	47.2		70	10	25	26+	544	0	0	9	0	3.95		1.65	8	T	T	27+	7	2	1	
JERSEY CITY		61.7	47.0	54.4	- 2.6	76	9	34	27+	324	0	0	0	0	3.64	.66	1.25	7	.0	0		6	3	1	
LAMBERTVILLE		65.1	41.0	53.1	- 2.5	79	9	30	12+	366	0	0	7	0	1.87	- 1.12	.45	7	.0	0		5	0	0	
LAYTON 3 NW		61.0	35.1	48.1	- 3.6	78	9	23	28	516	0	0	14	0	3.05	- .32	1.40	8	.0	0		4	3	1	
LITTLE FALLS 1 E	AM	65.4	40.6	53.0	- 2.6	81	10	30	27	365	0	0	5	0	4.17	.68	1.60	8	T	0		4	4	1	
LONG VALLEY		64.4	37.6	51.0		77	9+	25	13	427	0	0	12	0	2.87	- .57			.0	0				0	
MORRIS PLAINS		64.7	40.8	52.8		77	9+	28	21	375	0	0	8	0	3.38		.91	7	T	0		7	4	0	
NEWARK WB AIRPORT	R	64.6	46.5	55.6	.0	80	9	34	28	289	0	0	0	0	2.13	- 1.07	.72	7	T	0		6	1	0	
NEWTON	AM	61.1	36.4	48.8	- 4.1	76	10	25	12+	497	0	0	13	0	2.76	- .67	.75	8+	.0	0		5	3	0	
PATERSON	AM	64.6	41.5	53.1	- 3.2	77	10	30	28	360	0	0	3	0	4.47	1.21	2.40	8	.0	0		5	4	1	
PHILLIPSBURG		65.4	42.0	53.7	- 1.5	78	9+	31	13+	343	0	0	3	0	2.84	.65	.94	8	.0	0		6	2	0	
PLAINFIELD		65.5	42.2	53.9	- 2.0	80	9	31	13+	340	0	0	5	0	3.17	.15	1.22	6	.0	0		6	3	1	
RIOGEFIELDO		63.9	44.5	54.2	- 1.4	77	9	33	12+	327	0	0	0	0	4.12	.76	1.33	8	.0	0		6	3	1	
SOMERVILLE		64.6	40.8	52.7	- 2.8	79	9	27	28	379	0	0	8	0	2.33	- .95	.64	8	.0	0		5	1	0	
SUSSEX 3 N	AM	61.3	35.6	48.5	- 5.1	76	10	25	12+	508	0	0	13	0	3.33	.13	1.56	8	T	0		5	2	1	
DIVISION				52.0	- 2.7									3.18	- .13			T							
SOUTHERN																									
AUDUBON		64.9	44.5	54.7		78	9	33	13	314	0	0	0	0	2.71		1.20	6	T	0		3	3	1	
BELLEPLAIN		66.3	40.0	53.2		75	9+	28	13+	361	0	0	6	0	2.10	- 1.54	1.40	6	.0	0		5	1	1	
BRIOGETON 1 NE	AM	64.8M	43.0M	53.9M	- 3.4	75	10	31	21+		0	0	3	0	2.37	.75	1.09	19	.0	0		3	2	1	
BURLINGTON		66.3M	45.5M	55.9M	- 2.1	79	9	34	26+	280	0	0	0	0	2.27	- 1.05	.63	6+	.0	0		6	2	0	
CLAYTON		64.1	44.2	54.2		77	1+	33	28	331	0	0	0	0	3.36		.84	7	T	0		7	3	0	
FREEHOLD		65.1	43.8	54.5	- 1.6	77	9	30	12	319	0	0	2	0	2.56	- .96	1.03	6	T	0		6	1	1	
HAMMONTON 2 NNE	AM	66.3	43.0	54.7	- .6	77	10	32	28	314	0	0	1	0	2.23	- 1.44	.94	25	.0	0		4	2	0	
HIGHTSTOWN 1 N		64.8	42.4	53.6	- 2.4	79	9	31	12+	350	0	0	6	0	2.53	.74	.60	6	T	0		6	1	0	
INDIAN MILLS 2 W		65.1	40.2	52.7	- 3.4	77	9	27	13	379	0	0	7	0	2.99	- .36	1.10	6	.0	0		5	2	1	
LAKEWOOD 2 ENE		65.0	41.4	53.2	- 2.3	79	9	30	12+	359	0	0	6	0	2.51	- 1.40	1.25	24	T	0		5	2	1	
LEESBURG STATE FARM		64.5	42.4	53.5		75	9	30	13+	351	0	0	4	0	2.34		1.01	6	.0	0		5	2	1	
MILLVILLE	AM	64.5	43.1	53.8		77	10	32	28	338	0	0	1	0	2.73		1.08	6	.0	0		3	3	1	
MOORESTOWN		64.2	43.0	53.6	- 2.3	76	9	31	13	346	0	0	2	0	2.60	- .40	.95	6	.0	0		4	3	0	
NEW BRUNSWICK EXP STA		64.7	43.9	54.3	- 1.9	77	9	31	28	323	0	0	2	0	2.03	- 1.09	.48	7	T	0		6	0	0	
PEMBERTON 3 E		66.9	40.9	53.9	- 3.1	79	9	26	13	337	0	0	8	0	2.64	- .58	.91	6	.0	0		6	2	0	
PLEASANTVILLE 1 N	AM	64.0	40.0	52.0	- 4.6	77	10	29	26	394	0	0	3	0	1.97	- 1.44	.55	7	.0	0		7	1	0	
RUNYON		67.7	38.5	53.1	- 1.5	81	9	22	13	360	0	0	10	0	3.11	.26	.70	6+	T	0		6	4	0	
TRENTON 2		64.5	44.8	54.7		76	9	33	26+	316	0	0	0	0	2.49	- .76	.94	24	T	0		5	2	0	
TRENTON WB CITY	R	63.1	46.3	54.7	- 1.4	77	9	33	26	311	0	0	0	0	1.95	- .70	.73	24	T	0		4	2	0	
TUCKERTON		64.2	42.4	53.3		75	9	29	28	356	0	0	6	0	1.35		.70	6	.0	0		5	1	0	
WOODSTOWN 5 WSW	AM			M		76	9				0	0	0	0			1.12	19						1	
DIVISION				53.9	- 2.7									2.45	- .82			T							
COASTAL																									
ATLANTIC CITY WB	R	63.0	50.0	56.5	- 1.5	74	9	33	28	258	0	0	0	0	1.62	- 1.59	.68	6	.0	0		5	1	0	
CAPE MAY 3 W		64.7M	50.3M	57.5M		72	3	37	13+	228	0	0	0	0	1.62		.87	6	.0	0		4	1	0	
LONG BRANCH		62.8	45.6	54.2	- 2.0	75	9	33	28	326	0	0	0	0	4.27	.77	2.29	7	.0	0		5	3	1	
SANDY HOOK LBSTA		65.7	49.5	57.6	- .4	75	8+	35	28	226	0	0	0	0	3.47	.60	1.23	8	.0	0		6	3	1	
DIVISION				56.5	- 1.5									2.75	- .35			.0							

† DATA RECEIVED TOO LATE TO BE INCLUDED IN DIVISION AVERAGES

DAILY PRECIPITATION

NEW JERSEY
OCTOBER 1957

Table 3

Station	Total	Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	1.62					T	.68	.11	.01											.47					T	.23		T	.12		T	T	
AUDUBON	2.71						1.20												T	.90					T	.46							
BASS RIVER ST FOREST	1.91	.09					.96												.40							*							
BELLEPLAIN	2.10						1.40		.10												.20				.30	.10							
BELMAR	3.49	T				T	.84	1.30												.43				T	.87			.05	T				
BELVIOERE	3.08						.12	.28	1.02											.85	.09					.72							
BERLIN 1 W	3.37						1.10	.55												.62						1.10							
BLACKWELLS MILLS	2.86						.73	.69	.03											.74							.59						
BOONTON 2 SE	3.34	T					.93	.82	.17								T		.03	.77	.02					.68							
BOUND BROOK 1 W	2.57						.93	.48	.01										.01	.67					.01	.46						T	
BRANCHVILLE	2.91						.33	.94	.16											.07	.66				T	.75						T	
BRIOGETON 1 NE	2.37	.03	.02				.40	.06	.02											1.09						.75							
BURLINGTON	2.27	.02					.63	.13	.10											.40	.08				.63	.28							
CANISTEAR RESERVOIR	4.14						.63	1.91	.29											.40						.84			T			.02	
CANOE BROOK	3.58						1.14	.82	.05										T	.76						.79			.01			.01	
CANTON	3.45	.18					.15	1.17	.07											1.01						.87							
CAPE MAY 3 W	1.62	.04				.01	.87	.06	.02											.28						.01	.01						
CEGAR GROVE	4.77						1.25	1.66	.06												.94				.02	.19	.01	.12					
CHARLOTTEBURG	3.87						.94	1.61	.25												.03	.38					.66						
CHATHAM	3.13						1.07	.82	.05											.01	.63					.55			T			T	
CLAYTON	3.36						.65	.84	.14											.45	.10					.80	.38	T				T	
CLINTON	2.39						.18	.44	.74											.02	.25	.23				.40	.13					T	
DEEPWATER	2.22						.39	.03	.08											.41	.39					.92							
ELIZABETH	2.83						.31	.52	.93											.01	.01	.70				.20	.15						
ELIZABETHPORT	2.42						.60	.66	.20	T										.38	.12					.46							
ESSEX FELS SERV BLOC	2.97						1.02	*	.89											T	.55					.51							
FLEMINGTON 1 NE	2.30	T					.30	.46	.64										T	.40	.02				.44	.03	T	T				.01	
FORTESCUE	1.81	.20					.38	.20	.05												.83					.05							
FREEMO	2.56						1.03	.12	.40												.20					.02	.10						
GREENWOOD LAKE	4.26						.50	2.18	.26											.05	.57				.45	.70			T			T	
HAMMONTON 2 NNE	2.23						.23	.69	.08											.01	.23	.01				.94	.03					.01	
HIGH POINT PARK	3.95						.44	1.65	.45											.10	.80				.18	.31	T		.02				
HIGHTSTOWN 1 N	2.53						.60	.42	.41											T	.35				.36	.39						T	
INDIAN MILLS 2 W	2.99	T					1.10	.08	.02											.36	.16				.80	.46						T	
IRVINGTON	2.93						.72	.61	.34											.53	.02					.71							
JERSEY CITY	3.64						.59	1.25	.80											.35	.20					.45							
LAKEWOOD 2 ENE	2.51						.35	.50	.10										T	.27	.01				1.25			.03	T				
LAMBERTVILLE	1.87						.25	.45	.31											T	.40					.44							
LAYTON 3 NW	3.05						.04	.16	1.40										.01	.60	.05					.78						.01	
LEESBURG STATE FARM	2.34	.04					1.01		.03											.03	.20				.20	.70		.12				.01	
LITTLE FALLS 1 E	4.17						.98	1.60	.08	T										.02	.89					.60							
LONG BRANCH	4.27						.70	2.29	.10											T	.33				.81			T				.01	
LONG VALLEY	2.87						.65	.50	.27											*	.60					.82						.03	
MACOPIN INTAKE	4.37							1.03	1.74	.31										.03	.38						.86						
MAHWAH	3.64							.56	1.31	.34										.01	.86	T				.56			.02			T	
MANVILLE	2.91						.96	.30	.30											.83	.02					.50							
MARLTON 1 W	2.69						1.22	.22												.20	.13					.92						T	
MAYS LANDING	1.70					.01	1.29			.08																.10							
MILANO PARK	4.19							.63	2.20											T	.80						.55						
MILLVILLE	2.73						1.08	.01	.04											T	.66						.90	.04					
MILTON	3.48							.73	1.14	.18										.06	.44				.02	.69	.19					.03	
MOORESTOWN	2.60	.04					.95	.15	T											.60							.86						
MORRIS PLAINS	3.38						.23	.91	.75	.05										.12	.53					.51	.26					.02	
NEWARK WB AIRPORT	2.13						.24	.72	.38	T									T	.29	.10					.40	T					T	
NEW BRUNSWICK EXP STA	2.03						.47	.48	.47										T	.19	.10					.32							
NEW MILFORD	3.40						.54	.62	1.20												.46	.18				.40							
NEWTON	2.76							.32	.75	.23										.04	.64					.03	.75						
OAK RIDGE RESERVOIR	3.70							.85	1.31	.25											.05	.50					.73						
OLWICK	2.34							.71	.60	.06										.01	.42						T	.93					
ORANGE	3.62						.87	1.20	.06											*	.71					.76						.01	
PATERSON	4.47							.68	2.40	.09											.10	.69					.51			T			
PEMBERTON 3 E	2.64	.04					.91	.23	.16											.01	.35					.38	.56						
PHILLIPSBURG	2.84						T	.18	.94	.05									T	.45	.60					.30	.32						
PHILLIPSBURG BRIDGE	2																																

Table 5

DAILY TEMPERATURES

NEW JERSEY
OCTOBER 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY W8	MAX MIN	66 57	72 57	65 49	62 49	62 60	67 61	66 60	67 57	74 58	73 58	61 44	56 40	65 41	64 45	70 50	69 49	65 60	69 59	59 42	63 41	57 43	63 51	66 56	65 62	62 43	48 39	43 36	50 33	61 41	61 55	63 54	63.0 50.0
AUQUON	MAX MIN	70 51	74 49	66 47	66 45	68 51	64 50	71 54	68 58	78 60	71 52	59 45	60 38	66 33	68 38	72 40	41 43	68 57	66 48	58 40	62 44	63 34	68 37	73 47	65 60	62 43	47 35	44 35	51 35	62 36	63 38	67 44	64.9 44.5
BELLEPLAIN	MAX MIN	66 52	72 45	74 43	65 36	61 45	68 47	69 47	68 51	75 55	72 47	60 32	61 33	66 28	68 32	71 34	74 35	71 39	73 55	40 44	52 35	65 28	70 32	75 39	72 50	65 47	52 35	49 33	51 28	62 35	62 35	65 43	66.3 40.0
BELVIDERE	MAX MIN	71 45	74 44	67 37	67 38	70 45	63 48	65 55	64 55	80 54	70 48	61 37	63 29	67 29	68 33	74 37	64 41	62 55	60 49	62 42	62 30	65 34	67 47	63 58	61 42	46 31	42 31	51 30	62 36	57 36	65 39	64.1 40.9	
BOONTON 2 SE	MAX MIN	68 40	71 42	70 36	64 40	65 42	67 49	62 53	62 56	63 57	77 51	66 42	58 30	59 35	64 36	65 33	74 34	73 37	63 50	56 45	59 31	63 29	64 31	67 47	63 43	54 31	48 29	44 32	49 34	62 34	59 37	62.9 39.5	
BRIOGETON 1 NE	MAX MIN	61 51	69 51	72 44	63 43			66 47	70 53	65 56	75 52	70				66 32	69 70	70 42	58 50	61 31	61 35	72 41	62 49	63 48	54 48			31	50 36	58 40	61 43	64.8 43.0	
BURLINGTON	MAX MIN		75 51	71 52	64 46	64 53	62 53	70 55	70 57	79 58	74 55	66 42	64 37	68 38	72 39	74 41	67 44	67 54	64 37	60 44	60 45	68 38	73 47	69 61	62 47	50 34		52 34	62 34	64 34	67 44	66.3 45.5	
CANOE BROOK	MAX MIN	67 44	73 39	71 33	64 33	64 37	67 46	59 54	61 56	63 52	76 44	68 33	59 25	60 26	63 32	65 34	73 33	64 39	42	70 51	57 46	60 27	63 31	66 38	69 44	63 44	55 28	44 33	49 32	49 29	62 37	63.2 37.8	
CAPE MAY 3 W	MAX MIN	66 59	71 59	72 59		63 48	68 53	68 58	70 57	71 58	70 61	65 42		62 37	67 47	66 51	68 56	70			61 49	64 46	69 56	65 61	64 52	49 38	54 37	50 40	46 46	62 46	66 50	64.7 50.3	
CHARLOTTEBURG	MAX MIN	66 38	71 38	68 32	63 38	64 41	67 43	63 50	64 50	62 54	76 50	65 45	56 36	58 26	63 27	65 27	72 28	72 28	61 37	61 47	58 42	61 26	61 26	65 27	65 50	61 42	52 42	46 30	41 28	52 29	62 28	56 32	61.4 35.5
CLAYTON	MAX MIN	77 50	77 47	70 46	62 45	65 49	61 52	70 53	66 56	76 57	69 53	61 42	58 34	66 38	69 39	67 44	58 59	62 50	61 40	61 34	64 44	64 37	71 44	64 54	48 34	48 35	44 33	49 33	58 37	62 42	67 44	64.1 44.2	
ELIZABETH	MAX MIN	72 50	71 51	67 41	68 45	70 56	61 52	62 54	65 56	79 56	74 47	72 40	64 34	67 36	68 42	76 40	68 44	70 57	66 50	65 43	64 36	67 36	72 46	68 54	63 46	50 35	46 35	51 33	65 34	64 37	66 44	66.4 44.4	
ESSEX FELS SERV BLDG	MAX MIN	70 48	74 40	68 34	70 36	67 44	70 46	74 58	66 59	72 60	67 57	61 49	69 38	65 32	67 42	76 44	77 45	70 48	65 45	64 41	64 32	58 34	64 37	68 39	64 42	54 32	55 30	50 31	46 33	58 35	60 38	65.2 40.8	
FLEMINGTON 1 NE	MAX MIN	73 42	73 41	64 37	67 36	70 49	61 50	65 49	66 50	78 56	76 48	59 40	60 26	65 28	68 31	74 32	75 35	63 37	65 53	65 48	61 42	64 28	71 29	67 42	63 44	48 30	44 31	50 31	62 28	62 30	66 36	64.9 39.3	
FREEHOLD	MAX MIN	70 49	72 47	68 42	64 42	67 52	62 54	67 52	71 52	77 56	70 51	60 38	60 30	63 34	67 38	71 40	69 43	73 46	67 57	67 50	62 41	68 34	71 39	68 47	61 47	53 34	45 34	48 31	63 36	64 38	65 48	65.1 43.8	
HAMMONTON 2 NNE	MAX MIN	63 52	72 51	74 43	65 42	68 46	67 51	66 50	74 53	69 57	77 54	72 41	59 34	63 35	66 40	68	72 42	76 48	75 42	73 39	64 35	65 37	70 38	74 48	65 48	56 33	50 34	45 32	51 34	62 37	65 45	66.3 43.0	
HIGH POINT PARK	MAX MIN	61 47	65 44	61 33	56 34	56 41	60 45	59 48	55 49	57 49	70 46	58 40	49 28	58 31	58 34	60 43	62 44	62 46	62 49	59 42	47 32	56 36	56 31	62 41	62 57	43 30	25 25	26 26	37 25	43 29	57 37	58 44	55.9 38.5
HIGHTSTOWN 1 N	MAX MIN	70 48	75 45	67 40	64 42	65 48	61 52	67 50	70 54	79 56	72 49	60 38	60 31	65 31	66 35	72 36	75 40	67 42	70 56	61 49	63 41	68 35	70 47	66 60	62 45	48 32	44 32	49 31	62 34	64 40	65 43	64.8 42.4	
INOIAN MILLS 2 W	MAX MIN	71 48	72 46	65 39	67 34	68 46	63 54	72 49	67 56	77 56	71 47	59 34	60 29	63 27	69 32	72 33	68 40	71 57	60 48	62 38	64 30	69 41	73 40	65 61	62 44	49 33	44 33	49 29	60 34	63 34	68 40	65.1 40.2	
JERSEY CITY	MAX MIN	70 55	72 51	63 45	60 46	64 50	62 54	63 56	76 55	67 53	76 55	58 43	59 36	62 39	65 47	72 45	69 47	63 52	66 58	57 45	60 46	57 41	65 42	63 50	59 46	43 35	43 34	49 34	61 40	60 46	63 53	61.7 47.0	
LAKEWOOD 2 ENE	MAX MIN	72 51	74 45	67 38	63 40	64 54	63 55	72 47	65 53	79 53	74 49	62 36	59 30	66 30	69 36	72 40	74 41	68 38	72 56	61 41	65 38	60 30	65 46	72 46	64 38	45 37	43 34	50 31	64 32	64 35	68 46	65.0 41.4	
LAMBERTVILLE	MAX MIN	70 46	73 43	70 39	66 35	68 49	62 50	68 50	68 55	79 53	74 47	62 37	60 30	65 30	68 34	74 35	73 37	65 40	65 55	63 51	61 39	63 31	66 34	70 45	67 60	61 45	45 32	45 31	51 32	63 36	68 38	65.1 41.0	
LAYTON 3 NW	MAX MIN	72 38	70 38	65 38	63 28	67 36	61 41	62 53	60 54	78 49	67 39	56 34	60 24	65 26	67 30	67 30	74 30	60 35	55 43	58 40	58 24	61 28	65 44	62 48	60 39	45 26	40 25	50 23	50 26	55 28	60 35	61.0 35.1	
LEESBURG STATE FARM	MAX MIN	65 55	67 54	68 45	65 46	64 46	62 57	70 49	68 52	75 60	73 50	69 41	71 35	64 30	67 34	68 38	68 76	68 41	67 56	66 51	63 37	65 30	69 48	68 48	62 48	50 31	65 48	62 48	50 31	63 39	64 36	64.5 42.4	
LITTLE FALLS 1 E	MAX MIN	69 42	74 44	73 37	68 39	66 44	70 50	65 56	63 56	61 53	69 49	61 39	61 31	63 31	68 36	68 39	76 38	74 39	66 42	71 50	58 44	63 31	64 33	70 52	65 44	58 33	49 32	46 32	41 38	61 35	64 41	65.4 40.6	
LONG BRANCH	MAX MIN	71 50	70 48	63 40	61 48	63 54	62 55	64 57	70 54	75 56	68 54	56 40	59 36	63 36	64 39	72 40	72 47	67 51	71 44	59 40	60 45	57 35	64 44	68 56	65 46	56 39	46 37	46 34	64 37	64 46	64 50	62.8 45.6	
LONG VALLEY	MAX MIN	71 41	74 42	66 33	65 34	66 40	66 48	62 56	64 54	72 52	67 43	70 35	59 26	65 25	66 30	72 28	73 32	65 38	66 61	60 48	62 28	65 42	66 52	62 42	47 30	47 29	52 27	55 27	66 32	62 29	64 34	64.4 37.6	
MILLVILLE	MAX MIN	63 52	69 44	73 46	64 48	68 44	67 53	67 51	72 55	66 57	77 52	71 43	60 34	60 35	64 38	67 39	70 40	72 43	69 56	70 41	56 34	62 35	67 36	73 44	70 49	55 36	49 33	45 32	50 33	60 39	63 45	64.5 43.1	
MOORESTOWN	MAX MIN	68 49	73 48	65 42	66 42	68 51	62 52	70 54	67 57	76 56	70 47	58 40	60 36	65 31	68																		

DAILY TEMPERATURES

NEW JERSEY
OCTOBER 1957

Table 5-Continued

Station		Day Of Month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
RUNYON	MAX MIN	71 58	76 50	69 40	65 34	77 42	61 52	61 48	71 55	81 46	74 42	65 35	64 24	68 22	74 27	77 28	73 34	69 36	73 52	69 54	68 28	64 26	69 25	73 42	64 70	69 40	60 34	46 32	52 31	64 36	68 31	64 40	67.7 38.5	
SANDY HOOK LBSTA	MAX MIN	71 55	72 55	70 49	64 50	65 34	65 55	68 59	75 57	75 59	75 57	66 46	66 51	70 42	69 53	70 49	69 51	69 51	68 60	68 52	65 46	66 46	66 70	70 52	69 50	58 40	56 38	47 38	52 35	60 41	61 45	63 52	65.7 49.3	
SOMERVILLE	MAX MIN	72 44	75 60	69 37	66 41	69 49	60 50	65 57	65 55	76 56	79 48	60 38	60 29	65 29	67 35	74 34	74 36	64 38	70 55	63 51	62 42	61 30	66 31	69 44	65 59	62 44	46 30	46 32	50 27	62 62	61 61	66 33	64 40	64.6 40.8
SUSSEX 3 N	MAX MIN	65 39	70 43	65 35	62 35	65 33	66 42	64 45	58 50	62 52	76 45	63 38	56 25	60 25	64 28	66 30	72 30	73 35	61 37	66 48	53 40	58 30	60 29	65 31	64 40	64 38	62 25	51 26	44 28	48 28	63 32	57 33	61.3 35.6	
TRENTON 2	MAX MIN	71 51	73 49	64 45	65 44	69 51	63 52	69 53	69 55	63 58	72 59	76 52	67 42	71 36	67 41	72 40	73 44	67 44	69 57	59 46	61 42	61 38	67 37	71 49	64 60	61 39	47 33	45 34	49 33	62 38	63 45	67 45	64.5 44.8	
TRENTON WB CITY	MAX MIN	69 52	71 52	63 46	62 45	65 52	62 53	66 53	67 56	77 60	69 51	58 44	59 38	63 39	65 44	72 44	72 47	66 47	68 47	57 46	60 45	61 40	65 42	70 49	64 60	61 40	45 38	43 36	49 34	61 38	62 45	64 49	63.1 46.3	
TUCKERTON	MAX MIN	70 54	70 50	67 41	62 39	63 54	67 58	69 46	68 55	75 56	72 51	64 37	55 32	64 31	65 36	69 34	72 30	70 38	71 56	65 38	65 37	58 32	65 31	70 40	63 58	63 48	50 36	44 32	49 29	60 36	61 33	65 45	64.2 42.4	
WOODSTOWN 5 WSW	MAX MIN	68 50	72 50	72 44	68 42	71 44		71 62	65 53	76 53	70 48	59 40	60 34	64 30	64 35	69 35	69 42	68 42	65 55	65 52	63 42	64 36	66 38											

EVAPORATION AND WIND

Table 6

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP WIND	.05 0	.04 3	.13 6	.10 19	.08 7	* 10	* 24	.12 1	.02 1	.11 6	.13 22	.06 20	.07 3	.09 7	.03 1	.07 2	.04 1	.01 1	.10 9	* 53	* 28	.26 1	.09 3	.06 4	- 16	- 14	- 24	- 1	- 28	.07 7	.03 1	B2.10 323
PLEASANTVILLE 1 N	EVAP WIND	.02 12	.07 21	.14 34	.11 27	.08 38	.04 59	.18 48	.09 12	.01 22	.11 24	.18 33	.14 33	.08 16	.08 20	.09 14	.08 23	.09 2	.04 11	.04 44	.17 64	.16 68	.06 14	.08 16	.08 42	.01 22	.05 9	.05 41	.06 131	.02 63	.07 32	.01 3	2.49 998


DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
NEW BRUNSWICK EXP STATION																																		
MEASURED UNDER 50D																																		
1 INCH	MAX	63	68	68	60	64	58	61	64	70	66	62	62	62	59	62	62	57	60	60	58	58	58	58	58	59	50	49	50	54	52	55	59.7	
	MIN	53	53	51	50	53	54	57	58	59	55	49	46	45	46	46	47	49	55	51	48	45	44	50	55	48	44	45	43	43	44	46	49.5	
2 INCHES	MAX	61	64	62	59	60	58	60	62	65	63	59	57	57	56	57	58	56	59	59	56	55	55	56	57	57	50	48	51	50	50	53	57.1	
	MIN	55	56	54	53	55	55	57	58	60	57	52	49	48	49	48	49	50	55	53	51	47	46	51	55	50	46	46	44	44	45	47	51.2	
4 INCHES	MAX	61	63	62	59	60	58	60	62	65	63	59	57	57	56	57	57	56	59	58	56	55	55	56	57	57	50	48	48	50	50	52	57.0	
	MIN	56	56	54	54	55	55	58	58	60	58	58	54	50	49	50	48	50	51	55	54	51	48	47	51	55	51	47	46	45	44	45	51.8	
8 INCHES	MAX	61	61	60	59	59	59	60	60	62	61	60	57	55	55	55	55	55	56	58	58	56	54	54	55	57	54	51	49	50	50	52	56.5	
	MIN	58	59	58	56	57	57	58	59	60	60	57	54	52	52	52	53	53	53	56	56	54	51	51	53	55	54	50	49	48	47	48	49	54.1
16 INCHES	MAX	61	61	61	60	60	59	60	60	61	61	60	59	57	56	55	54	54	55	56	57	56	54	54	54	55	57	56	54	52	51	51	52	57.2
	MIN	60	60	60	59	59	58	59	60	60	60	60	59	57	56	55	54	54	55	56	57	56	54	54	54	55	56	54	52	50	50	51	56.0	
32 INCHES	MAX	63	63	62	62	61	61	61	61	61	61	61	61	60	60	59	58	58	58	58	58	58	58	58	57	57	57	56	55	54	54	59	58.9	
	MIN	62	62	62	61	61	61	61	60	60	60	61	60	60	59	58	58	57	57	57	58	58	57	57	56	56	57	57	56	55	54	54	54	58.3

Measured under Kentucky Bluegrass.

TOTAL PRECIPITATION


NEW JERSEY
OCTOBER 1957



Isohyals are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
OCTOBER 1957



Isotherms are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
OCTOBER 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Temp.	Precip.	Observer	Refer To Tables
ALLENDALE	0100	BERGEN	8 41 02	74 08	270	MID	BERGEN COUNTY ENGS				MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCON		3	
ATLANTIC CITY WB	0325	ATLANTIC	1 30 22	74 25	80	MID	U. S. WEATHER BUREAU	2 3 5	7 C		MATS LANDING	5346	ATLANTIC	3 30 27	74 44	50	5P	ELMER EARLE		3	
AUGURN	0346	CAMDEN	2 39 54	75 04	50	11P	IRVIN J. MYERS	2 3 5			MIDLAND PARK	5503	BERGEN	1 40 59	74 09	210	8A	RIDGEMOUNT WATER CO.		3	
BASS RIVER ST FOREST	0528	BURLINGTON	1 39 37	74 26	20	8P	N.Y. FORESTRY SVC	2 3 5			MILLVILLE	5576	CUMBERLAND	6 30 24	75 03	60	8A	L. J. GALLAHER		2 3 5 7 C	
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	40	5P	MRS. E. C. HOFFMAN	2 3 5			MILTON	5597	MORRIS	8 41 01	74 32	950	7A	JERSEY CITY WTR WKS		3	
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT	2 3 5			MOORESTOWN	5728	BURLINGTON	2 30 58	74 58	55	MID	H. J. WILLARD		2 3 5 7	
BEVERLY	0729	WARREN	2 40 50	75 05	289	5P	MISS C. S. HIXSON	2 3 5			MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	300	4P	JAMES C. LONG		2 3 5 7	
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150	7A	SAMUEL H. MC CULLEY	2 3 5		7	NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU		2 3 5 7 C	
BLACKWELLS MILLS	0847	SOMERSET	10 40 29	74 35	27	7A	HENRY M. NIELSEN	2 3 5			NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	5P	ARTHUR H. AHLQUIST		2 3 5 7 C	
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	8A	JERSEY CITY WTR WKS	2 3 5			NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	HACKENSACK WATER CO		3	
BOUND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	8A	AMERICAN CYANAMID CO	2 3 5			NEWTON	6177	SUSSEX	2 41 03	74 45	565	8A	NEWTON WTR SWR COMM		2 3 5 7 C	
BRANCHVILLE	0978	SUSSEX	2 41 09	74 21	570	7A	ALBERT M. DAVENPORT	2 3 5			OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	8A	NEWARK WATER DEPT		2 3 5 7 C	
BRIDGEFORD 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WSNJ	2 3 5			DLOWICK	6544	HUNTERDON	10 40 40	74 45	260	6P	DAN A. COUGHLIN		3	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC (E + G CO)	2 3 5			DRANGE	6560	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER		3	
CANISTEAR RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	8A	NEWARK WATER DEPT	2 3 5			PATERSON	6775	PASSAIC	8 40 55	74 09	100	8A	FR. J. DEL VECCHIO		2 3 5 7	
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5			PENBENTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	5P	CHARLES A. COEHLERT		2 3 5 7	
CANTON	1343	SALEM	2 39 28	75 25	20	7A	GERTRUDE S. MILLIS	2 3 5			PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT		2 3 5 7 C	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	5P	WEST MAGNETIC CO	2 3 5			PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	6P	JOINT TOLL BRIDGE COM		3	
CEARO GROVE	1472	ESSEX	8 40 52	74 13	400	8A	J. A. PLUNKETT	2 3 5			PLAINFIELD	7079	UNION	10 40 36	74 25	120	8P	SP. S. PEARSON		2 3 5 7	
CLAYTON	1512	SALEM	6 39 31	75 10	80	MID	JOHN NORRINS UNIV.	2 3 5			PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	10A	NO JERSEY WTR SUPPLY		3	
CHARLOTTEBURG	1562	PASSAIC	8 41 03	74 26	760	7A	NEWARK WATER DEPT	2 3 5	7		PLEASANTVILLE 1 N	7311	ATLANTIC	1 39 25	74 31	90	8A	ATLANTIC CITY WTR WK		2 3 5 6	
CHATHAM	1590	MORRIS	8 40 44	74 23	185	6A	EDWARD P. HOLTER	2 3 5			PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO		2 3 5 6	
CHATSORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	5P	WILLIAM S. MAINES	INAC 1/57			RAHWAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH		3 7 C	
CLAYTON	1749	GLoucester	8 40 59	74 19	250	8A	HARRY P. CAMPBELL	2 3 5			RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN		2 3 5 7	
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. M. KLOCKNER	2 3 5			RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NO JERSEY WTR SUPPLY		3	
DEEPWATER	2209	SALEM	2 39 41	75 30	12	MID	DU PONT DE NEMOURS	2 3 5			RUNYON	7825	MIDDLESEX	1 40 26	74 20	18	6P	N.J. WATER COMM		2 3 5 6	
ELIZABETH	2644	UNION	1 40 40	74 14	33	5P	UNION CO PARK COMM	2 3 5			SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD		2 3 5	
ELIZABETHPORT	2652	UNION	1 40 39	74 12	30	MID	SEWAGE TREATMENT PL	2 3 5			SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	H. E. HAVES		2 3 5 7	
ESSER FIELDS SERV BLDG	2768	ESSEX	8 40 59	74 19	250	8A	BOROUGH ESSER FIELDS	2 3 5			SPRINGFIELD	8402	MORRIS	8 40 58	74 28	800	10A	JERSEY CITY D P W		3	
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	5P	DONALD WYNN	2 3 5			SPRINGFIELD	8423	UNION	1 40 43	74 18	-	MID	N.J. DEPT OF CONS		3	
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	7A	JOHN LOPER	2 3 5			SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON		2 3 5	
FREEHOLD	3181	MONMOUTH	10 45 15	74 17	194	6P	FRANK J. MOREAU	2 3 5	7 C		SWEDENBORO 5 W	8685	GLoucester	2 39 47	75 24	10	12N	SUN OIL CO		3	
GLASSBORO	3291	GLoucester	2 39 42	75 07	150	MID	PROF. J. B. SANGRE	2 3 5			TOWNSHIP	8818	OCEAN	1 39 57	74 10	110	6P	ROBERT F. SNYDER		3	
GREAT MEADOWS 4 N	3410	WARREN	6 40 56	74 56	580	8A	MICHAEL DZOWSKI JR	INAC 2/57			TRANQUILITY 2 N	8858	WARREN	2 40 57	74 50	551	MID	H. J. ERVEY		2 3 5 C	
GREENWOOD LAKE	3513	PASSAIC	4 40 59	74 20	660	7A	GEORGE T. WIGGINS	2 3 5			TRENTON 2	8878	MERCER	2 40 13	74 46	105	MID	U. S. WEATHER BUREAU		2 3 5 7 C	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS	2 3 5			TRENTON W CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU		2 3 5 7 C	
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	8A	HUBBARD PARKHURST	2 3 5			TUCKERTON	8899	OCEAN	1 39 36	74 20	10	6P	REV EDWARD G. MCGILL		2 3 5	
HIGH POINT PARK	3695	SUSSEX	2 41 18	74 19	1600	8A	J. B. DEPT. OF CONS.	2 3 5			UNION	9135	CUMBERLAND	6 39 29	75 00	110	6P	STATE HOME FOR WOMEN		3	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	8P	JAMES R. PICKERING	2 3 5		7	WANAQUE RAYMOND DAM	9187	PASSAIC	8 41 03	74 18	320	8A	WATER SUPPLY COMM		3 7 C	
HIGHTSTOWN PUMPING STA	3956	MERCER	10 40 17	74 32	75	MID	DEPT WATER + SEWAGE	2 3 5			WATCHUNG	9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.		3	
INDIAN MILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5		7	WERTSVILLE	9363	HUNTERDON	10 40 27	74 48	160	7A	ROBERT M. MANNERS		3	
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	MID	JOINT MEETING GARAGE	2 3 5			WHELFIELD	9455	UNION	9 40 39	74 21	138	5P	CITY ENGINEER		3 C	
JERSEY CITY	4269	HUDSON	1 40 56	74 04	85	MID	JERSEY CITY WTR DEPT	2 3 5			WOODCLIFF LAKE	9837	BERGEN	4 41 01	74 03	103	7A	HACKENSACK WATER CO		3	
LAKEWOOD 2 ENE	4627	OCEAN	1 40 08	74 11	54	MID	GEORGE G. WADGILL	2 3 5		7 C	WOODSTOWN 5 WSW	9910	SALEN	2 39 38	75 25	30	7A	RAYMOND L. BLEW JR.		2 3 5	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5		7											
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. DEPU	2 3 5		7											
LEESBURG STATE FARM	4762	CUMBERLAND	6 30 14	74 58	10	4P	LEESBURG STATE FARM	2 3 5													
LITTLE FALLS 1 E	4887	PASSAIC	8 40 53	74 14	157	9A	PASSAIC VLY WTR COMM	2 3 5		7 C											
LONG BRANCH	4987	MONMOUTH	1 40 18	73 58	34	MID	STORM WARR. OSLP STA	2 3 5		7 C											
LONG VALLEY	5003	MORRIS	10 40 48	74 46	860	6P	ARTHUR BARKMAN	2 3 5		7 C											
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25	MID	JAMES LAWTON	2 3 5													
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	254	8A	NEWARK WATER DEPT	2 3 5													
MANNAH	5104	BERGEN	8 41 06	74 10	253	7A	ROBERT G. GLASGOW	2 3 5													
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADOLIFFE	2 3 5													
MARLBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	GEROW BRILL	2 3 5													

1 - COASTAL; 2 - DELAWARE; 3 - GREAT EGG HARBOR; 4 - HACKENSACK; 5 - HUDSON; 6 - MAURICE; 7 - MULLICA; 8 - PASSAIC; 9 - RAHWAY; 10 - RARITAN; 11 - ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 35W, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sum of the negative departures of average daily temperatures from 65° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6. Max and Min in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.

+ And also on a later date or dates.

++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.

* Amount included in following measurement, time distribution unknown.

// Gage is equipped with a windshield.

Thermometers generally exposed in a shelter located a few feet above sod-covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

AM Data based on observational day ending before noon.

B Adjusted to a full month.

C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data."

D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.

G In the "Refer to Tables" column in the Station Index the letter "G" indicates that soil temperatures are published.

W One or more days of record missing. If average value is used, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this stations, have been adjusted to represent the value for a full month.

R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data".)

T Trace, an amount too small to measure.

V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposure etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issues of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Resittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

HWBC, Asheville, N. C. --- 12/9/57 --- 750

51.05
NNJ
exp. 1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

NOVEMBER 1957
Volume LXII No. 11



THE LIBRARY OF THE
JAN 27 1958
UNIVERSITY OF ILLINOIS

WEATHER SUMMARY

GENERAL

November's weather was warmer than usual, and even though the precipitation that fell furnished some relief there was still a serious water shortage.

Temperature averages in all divisions were greater than usual ranging from +1.9° in the Southern Division to +2.3° in the Coastal Division. The highest temperature for the month was 72° on the 19th at Burlington, while the lowest for the month was 12° at Layton 3 NW on the 27th. There were 22 stations with minimum temperatures that were equal to or lower than 20°.

Precipitation averages for the month were above long-term values in the Southern and Coastal Divisions, but below average in the Northern Division. Monthly totals ranged from 2.47 inches at Trenton WB City to 5.87 inches at Toms River. The greatest measurement for one day was 1.84 inches at Macopin Intake on the 15th.

WEATHER DETAILS

Temperatures during the first five days of the month were above average, but on the 6th and 7th slightly cooler weather prevailed, however, departures were not too significant. On the 8th temperatures were again above seasonal levels, but cooler weather moved in on the 9th with average temperatures that were noticeably below long-term values on the 10th and 11th and slightly below on the 12th and 13th. The period 14th-19th was significantly warmer than usual, but temperatures fell on the 20th and during the following week fluctuated considerably; however, daily departures from long-term averages were not especially noteworthy. During the last three days of the month the weather was warmer than usual with average readings on the 28th and 29th showing significant positive departures from long-term means, while on the 30th there was a change to cooler but departures were still slightly on the positive side.

Precipitation occurred at fairly well spaced intervals during the month but amounts that fell were not especially noteworthy. Based on reports from Weather Bureau offices a trace or more of precipitation fell on one-

half the days in the month. The periods of occurrence which were generally noteworthy were as follows: 1st-2nd, 8th, 14th-15th, 18th-19th, 28th, and 30th. Snowfall which occurred during the month was very light and insignificant.

WEATHER EFFECTS

Corn and soybean harvest was practically completed in October and the few remaining fields were finished in November. Picking of late variety apples, mostly Romes, was completed by mid-November while harvest of hardy fall vegetables such as broccolli, cabbage, cauliflower, celery, lettuce and spinach continued until early December. Fall sowings of rye and winter wheat were reported about finished early in the month, and as the month progressed and neared its end winter grains were reported doing well. Many herds of cattle were left out on pasture longer than usual because of short winter supplies and aided by the mild November temperatures.

DESTRUCTIVE STORMS

The Weather Bureau Office at Trenton reported light local wind damage on the 8th, 14th and 19th.

On the 19th at Washington in Warren County a small tornado was reported to have dipped through a two-block area in the business district, moved aloft, and then struck a one-block area in a housing development a half-mile away. There was severe damage to the framework of one store, roofs blown off, and many windows out, mainly in the business area.

FLOODS

No floods were reported. The U. S. Geological Survey reported that deficient runoff continued in Northern New Jersey and the water shortage remained serious; content of Wanaque Reservoir was only 25 percent of usable capacity, the lowest since storage was begun in 1928. Ground-water levels as indicated by the key well near Old Bridge rose seasonally but remained record low for November.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

SPECIAL NOTICE

A survey has indicated that the comprehensive narrative weather story carried in each issue of Climatological Data is of value to only a small number of recipients. This story will be discontinued, therefore, with the January 1958 issue. A table of extremes will be carried each month and a text will be carried whenever unusual and outstanding weather events have occurred. General weather conditions in the U. S. for each month are described in the publication MONTHLY WEATHER REVIEW and the MONTHLY CLIMATOLOGICAL DATA, NATIONAL SUMMARY, either of which may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C.

CLIMATOLOGICAL DATA

NEW JERSEY
NOVEMBER 1957

TABLE 2

Station		Temperature											Precipitation											
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											32° or Above	32° or Below	32° or Above	0° or Below										
NORTHERN																								
8ELVIDERE		53.9	35.9	44.9	2.2	70 19	21 27	596	0	0	11	0	3.51	-.52	.82	15	T	0		9	2	0		
8OONTON 2 SE	AM	54.1	34.4	44.3	2.1	70 20	18 27	614	0	0	16	0	3.50	-.62	1.43	15	.0	0		8	2	1		
CANDE BROOK	AM	56.1	33.3	44.7	2.0	69 20	17 27	602	0	0	15	0	3.51	-.72	1.57	15	.0	0		7	1	1		
CHARLOTTESBURG	AM	53.2	31.6	42.4	.4	66 20	17 27+	669	0	0	17	0	3.54	1.15	1.51	15	T	0		7	2	1		
ELIZABETH		58.2	38.4	48.3	2.9	69 3+	22 27	496	0	0	11	0	3.73	-.19	1.02	30	T	0		8	2	1		
ESSEX FELS SERV BLDG	AM	56.6	36.6	46.6		69 4+	20 11	547	0	0	12	0	3.81		1.42	15	.0	0		7	3	1		
FLEMINGTON 1 NE		55.7	35.1	45.4	1.0	71 19	17 27	578	0	0	17	0	4.60	.84	.88	2	.5	T	23	10	5	0		
HIGH POINT PARK		49.2	31.8	40.5		64 20	16 11+	728	0	0	18	0	3.19		1.39	15	.0	0		7	2	1		
JERSEY CITY		53.6	40.9	47.3	3.4	65 15	23 27	525	0	0	6	0	3.92	.51	1.15	30	.0	0		9	3	1		
LAMBERTVILLE		55.6	36.1	45.9	1.7	70 19	20 27	567	0	0	15	0	3.98	.20	.97	15	.5	T	23	8	3	0		
LAYTON 3 NW		54.2	30.3	42.3	2.3	70 19	12 27	674	0	0	19	0	2.99	-.84	.92	15	T	0		6	1	0		
LITTLE FALLS 1 E	AM	57.2	36.9	47.1	2.8	71 20	21 27	532	0	0	13	0	3.76	-.64	1.43	15	.0	0		7	2	1		
LONG VALLEY		54.5	33.8	44.2		68 19	17 11+	617	0	0	17	0	5.52	1.16	1.43	14	.0	0		8	5	2		
MORRIS PLAINS		55.6	35.5	45.6		68 19	19 27	574	0	0	15	0	4.48		1.42	15	T	0		9	3	1		
NEWARK WB AIRPDRT	R	56.0	40.6	48.3	3.4	70 19	26 27	495	0	0	6	0	3.13	.03	.90	30	T	0		7	2	0		
NEWTON	AM	53.0	32.3	42.7	1.6	69 20	16 27	664	0	0	17	0	2.80	-.94	.95	15	.0	0		7	1	0		
PATERSON	AM	57.2	37.0	47.1	2.3	69 20	21 27	529	0	0	10	0	3.43	-.63	1.26	15	T	0		8	1	1		
PHILLIPSBURG		57.6	37.6	47.6	4.7	71 19	23 13+	513	0	0	10	0	3.61	.15	.97	15	T	0		7	4	0		
PLAINFIELD		55.5	37.1	46.8	2.2	70 13	20 27	537	0	0	14	0	3.44	-.48	.89	30	T	0		8	3	0		
RIDGEFIELD		55.5	38.9	47.2	3.0	67 19	24 11+	529	0	0	9	0	4.48	.54	1.15	30	T	0		9	5	1		
SDMERVILLE		55.5	35.7	45.6	1.8	69 19	19 12+	573	0	0	15	0	3.86	.11	.90	15	.2	0		8	3	0		
SUSSEX 3 N	AM	53.3	30.8	42.1	.0	70 20	15 27+	683	0	0	16	0	3.01	-.99	.75	15	T	T	26	7	2	0		
DIVISION				45.3	2.0								3.72	-.27			.1							
SOUTHERN																								
AUDUBON		56.1	39.1	47.6		70 19	25 13+	510	0	0	8	0	4.07		.78	30	T	0		11	3	0		
BELLEPLAIN		58.9	36.2	47.6		71 15	17 12	514	0	0	9	0	4.68	.50	1.20	1	.0	0		9	4	1		
BRIOGETON 1 NE	AM	56.9M	38.9M	47.9M	1.5	72 19	24 13	503	0	0	9	0	3.90	.16	1.07	2	T	T	23	9	2	1		
BURLINGTON		55.7	39.1	47.4		69 19	23 12+	520	0	0	7	0	3.57		1.10	14	T	0		8	2	1		
CLAYTON		56.5	38.8	47.7	2.5	68 19	22 27	513	0	0	9	0	4.75	.69	.82	2	1.7	0		12	4	0		
FREEHOLD	AM	57.8M	38.7M	48.3M	5.2	69 16	23 13	501	0	0	7	0	4.55	.78	1.08	2	.0	0						
HAMMONTON 2 NNE		56.1	38.4	47.3	2.3	69 19	23 11+	525	0	0	11	0	3.51	.04	.89	30	1.0	1	23	8	3	0		
HIGHTSTOWN 1 N		55.7	35.2	45.5	.2	70 19	17 12+	580	0	0	15	0	4.13	.33	.78	1	T	0		12	2	0		
INDIAN MILLS 2 W		56.3	35.8	46.1	1.0	69 3+	18 13+	559	0	0	13	0	5.58	1.37	1.28	19	T	T	23	12	5	1		
LAURELTON 1 E		57.7	38.3	48.0		65 15	19 12	506	0	0	9	0	5.34		1.40	1	.0	0		11	2	2		
LEESBURG STATE FARM	AM	57.4	38.6	48.0		69 16	21 12	505	0	0	10	0	5.58		1.49	20	T	0		10	5	1		
MILLVILLE		55.7	38.5	47.1	2.3	70 19	23 13+	530	0	0	8	0	2.80	-.84	.65	2	T	T	26	9	2	0		
MODRESTOWN		56.4	38.9	47.7	2.7	70 19	24 11+	513	0	0	10	0	3.92	.29	.64	30	.3	T	23	9	3	0		
NEW BRUNSWICK EXP STA		57.3	37.3	47.3	1.2	70 19	18 13	524	0	0	11	0	4.18	.62	1.11	2	.3	0		10	3	1		
PEMBERTON 3 E		56.4	35.2	45.8	.4	68 16+	19 12	568	0	0	10	0	4.80	.44	1.70	2	.2	0		8	3	1		
PLEASANTVILLE 1 N	AM	59.3	35.4	47.4	4.5	70 19	13 27	524	0	0	16	0	4.37	.54	1.12	2	.0	0		9	4	1		
RUNYON		55.9	39.5	47.7		70 19	25 27	510	0	0	8	0	3.35	-.45	.79	30	.8	T	23	9	1	0		
TRENTON 2		55.4	41.2	48.3	2.7	71 19	28 27	493	0	0	7	0	2.47	-.39	.64	30	.6	0		8	1	0		
TRENTON WB CITY	R	57.0	37.0	47.0		69 15	17 27	532	0	0	9	0	4.55		.90	1	.0	0		12	4	0		
TUCKERTON																								
DIVISION				47.4	1.0								4.22	.44			.3							
COASTAL																								
ATLANTIC CITY WB	R	56.7	44.4	50.6	2.5	69 15	30 11	427	0	0	3	0	4.54	1.22	.89	1	T	T	26	10	4	0		
CAPE MAY 3 W		56.9M	43.1M	50.0M		70 3	29 12+	439	0	0	3	0	5.61		1.41	2	.0	0		10	5	2		
LONG BRANCH		55.2	39.8	47.5	2.0	67 15+	26 11+	517	0	0	7	0	4.44	.50	1.05	2	.3	0		10	3	1		
SANJOY HOOK LBSTA		56.5	42.5	49.5	2.7	67 19	32 26+	458	0	0	2	0	4.74	1.36	1.10	3	.0	0		8	4	2		
DIVISION				49.4	2.3								4.83	1.18			.1							

SUPPLEMENTAL DATA

Station	Wind direction		Wind speed m. p. h.				Relative humidity averages percent				Number of days with precipitation							Percent of possible sunshine	Average sky cover sunrise to sunset
	Prevailing	Percent of time from prevailing	Average	Fastest mile	Direction of fastest mile	Date of fastest mile	1:00 a EST	7:00 a EST	1:00 p EST	7:00 p EST	Trace	.01-.09	.10-.49	.50-.99	1.00-1.99	2.00 and over	Total		
ATLANTIC CITY WB	-	-	18.2	52	NW	8	-	-	-	-	2	3	6	4	0	0	15	50	6.2
LONG BRANCH	NW	18	15.3	50	S	8	-	78	68	70	2	5	7	2	1	0	17	64	8.1
NEWARK WB AIRPORT	WNW	16	10.1	37++	S	8	72	73	53	88	7	4	5	2	0	0	18	-	8.1
TRENTON WB CITY	-	-	9.5	34	S	8+	-	-	-	-	4	4	7	1	0	0	16	51	8.2
p 12:00 Noon																			

DAILY PRECIPITATION

NEW JERSEY
NOVEMBER 1957

Table 3

Station	Total	Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	4.54	.89	.79			.07	.12			.20					.44	.13			.27	.07													
AUDUBON	4.07	.70	.48			.17	.15			.33					.60				.27	.17	.05												
BASS RIVER ST FOREST	4.04	.83	1.25	.17											1.36				.23														
BELLEPLAIN	4.68	1.20								.31					.04	.64			.23														
BELMAR	2.62														1.79	.08			.09	.66													
BELVIDERE	3.51	.13	.33	.25			.04			T	.60	T			.24	.82			.02	.28													
BERLIN 1 W	3.68		.58	.90											1.40					.35													
BLACKWELLS MILLS	3.19		.49	.89			.08				.28				.71					.23	.28												
BOONTON 2 SE	3.50		.20	.19						.16					1.43					.27	.37												
BOUND BROOK 1 W	2.73		.24	.47			.02			.58					.77					.18	.22												
BRANCHVILLE	3.40		.25	.20			.05				.74	T				1.18				.33	.25												
BRIDGETON 1 NE																																	
BURLINGTON	3.90	.15	1.07				.21			.27					.30	.44			T	.08													
CANISTEAR RESERVOIR	3.94		.39	.69			.03			.67					1.31					.23	.23												
CANOE BROOK	3.51		.16	.26			.02			.49	.01				1.57					.34	.30												
CANTON	3.00	.13	.70	.12			.68			.33					.35				.02	.15		.03											
CAPE MAY 3 W	5.61	1.10	1.41	.02			.32			.26					.12	.37				.51	.01												
CEGAR GROVE	3.95		.20	.20			.02			.59					.86						.31	.25											
CHARLOTTEBURG	3.54		.27	.52			T			.37			T		1.51					.25	.28												
CHATHAM	3.62		.18	.29			T			.71					1.56					.28	.42												
CLAYTON	3.57	.59	.49	T			.02			T	T				1.10	.19			.21	.09													
CLINTON	3.74	.14	.32	.58			.04			.02	.16		.02		.10	.97				.46	T												
DEEPWATER	2.89	.56	.13				.17	.01		.30					.49					.27	.33												
ELIZABETH	3.73	.08	.30	.35						.01	.31				.02	.65			.01	.40	.02												
ELIZABETHPORT	3.86	.14	.69				T			.48					.45	.15			.28	.42													
ESSEX FIELDS SERV BLDG	3.81		.28	.15						.73					1.42					.18	.57												
FLEMINGTON 1 NE	4.60	.20	.88	.15			T	T		.62	.27	T	T		.17	.70			T	.69	T												
FORTESCUE	4.60	1.22	.15				.38			.59					.30					.44	.70												
FREHOLO	4.75	.33	.82	.43			.14			.81					T	.04			.04	.13	.10												
GREENWOOD LAKE	4.25		.19	.93			.02			.80					1.56					.22	.32												
HAMMONTON 2 NNE	4.55	1.08					.22			.87					.66	.01				.75													
HIGH POINT PARK	3.19		.48	.13			T			.56					1.39					.17	.21												
HIGHTSTOWN 1 N	3.51	.14	.75	.27			.12			T	.50	T			T	.49			.02	.09													
INDIAN HILLS 2 W	4.13	.78	.24	T			.31			.18	.47				.23	.52			.18	.17	T												
IRVINGTON	3.35	.30	.04							.34					.58	.11			.40	.22		T											
JERSEY CITY	3.92	.18	.36	.03						.54					.50	.24			.22	.39													
LAMBERTVILLE	3.98	.31	.47	.20						.21	.97				.21	.97			.03	.80													
LAURELTON 1 E	5.58	.89	.51	.22			.10	.14		.55	.01	T			.83	.11			.11	.28	T												
LAYTON 3 NW	2.99	.05	.14	.08			.01			.05	.45	T			.04	.92				.45													
LEESBURG STATE FARM	5.34	1.40	1.00	.02			.40			.05	.34				.05	.40				.44	.10												
LITTLE FALLS 1 E	3.76		.19	.20			.01			.02					1.43					.22	.47												
LONG BRANCH	4.44	.32	1.05	.24			.02	.01		.58					.77	.24			T	.09													
LONG VALLEY	5.52	.30	1.40				.10			.54					1.43					.60													
MACOPIN INTAKE	4.06		.37	.37						.48					1.84					.33	.22												
MAHWAH	3.09		.20	.20			.01			.24					.42					.23	.40												
MANVILLE	3.92	.20	.71				.06			.62					.57					.25	.33												
MARLTON 1 W	4.02	.37	.97				.28			.39					.14	.30				.12	.28												
MAYS LANDING	3.72	1.00	.10				.25			.25					.20	.49				.12	.10												
MIDLAND PARK	3.37		.13	.17			.01			.45					1.29																		
MILLVILLE	5.58	.92	.52				.22	.15		.73					.30					.35	1.49												
MILTON	4.91		.30	1.09			.07			.04	.94	.02							.02		.30	.29											
MOORESTOWN	2.80	T	.65	.53			.23			.30					T	.46				.13	.10												
MORRIS PLAINS	4.48	.08	.16	.39			.01			.01	.19		T		.10	1.42				.34	.53												
NEWARK WB AIRPORT	3.13	.06	.35	T			.01	T		.32					.53	.07			.29	.28													
NEW BRUNSWICK EXP STA	3.92	.15	.72	.30			.05			T	.44				T	.52				.30	.20												
NEW MILFORD	3.68	.18	.12	.02						.50					.74	.28			.04	.60													
NEWTON	2.80		.31	.31			.03			.49					.95					.18	.27												
OAK RIDGE RESERVOIR	5.04		.30	1.04			.05			1.28	.39	T	.01		1.39					.25	.31												
OLONICK	3.17		.26	.67			.01			.15		T			1.17					.22	.39												
ORANGE	4.84			.60			.05			.50						1.24				.42	.43												
PATERSON	3.43		.16	.26			T			.40		T			1.26					.													

Table 5

DAILY TEMPERATURES

NEW JERSEY
NOVEMBER 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	MAX	57	59	68	60	60	53	60	62	59	46	45	52	55	61	69	58	63	58	64	54	58	55	45	55	43	45	54	58	67	57	56.7	
	MIN	55	56	54	48	47	43	40	55	37	33	30	35	35	54	55	52	50	48	54	43	45	43	39	41	36	32	32	53	46	40	44.4	
AUDUBON	MAX	59	60	65	58	59	54	58	67	52	45	45	54	56	64	66	64	61	54	70	53	56	50	41	54	45	43	49	62	65	55	56.1	
	MIN	55	56	54	49	46	40	35	34	35	30	28	26	25	50	47	41	46	43	51	36	34	30	32	37	35	30	30	43	40	36	39.1	
BELLEPLAIN	MAX	60	60	61	60	60	56	60	62	66	49	46	56	57	67	71	65	64	66	68	66	58	50	44	55	52	45	50	64	66	62	58.9	
	MIN	53	56	45	43	47	38	27	35	43	30	19	17	19	38	42	38	42	42	49	39	27	35	31	35	35	27	19	42	37	35	36.2	
BELVIOERE	MAX	62	61	66	56	56	52	56	63	60	41	44	51	52	65	66	63	60	51	70	54	51	42	37	50	45	42	41	55	60	46	53.9	
	MIN	42	53	52	50	42	39	33	32	35	24	24	26	23	40	50	36	43	40	44	34	25	27	31	34	32	34	21	33	46	31	35.9	
BOONTON 2 SE	MAX	64	60	63	64	55	55	49	50	62	47	43	46	58	54	65	63	62	60	54	70	48	52	43	40	50	39	41	45	60	54	54.1	
	MIN	42	53	55	52	45	37	29	30	35	32	24	21	23	25	46	36	36	39	43	39	27	32	32	32	30	27	18	20	44	28	34.4	
BRIDGETON 1 ME	MAX	66		63	57			57		66				51							69											43	
	MIN		53	45	47			31					24	20								31						42				22	
BURLINGTON	MAX	64	62		57	57	55	59	68	65	45	46	56	57	64	67	63	62	52	72	56	56	50	43	56	48	44	49	62	61	55	56.9	
	MIN	55	55		50	47	40	35	35	42	32	28	25	24	48	54	40	45	44	49	40	31	37	32	34	32	28	26	35	51	35	38.9	
CANOE BROOK	MAX	63	61	64	65	62	56	51	61	66	49	43	46	59	56	65	65	62	61	63	69	48	43	40	51	31	39	43	51	63	63	56.1	
	MIN	43	53	56	53	40	34	25	28	35	30	20	19	18	27	48	33	41	37	45	34	23	28	30	34	30	23	17	20	46	28	33.3	
CAPE MAY 3 W	MAX	61	62	70			58	57		63	49	43	50		62	65	60			63	63	58	54	47	55	52	45	51	61	59	57	56.9	
	MIN	54	56	55			44	45			37	34	29	29		52	45			52	46	45	44	39	39	48	34	32	48	52	42	43.1	
CHARLOTTEBURG	MAX	63	58	60	63	52	55	51	59	62	41	43	44	58	59	62	64	63	58	54	66	47	52	42	38	49	37	39	45	57	56	53.2	
	MIN	35	50	51	49	43	36	28	26	31	29	21	19	19	19	49	33	34	39	41	35	24	26	27	27	31	21	17	17	44	26	31.6	
CLAYTON	MAX	61	60	63	59	57	53	52	66	64	44	43	51	54	64	65	63	60	53	69	55	54	48	41	54	47	43	49	60	65	54	55.7	
	MIN	55	55	54	47	49	36	33	39	40	30	26	23	23	44	54	40	47	41	51	40	32	39	33	35	35	29	24	42	40	37	39.1	
ELIZABETH	MAX	61	65	69	59	62	54	62	66	64	47	49	58	56	66	68	62	65	54	69	68	56	48	40	54	48	45	44	63	66	58	58.2	
	MIN	55	54	56	51	47	36	30	34	31	31	24	25	26	46	52	39	45	42	47	39	28	34	33	32	32	29	22	34	54	43	38.4	
ESSEX FELS SERV BLDG	MAX	64	65	64	69	54	56	49	54	62	48	46	52	62	60	65	66	66	65	65	69	60	58	42	40	48	47	42	44	59	58	56.6	
	MIN	48	50	54	50	40	36	30	32	34	30	20	22	26	32	48	44	42	44	45	48	32	34	39	34	32	28	22	26	40	36	36.6	
FLEMINGTON 1 NE	MAX	63	62	65	58	56	53	59	65	63	44	44	59	48	64	66	60	60	59	71	55	54	43	38	51	45	43	43	64	63	53	55.7	
	MIN	52	54	54	51	43	36	30	28	38	30	23	20	30	44	53	31	35	37	41	28	21	28	31	32	29	26	17	29	52	29	35.1	
FREEHOLD	MAX	59	60	67	60	58	52	57	66	64	44	44	56	57	65	67	61	60	54	68	66	56	46	38	51	45	45	47	63	65	55	56.5	
	MIN	51	56	55	50	46	37	34	38	40	29	23	25	28	45	53	43	50	41	49	38	31	36	31	30	33	28	22	36	51	35	38.8	
HAMMONTON 2 NME	MAX	67	60	64	65	59	61	54	61	68	54	45	46	57	58	65	69	63			65	55	58	48	49	53	43	49	53	63	65	57.8	
	MIN	54	58	55	47	48	39	34	37	46	29	24	25	23	27	49	41	47		46	39	35	39	36	34	34	35	29	24	47	42	38.7	
HIGH POINT PARK	MAX	63	51	56	55	50	52	43	54	54	42	43	46	52	49	57	56	60	51	56	64	40	50	37	38	42	33	33	43	52	54	49.2	
	MIN	41	49	48	38	38	31	31	31	32	26	16	20	19	26	47	44	42	36	39	32	25	31	26	30	26	23	16	16	41	33	31.8	
HIGHTSTOWN 1 M	MAX	60	62	67	59	59	52	57	66	64	44	44	55	56	63	66	62	61	52	69	55	54	49	39	52	48	44	46	61	64	54	56.1	
	MIN	52	54	55	52	48	37	33	35	41	30	23	26	24	46	54	40	47	40	47	39	30	35	32	31	31	28	23	34	54	31	38.4	
INOIAN MILLS 2 W	MAX	58	60	65	57	57	53	58	67	62	43	43	54	55	63	66	63	60	51	70	54	55	46	38	52	44	42	49	65	64	58	55.7	
	MIN	53	56	53	49	48	37	27	31	40	26	19	17	17	39	45	35	43	37	51	32	28	32	32	22	29	24	17	35	43	29	35.2	
JERSEY CITY	MAX	58	64	64	57	56	50	59	59	57	45	43	56	52	59	65	59	62	50	64	49	53	47	39	56	40	40	44	60	61	47	53.6	
	MIN	52	52	54	52	45	39	37	46	34	32	27	32	37	50	52	47	47	44	52	39	36	41	34	32	34	31	23	43	43	39	40.9	
LAMBERTVILLE	MAX	62	62	65	58	57	53	60	65	64	45	46	57	54	62	66	60	60	48	70	54	55	43	40	52	45	43	45	61	64	51	55.6	
	MIN	46	54	53	52	44	33	30	31	39	31	22	22	21	45	48	36	41	39	47	34	28	30	31	32	30	26	20	32	50	31	36.1	
LAURELTON 1 E	MAX	58	60	69	59	61	54	62	65	57	47	45	57	55	62	69	59	63	55	67	51	57	46	39	52	46	46	45	67	67	56	56.3	
	MIN	55	56	52	49	45	32	32	34	34	28	22	22	18	49	42	36	40	38	50	28	27	36	34	32	28	24	18	48	34	30	35.8	
LAYTON 3 MW	MAX	63	62	62	58	52	50	60	61	61	48	45	58	55	62	65	64	57	48	70	52	52	44	38	51	43	40	42	57	60	50	54.2	
	MIN																																

Table 5-Continued

DAILY TEMPERATURES

NEW JERSEY
NOVEMBER 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RUNYON	MAX	68	64	68	66	60	56	60	67	64	50	49	60	58	68	68	65	64	58	70	61	58	46	38	52	54	46	46	64	66	65	59.3	
	MIN	60	61	54	50	42	32	27	35	40	30	24	15	16	38	40	32	42	48	54	38	20	28	30	32	29	31	13	28	51	23	35.4	
SANDY HOOK LBSTA	MAX	60	57	65	61	59	56	56	61	60	49	45	58	58	62	62	59	60	60	67	60	58	53	44	50	45	44	45	65	61	54	56.5	
	MIN	55	50	56	48	47	42	40	45	37	33	33	35	37	45	53	47	50	50	48	43	37	41	34	33	37	32	32	44	51	40	42.5	
SOMERVILLE	MAX	62	65	68	62	59	52	57	65	61	45	44	57	55	65	65	60	60	53	69	54	54	43	37	51	42	43	42	61	64	50	55.5	
	MIN	54	54	55	51	44	35	28	29	40	29	20	19	19	46	50	35	40	41	46	34	24	31	32	32	30	27	19	30	49	29	35.7	
SUSSEX 3 N	MAX	62	59	61	61	52	55	49	57	62	47	42	45	56	55	64	67	63	58	60	70	47	45	42	38	48	38	39	42	56	58	53.3	
	MIN	40	47	49	47	41	33	27	29	33	28	18	18	22	22	42	35	34	36	38	33	27	28	26	26	30	21	15	15	38	27	30.8	
TRENTON 2	MAX	62	63	66	56	60	52	58	66	59	45	43	54	54	65	67	62	62	54	70	52	56	47	41	52	42	43	46	62	65	54	55.9	
	MIN	54	55	55	50	46	40	35	39	35	30	26	28	27	50	50	42	47	43	52	38	35	38	32	34	31	30	25	42	40	35	39.5	
TRENTON WB CITY	MAX	62	63	64	57	56	51	57	66	61	43	44	55	55	64	66	62	58	53	71	50	55	43	41	52	43	42	47	62	64	55	55.4	
	MIN	55	55	56	52	44	41	37	44	37	32	29	31	32	51	51	46	49	45	49	39	37	40	32	35	33	31	28	43	43	38	41.2	
TUCKERTON	MAX	58	60	68	59	59	53	60	65	64	45	45	55	54	63	69	61	63	53	65	64	57	52	40	54	47	43	47	63	67	58	57.0	
	MIN	55	56	56	48	49	38	32	33	41	28	21	18	18	33	51	38	48	38	52	38	31	39	34	33	33	27	17	42	33	31	37.0	

Table 6

EVAPORATION AND WIND

Station		Day of month																															Total or Avg.
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CANOE BROOK	EVAP	*	*	.01	.10	.06	.10	-	-	-	.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	WIND	4	10	8	22	29	23	15	2	77	12	44	5	2	3	21	15	7	18	-	-	-	-	-	-	-	-	-	-	-	-	-	
PLEASANTVILLE 1 N	EVAP	.11	.10	.09	.11	.10	.15	.05	.07	.17	.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	WIND	62	60	60	44	59	35	8	92	7	93	54	40	4	17	48	34	17	30	54	70	30	27	29	23	15	55	31	70	45	50	1261	

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	54	57	61	55	56	50	53	54	57	46	46	46	46	53	57	52	53	50	58	52	49	45	42	45	43	44	42	50	54	47	51.4	
	MIN	50	53	55	52	50	45	43	44	41	38	36	34	34	44	48	47	47	47	52	43	41	42	40	41	38	36	34	38	43	42	43.3	
2 INCHES	MAX	53	56	58	55	54	51	51	53	50	45	44	44	44	51	55	51	52	50	57	52	48	45	43	45	43	43	41	49	52	48	49.4	
	MIN	50	53	55	52	50	46	45	45	43	41	38	36	37	44	50	47	48	47	53	45	43	43	41	42	40	38	36	39	45	43	44.5	
4 INCHES	MAX	53	55	57	55	54	51	50	52	50	45	44	43	43	51	55	51	52	50	57	52	48	45	43	45	43	43	41	48	51	46	49.1	
	MIN	50	53	55	52	51	47	45	45	44	42	39	37	38	44	50	48	49	47	53	45	43	43	41	42	41	39	37	39	46	44	45.0	
8 INCHES	MAX	53	55	56	55	54	53	50	51	51	48	45	44	44	48	51	51	51	50	54	53	49	47	46	44	44	43	42	40	41	48	46	49.2
	MIN	51	53	54	54	52	50	48	48	48	45	43	41	41	44	48	49	50	49	49	49	47	46	44	44	43	42	40	41	48	46	46.8	
16 INCHES	MAX	53	54	55	55	55	54	53	51	51	49	47	46	46	47	51	51	51	51	52	52	51	49	48	47	46	46	46	46	48	48	50.2	
	MIN	52	53	54	54	53	52	51	50	50	49	47	45	45	46	47	50	50	50	50	51	49	48	47	46	46	45	44	44	46	47	48.7	
32 INCHES	MAX	54	55	55	55	55	55	55	54	53	53	53	53	53	51	50	51	52	52	52	52	52	52	51	51	50	50	49	49	48	48	52.0	
	MIN	54	54	54	55	55	55	54	53	53	52	52	51	50	50	49	51	51	51	52	52	52	52	51	51	50	50	49	49	48	48	51.4	

Measured under Kentucky Bluegrass.

SNOWFALL AND SNOW ON GROUND


NEW JERSEY
NOVEMBER 1957

Table 7

Station		Day of month																															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV																											T					
BELVIDERE	SNOWFALL SN ON GND										T																						
CHARLOTTEBURG	SNOWFALL SN ON GND											T																					
CLAYTON	SNOWFALL SN ON GND																							T									
FLEMINGTON 1 NE	SNOWFALL SN ON GND										T	T												.5 T	T								
FREEHOLD	SNOWFALL SN ON GND																							1.7			T						
HIGHTSTOWN 1 N	SNOWFALL SN ON GND										T													1.0 1			T						
INDIAN MILLS 2 W	SNOWFALL SN ON GND																							T			T						
LAURELTON 1 E	SNOWFALL SN ON GND										T													T T			T						
LATTON 3 NW	SNOWFALL SN ON GND										T																						
LONG BRANCH	SNOWFALL SN ON GND																							.3			T						
MAYS LANDING	SNOWFALL SN ON GND																										T						
MILLVILLE	SNOWFALL SN ON GND																										T						
MOORESTOWN	SNOWFALL SN ON GND																								T		T	T					
MORRIS PLAINS	SNOWFALL SN ON GND											T															T	T					
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV																							T			T						
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND																							.3 T									
PATERSON	SNOWFALL SN ON GND											T																					
PEMBERTON 3 E	SNOWFALL SN ON GND																								.3								
PHILLIPSBURG	SNOWFALL SN ON GND											T												T				T					
PLAINFIELD	SNOWFALL SN ON GND										T													T	T								
RAHWAY	SNOWFALL SN ON GND																										T T						
RIDGEFIELD	SNOWFALL SN ON GND																							T									
SOMERVILLE	SNOWFALL SN ON GND																							.2									
TRENTON WB CITY	SNOWFALL SN ON GND										T													.6			T						

TOTAL PRECIPITATION


NEW JERSEY
NOVEMBER 1957



Isobars are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
NOVEMBER 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
NOVEMBER 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	
ALLENDALE	8100	BERGEN	8 41 02	74 08	270					NAYS LANDING	5344	ATLANTIC	3 30 27	74 44	50			SP ELMER EARLE	3 7	
ATLANTIC CITY W8	9325	ATLANTIC	1 39 22	74 25	8	MID	BERGEN COUNTY ENGS		2 3 5	C	HILSD PARK	5503	BERGEN	1 40 59	74 09	210		BA RAYMOND W. WATER CO.	3 7	
AUDUBON	9346	CAMDEN	2 39 24	75 04	50	11P	IRVIN J. NYGREN		2 3 5		HILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60	BA	J. J. GALLAGHER	2 3 5	
BASS RIVER ST FOREST	9528	BURLINGTON	1 39 37	74 26	20	6P	N.Y. FORESTRY SVC		2 3 5	7	NILTON	5597	NORRIS	8 41 01	74 32	950	TA	JERSEY CITY WTR WKS	2 3 5	
BELLEPLAIN	9690	CANE MAY	1 39 16	74 52	49	5P	MRS. ED C. HOFFMAN		2 3 5		NORRISTOWN	5728	BURLINGTON	2 39 58	74 58	55	BA	BA J. J. HILLARD	2 3 5	
BELMAR	9721	NONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT		3		NORRIS PLAINS	5769	NORRIS	8 40 50	74 30	500	4P	JAMES C. LONG	2 3 5	
BLVDIERE	9729	WARREN	2 40 50	75 05	289	SP	MISS C. G. HESON		2 3 5	7	NEWARK W8 AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU	2 3 5	
BERLIN 1 W	9767	CAMDEN	7 39 48	74 57	150	TA	SAUEL H. MC CULLEY		2 3 5		NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	SP	ARTHUR H. AHLQUIST	2 3 5	
BLACKBELLS HILLS	9847	SONERSET	10 40 29	74 35	27	TA	HENRY M. MILLER		2 3 5		NEW MILFORD	6148	BERGEN	2 40 57	74 02	12	MID	HACKENSACK WATER CO	3	
BODNTON 2 SE	9907	NORRIS	8 40 54	74 24	280	BA	JERSEY CITY WTR WKS		2 3 5		NEWTON	6177	SUSSEX	2 41 03	74 45	565	BA	NEWTON WTR SRR COMM	2 3 5	
BODNO BROOK 1 W	9927	SONERSET	10 40 33	74 33	20	BA	AMERICAN CYANAMID CO		3		OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	BA	NEWARK WATER DEPT	3	
BRANCHVILLE	9978	SUSSEX	2 41 09	74 47	970	TA	ALBERT M. DAVENPORT		3		OLMICK	6544	HUNTERDON	10 40 40	74 45	260	BA	DAN A. COUGHLIN	3	
BRIERCLIFF	1028	CUMBERLAND	2 39 28	75 12	114	9A	RADIO STATION WSNJ		2 3 5		ORANGE	6580	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER	3	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SEC + G CO		2 3 5		PATERSON	6775	PASSAIC	8 40 55	74 09	100	BA	P. J. DEL VECCHIO	2 3 5	
CANISTEAU RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	BA	NEWARK WATER DEPT		3		PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	SP	CHARLES A. DOHLERT	2 3 5	
CANOE BROOK	1335	ESSEX	8 40 45	74 23	180	9A	COMMONWEALTH WTR CO		2 3 5	6	PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SEWAGE DISPOSAL PLT	2 3 5	
CANTON	1343	SALEN	2 39 28	75 25	20	9A	GERTRUDE S. WILLIS		2 3 5		PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE CO	2 3 5	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	SP	NWEST MAGNETIC CO		2 3 5		PLAINFIELD	7079	UNION	10 40 36	74 25	120	BP	MRS VIVIAN SCHERER	2 3 5	
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	BA	A. A. PLUNKETT		2 3 5		PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	TA	JOHN H. BERRYMAN	3	
CERTINGTON	1512	SALEN	6 39 31	75 10	80	MID	JOHN HOPKINS UNIT		3		PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	BA	ATLANTIC CITY WTR WKS	2 3 5	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	TA	NEWARK WATER DEPT		2 3 5	7	PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO	3	
CHATHAM	1590	NORRIS	8 40 44	74 23	185	BA	EDWARD P. MOLTOR		3		RAHWAY	7393	UNION	9 40 36	74 15	20	MID	RAHWAY VLY SWG AUTH	3	
CHATSWORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	SP	WILLIAM S. HAINES		INAC 1/57		RIDGEFIELD	7545	BERGEN	9 40 50	74 01	80	MID	GEORGE P. KRISTEN	2 3 5	
CLAYTON	1708	GLoucester	6 39 39	75 06	120	6P	HARRY P. CAMPBELL		2 3 5	7	RINGWOOD	7587	PASSAIC	8 41 08	74 15	305	10A	NO JERSEY WTR SUPPLY	3	
CLINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER		3		RYUNTON	7825	MIDDLESEX	1 40 26	74 20	18	6P	N.J. WATER COMM	2 3 5	
DEEPWATER	2209	SALEN	2 39 41	75 30	12	MID	DU PONT DE NEMOURS		2 3 5		SANDY HOOK LBSTA	7869	NONMOUTH	1 40 28	74 01	22	7P	J. S. COAST GUARD	2 3 5	
ELIZABETH	2644	UNION	1 40 40	74 14	33	SP	UNION CO PARK COMM		2 3 5		SONERVILLE	8194	SONERSET	10 40 34	74 37	75	6P	W. E. HAYER	2 3 5	
ELIZABETHPORT	2652	UNION	1 39 44	74 12	30	MID	SEWAGE TREATMENT PL		3		SPLIT ROCK POND	8402	NORRIS	8 40 58	74 28	800	10A	JERSEY CITY D P W	3	
ESSEX FIELDS SERV BLDG	2748	ESSEX	7 40 58	74 18	250	BA	BOROUGH ESSEX FIELDS		2 3 5		SPRINGFIELD	8423	UNION	1 40 43	74 18		MID	N.J. DEPT OF CONS	3	
FLEETINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	SP	DONALD YOUNG		2 3 5	7	SUSSEX 3 N	8644	SUSSEX	5 41 47	74 35	530	TA	BRICE B. STANTON	2 3 5	
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5	TA	JOHN LOPER		3		SWEDESBO 5 NW	8685	GLoucester	2 39 47	75 24	10	12N	SUN OIL CO	3	
FREEDHOLD	3181	NONMOUTH	10 40 15	74 17	194	6P	FRANK J. MOREAU		2 3 5	7	TOMS RIVER	8816	OCEAN	1 39 57	74 14	10	SP	ROBERT F. SNYDER	3	
GLASSBORO	3201	GLoucester	2 40 18	74 10	1800	BA	PROF. JR. B. SANGAREE		2 3 5		TRANQUILITY 2 W	9187	PASSAIC	8 41 03	74 18	320	MID	N.J. DEPT OF CONS	3	
GREAT MEADOWS 4 N	3416	WARREN	2 40 56	74 55	540	MID	GAMMA CHEMICAL CORP.		3		TRENTON 2	8878	MERCER	2 40 14	74 46	105	MID	E. M. RISTOW	2 3 5	
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	TA	GEORGE T. WIGGINS		3		TRENTON W8 CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU	2 3 5	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS		2 3 5		TRUCKETON	8899	OCEAN	1 39 36	74 20	10	6P	REV EDWARD O. MEGILL	2 3 5	
HANNINGTON 2 NE	3662	ATLANTIC	7 39 59	74 48	85	BA	M. HUBBARD PARKHURST		2 3 5		VINELAND	9135	CUMBERLAND	9 39 29	75 00	110	BA	STATE HOME FOR WOMEN	3	
HIGH POINT PARK	3951	WARREN	2 40 16	74 31	100	BP	JAMES R. PICKERING		2 3 5	7	WANDUE RAYMOND DAM	9187	PASSAIC	8 41 03	74 18	320	MID	WATER SUPPLY COMM	3	
HIGHTSTOWN 1 N	3956	MERCER	10 40 17	74 52	75	MID	DEPT WATER + SEWAGE		2 3 5		WATCHUNG	9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.	3	
HIGHTSTOWN PUMPING STA	4229	BERGEN	7 39 48	74 47	100	7P	EDWARD ENTHWISTLE		2 3 5	7	WESTFIELD	9363	HUNTERDON	10 40 27	74 48	160	TA	ROBERT M. MANNERS	3	
INVAION HILLS 2 W	4339	HUDSON	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT		2 3 5		WINDMILL LAKE	9455	UNION	9 40 39	74 21	138	SP	CITY ENGINEER	3	
JERSEY CITY	4339	HUDSON	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT		2 3 5		WOODCLIFF LAKE	9832	BERGEN	8 41 03	74 18	320	MID	HACKENSACK WATER CO	3	
LAMBERTVILLE	4339	HUNTERDON	2 40 22	74 57	75	6P	E. G. CASE		2 3 5	7	WOODSTOWN 5 WSM	9910	SALEN	2 39 38	75 25	30	TA	RAYMOND L. BLEW. JR.	INAC 10/57	
LANTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	6P	A. W. DEPUCE		2 3 5	7	NEW STATIONS									
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	4P	LEESBURG STATE FARM		2 3 5		LAURELTON 1 E	4700	OCEAN	1 40 04	74 07	20	6P	GEORGE D. WADDILL	2 3 5	
LITTLE FALLS 1 E	4807	PASSAIC	8 40 53	74 16	157	BA	PASSAIC VLY WTR COMM		2 3 5	7	COMBINED STATIONS									
LONG BRANCH	4907	NONMOUTH	1 40 18	73 59	34	MID	STORM MAR. DISPL STA		2 3 5	7	LAKEWOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	9	9	COMBINED W/STA 4700	7/57
LONG VALLEY	5053	NORRIS	10 40 48	74 46	660	6P	ARTHUR BARKMAN		2 3 5	7										
LUNBERTON	5058	BURLINGTON	2 39 58	74 48	25	MID	JAMES LANTON		3											
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	594	9A	NEWARK WATER DEPT		3											
MAHMAH	5104	BERGEN	8 41 06	74 10	253	TA	ROBERT G. GLASGOW		3											
MANNVILLE	5197	SONERSET	10 40 33	74 34	50	MID	JOHN L. RADCLIFFE		3											
NARLBORO SCS	5204	NONMOUTH	1 40 20	74 14	120	MID	GERON DRILL		3											
NARLTON 1 W	9252	BURLINGTON	2 39 54	74 57	90	6P	DAVID GRISCOM		3											

1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-AURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, the units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 85° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6. Max and Min in Table 8 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "D. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1931-1955.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 8 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 6, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.
- + And also on a later date or dates.
- ++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.
- ## Amount included in following measurement, time distribution unknown.
- /// Gage is equipped with a windshield.
- θ Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.
- AM Data based on observational day ending before noon.
- B Adjusted to a full month.
- C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Hourly Precipitation Data".
- D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
- E In the "Refer to Tables" column in the Station Index the letter "E" indicates that soil temperatures are published.
- N One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for this stations, have been adjusted to represent the value for a full month.
- R Amounts from recording gage. These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Hourly Precipitation Data".
- T Trace, an amount too small to measure.
- V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposure etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issue of the National Climatological Data Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual: \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents. Resittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

DSCOM-WB-Asheville, N. C. --- 1/3/56 --- 750

1.05
NJ
p.1

U. S. DEPARTMENT OF COMMERCE

SINCLAIR WEEKS, Secretary

WEATHER BUREAU

F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

DECEMBER 1957

Volume LXII No. 12



THE LIBRARY
FEB 2 1958
UNIVERSITY OF MICHIGAN

WEATHER SUMMARY

GENERAL

December's weather was much warmer and wetter than usual. The excess in precipitation ended the serious water shortage.

Temperature averages at all stations where comparative data are available were substantially above long-term figures. Departures ranged from + 2.5° at Laurelton 1 E to + 6.2° at Phillipsburg. The highest temperature for the month was a mild 68° at Phillipsburg on the 20th, while the lowest for the month was a cold 4° on the 6th at Long Valley and on the 13th at Layton 3 NW. There were eleven stations with minimum temperatures for the month that were equal to or lower than 10°.

Monthly precipitation totals for all stations where comparative figures are available were well above long-term averages, with departures ranging from + 1.86 inches at Belvidere to + 6.07 inches at Charlotteburg. Monthly totals ranged from 3.34 inches at Canton to 12.10 inches at Milton. The greatest one day measurement was 4.23 inches at Greenwood Lake on the 21st. There were 36 stations that reported monthly snowfall totals that were equal to or exceeded 10 inches, but topping the list was Freehold with a monthly total of 26.0 inches.

WEATHER DETAILS

Moderately cold weather prevailed on the 1st with average temperatures showing slight minus departures from long-term means. On the 2nd temperatures rose slightly with average readings showing departures that were average or slightly above long-term means. Temperatures receded again on the 3rd and a moderately cold spell prevailed during the period 3rd-6th. A quick warm-up occurred on the 7th and for the four day period 7th-10th moderately warm weather for the season prevailed being more pronounced on the 7th and 8th. A rapidly moving blast of cold Arctic air began affecting the State's weather with slightly below average readings on the 11th, by the 12th the cold air held a tight grip and minimum temperatures plunged into the teens on the 12th and 13th. Temperatures rose rather rapidly on the 14th which marked the beginning of a period of warmer than usual weather that continued until the month ended. During the period 19th-24th and on the 26th it was unseasonably warm.

Precipitation fell during the month at rather frequent intervals. Based on reports from Weather Bureau offices the most noteworthy amounts occurred on the 4th, 9th, 20th, and 26th, and these same reports showed a trace or more falling on 16 to 18 days of the month. Monthly totals for all stations where comparisons could be made were substantially above long-term means. Weather Bureau offices in the State reported measurable snowfall on the 3rd, 4th, 11th, and 12th, but all offices did not report measurable snow on each of the four dates.

However, all offices did report their greatest fall on the 4th as follows: Atlantic City WB 4.0 inches, Trenton WB City 7.1 inches, and Newark WB Airport 12.4 inches.

WEATHER EFFECTS

Early in the month winter grains were doing well, and reservoirs were showing some improvement but still quite low. Additional rains fell as the month progressed and reservoirs continued rising. Soil moisture was good and winter grains continued doing well. Heavy rains around the 20th were very beneficial, but caused some flooding in most small and medium streams. As the month neared its end reservoir levels were up 10 to 14 feet as a result of additional rains, and the water crisis was reported to have ended. Winter grains made good growth during December, due to the mild temperatures and ample rainfall. Continued heavy winter feeding plus the use of some rye pasture during December and a high percentage of cows being milked, resulted in a record milk production per cow in December.

DESTRUCTIVE STORMS

Snowfall over the State on the 3rd-4th ranged from 1 to 2 inches along the southeast coast to 13 inches in the northern half of the State. One death due to exertion and one due to exposure were charged to the storm.

On the 11th-12th snowfall over the State ranged from 1 inch along the coast to 8 or 9 inches in northwestern counties.

Central and northern New Jersey experienced some wind damage to roofs, trees, and utility lines in several scattered communities on the 20th.

FLOODS

Some damage from floods occurred in central and northern New Jersey on the 20th-21st, and the 26th-27th.

The U. S. Geological Survey reported that water supplies improved spectacularly during December. The level of Wanaque Reservoir rose more than 20 feet as the usable contents increased from 25 percent to 63 percent of capacity during the month. Streamflow was excessive throughout the State in contrast to deficient flow for the last 6 months in northern New Jersey. Rivers were at or near flood stage in northern New Jersey on December 21 and again on December 26. A few families were evacuated from their homes on the flood plains of Ramapo, Pompton, and Raritan Rivers but damage was minor. A greater-than-average seasonal rise was observed in the key well near Old Bridge but the level remained well above average.

Franklin W. Long, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

SPECIAL NOTICE

A survey has indicated that the comprehensive narrative weather story carried in each issue of Climatological Data is of value to only a small number of recipients. This story will be discontinued, therefore, with the January 1958 issue. A table of extremes will be carried each month and a text will be carried whenever unusual and outstanding weather events have occurred. General weather conditions in the U. S. for each month are described in the publications MONTHLY WEATHER REVIEW and the MONTHLY CLIMATOLOGICAL DATA, NATIONAL SUMMARY, either of which may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C.

CLIMATOLOGICAL DATA

NEW JERSEY
DECEMBER 1957

TABLE 2

Station		Temperature										Precipitation												
		Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
											Max		Min						Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
											90° or Above	32° or Below	32° or Above	32° or Below										
NORTHERN																								
BELVIOERE		44.3	28.6	36.5	4.5	65	20	11	6+	875	0	2	20	0	5.50	1.86	1.41	21	5.5			8	4	2
BOONTON 2 SE	AM	43.5	27.5	35.5	3.9	61	21	11	6+	905	0	3	23	0	8.70	5.46	3.36	21			13	5	2	
CANOE BROOK	AM	43.9	26.7	35.3	4.0	60	21	13	12+	913	0	3	23	0	7.44	3.92	1.65	21	14.0	11	5	13	4	
CHARLOTTEBURG	AM	43.7	24.7	34.2	3.1	60	21	6	6	948	0	3	25	0	10.02	6.07	3.75	21	13.5	10	5	11	5	
ELIZABETH		46.5	30.5	38.5	3.7	61	21	14	13	816	0	1	19	0	6.08	2.66	1.30	26	13.0	12	5	12	5	
ESSEX FELS SERV BLOC	AM	43.4	28.9	36.2		59	22	14	13	891	0	3	18	0	8.73	2.68	2.1	21			12	5	2	
FLEMINGTON 1 NE		45.2	27.7	36.5	3.0	63	20	5	6	877	0	2	21	0	6.20	2.85	1.42	21	19.0	11	4	12	4	
HIGH POINT PARK		38.4	24.9	31.7		57	21	8	12	1028	0	9	27	0	7.54	3.10	2.1	21		9	12	2	2	
JERSEY CITY		43.2	33.3	38.3	4.7	59	21	17	12+	822	0	3	14	0	5.81	1.38	20	13.5			9	4	1	
LAMBERTVILLE		45.7	29.3	37.5	3.8	62	20+	10	6	844	0	2	19	0	5.48	2.33	1.50	26	11.9	9	4+	11	4	
LAYTON 3 NW		43.1	25.1	34.1	5.3	60	20+	4	13	948	0	3	25	0	6.92	4.18	1.89	26	4.7	3	4+	8	3	
LITTLE FALLS 1 E	AM	45.9	29.2	37.6	4.0	62	21	14	6	845	0	3	20	0	9.15	5.37	2.72	21	11.5	9	5	13	4	
LONG VALLEY		44.8	26.6	35.7		61	21	4	6	901	0	2	23	0	9.08	5.52								
MORRIS PLAINS		45.4	28.3	36.9		61	21	9	6	865	0	2	20	0	8.33	1.95	20	11.9			13	5	3	
NEWARK WB AIRPORT	R	45.7	32.4	39.1	5.1	61	20+	16	13	796	0	3	16	0	5.74	2.64	1.47	20	16.2	9	5	9	4	
NEWTON	AM	42.4	25.6	34.0	4.1	61	21	7	6	952	0	3	26	0	6.13	3.00	2.02	21	7.0	4	5	11	3	
PATERSON	AM	46.0	28.4	37.2	3.1	60	21	12	12	843	0	2	21	0	7.59	3.91	2.05	21	17.0	14	5	12	5	
PHILLIPSBURG		47.1	30.3	38.7	6.2	68	20	12	12	808	0	2	19	0	5.87	2.30	1.28	21	8.0	6	5	12	5	
PLAINFIELD		45.6	29.5	37.6	3.5	61	20	12	13	839	0	3	20	0	7.20	3.77	1.68	26	14.8			12	5	
RIOGFIELD		45.1	31.9	38.5	5.0	59	20	16	12+	815	0	3	17	0	6.23	2.63	1.95	20	14.0	12	4	9	3	
SOMERVILLE		44.8	29.1	37.0	3.8	62	21	12	12+	863	0	2	20	0	6.50	3.27	1.23	21	11.3	9	4	11	5	
SUSSEX 3 N	AM	42.7	24.3	33.5	2.9	62	24	9	13	970	0	2	26	0	5.31	1.89	2.25	21		4	4+	9	2	
DIVISION				36.4	3.9										7.07	3.60			12.4					
SOUTHERN																								
AUOUSON		47.2	31.5	39.4		64	20	14	12	787	0	2	19	0	5.23		1.17	20	20.0	13	4	11	4	
BELLEPLAIN		50.0	30.5	40.3		62	21	13	12	758	0	1	19	0	6.97	3.44	1.70	20	3.0			10	5	
BRIOTON 1 NE	AM																							
BURLINGTON		48.4	32.1M	40.3M	4.3	64	21	15	12	763	0	1	19	0	4.98	2.04	1.25	26				10	4	
CHATSWORTH 5 S		48.3	31.3	39.8		60	7+	10	13	778	0	2	19	0	5.80		1.21	26	6.0	3	12+	11	4	
CLAYTON		47.1	31.5	39.3		63	20	13	12	789	0	2	19	0	7.20		1.45	20	9.9	9	4+	13	5	
FREEHOLD		46.2	30.6	38.4	3.7	61	20+	11	12+	819	0	2	19	0	5.86	2.48	1.33	26	26.0	10	5			
HAMMONTON 2 NNE	AM	48.1	31.7	39.9	3.8	62	20+	12	12	771	0	1	19	0	6.07	2.95	1.97	21				12	4	
HIGHTSTOWN 1 N		46.2	30.7	38.5	4.2	62	19+	11	12	815	0	2	19	0	5.60	2.68	1.16	20	12.0	7	5	12	4	
INDIAN MILLS 2 W		47.1	28.5	37.8	2.8	63	20	8	13	836	0	2	23	0	6.25	3.13	1.37	26	10.2	5	5		3	
LAURELTON 1 E		47.5	28.0	37.8	2.7	61	23	11	13	836	0	2	22	0					7.8					
LEESBURG STATE FARM		48.6	31.3M	40.0M		57	2+	15	12	766	0	1	21	0	5.43		1.30	9				8	5	
MILLVILLE	AM	49.5M	32.1M	40.8M		63	21	16	12+	742	0	1	19	0	5.42		1.27	9	3.0			10	4	
MOORESTOWN		46.1	31.6	38.9	4.1	63	20	14	12	803	0	3	18	0	5.47	2.72	1.28	21	10.0	8	5+	12	3	
NEW BRUNSWICK EXP STA		46.4	31.3	38.9	4.7	62	21	13	12+	802	0	2	19	0	5.71	2.65	1.13	21	10.2	4	4+	9	5	
PEMBERTON 3 E		47.8	30.2	39.0	3.3	62	20	11	12	800	0	2	20	0	6.50	3.59	1.19	21	10.5	6	5	12	5	
PLEASANTVILLE 1 N	AM	48.2	28.4	38.3	2.8	61	25	12	13	820	0	1	24	0	6.27	2.69	.94	9		1	5+	11	6	
RUNYON		49.5	27.0	34.3	2.8	63	21	10	13	824	0	1	23	0	6.97	3.63	1.37	26				12	6	
TRENTON 2															6.74	3.45			15.0					
TRENTON WB CITY	R	45.3	33.1	39.2	4.2	63	20	13	12	794	0	3	12	0	4.70	1.92	1.22	20	9.9	8	5	9	4	
TUCKERTON		47.7	30.5	39.1		60	24	14	12	798	0	1	19	0	6.09		1.10	9				10	7	
DIVISION				39.3	4.1										5.87	2.71			11.0					
COASTAL																								
ATLANTIC CITY WB	R	48.4	36.1	42.3	4.1	60	24	16	12	699	0	1	8	0	6.78	3.47	1.42	4	4.6	2	5	9	6	
CAPE MAY 3 W		49.8M	36.9M	43.4M		58	7	19	12	664	0	1	9	0	6.13		1.18	4				9	6	
LONG BRANCH		46.7	32.8	39.8	4.6	62	23	15	12+	773	0	2	16	0	6.09	2.55	1.57	26	5.6	3	4	10	4	
SANDY HOOK LBSTA																								
DIVISION				41.8	4.9										6.33	3.12			5.1					

† DATA RECEIVED TOO LATE TO BE
INCLUDED IN DIVISION AVERAGES

DAILY PRECIPITATION

NEW JERSEY
OCTOBER 1957

Table 3

Station		Total	Day of month																															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
ATLANTIC CITY WB	R	6.78			.09	1.42	T	.05	.48	.71	1.23	.67	.14	T							T	.88	.08					.80		.02	.21			
AUDUBON		5.23			.10	1.11		.15	.19	.17	.84	T	.15	.15							T	1.17						.108						
BASS RIVER ST FOREST		1.91				.85	.17			1.44	.05	.20	.37									.46	.86					1.47		.05	.29			
BELLEPLAIN	D	6.97				.75	D.20		.47	.53	1.30	.40	.24									1.70						1.10			.28			
BELMAR		4.79							.09	.29	.95																	3.46		T	T			
BELVOIRE		5.50				.62		.03	.46		.63	.20	.06								.26	.39	1.41			.04		1.40						
BERLIN 1 W		5.94	.50			.45			.35	.40	.43	.18	.10	.16							T	2.00						T	1.37					
BLACKWELLS MILLS		7.69	.83			.04	.69		.28	.24	.44	.76	.05	.64							.04	.16	2.14					.05	1.15		.14			
BOONTON 2 SE		8.70	.70			.22	.16		.22	.11	.34	.51	.04	.20							.09	.96	3.36				T	.12	1.48		.12			
BOUND BROOK 1 W		6.50	.79			.14	.14		.27	.17	.38	.63	.02	.12					T		.03	.17	2.30					.10	1.17		.13			
BRANCHVILLE		6.61	.50			.26	.12		.17	.22	.25	.41	.03	.16							T	.43	2.49				.07	T	1.50					
BRIDGETON 1 NE		RECORD MISSING																																
BURLINGTON		4.98				.50		.05	.25	.20	.75	.13	.33	.03							.02	.48	.87					1.25	T		.12			
CANISTEAR RESERVOIR		9.56	.74			.26	.13		.25	.08	.31	.45	.06	.14		T	T				.04	1.04	3.47				T	.31	2.27		.01			
CANOE BROOK		7.44	.91			.32	.34		.23	.17	.45	.47	.07	.27							.04	.37	1.65					.52	1.48		.15			
CANTON		3.34				.33	.46	.01	.09	.21	.59		.01	.20								.01	.60				T	.02	.78		.03			
CAPE MAY 3 W		6.13				1.18	.08		.03	1.00	1.11	.51	.27								.02	.15	.58					.87			.33			
CEDAR GROVE		9.77	1.02			.27	1.40		.30	.20	.35	.50	.20	.34							.06	.30	2.58					.20	2.05					
CHARLOTTEBURG		10.02	.75			.32	.48		.21	.08	.36	.58	.02	.25						T	T							.35	1.72		.08			
CHATHAM		8.54	.83			.27	1.03		.26	.21	.43	.56	.10	.33							.04	.34	2.09					.35	1.54		.16			
CHATSWORTH 5 S		5.80				T	.59		.13	.47	.97	.31	.30	.21							T	.40	1.03					1.21			.18			
CLAYTON		7.20				.79	.24	.37	.43	.51	.90	.20	.30	T							T	1.45	.35					1.42	.12		.12			
CLINTON		6.45				.90	.08	T	.36	.07	.66	.25	.06	.09					.07	.08		T		.208				1.60	.12		.03			
DEEPWATER		4.77				1.00			.32	.20	.18	.74								.01	.09	1.07	.04					.97			.01	.14		
ELIZABETH		6.08				.83	.23	.01	.30	.11	.93	.13	.31	.20							.04	.75	.80			.01		1.30	.01		.12			
ELIZABETHPORT		5.10			.09	.61		.16	.17	.08	.81	.18	.28								.03	1.42	.03					1.14			.10		T	
ESSEX FIELDS SERV BLDG		8.73	.72			.41	.62		.32	.15	.32	.78		.32							.01	2.68						.27	1.83					
FLEMINGTON 1 NE		6.20				.40	.01	.05	.41	.15	.79	.27	.24	.08							.04	.59	1.62		.15			1.29	.16		.15			
FORTESCUE		5.53	.50			.53	.15		.08	.43	.97	.61	.28	.17							T	1.15	.13					.82						
FREEMOLD		5.86				* 1.22	.01		.17	.17	.71	.25	.32	.13							T	.55	.90						1.33	.05		.05		
GREENWOOD LAKE		10.77	.82		T	.32	.24		.32	.04	.32	.64	.05	.32		T					.07	.93	4.23				.03	.10	2.26		.08			
HAMMONTON 2 NME		6.07	.15			.42		.15	.28	.53	.57	.12	.36									.08	1.97			.01		.34	.95		.14			
HIGH POINT PARK		7.54	.39			.34			* 35	.16	.49	.01	.26								.20	.47	3.10					.36	1.39			.02		
HIGHTSTOWN 1 N		5.60				.42	.12	.03	.19	.25	.62	.18	.25	.14							T	1.16	1.13					.99	.02		.10			
INDIAN MILLS 2 W		6.25				* 74	.09		.14	.24	.82	.24	* 35								T	1.10	1.03					1.37	.01		.12			
IRVINGTON		5.83		.07		.64		.10	.20	.66	.86	.15	.23							T	.03							.21	1.56		.32			
JERSEY CITY		5.81	.08			.96		.21	.16	.05	.94	.45	.46	.04					.01	.02	1.38	.08						.76			.13			
LAURELTON 1 E		5.48				.90	.10		.06	.39	.13	.91	.29	.15	.05						.18	.63						1.50	.07		.12			
LAURELTON 3 NW		6.92			.10	1.05	.09		.1	.22	.13	.22	.13							T	1.15	.13						.46	1.31	1.51		.01	.02	
LEESBURG STATE FARM		5.43				.78	.05		.09	.76	1.30	.50	.33								.05	.17						T	.59	2.02		.23		
LITTLE FALLS 1 E		9.15	.76			.35	.46		.26	.07	.47	.40	.12	.31							.07	.40	2.72					1.57			.01	.13		
LONG BRANCH		6.09			.03	.79		.12	.08	.24	.80	.35	.34	T							T	1.40	.23					.235						
LONG VALLEY	D	9.08				* 01.20			.38	.35	.63	.22	.15	.10							.52	* 3.15			.03			.31	1.67		.08			
MACOPIN INTAKE		9.69	.96			.26	.34		.18	.02	.36	.49	.01	.25						T		.84	3.84											
MAHWAH		9.30	.79			.35	.16		.24	.06	.37	.48	.14	.27					.01	.02	.82	3.10						1.0	2.20		.15			
HANVILLE		6.22			T	.36		.04	.24	.14	1.00	.15	.45	T						T	.12	2.20	.20					1.32			T			
HARLTON 1 W		5.20				.75		.04	.10	.36	.68	.20	.35	T							.01	.49	.01					1.05	.06		.18			
MAYS LANDING		5.56				.40	.03		.10	1.00	.71	.17	.36	.30							.02	.50	.90						.82			.25		
MIDLAND PARK		8.50	.85			.72			.16	.08	.14	.69	.27	.36							.53	2.19	.19						.2	.17		.15		
MILLVILLE		5.42	.33			.56	.02	.12	.18	.34	1.27	.26	.16									1.03	.04					.93		.08	.08	.02		
MILTON		12.10	.75			.41	.50		.33	.15	.25	.82	.05	.65							.19	.90	3.59					.51	2.96		.04			
MOORESTOWN		5.47	.67			.28	.29		.20	.15	.43	.47	.02	.21							T	T	1.28					1.4	1.04		.29			
MORRIS PLAINS		8.33	.01	T		.50	.26	.02	.41	.03	.70	.27	.14	.18							T	1.1	1.95	1.91				1.56	.16	T	.12			
NEWARK WB AIRPORT	R	5.74		.09		.97		.17	.19	.04	.73	.26	.42	.03							.03	1.47	.07					1.16		T	.11			
NEW BRUNSWICK EXP STA		5.71				.43	.033																											

DAILY TEMPERATURES

NEW JERSEY
DECEMBER 1957

Table 5

Station		Day Of Month																															Average	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
ATLANTIC CITY WB	MAX MIN	43 31	54 39	42 34	44 29	38 27	50 29	54 48	53 45	50 42	46 38	44 23	23 16	38 20	47 35	49 34	50 42	48 36	48 34	52 48	59 46	58 46	53 41	50 44	60 39	47 32	55 43	46 36	53 36	50 35	46 34	50 34	48.4 36.1	
AUUBON	MAX MIN	41 29	52 34	40 30	32 23	36 19	44 39	55 55	43 41	38 38	41 37	40 21	23 14	33 17	46 27	47 31	49 32	45 29	48 33	63 44	64 55	57 42	51 34	59 50	55 39	46 30	59 36	43 32	51 28	47 31	44 30	51 25	47.2 31.5	
BELLEPLAIN	MAX MIN	45 28	55 34	50 27	40 32	35 25	50 17	51 41	50 42	51 41	44 37	41 30	32 13	35 17	48 24	49 28	51 26	52 27	50 27	59 42	61 46	62 57	57 35	58 28	58 28	58 33	58 35	50 23	51 33	56 32	45 24	48 22	50.0 30.5	
BELVIDERE	MAX MIN	42 27	46 26	40 23	33 27	37 22	35 11	46 33	49 36	44 33	40 33	39 27	27 11	39 14	46 24	46 29	40 23	44 30	40 27	58 38	65 56	62 47	50 42	51 26	50 28	44 26	56 34	45 34	44 25	46 33	44 21	44 28	44.3 28.6	
BOONTON 2 SE	MAX MIN	44 28	37 27	47 20	35 25	30 22	37 11	40 15	55 40	43 35	39 35	39 34	16 16	20 11	28 19	44 28	46 28	40 32	43 26	43 29	57 43	61 48	54 40	50 25	52 28	52 25	47 28	56 38	40 24	44 27	46 29	40 21	43.5 27.5	
BRIDGETON 1 NE	MAX MIN																																	
BURLINGTON	MAX MIN	46 28	54 29	46 29	38 28	35 25	43 23	55 36	56 44	55 37	42 36	40 28	27 15	33 16	44 24	44 30	47 29	45 29	46 30	63 41	63 56	64 48	52 40	58 30	55 38	49 30	58 34	49 30	52 28	47 38	42 28	48 26	48.4 32.1	
CANOE BROOK	MAX MIN	44 28	37 29	48 19	35 26	30 22	37 15	42 19	52 40	43 37	40 35	39 33	39 13	19 13	29 16	42 19	46 26	40 29	45 22	49 28	57 49	60 51	55 41	50 23	55 20	50 20	56 37	41 23	44 27	42 20	38 18	43.9 26.7		
CAPE MAY 3 W	MAX MIN	47 32	54 38	48 33	46 36	36 30	51 31	58 46	54 45	56 38	45 39	44 35	32 19	36 13	48 31	44 36	49 39	45 38	52 33	56 46	57 48	57 46	49 45	55 32	55 31	47 38	51 28	50 40	50 38	50 31	49.8 34.9			
CHARLOTTEBURG	MAX MIN	52 25	37 24	44 20	33 24	28 20	35 6	42 10	51 38	43 38	40 32	38 12	38 9	17 15	31 15	45 28	44 23	46 23	43 24	42 26	50 40	55 37	48 23	58 25	59 25	53 23	55 25	57 35	38 21	43 25	44 19	43.7 24.7		
CHATSWORTH 5 S	MAX MIN	42 30	53 34	47 25	38 34	40 25	48 26	60 45	54 42	47 42	43 37	40 30	30 12	51 27	42 26	42 27	53 26	48 26	42 52	57 42	60 52	60 48	51 35	60 28	55 43	50 28	56 33	47 37	52 27	48 30	44 28	48 24	48.3 31.3	
CLAYTON	MAX MIN	43 28	52 31	41 30	35 24	34 16	45 16	50 37	52 40	45 39	43 35	40 24	26 13	32 16	42 24	44 30	51 30	46 32	47 29	54 42	63 53	62 51	60 39	54 30	54 37	51 29	57 38	44 34	48 31	51 38	45 28	48 25	47.1 31.5	
ELIZABETH	MAX MIN	45 29	51 29	40 24	36 20	40 15	48 10	53 42	44 38	40 36	40 36	34 32	18 14	29 14	38 20	47 27	41 28	49 28	60 30	61 31	54 41	55 53	55 37	55 29	56 26	50 35	46 33	50 26	42 37	48 26	44 24	46.5 30.5		
ESSEX FIELDS SERV BLDG	MAX MIN	42 28	35 28	46 28	36 24	26 17	34 18	40 20	50 34	42 38	44 38	42 16	42 16	22 14	30 16	42 22	43 27	42 33	43 30	48 36	56 38	58 40	48 34	58 36	52 28	46 34	51 28	46 38	51 30	48 26	46 22	43.4 28.9		
FLEMINGTON 1 NE	MAX MIN	42 28	50 21	44 22	33 28	36 24	35 5	47 33	50 41	43 37	40 35	39 29	28 11	41 6	46 18	40 21	44 24	40 31	40 27	60 38	63 54	62 49	53 39	56 23	55 23	46 22	58 30	45 36	42 20	46 35	41 22	45.2 27.7		
FREEHOLD	MAX MIN	42 28	51 29	42 26	34 29	35 18	43 15	53 38	55 42	42 39	40 35	35 30	31 11	30 11	48 23	45 29	44 30	43 29	43 28	51 41	61 53	61 47	50 37	58 30	53 41	47 27	57 33	47 35	51 27	47 37	40 27	46.2 30.6		
HAMMONTON 2 NNE	MAX MIN	55 34	43 29	53 29	41 30	33 23	36 19	51 32	59 42	46 42	40 37	36 32	36 12	23 13	34 24	45 31	52 31	53 31	45 29	62 53	62 55	58 39	52 32	59 36	52 29	58 34	56 29	58 34	40 29	53 33	41 28	42 26	48.1 31.7	
HIGH POINT PARK	MAX MIN	41 18	37 24	37 22	27 22	29 15	29 16	36 24	46 34	38 30	33 29	31 28	29 8	11 10	28 9	38 24	42 30	36 22	43 23	46 43	55 43	57 45	54 32	42 28	55 34	45 21	47 28	51 27	32 16	38 29	35 26	32 26	38.4 24.9	
HIGHTSTOWN 1 N	MAX MIN	43 29	50 30	43 26	35 28	35 21	42 14	51 36	53 41	42 39	41 36	39 30	30 11	29 13	43 20	44 27	45 30	45 30	44 29	62 40	62 56	62 56	50 38	56 52	52 46	58 28	45 26	50 35	49 27	47 38	41 26	47 24	48.2 30.7	
INDIAN HILLS 2 W	MAX MIN	40 29	51 28	39 26	34 28	35 22	46 12	57 40	55 41	45 39	40 36	25 11	32 8	48 19	45 23	52 26	44 27	47 26	60 41	63 55	62 55	49 32	59 25	57 38	46 26	58 32	43 30	53 23	47 30	43 23	48 19	47.1 28.5		
JERSEY CITY	MAX MIN	38 30	45 32	35 31	32 27	37 24	38 25	53 49	51 39	40 36	39 34	38 23	22 17	27 17	39 30	40 34	41 35	45 35	44 42	53 44	56 43	59 45	50 41	53 37	51 37	42 29	52 41	40 34	45 32	47 35	39 30	47 33	43.2 35.3	
LAMBERTVILLE	MAX MIN	42 29	51 25	40 23	35 28	37 23	40 10	47 35	51 40	42 37	40 35	39 28	29 12	30 15	43 24	45 23	42 26	45 25	43 28	60 39	62 53	62 48	51 37	56 27	54 27	47 35	57 25	44 34	46 26	48 36	42 25	47 22	45.7 29.3	
LAURELTON 1 E	MAX MIN	40 28	50 26	40 21	37 18	37 14	47 14	59 41	54 43	46 39	42 33	38 23	32 12	48 11	46 28	46 26	55 26	47 25	47 25	57 41	58 51	59 47	52 37	61 24	58 33	45 23	55 23	50 23	51 21	40 26	43 24	48 22	47.5 28.0	
LAYTON 3 NW	MAX MIN	40 25	40 25	36 14	32 26	36 19	33 6	45 30	45 38	40 32	38 31	30 27	27 12	35 4	45 20	45 20	42 20	43 28	36 19	56 33	60 50	60 40	50 35	56 30	50 24	55 28	48 24	47 20	40 32	40 16	40 19	43.1 25.1		
LEESBURG STATE FARM	MAX MIN	48 21	57 34	53 27	42 32	33 25	47 19	55 44	54 39	50 39	50 32	42 15	32 30	45 19	47 30	47 30	49 33	43 30	47 30	55 35	57 48	57 47	56 32	54 35	53 31	50 25	53 30	47 32	45 39	47 31	45 25	48.6 31.3		
LITTLE FALLS 1 E	MAX MIN	44 28	40 29	49 26	38 28	32 22	41 14	44 24	53 41	46 36	43 35	40 35	41 35	22 15	32 19	40 28	42 32	43 26	47 33	51 43	58 43	62 59	53 41	56 28	62 34	59 27	53 31	57 27	44 27	47 29	40 26	45.9 29.2		
LONG BRANCH	MAX MIN	38 30	51 34	38 27	38 28	36 24	46 19	59 42	45 35	43 40	40 36	25 15	30 15	30 15	45 31	45 31	47 33	44 31	47 38	57 48	60 53	57 45	50 35	62 34	56 35	49 32	55 42	48 28	48 33	43 31	49 27	46.7 32.48		
LONG VALLEY	MAX MIN	41 26	49 22	40 19	32 25	40 19	41 19	47 32	47 33	41 33	39 33	38 29	37 19	30 19																				

Table 5

DAILY TEMPERATURES

NEW JERSEY
DECEMBER 1957

Station		Day Of Month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
RIDGEFIELD	MAX MIN	47 29	49 30	37 27	31 27	41 24	42 19	51 36	52 40	41 36	40 36	40 23	22 16	31 16	41 29	46 29	41 33	47 34	44 30	57 44	59 56	58 44	51 37	54 32	52 34	45 27	55 40	43 39	47 29	48 39	40 28	46 25	45.1 31.9
RUMYON	MAX MIN	55 28	56 22	54 17	38 18	40 14	44 14	54 36	54 35	41 31	42 31	40 26	38 11	29 10	43 12	46 20	46 23	47 26	48 28	62 48	62 54	63 48	61 38	56 23	53 31	56 26	52 39	54 28	54 21	50 36	49 19	49 19	49.5 27.0
SANDY HOOK LBSTA	MAX MIN																																
SOMERVILLE	MAX MIN	42 28	49 24	41 21	34 27	37 22	37 17	47 33	51 41	42 38	40 36	39 28	29 12	32 12	40 24	45 21	39 26	45 30	41 29	59 39	61 54	62 45	50 38	54 25	51 31	44 25	57 33	44 33	44 31	47 34	40 24	45 20	44.8 29.1
SUSSEX 3 N	MAX MIN	41 23	39 23	45 18	39 20	33 18	34 10	38 15	50 35	43 29	35 29	38 29	35 11	17 9	29 10	40 23	43 23	40 28	42 23	48 24	58 44	61 47	55 36	48 28	62 30	50 23	51 26	56 33	39 22	41 25	44 20	36 18	42.7 24.3
TRENTON 2	MAX MIN	39 29	50 34	38 29	32 26	36 24	44 44	54 39	55 40	42 38	40 36	39 24																					
TRENTON WB CITY	MAX MIN	39 31	50 31	38 35	31 26	36 24	43 23	55 40	53 41	42 38	41 37	39 21	21 13	30 16	43 29	45 33	46 33	43 34	45 34	60 45	63 55	56 46	49 38	55 35	54 35	42 30	58 36	42 35	50 32	46 37	41 35	48 30	45.3 33.1
TUCKERTON	MAX MIN	33 25	44 29	44 22	40 32	33 22	49 20	50 42	54 43	51 42	40 38	37 30	30 14	16 16	29 29	46 28	53 25	47 29	49 25	54 42	57 50	58 40	52 33	57 23	60 43	50 26	55 36	47 33	50 22	48 38	47 25	47 23	47.7 30.5

DAILY SOIL TEMPERATURES

Station And Depth		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
NEW BRUNSWICK EXP STATION																																	
MEASURED UNDER SOD																																	
1 INCH	MAX	43	42	40	37	38	38	45	45	42	43	40	38	36	36	38	38	43	39	47	54	53	49	45	44	44	48	43	41	46	40	41	42.3
	MIN	36	36	34	37	37	37	37	42	40	40	38	35	34	35	34	34	34	34	39	47	45	39	37	38	35	37	36	35	35	34	33	36.9
2 INCHES	MAX	42	41	40	38	38	38	44	44	42	43	40	38	37	37	37	38	41	38	46	52	52	47	44	41	42	47	43	40	44	40	39	41.8
	MIN	38	37	36	38	38	38	37	42	41	40	38	36	35	36	36	35	35	35	38	46	46	41	38	39	37	38	37	36	37	36	34	37.8
4 INCHES	MAX	42	41	40	39	38	38	43	43	42	43	40	38	37	37	37	38	40	38	46	52	52	47	44	44	42	47	43	40	44	40	39	41.7
	MIN	38	38	37	38	38	38	37	42	41	41	38	37	35	36	36	35	35	35	38	46	46	42	39	40	37	38	38	37	38	36	35	38.2
8 INCHES	MAX	46	43	42	41	41	40	42	49	43	43	42	40	39	38	39	39	39	39	43	49	49	47	44	43	43	44	41	42	41	39	37	42.2
	MIN	43	41	40	40	40	39	39	42	42	42	41	39	38	38	38	38	38	37	39	43	47	44	42	41	40	40	41	39	41	39	37	40.2
16 INCHES	MAX	47	45	44	44	43	43	42	44	44	44	43	43	42	41	41	40	40	40	42	46	47	47	45	44	44	44	43	42	42	41	41	43.2
	MIN	45	44	43	42	42	42	41	42	43	43	42	41	41	40	40	40	40	39	40	42	45	45	44	43	42	42	43	42	42	41	40	42.0
32 INCHES	MAX	49	49	48	48	47	46	45	45	46	46	46	45	45	44	44	44	44	43	43	44	45	46	46	45	45	45	45	45	45	44	44	45.4
	MIN	48	48	47	47	46	45	45	45	45	45	45	45	44	44	44	43	43	43	43	43	44	45	45	45	45	45	45	44	44	44	44	44.8

Measured under Kentucky Bluegrass.

Table 7

SNOWFALL AND SNOW ON GROUND

NEW JERSEY
DECEMBER 1957

Station		Day of month																														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
ATLANTIC CITY WB	SNOWFALL SN ON GND WTR EQUIV				4.0 T 2	T						.8 T 1	T																			
BASS RIVER ST FOREST	SNOWFALL SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BELVIDERE	SNOWFALL SN ON GND				5.0 -							.S																				
CHARLOTTEBURG	SNOWFALL SN ON GND				4.0 4	8.0 10	9	3				3.S 3	3	1	1	1	T	T														
CLAYTON	SNOWFALL SN ON GND				8.S 9	.9 9	T					.S 1	T T	T																		
FLEMINGTON 1 NE	SNOWFALL SN ON GND				11.0 11	2.0 10	9	S	T	T	T	1.S 2	4.S S	S	3	2	1	T	T													
FREEHOLD	SNOWFALL SN ON GND				8.S 9	10.0 10	6	T				2.0 2	S.S 6	S	3																	
HIGHTSTOWN 1 N	SNOWFALL SN ON GND				6.0 6	2.0 7	S	1				2.0 2	2.0 4	4	2	T																
INDIAN MILLS 2 W	SNOWFALL SN ON GND			T	*	6.7 S	1					2.0 2	1.S 2	2	T	T																
LAMBERTVILLE	SNOWFALL SN ON GND				9.0 9	.9 9	6	2	T			1.S 2	.S 2	1	1	T																
LAURELTON 1 E	SNOWFALL SN ON GND	-	-	1.0 -	4.4 -	-	-	-	-	-	-	2.4 T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAYTON 3 NW	SNOWFALL SN ON GND				3.4 3	3	3	T				1.1 1	1	T	.2																	
LITTLE FALLS 1 E	SNOWFALL SN ON GND				3.S 4	S.S 9	8	4	1			2.S 3	3	2	1	1	T	T														
LONG BRANCH	SNOWFALL SN ON GND			.1	3.S 3	2	T					2.0 2	T 2	1	T	T	T															
LONG VALLEY	SNOWFALL SN ON GND				*	12.0 -	-					4.0 -	-																			
MAYS LANDING	SNOWFALL SN ON GND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MILLVILLE	SNOWFALL SN ON GND				.5 -							2.S -	-																			
MOORESTOWN	SNOWFALL SN ON GND				3.0 3	S.0 8	8	2				2.0 2	1	T	T	T																
MORRIS PLAINS	SNOWFALL SN ON GND	T	-		7.S -	2.8 -	T					.8 -	1.0 -												T			T				
NEWARK WB AIRPORT	SNOWFALL SN ON GND WTR EQUIV			.9	12.4 4	T 9	8	4			T	2.8 3	.3 1	1	T																	
NEW BRUNSWICK EXP STA	SNOWFALL SN ON GND				4.0 4	4.S 4	2	T				1.7 2	2	1	1	T	T															
NEWTON	SNOWFALL SN ON GND				3.0 3	1.0 4	3	2				3.0 3	2	2	1																	
PATERSON	SNOWFALL SN ON GND				3.S 4	10.5 14	8	2				3.0 3	T																			
PEMBERTON 3 E	SNOWFALL SN ON GND				S.0 S	1.S 8	4					2.0 2	2.0 4	3	T																	
PHILLIPSBURG	SNOWFALL SN ON GND				4.0 4	2.0 6	3	2	T			T 2	2.0 2	2	2																	
PLAINFIELD	SNOWFALL SN ON GND				11.S 12	9	S	T				3.3 3	2	-	T	T																
RAHWAY	SNOWFALL SN ON GND				11.S 12	11	6	S	T			1.S 2	T 2	1	T																	
RIDGEFIELD	SNOWFALL SN ON GND			T	12.0 T	10	9	T	T			2.0 2	2	T 1	1	T																
SOMERVILLE	SNOWFALL SN ON GND				9.0 9	7	S	2				2.0 2	.3 2	2	1																	
TRENTON WB CITY	SNOWFALL SN ON GND			1.0	7.1 3	8	4	T				1.8 2	T 1	1	T	T																
WANAQUE RAYMOND DAM	SNOWFALL SN ON GND				4.S S	4.S 9	7	4	T			2.8 3	2	2	1	T	T	T														

See reference notes following Station Index.

CLIMATOLOGICAL DATA

NEW JERSEY
DELAYED DATA

TABLE 2

Station	Temperature											Precipitation											
	Average Maximum	Average Minimum	Average	Departure From Long Term Means	Highest	Date	Lowest	Date	Degree Days	No. of Days				Total	Departure From Long Term Means	Greatest Day	Date	Snow, Sleet			No. of Days		
										Max	Min							Total	Max Depth on Ground	Date	10 or More	50 or More	100 or More
DECEMBER 1956																							
MILLVILLE AIRPORT	53.9M	35.0M	44.5M		71	8	15	31	625	0	0	13	0	3.84		.86	16	T	0		8	4	0

DAILY PRECIPITATION

Table 3

Station	Day of month																															Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
DECEMBER 1956																																
MILLVILLE AIRPORT						T				.19		.20	.04	.52	.80	.86		T			.21	T		.73		.05	T	.05	T		.19	3.84
JULY 1957																																
ORANGE					.24								.47							.35										.03	1.09	

DAILY TEMPERATURES

Table 5

Station		Day of month																															Average
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
DECEMBER 1956																																	
MILLVILLE AIRPORT	MAX MIN			46 19	58 28	59 33	56 45	66 45	71 56		67 21	45 30	56 39	61 46	62 48	57 40		54 39	51 44	51 28	45 28	54 42	55 42		55 40		51 24	39 24	44 27	51 36	40 15	53.9 35.0	

CORRECTIONS


MONTH: AUGUST 1957

Table 3:
Paterson

Amount on 1st should be 0.95

TOTAL PRECIPITATION


NEW JERSEY
DECEMBER 1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
DECEMBER 1957



STATION INDEX

NEW JERSEY
OCTOBER 1957

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables	Station	Index No.	County	Drainage	Latitude	Longitude	Elevation	Observation Time	Observer	Refer To Tables
ALLEDALE	0100	BERGEN	8 41 02	74 08	270	7	MID	BERGEN COUNTY ENGS		MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90	50	SP	DAVID GRISON	3
ATLANTIC CITY WB	0325	ATLANTIC	1 39 52	74 55	8	10	MID	U. S. WEATHER BUREAU	2 3 5 7 C	HAYS LANDING	5346	ATLANTIC	3 39 27	74 46	50	50	SP	ELMER EARLE	3
AUDUBON	0346	CAMDEN	2 39 54	75 04	5	11	SP	IRVING J. NYGREN	2 3 5	NIOLAND PARK	5553	BERGEN	1 40 59	74 09	210	50	BA	RIDGWOOD WATER CO.	3
BASS RIVER ST FOREST	0526	BURLINGTON	1 39 37	74 26	20	6P	NAY	FORESTRY SVC	3 7	MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60	50	BA	L. J. GALLAHER	2 3 5 7 C
BELLEPLAIN	0580	CAPE MAY	1 39 18	74 52	49	SP	MRS. ED C. HOFFMAN	2 3 5	MILTON	5597	MORRIS	8 41 01	74 32	950	50	BA	JERSEY CITY WTR WKS	3	
BELMAR	0721	MONMOUTH	1 40 10	74 02	19	MID	CITY WATER DEPT	3	MOORESTOWN	5728	BURLINGTON	2 30 58	74 58	55	NID	BA	H. J. WILLARD	2 3 5 7	
BEVERLY	0729	HARRISON	2 40 50	75 05	289	SP	MISS C. S. HIXSON	2 3 5 7	MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500	4P	AP	JAMES C. LONG	2 3 5 7	
BERLIN 1 W	0787	CAMDEN	1 39 48	74 57	150	7A	SANUEL N. MC CULLEY	3	NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	MID	U. S. WEATHER BUREAU	2 3 5 7 C		
BLACKWELLS HILLS	0847	SOMERSET	10 40 29	74 35	27	7A	HENRY M. MILLER	3	NEW BRUNSWICK EXP STA	6062	MIDDLESEX	10 40 28	74 26	80	SP	SP	ARTHUR M. AHLQUIST	2 3 5 7	
BLOOMTON 2 SE	0907	MORRIS	8 40 54	74 24	280	BA	BA JERSEY CITY WTR WKS	2 3 5	NEW MILFORD	6146	BERGEN	4 40 57	74 02	12	MID	MACKENSACK WATER CO	3		
BOND BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20	BA	AMERICAN CYANAMID CO	3	NEWTON	6177	SUSSEX	2 41 03	74 45	505	BA	BA	NEWTON WTR SWR COMM	2 3 5 7 C	
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	2A	ALBERT M. GAVENPORT	3	OK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870	BA	NEWARK WATER DEPT	3		
BRIDGETON 1 NE	1028	CUMBERLAND	2 30 28	75 12	114	9A	RADIO STATION WSNJ	2 3 5	OLDWICK	6544	HUNTERDON	10 40 40	74 45	260	BA	DAN A. COUGHLIN	3		
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	6P	PUBLIC SVC E C G CO	2 3 5	ORANGE	6560	ESSEX	8 40 47	74 14	140	MID	COUNTY ENGINEER	3		
CANISTEER RESERVOIR	1327	SUSSEX	8 41 07	74 30	1040	BA	NEWARK WATER DEPT	3	PATERSON	6775	PASSAIC	8 40 55	74 09	100	BA	BA	J. J. DEL VECCHIO	2 3 5 7	
CANOE BROOK	1335	ESSEX	8 40 45	74 21	180	9A	COMMONWEALTH WTR CO	2 3 5 6	PEMBERTON 3 E	6843	BURLINGTON	2 39 58	74 58	60	SP	CHARLES A. ODEHLERT	2 3 5 7		
CANTON	1343	SALEM	2 39 28	75 25	20	9A	GERTRAUDE S. WILLIS	3	PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	3P	SP	SEWAGE DISPOSAL PLT	2 3 5 7	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	SP	WEST MAGNETITE CO	2 3 5	PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196	9A	JOINT TOLL BRIDGE COM	3		
CEDAR GROVE	1472	ESSEX	8 40 52	74 13	400	BA	A. A. PLUNKETT	3	PLAINFIELD	7079	UNION	10 40 36	74 25	120	6P	SP	MRS VIVIAN SCHERER	2 3 5 7	
CENTERTON	1512	SALEM	6 39 31	75 10	80	MID	JOHN HOPKINS UNIT	3	PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140	10A	NO	JERSEY CITY SUPPLY	3	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	700	7A	NEWARK WATER DEPT	2 3 5 7	PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	9A	BA	ATLANTIC CITY WTR WKS	2 3 5 6	
CHATHAM	1590	MORRIS	8 40 44	74 23	185	BA	EDWARD P. MOLITOR	3	PRINCETON WATER WORKS	7320	MERCER	10 40 19	74 40	90	MID	PRINCETON WATER CO	2 3 5 7		
CHATHAM 5 S	1598	BURLINGTON	1 39 44	74 32	90	SP	WILLIAM P. HAINES	2 3 5	RAYMA	7303	UNION	9 40 36	74 15	20	MID	RANNA VLY SWG AUTH	3 7		
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	6P	HARRY P. CAMPBELL	2 3 5 7	RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	MID	GEORGE P. KIRSTEN	2 3 5 7		
CLEWINTON	1749	HUNTERDON	10 40 38	74 55	300	6P	L. W. KLOCKNER	3	RINGWOOD	7587	PASSAIC	8 41 08	74 16	305	10A	NO	JERSEY CITY SUPPLY	3	
DEEP WATER	2209	SALEM	2 30 41	75 30	12	NID	DO POINT OF NEMOURS	3	RUNYON	7825	MIDDLESEX	1 40 26	74 26	18	6P	AP	N. J. WATER COMM	2 3 5 6	
ELIZABETH	2644	UNION	1 40 40	74 14	33	SP	UNION CO PARK COMM	2 3 5	SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	7P	U. S. COAST GUARD	2 3 5		
ELIZABETHPORT	2647	GLOUCESTER	1 40 40	74 12	33	SP	SEWAGE TREATMENT PL	3 7	SONERVILLE	8194	SOMERSET	10 40 34	74 37	75	6P	AP	E. E. HAVER	2 3 5 7	
ESSEX FELS SERV BLDG	2768	ESSEX	8 40 10	74 18	250	BA	BOROUGH ESSEX FELS	2 3 5	SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800	10A	NO	JERSEY CITY D P W	3	
FLORENCE 1 NE	3029	HUNTERDON	10 40 31	74 51	134	SP	DONALD YOUNG	2 3 5 7	SPRINGFIELD	8423	UNION	1 40 43	74 18	-	NID	U. S. DEPT OF CONS	3		
FORTESCUE	3102	CUMBERLAND	2 30 14	75 10	5	7A	JOHN LOPER	3	SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	7A	BRICE B. STANTON	2 3 5		
FREENOD	3181	MONMOUTH	10 40 15	74 17	194	6P	FRANK J. NOREAU	2 3 5 7 C	SWEDENSBORO 5 NW	8695	GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO	3		
GARDEN CITY	3291	GLoucester	6 39 39	75 07	150	6P	PROF. W. A. SANDRE	3	SWEDENSBORO 5 W	8695	GLOUCESTER	2 39 47	75 24	10	12N	SUN OIL CO	3		
GREAT MEADOWS 4 N	3410	WARREN	2 40 56	75 55	540	C	QUAIL CHEMICAL CORP	3	TRENTON 2 N	8858	WARREN	2 40 57	74 50	551	NID	H. J. ERVEY	2 3 5		
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660	7A	GEORGE T. WIGGINS	3	TRENTON 2 W	8878	MERCER	2 40 14	74 46	105	MID	U. S. HIRSTOW	2 3 5		
HACKENSACK	3572	BERGEN	4 40 53	74 03	10	MID	BERGEN COUNTY ENGS		TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	MID	U. S. WEATHER BUREAU	2 3 5 7 C		
HAMMONTON 2 WNE	3662	ATLANTIC	7 39 39	74 48	85	BA	W. NUBBARD PARKHURST	2 3 5	TUCKERTON	8899	OCEAN	1 30 36	74 20	10	6P	REV EDWARD O. NEGLI	2 3 5		
HIGH POINT PARK	3935	SUSSEX	2 41 18	74 40	1000	BA	W. J. DEPT. OF CONG	2 3 5	VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	BA	STATE HOME FOR WOMEN	3		
NIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	6P	JAMES R. PICKERING	2 3 5 7	WANAOE RAYMOND DAM	9187	PASSAIC	8 41 03	74 18	320	BA	WATER SUPPLY COMM	3 7 C		
NIGHTSTOWN PUMPING STA	4056	MERCER	10 40 17	74 32	75	MID	DEPT WATER & SEWAGE		WATUNG	9271	UNION	8 40 40	74 25	-	MID	BONNIE BURN SAN.	3		
INDIAN HILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	7P	EDWARD ENTWISTLE	2 3 5 7	WERTSVILLE	9363	HUNTERDON	10 40 27	74 48	160	7A	ROBERT M. HANNERS	3		
IRVINGTON	4252	ESSEX	8 41 02	74 52	12	MID	JOINT MEETING GARAGE	2 3 5 7	WESTVILLE	9455	UNION	9 40 39	74 21	138	6P	CITY ENGINEER	3		
JERSEY CITY	4330	HUDSON	1 40 44	74 04	135	MID	JERSEY CITY WTR DEPT	2 3 5	WOODCLIFF LAKE	9455	UNION	9 40 39	74 21	138	6P	CITY ENGINEER	3		
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	6P	E. E. CASE	2 3 5 7	WOODSTOWN 5 WSW	9910	SALEM	2 30 38	75 25	30	7A	RAYMOND L. BLEW JR.	INAC 10/57		
LAURELTON 1 E	4700	OCEAN	1 40 04	74 07	20	6P	GEORGE G. WADILL	2 3 5 7 C											
LAYTON 3 N	4735	SUSSEX	2 41 15	74 51	480	6P	A. M. OERPE	2 3 5 7											
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 19	74 58	10	AP	AP LEESBURG STATE FARM	2 3 5											
LITTLE FALLS 1 E	4887	PASSAIC	8 40 53	74 14	157	9A	PASSAIC VLY WTR COMM	2 3 5 7 C											
LONG BRANCH	4907	MONMOUTH	1 40 18	74 33	34	MID	STORM WARR. OSSL STA	2 3 5 7 C											
LONG VALLEY	5003	MORRIS	8 40 48	74 46	660	6P	ARTHUR BARHMAN	2 3 5 7											
LUMBERTON	5055	BURLINGTON	2 30 39	74 48	25	NID	JAMES LAWTON	3											
MADCAPIN INTAKE	5071	PASSAIC	8 41 01	74 24	584	BA	NEWARK WATER DEPT	3											
MARHAN	5104	BERGEN	8 41 06	74 10	253	7A	ROBERT G. GLASGOW	3											
MANVILLE	5197	SOMERSET	10 40 33	74 34	50	MID	JOHN L. RADOLIFFE	3											
MARBORO SCS	5244	MONMOUTH	1 40 20	74 14	120	MID	BEND BRILL	C											

1-COASTAL; 2-DELAWARE; 3-GREAT BGG HARBOR; 4-MACKENSACK; 5-BUDSON; 6-AURICE; 7-MULICA; 8-PASSAIC; 9-HARTW; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at Weather Bureau Office, c/o General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Figures and letters following the station name, such as 12 SSW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried only in the June and December issues of this bulletin.

Monthly and seasonal snowfall and heating degree days for the preceding 12 months will be carried in the June issue of this bulletin.

Stations appearing in the Index, but for which data are not listed in the tables, either are missing or were received too late to be included in this issue.

Divisions, as used in Table 2, became effective with data for September 1956.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F, precipitation and evaporation in inches, and wind movement in miles. Monthly degree day totals are the sums of the negative departures of average daily temperatures from 85° F.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 6. Max and Min in Table 6 refer to extremes of temperature of water in pan as recorded during 24 hours ending at time of observation.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1821-1850, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1831-1855.

Water equivalent values published in Table 7 are the water equivalent of snow, sleet or ice on the ground. Samples for obtaining measurements are taken from different points for successive observations; consequently occasional drifting and other causes of local variability in the snowpack result in apparent inconsistencies in the record. Water equivalent of snow on the ground is measured at selected stations when two or more inches of snow are on the ground.

Entries of Snowfall in Tables 2 and 7, and in the seasonal snowfall table, include snow and sleet. Entries of snow on ground include snow, sleet and ice.

Data in Tables 3, 5, and 6 and snowfall in Table 7, when published, are for the 24 hours ending at time of observation. The Station Index lists observation times in the standard of time in local use. During the summer months some observers take the observations on daylight saving time.

Snow on ground in Table 7 is at observation time for all except Weather Bureau and CAA stations. For these stations snow on ground values are at 7:30 a.m., E.S.T.

- No record in Tables 3, 5, 7 and the Station Index. No record in Tables 2 and 5, is indicated by no entry. Consult the annual issue of this publication for interpolated monthly precipitation totals.
- + And also on a later date or dates.
- ++ Fastest observed one minute wind speed. This station is not equipped with automatic wind instruments.
- * Amount included in following measurement, time distribution unknown.
- // Gage is equipped with a silt shield.
- # Thermometers are generally exposed in a shelter located a few feet above and covered ground; however, the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.
- AM Data based on observational day ending before noon.
- AS Adjusted to a full month.
- C In the "Refer to Tables" column in the Station Index the letter "C" indicates recorder stations. These stations are processed for special purposes and are published later in "Bourly Precipitation Data".
- D Water equivalent of snowfall wholly or partly estimated, using a ratio of 1 inch water equivalent to every 10 inches of new snowfall.
- E In the "Refer to Tables" column in the Station Index the letter "E" indicates that soil temperatures are published.
- M One or more days of record missing; if average value is entered, less than 10 days record is missing. See Table 5 for detailed daily record. Degree day data, if carried for thin stations, have been adjusted to represent the value for a full month.
- R Amounts from recording gage (These amounts are essentially accurate but may vary slightly from the amounts to be published later in "Bourly Precipitation Data".)
- T Trace, an amount too small to measure.
- V Includes total for previous month.

Information concerning the history of changes in locations, elevations, exposures etc. of substations through 1955 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest issue of Local Climatological Data, Annual for the respective stations, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary). Checks, and money orders should be made payable to the Superintendent of Documents, Resittance and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

USCOMM-WB-Anheville, N. C. --- 2/5/58 --- 750

11.05
VNJ
p.1

U. S. DEPARTMENT OF COMMERCE
SINCLAIR WEEKS, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

CLIMATOLOGICAL DATA

NEW JERSEY

ANNUAL SUMMARY 1957
Volume LXII No. 13



THE LIBRARY OF THE
MARITIME
UNIVERSITY OF THE STATE OF NEW YORK

WEATHER SUMMARY

GENERAL

The year was marked by a prolonged summer dry spell that resulted in drastic restrictions on water usage by millions of residents of northern New Jersey. Summer crops suffered heavy damage. Unusually cold weather in January contrasted sharply with unusual warmth in December. Destructive storms were less costly than in the preceding year, and the loss of only 5 lives was charged to severe weather features.

WEATHER EFFECTS

Winter grains, pastures, and hay came through the winter in unusually good condition. Some fields were prepared in February, and light rainfall in March allowed rapid progress in this work. Although the first half of April was cool, warmer weather during the latter half, together with ample precipitation, stimulated growth of hays, pastures, and fall-sown grains. Most field preparation was completed in April. Early planted potatoes grew well, and there was a good harvest of hardy spring vegetables in April. As dry weather set in early in May, planting of some field corn was delayed, and earlier plantings fared poorly due to cool temperatures. Fields of winter wheat made only fair growth in May due to the dry weather, but timely rainfall permitted heads to fill out satisfactorily. Hays declined with the dry weather, and vegetables made good progress only in irrigated fields. Apple orchards experienced a heavy bloom and set; frosts in May caused damage only in a few unfavorable locations. Peach orchards also did well, and were favored with warm, sunny weather during the pollination period. Hot, dry weather in June hastened the maturity of winter wheat and oats, and caused hays to decline. Potatoes and sweet potatoes developed poorly, and there was a heavy drop of apples, although the remainder of the crop sized well. Early plantings of commercial vegetables developed fairly well in June, but later plantings suffered from the hot, dry weather. With a continuation of dry weather through July and early August, most field corn suffered heavy damage due to stunting at the critical silking stage. The unfavorable growing conditions resulted in reduced yields of wheat, oats, and hay, and hurt all other field crops. The control of apple diseases and insects was favored by the hot, dry weather. Early varieties were not affected by the prevailing dryness as much as were later varieties. Peaches were stunted, and grapes declined also. Rains during the last week of August were too late for summer crops, but were of considerable benefit to fall pastures, late hays, late apples, fall vegetable crops, and preparation of fields for fall plantings. Stream flow declined, however, and by September serious water shortages had developed in reservoirs serving heavily populated northeast New Jersey. Drastic restrictions were placed on water use. Unusually early frosts in September ended the growing season for most tender crops. Cranberry growers who could not flood their bogs suffered heavy freeze damage. Considerable acreage of soybeans for beans were either abandoned or harvested for hay or silage. Rains in September improved pastures and fall vegetable crops, but were insufficient to improve the ground water situation. Harvesting operations suffered few interruptions in October; the harvest of corn was nearly completed, as was the combining of soybeans, and the digging of potatoes and sweet potatoes. The commercial apple crop was well above average. Grapes improved in October to near average condition. Stream flow continued deficient in October, and

the water shortage in northeast New Jersey became worse. The reservoir supplying the city of Orange went dry on October 30. Harvests were completed in November, and fall sowings of rye and winter wheat were finished early in the month. Many herds of cattle were left out on pasture longer than usual in November because of short winter supplies and aided by the mild temperatures of the month. The water shortage remained serious in November, but heavy rainfall in December relieved the water crisis. Winter grains made good growth in December due to the mild temperatures and ample rainfall.

TEMPERATURE

Extreme contrasts in temperature were noted at the beginning and ending of the year: January was unusually cold, and December almost equally as unusually warm. Marked departures from the usual seasonal temperatures were also noted in a warm February and a cool August.

A prolonged cold spell during the middle of January, accompanied by frequent below-zero readings, set the character for the month. February, on the other hand, could not muster much in the way of a cold spell, as warmth predominated but alternated with seasonal coolness. The same pattern continued in March, but with more frequent onslaughts of cool air, continuing and definitely taking the ascendancy in the first half of April. The latter part of April was marked by steadily rising temperatures, with the month closing on a note of almost summerlike warmth. A cold spell early in May dropped temperatures to the freezing point in some areas, and another cold spell later in the month brought a repeat performance. The first decade of June included a late cold spell that once more brought freezing temperatures, but the rest of the month was quite warm, the mercury reaching the century mark for the first time in the year at mid-month. Temperatures in July showed marked fluctuations, reaching the low 40's during frequent cool spells, and rising to 100° or more in one of the 2 warm spells. August was predominantly cool, with few truly warm periods; a cold spell during the latter part of the month dropped temperatures to the high 30's, at some locations. A turn to warmer weather was noted in September, but a week of cool weather at the end of the month brought below-freezing temperatures to most of northern New Jersey and much of the south portion also. Cold spells during the middle of October and again near month's end, with few warm days, resulted in a chilly month. The pattern for November, however, was one of frequent warm spells, and few cold days. An intensification of this pattern in December was only highlighted by short spells of chilling cold near the end of the first week and again nearly a week later; the rest of the month was mild or unseasonably warm.

Annual average temperatures ranged from 46.4° at High Point Park to 56.2° at Burlington. The year's highest temperature was 106° at Runyon on July 22. The lowest temperature was - 21° at Layton 3 NW on January 18. Only High Point Park failed to note a maximum temperature of 90° or more during the year. These values were achieved most often at Burlington, on 51 days. Temperatures dipped to 32° or below and 0° or below most frequently at Layton 3 NW, 163 and 10 days, respectively. High Point Park easily took the prize for the greatest number of cold days, with 52 occurrences of maximum temperatures of 32° or below.

PRECIPITATION

The word for 1957 was "dry". Only April and December could boast of ample rainfall.

After a week of dryness, precipitation in January was frequent but light. Some moderate amounts were noted in the frequent precipitation occurrences of the first half of February; a 3-day wet spell brightened the end of the month. Wet spells were more frequent in March, but again, daily amounts were mostly light. Frequency of precipitation increased in April to above the usual expectancy, with the major portion for the month occurring during the first 9 days. May was almost devoid of rain during the first decade; the remainder of the month saw the north portion more generously watered than the rest of the State, but totals were still deficient. Precipitation in June and July was very spotty, and resulted almost entirely from thundershowers that deposited heavy amounts in very limited areas. General rains on August 25 and 26 were the only significant occurrences during that month. General rains on September 10, 16, and 23, together with heavy amounts in some northern locations earlier in the month, helped relieve the prolonged summer dry spell. Precipitation amounts approached the usual seasonal values in Northern New Jersey in October, but remained somewhat lighter in the south portion. Light amounts of precipitation falling at fairly well spaced intervals featured the November pattern; southern areas were more generously treated than in many preceding months, as totals climbed above the usual seasonal values. Precipitation came at rather frequent intervals in December; frequent occurrences of moderate or heavy amounts brought relief from the extended drought to all portions of the State.

Annual precipitation totals ranged from 28.79 inches at Trenton WB City to 48.55 inches at Cedar Grove. The greatest daily precipitation amount was 4.65 inches at Ridgefield on May 14. The rainiest location was Mays Landing, with 94 occurrences of daily precipitation amounts of 0.10 inch or more. The most frequent heavy precipitation was at Cedar Grove, with 14 daily amounts of 1.00 inch or more.

SNOWFALL

Snowfall was of about the usual frequency and intensity this year. Occurrences in January were noted at frequent intervals after the opening week, with the snowy period continuing to the middle of February. The first few days

in March were snowy, and there were a few occurrences of light amounts later in the month. Snowfall in April was highlighted by copious amounts on the 4th, mostly confined to the northern portion of the State. The first snow of the fall came at the end of October, but amounts were very light. November's snowfall was very light and insignificant. Two good snowfalls during the first half of December brought all of that month's snow; some southern locations received especially heavy accumulations.

The year's greatest snowfall total was 54.6 inches at Flemington 1 NE. Paterson reported the greatest snow depth, 14 inches on December 5.

DESTRUCTIVE STORMS

Severe weather features were neither as numerous nor as costly this year as they were in 1956. Only 1 tornado was reported, occurring on November 19, and charged with only light damage. Windstorms caused considerable damage in March, June, July, and October, and at least light damage in every month of the year except August when no destructive storms of any sort were noted. Snow and glaze caused great damage in 2 storms occurring almost exactly a month apart: at the beginnings of February and March. Lightning strikes caused considerable damage in May, and lighter damages in each month of the period April-July. A hailstorm in April caused light damage.

Lightning bolts took the lives of 1 man in June and 2 boys in July. A snowstorm in December resulted in 2 deaths. Six persons were injured by lightning in June and strong winds injured 3 persons in July and several others in March.

FLOODS

Flood stage was reached by several New Jersey streams in April, but no damages were noted. Minor flooding was experienced on central and northern New Jersey rivers in December. A few families were evacuated from their homes, but damages were minor. Local flooding caused by heavy thunderstorm rains occurred in April, May, June, and July; in some cases damages were severe, but minor in others.

Details of each month's weather may be found in the monthly issues of this publication.

Harold S. Lippmann, Climatologist
Weather Records Processing Center
Chattanooga, Tennessee

SPECIAL NOTICE

A survey has indicated that the comprehensive narrative weather story carried in each issue of Climatological Data is of value to only a small number of recipients. This story will be discontinued, therefore, with the January 1958 issue. A table of extremes will be carried each month and a text will be carried whenever unusual and outstanding weather events have occurred. General weather conditions in the U. S. for each month are described in the publications MONTHLY WEATHER REVIEW and the MONTHLY CLIMATOLOGICAL DATA, NATIONAL SUMMARY, either of which may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C.

Table 1

AVERAGE TEMPERATURES AND DEPARTURES FROM LONG-TERM MEANS

NEW JERSEY
1957

Station	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure	Temperature	Departure
ATLANTIC CITY WB	51.9	- 3.9	58.9	3.8	42.1	- 6	51.7	2.3	60.0	- 9	69.9	1.2	73.8	- 2	70.6	- 2.5	69.6	1.3	54.5	- 1.5	50.8	2.5	42.5	- 4.1	54.8	- 7
AUGUBON	29.7	- 38.3	38.3	42.4	55.1	55.1	65.7	75.2	75.2	77.4	73.6	73.6	77.4	73.6	73.6	73.6	73.6	73.6	73.6	73.6	73.6	73.6	73.6	73.6	73.6	73.6
BELLEPLAIN	31.6	59.5	59.5	42.9	55.7	55.7	65.8	74.4	74.4	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	75.6	
BELVIDERE	25.9	- 4.2	35.5	4.5	40.8M	1.1	55.2	2.3	62.8	- 5	74.5	3.5	75.1	- 6	71.0	- 1.7	67.1	1.1	52.5	- 2.4	44.9	2.2	36.8	- 4.5	55.3	- 9
BONTOON 2 SE	25.1	- 4.0	33.6	4.5	58.7	1.0	50.7	2.0	56.7	- 6	70.9	3.0	72.1	- 9	66.7	- 2.1	64.6	1.1	51.2	- 2.3	44.5	2.1	55.5	- 3.9	51.2	- 6
BRIDGETON 1 NE			37.9M				53.8M		64.1M		74.1M				72.0M	- 2.7			55.9M	- 3.4			40.5M	- 4.5	54.8	- 6
BURLINGTON	29.9	- 4.7	58.5	3.7	42.3	- 4	55.2	2.2	65.9	- 1.6	75.5	2.7	76.5	- 1.0	74.3	- 1.2	70.6	1.8	55.9M	- 2.1	47.9M	1.5	40.5M	- 4.5	54.8	- 6
CANOE BROOK	25.2	- 3.9	54.0	4.7	39.1M		51.8	3.5	58.6	- 3	72.0	4.1	72.0M	- 2.2	68.9	- 2.2	65.5M	1.4	50.5	- 3.4	44.7	2.0	38.5	- 4.8	51.8	- 1.9
CAPE MAY 3 W			40.0M				55.1M		62.1M		72.7M				73.5M		73.1M		57.5M		50.0M		45.4M		51.2	
CHARLOTTEBURG	25.0M	- 6.0	51.4	2.2	36.1	- 1.2	48.9	.9	56.7	- 2.2	67.8	1.0	69.4M	- 1.8	64.7	- 4.7	61.7	- .9	48.5	- 4.2	42.4	.4	34.2	- 3.1	48.7	- 1.2
CHATSORTH 5 S					42.2		55.0		64.6		74.5		76.3		72.8		69.6		54.2		47.4		39.5		55.4	
CLAYTON	30.1	- 5.2	36.7	3.5	41.5	- 1	53.9	2.2	62.7	- 4	72.0	5.1	76.3	- 3	72.5	- 1.7	68.6	1.4	55.4	- 1.4	48.5	2.9	38.5	- 5.7	54.7	- .8
ELIZABETH	27.9	- 5.2	36.7	3.5	41.5	- 1	53.9	2.2	62.7	- 4	72.0	5.1	76.3	- 3	72.5	- 1.7	68.6	1.4	55.4	- 1.4	48.5	2.9	38.5	- 5.7	54.7	- .8
ESSEX FELS SERV BLDG	25.1	- 3.9	36.9	3.8	39.7	- 1.1	52.3	1.2	61.8	- .5	75.0	2.2	74.7	- 1.0	71.2	- 2.4	67.5	.7	52.0	- 4.0	45.4	1.0	36.5	- 5.6	52.1	- .4
FLEMINGTON 1 NE	25.9	- 6.0	34.8	2.5	39.7	- 1.1	52.3	1.2	61.8	- .5	75.0	2.2	74.7	- 1.0	71.2	- 2.4	67.5	.7	52.0	- 4.0	45.4	1.0	36.5	- 5.6	52.1	- .4
FREEHOLD	28.1	- 4.9	37.0	4.2	40.6	- 2	53.8	3.3	62.5	- 8	73.3	3.0	75.2	- 1	71.2	- 1.9	68.6	2.2	54.5	- 1.8	47.7	2.5	38.4	- 5.7	54.2	- .9
HAMMONTON 2 NNE	29.5	- 5.2	36.2M	3.8	45.6	- 1.2	55.0	3.0	63.8M	- 1.0	75.1	3.6	76.6M	- 4	73.0M	- 1.2	69.6	2.0	54.7	- .8	48.5M	5.2	38.9	- 5.8	59.6	- 1.4
HIGH POINT PARK	17.3M		28.0		32.4		45.8		54.5		67.5		67.2		64.0		80.8M		47.2		40.5		31.7		48.6	
HIGHTSTOWN 1 N	27.9	- 4.8	36.6	3.9	40.2	- .5	53.6	5.0	61.9	- 5	73.4	5.6	75.5	- 5	71.2	- 1.6	68.6	2.5	55.6	- 2.4	47.5	2.5	38.5	- 4.2	54.0	- .9
INDIAN MILLS 2 W	28.1	- 5.7	37.4	3.6	40.5	- .8	53.9	2.7	61.9	- .2	72.7	2.4	75.5	- 1.4	69.9	- 3.0	68.2	1.2	52.7	- 3.4	45.5	.2	37.6	- 2.8	53.5	- .1
JERSEY CITY	27.3	- 5.6	35.7	3.0	40.9	- 6	51.7	1.3	60.9	- .5	71.5	1.2	74.9	- .8	70.6	- 3.4	67.5	.5	54.4	- 2.6	47.5	3.4	38.5	- 4.7	53.6	- .1
LAMBERTVILLE	27.8	- 4.0	55.9	3.6	40.5	- 3	53.4	2.7	62.7	- 1.1	74.2	4.2	75.1	- .3	71.6	- 1.5	68.8M	2.8	53.1	- 2.5	45.9	1.7	37.5	- 5.8	55.9	- 1.1
LAURELTON 1 E				39.6	- 1.2	51.0	- 4	59.6	- 1.8	70.8	- .9	73.7	- 1.0	68.2	- 4	67.3	- 1.5	53.2	- 2.3	46.1	- 1.0	37.8	- 2.7			
LAYTON 3 NW	21.6	- 5.4	31.4	5.7	37.2	- 9	50.6	3.2	59.4M	- 1.0	69.6	2.3	69.9	- 1.9	66.7	- 3.0	62.6	.7	48.1	- 5.6	42.5	2.5	34.1	- 5.3	46.5	- .3
LEESBURG STATE FARM	29.6	- 3.6	36.4	4.1	41.8		55.5	6.3	67.7		72.8	7.5	75.1		71.3		68.6		55.5		48.0		40.0M		54.7	
LITTLE FALLS 1 E	26.4	- 4.9	35.7	4.2	40.5	- 8	52.5	2.1	61.4	- 1	72.9	3.2	74.5	- .4	70.5	- 2.3	67.3	1.6	55.0	- 2.6	47.1	2.8	37.8	- 4.0	53.5	- .7
LONG BRANCH	28.3	- 5.0	36.5	3.6	41.1	- 9	51.0	1.5	60.0	- 2	70.7	1.5	74.2	- .4	69.9	- 2.9	67.9	1.8	54.2	- 2.0	47.5	2.0	39.8	- 4.8	53.4	- .5
LONG VALLEY	24.8		54.3		39.1		51.2		58.9		71.1		71.5		68.6		64.2		51.0		44.2		55.7		51.2	
MILLVILLE							55.0M		64.0M		74.3M		76.5M		72.8M		70.0		53.6		48.0		48.6M		54.7	
MILLVILLE AIRPORT			38.2M																							
MILTON																										
MOORESTOWN	29.2	- 4.0	37.0	3.8	41.3	- 2	53.2	2.2	61.6	- .1	73.9	3.7	75.8	- 6	71.6	- 1.5	68.6	2.3	53.6	- 2.3	47.1	2.3	38.9	- 4.1	54.5	- .9
MORRIS PLAINS	25.3	- 3.5	34.8	4.7	42.0	- 1.5	53.3	3.3	62.9	- 1.8	73.8	3.3	77.3	- 2.0	73.0	- .1	69.5	2.7	56.8	- .0	48.5	5.4	39.1	- 5.1	54.9	- 2.0
NEWARK WB AIRPORT	28.0	- 4.9	36.4	4.7	42.0	- 1.5	53.3	3.3	62.9	- 1.8	73.8	3.3	77.3	- 2.0	73.0	- .1	69.5	2.7	56.8	- .0	48.5	5.4	39.1	- 5.1	54.9	- 2.0
NEW BRUNSWICK EXP STA	27.7	- 4.9	36.3	4.7	40.8	- 2	53.2	2.4	62.4	- .7	73.3	5.3	75.6	- .5	71.6	- 1.5	68.2	1.6	54.5	- 1.9	47.7	2.7	38.0	- 4.7	54.2	- 1.0
NEWTON	22.6	- 5.3	31.8	3.7	37.0	- 1	49.8	1.6	57.6	- 1.8	69.9	2.4	71.3	- 1.2	66.5	- 3.7	65.1	.0	48.8	- 4.1	42.7	1.6	34.0	- 4.1	49.6	- .2
PATERSON	27.7	- 4.2	36.5	4.5	40.8	- 9	53.2	2.5	61.8	- .3	74.0	5.3	75.6M	- .3	70.1M	- 3.5	67.5	1.1	53.1	- 3.2	47.1	2.5	37.2	- 3.1	53.7	- .5
PEMBERTON 5 E	28.6	- 5.8	37.9	3.7	41.1	- 1.2	53.9	1.8	62.7	- .3	72.8	1.6	75.0	- .7	70.8	- 3.4	68.6	1.1	53.9	- 3.1	47.3	1.2	39.0	- 5.5	54.5	- .1
PHILLIPSBURG	26.6	- 3.8	36.5	5.6	41.5	- 2.2	54.1	3.9	62.5	- 1.1	73.8	4.0	74.0	- .4	71.8	- .5	67.3	2.1	53.7	- 1.5	47.6	4.7	38.7	- 6.2	54.0	- 2.2
PLAINFIELD	27.6	- 4.6	36.0	3.6	40.9	- 7	52.9	2.2	61.4	- .1	73.0	3.1	74.4	- .7	71.2	- 1.9	67.7	1.6	53.9	- 2.0	48.8	2.2	37.6	- 3.5	53.6	- .6
PLEASANTVILLE 1 N	28.3M	- 5.9	37.0	3.3	40.6	- .2	53.0	3.0			72.1	2.7	73.4	- 1.0	69.5	- 3.4	67.9	1.4	52.0	- 4.6	45.8	.4	38.5	- 2.8	53.5	- .2
RIDGEFIELD	26.9	- 4.3	35.5	4.2	41.0	- 1.3	53.1	2.9	62.0	- .9	73.9	3.9	75.2	- .7	70.8	- 2.2	67.6	1.6	54.2	- 1.4	47.2	3.0	38.5	- 5.0	55.8	- 1.2
RUNYON	36.7	- 2	36.7M	5.7	41.0	- 1.7	53.9	4.8	62.0	- 1.7	75.5	4.2	75.4	- .9	70.8	- 1.7	67.8	2.7	53.1	- 1.5	47.4	4.5	34.3	- 5.8	54.3	- 2.6
SANDY HOOK LBSTA	29.1	- 4.5	36.5	3.5	41.2	- 1.2		63.1	2.9	73.1M	3.4	77.7	- 2.3	73.4	- .7	70.2	2.3	57.6	- .4	49.5	2.7					
SOMERVILLE	26.5	- 5.0	35.0	3.1	40.3	- .3	52.8	2.5	61.9	- .7	74.0M	4.2	75.5	- .6	72.2	- .6	68.0	2.0	52.7	- 2.8	45.6	1.6	37.0	- 3.8	53.5	- .9
SUSSEX 3 N	21.6	- 6.6	30.9	1.8	35.9	- 2.0	46.8	- .5	56.8	- 3.6	68.9	.0	70.2	- 3.2	65.7	- 5.5	61.7	- 2.1	48.5	- 5.1	42.1	.0	53.5	- 2.9	48.7	- 2.0
TRENTON 2	29.3M		37.0		42.0		53.8		63.3		75.1		76.9		72.9		69.5		54.7		47.7		39.2M		54.9	
TRENTON WB CITY	28.8	- 3.8	36.9	4.2	41.7	- .4	53.4	2.7	62.9	- 1.1	74.5	3.7	76.7	- 1.4	72.1	- 1.1	69.0	2.0	54.7	- 1.4	48.3	2.7	39.2	- 4.2	54.9	- 1.4
TUCKERTON															74.1		70.5M		69.0		47.0		39.1			
WOODSTOWN 2 NW															76.0		72.2									

TOTAL PRECIPITATION AND DEPARTURES FROM LONG-TERM MEANS

NEW JERSEY
1957

TABLE 2

STATION	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER		ANNUAL	
	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE	PRECIP.	DEPARTURE
ATLANTIC CITY WB	1.80	-1.92	4.01	.77	4.30	.77	2.26	-1.12	5.54	-2.44	2.76	-.23	3.31	-3.47	3.38	-1.34	2.14	-1.37	1.62	-1.59	4.54	1.22	6.78	3.47	34.52	-7.25
AMMUNITION	1.62		3.10		3.55		3.61		1.54		1.84		1.47		1.12		2.13		2.71		4.07		5.23		30.90	
BASS RIVER ST FOREST	2.84		3.50		3.61		4.97		3.85		3.64		2.01		1.80		3.42		1.91		4.94		6.81		39.50	
BELLEPLAIN	2.44	-1.14	3.11	.11	4.98	.67	2.85	-.67	6.00	-3.27	1.67	-.78	1.60	-3.56	3.17	-2.71	2.23	-1.81	2.13	-1.54	3.49	.50E	4.79	3.44	44.68	-10.98
BELMAR	1.65		3.38		4.34		5.61		6.00		1.17		2.24		2.82		2.05		3.49		2.62		4.79		34.79	
BELVUE	2.14	-1.64	2.06	-1.03	2.57	-1.67	7.10	3.16	3.41	-.82	3.37	-1.03	1.17	-4.20	1.28	-3.88	2.24	-1.40	3.08	-.38	3.51	-.52	5.50	1.86	37.37	-11.59
BERLIN 1 W	3.50		2.75		4.47		3.61		1.47		2.49		1.68		1.20		2.74		3.37		3.68		5.94		37.00	
BLACKWELLS HILLS	2.37		2.38		3.29		5.67		1.96		3.08		1.47		2.70		2.66		3.19		7.05		34.78		34.78	
BOONTON 2 SE	2.26	-1.03	2.63	.06	2.33	-1.68	5.95	2.25	2.84	-1.51	1.38	-2.68	1.30	-2.90	2.44	-2.52	2.44	-1.84	3.34	.12	3.50	-.62	8.70	5.46	39.11	-6.89
BOUNTON BRIDGE 1 W	1.73		2.72		2.35		6.21		1.08		1.99		1.58		2.77		2.61		2.57		2.73		6.86		34.90	
BRANDYVILLE	2.28		2.73		2.09		5.59		2.28		2.56		2.64		1.14		3.23		2.91		3.40		6.81		37.46	
BRIDGETON 1 ME	2.71	-.10	2.70	-1.14	3.38	.25	1.00	-3.20	2.86	-.56			1.90	-3.20	2.60	-1.31	2.37	-.75								
BURLINGTON	1.58	-1.77	2.67	-.07	2.98	-1.53	4.98	1.50	4.46	-3.62	2.04	-1.69	1.10	-3.14	1.38	-3.21	2.02	-1.71	2.27	-1.05	3.90	.16	4.98	2.04	30.36	-14.03
CANISTEAR RESERVOIR	1.98		2.42		2.80		5.27		2.52		2.78		3.08		1.43		3.27		4.14		3.94		9.56		43.17	
CANOE BROOK	1.89	-1.92	2.98	.16	2.55	-1.81	6.92	3.06	1.79	-2.74	1.69	-2.52	1.03	-3.59	2.18	-3.24	1.86	-2.53	3.58	.34	3.51	-.72	7.44	3.92	37.42	-11.59
CANTON	1.25		3.61		1.26		2.77		.80		3.48		.70		2.03		4.40		3.45		3.50		3.34		30.09	
CAPE MAY 3 W	2.04		3.30		3.52		3.42		.40		2.97		.52		2.16		6.31		1.62		5.61		6.13		38.04	
CEMAR GROVE	2.50		2.59		2.72		6.23		4.68		2.68		2.07		3.35		3.24		4.77		3.95		9.77		48.55	
CHARLOTTETOWN	1.82	-1.87	2.66	-.36	3.16	-1.43	5.82	1.73	1.65	-2.70	1.84	-3.45	2.10	-2.63	2.00	-2.98	3.42	-.98	3.07	.10	3.94	-1.15	10.02	6.07	41.20	-9.71
CHATHAM	1.94	-1.93	3.00	-.07	2.46	-2.11	6.81	2.82	2.47	-1.96	1.66	-2.56	1.66	-2.90	2.16	-3.35	1.75	-2.72	3.13	-.10	3.82	-.49	8.54	4.75	39.42	-10.62
CHATEAUX 5 S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.80			
CLAYTON	2.10		2.25		3.25		3.15		.92		3.53		.90		1.71		5.11		3.36		3.57		7.20		37.05	
CLINTON	2.08		2.28		2.43		6.40		1.41		2.10		.97		1.70		1.49		2.39		3.74		6.45		33.42	
DEERWATER	1.46		1.57		1.59		3.20		1.74		1.64		.81		1.43		6.75		2.22		2.89		4.77		30.07	
ELIZABETH	1.66	-2.49	2.84	-.22	3.93	-.54	6.00	2.14	1.42	-2.92	1.93	-1.98	2.83	-1.55	2.97	-2.04	3.95	-.39	2.83	-.48	3.73	-.19	6.08	2.66	40.17	-8.00
ELIZABETHPORT	1.92		2.48		2.54		5.37		.88		1.48		1.67		2.43		3.39		2.42		3.86		5.10		33.14	
ESSEX FIELDS SERV BLDG	2.70		2.57		1.99		4.78		4.32		2.56		1.21		1.35		2.43		2.97		3.81		8.73		39.42	
FLEMINGTON 1 ME	2.00	-1.36	2.42	-.21	2.81	-1.32	5.55	1.00	1.00	-3.34	3.30	-.62	.97	-3.61	1.28	-4.05	1.58	-1.91	2.30	-.88	4.60	.84	6.20	2.85	34.01	-11.51
FORTESCUE	1.70		2.72		3.11		1.35		.71		2.43		.56		2.18		2.36		1.81		4.60		5.53		29.06	
FREEMILD	1.46	-2.18	3.18	.23	4.20	.00	4.85	1.29	1.43	-2.70	2.21	-1.52	1.67	-2.35	2.73	-2.27	2.18	-1.72	2.56	-.96	4.75	.69	5.88	2.48	37.05	-9.01
GREENWOOD LAKE	1.80		2.61		3.11		5.78		2.17		1.64		2.03		1.89		3.81		4.26		4.25		10.77		44.12	
HAMMONTON 2 MME	1.34	-2.35	3.02	-.04	3.09	-1.21	4.55	-1.22	.55	-3.60	4.39	.35	.71	-3.48	1.82	-4.13	4.17	.68	2.23	-1.44	4.55	.78	6.07	2.95	34.39	-12.71
HIGH POINT PARK	3.00		1.81		2.65		8.23		3.40		1.94		4.89		3.69		3.13		3.95		3.19		7.54		45.42	
HIGHTSTOWN 1 W	1.73	-1.53	2.30	-.29	2.83	-1.07	5.83	1.53	1.83	-2.01	2.09	-1.91	1.17	-3.08	1.98	-3.38	2.05	-2.06	2.53	-.74	3.51	.60	5.60	2.68	32.88	-10.62
INDIAN HILLS 2 W	1.69	-1.83	3.23	.31	3.50	-.74	3.46	.00	.75	-3.39	3.13	-.92	.83	-3.01	.65	-4.96	4.92	.57	2.99	-.36	4.13	.33	6.25	3.13	34.83	-10.83
IRVINGTON	2.00		2.55		2.60		5.90		2.20		1.82		1.38		3.09		3.47		2.93		3.35		5.83		37.21	
JERSEY CITY	2.85	-1.42	2.42	-.34	3.10	-.90	4.86	1.41	2.82	-1.33	2.16	-1.36	2.61	-1.35	1.96	-3.40	3.04	-.82	3.64	.66	3.92	.51	5.81	2.63	39.30	-3.74
LAMBERTVILLE	2.18	-1.26	2.41	-.18	2.73	-1.38	5.69	2.01	1.53	-2.64	1.52	-2.43	1.96	-1.43	1.86	-1.12	3.98	.20	3.48	2.33	3.48	.20	5.48	2.33	33.05	-13.06
LAURELTON 1 E	2.70	-2.15	2.96	-.14	3.75	-.52	4.72	.00	.53	-3.61	1.31	-2.20	1.65	-2.15	2.49	-2.20	1.88	-1.26	2.51	-1.40	5.98	1.37E	5.15	1.86	35.30	-11.40
LAYTON 3 NW	2.79	-.12	2.41	.13	2.30	-1.18	2.28	1.51	2.64	-1.67	2.43	-1.78	3.22	-1.69	1.41	-3.14	3.27	-.48	3.05	-.32	2.99	-.84	6.12	.41	38.71	-.30
LEESBROOK STATE FARM	1.74		3.11		3.90		1.87		.41		1.85		.54		2.83		2.74		2.34		5.34		5.43		32.10	
LITTLE FALLS 1 E	1.63	-2.12	2.73	-.20	3.07	-1.33	5.55	1.31	3.38	-1.20	2.35	-2.10	1.50	-3.00	2.38	-2.89	2.21	-2.39	4.17	.68	3.76	-.64	9.15	5.37	41.88	-8.51
LONG BRANCH	1.77	-2.16	2.83	-.54	4.22	-.07	5.64	1.20	1.00	-2.64	1.43	-2.16	.84	-3.25	1.82	-2.55	2.76	-1.25	4.27	.77	4.44	.50	6.09	2.55	38.11	-6.70
LONG VALLEY			2.59	-1.76			6.17	2.36	3.31	-.99	2.43	-1.86	.90	-4.24	1.54	-3.77	1.98	-1.91	4.27	-.57	5.22	1.16				
MACOPIN INTAKE	1.93		2.50		2.58		5.83		1.91		1.16		1.92		2.23		3.37		4.37		4.06		9.69		41.53	
MAHWAH	1.94		2.60		2.81		5.65		1.60		2.50		2.38		2.24		3.21		3.40		3.09		9.30		41.16	
NAMVILLE	2.02		1.91		2.54		5.93		1.16		2.07		1.86		3.53		2.99		2.91		4.02		6.22		37.66	
NARLTON 1 W	1.69		3.19		3.73		4.65		1.27		2.96		1.88		1.16		3.33		2.69		4.92.0					

Table 3

TEMPERATURE EXTREMES AND FREEZE DATA

NEW JERSEY
1957

Station	Highest	Date	Lowest	Date	Last spring minimum of								First fall minimum of										Number of days between dates											
					16° or below		20° or below		24° or below		28° or below		32° or below		32° or below		28° or below		24° or below		20° or below		16° or below		16° or below		20° or below		24° or below		28° or below		32° or below	
					Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.
ATLANTIC CITY WB	92	7- 5	7	1-15	1-19	16	1-24	19	1-24	19	3- 5	26	4-13	30	11-11	30	12- 5	27	12-11	23	12-12	16	12-12	16	327	322	321	275	212					
AUDUBON	103	7-21	2	1-18	1-20	13	2-12	19	3- 4	24	3- 6	26	4-16	31	11-10	30	11-11	28	12- 5	23	12- 6	19	12-12	14	326	297	276	250	208					
BELLEPLAIN	101	7-22	-10	1-18	1-24	16	3- 5	20	4-11	23	4-16	26	5- 4	31	9-28	28	9-28	28	11-11	19	11-11	19	12-12	13	322	251	214	165	147					
SELVIDERE	101	7-21	- 8	1-18	2- 3	11	3- 5	20	3-11	24	4-16	27	4-16	27	9-27	31	11-10	24	11-10	24	12- 6	11	12- 6	11	306	276	244	208	164					
800TON 2 SE	97	7-23	- 7	1-18	2-13	15	3- 6	19	3- 6	19	4-11	28	4-16	30	9-27	32	11-11	24	11-11	24	11-27	18	12- 6	11	296	266	250	214	164					
BRIDGETON 1 NE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SURLINGTON	105	7-21	0	1-18	1-20	8	2-12	19	3- 5	24	3- 5	24	4-16	29	11-10	32	11-11	28	11-13	24	None	-	12-12	15	326	-	253	251	208					
CANOE BROOK	100	7-22	-15	1-17+	3- 5	14	3-31	18	4-16	22	4-16	22	4-16	22	9-27	27	9-27	27	11-11	20	11-11	20	12- 6	15	276	225	209	164	164					
CAPE MAY 3 W	-	-	-	-	1-17	15	1-24	20	2-12	23	3- 6	28	4-13	32	11-12	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CHARLOTTEBURG	-	-	-	-12	1-18	3- 7	16	4-16	20	4-16	20	4-16	20	6-10	30	9-25	32	9-28	27	11-11	21	11-12	19	12- 6	6	274	210	209	165	107				
CHATSWORTH 5 S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	None	-	None	-	None	-	None	-	None	-	-	-	-	-	-	-	-	-	-	
CLAYTON	101	7-21	- 1	1-18	1-24	16	2-12	19	3- 5	24	3-13	28	4-16	29	11-10	30	11-11	26	11-12	23	12- 6	16	12- 6	16	316	297	252	243	208					
ELIZABETH	102	7-21+	0	1-15+	2- 3	15	3- 4	20	3- 6	23	4-15	27	4-16	29	11- 7	30	11-11	24	11-11	24	12- 5	20	12- 6	15	306	276	250	210	205					
ESSEX FELS SERV 8LDG	100	7-22	- 6	1-17	2-13	16	3- 6	20	3-11	24	3-31	28	4-16	30	9-29	32	11-11	20	11-11	20	11-11	20	12-12	16	302	250	245	225	166					
FLEMINGTON 1 NE	104	7-22	-11	1-18	2-22	16	3- 7	20	4-16	23	4-16	23	5- 4	31	9-27	28	9-27	28	11-11	23	11-12	20	12- 6	5	287	250	209	164	146					
FREERHOLD	101	7-21+	- 3	1-18	2-12	16	3- 5	20	3- 6	24	4-15	28	5- 4	31	10-12	30	11-11	23	11-11	23	12- 5	18	12- 6	15	297	275	250	210	161					
HAMMONTON 2 NNE	103	7-21	- 1	1-15+	1-24	16	2-12	18	3- 5	22	4-11	28	4-15	30	10-28	32	11-11	24	11-11	24	12- 6	19	12-12	12	322	297	251	214	196					
SIGHT POINT PARK	89	6-17+	-18	1-16+	3-11	16	4- 4	18	4-15	24	5- 4	28	5-17	32	9-27	28	9-27	28	11-11	16	11-11	16	12- 6	14	245	221	210	146	133					
SIGHTSTOWN 1 N	103	7-21	- 4	1-18	2- 3	14	3- 4	20	3- 6	24	4-16	28	5- 4	31	9-28	32	11-11	23	11-11	23	12- 6	14	12- 6	14	306	277	250	209	147					
INDIAN MILLS 2 W	101	7-21+	-11	1-18	1-24	14	3- 5	17	4-16	23	4-16	23	5- 4	29	9-27	30	9-28	27	11-11	19	11-11	19	12- 6	12	316	251	209	165	146					
JERSEY CITY	100	7-22	0	1-15	2-12	16	2-12	16	3- 5	22	3-11	27	4- 9	30	11-10	32	11-11	27	11-27	23	12-12	17	None	-	303	267	245	215						
LAMBERTVILLE	101	7-21	- 3	1-18	2-12	15	3- 5	18	3-31	24	4-16	26	5- 4	32	9-27	30	11-11	22	11-11	22	11-27	20	12- 6	10	297	267	225	209	146					
LAURELTON 1 E	105	7-22	-	-	None	-	3- 6	18	4-16	22	4-16	22	5- 4	32	9-27	32	-	-	-	-	-	-	12- 6	14	-	-	-	-	-	-	-	-	-	
LAYTON 3 NW	97	7-21+	-21	1-18	3-23	10	4-16	18	4-16	18	5-17	27	6-10	30	9-27	33	9-27	23	9-27	23	11- 7	18	11-11	16	233	205	164	133	109					
LEESBURG STATE FARM	98	7-22	3	1-17	1-24	16	2-12	20	3- 6	24	4-16	27	4-16	27	9-27	32	11-11	23	11-11	23	11-12	19	12-12	15	322	273	250	209	164					
LITTLE FALLS 1 E	102	7-22	- 6	1-18	2-12	15	3- 5	19	3- 6	21	3-31	28	4-16	29	9-28	32	11-11	24	11-11	24	12- 6	14	12- 6	14	297	276	250	225	165					
LONG BRANCH	102	7-22	2	1-18	1-24	16	1-24	16	3- 6	24	3-11	27	4-15	32	11-10	30	11-11	26	12- 5	24	12- 6	19	12-12	15	322	316	274	245	209					
LONG VALLEY	99	7-22	-15	1-18	2-12	12	3- 6	19	4-16	22	4-16	22	5- 4	32	9-27	28	9-27	28	11-11	17	11-11	17	12- 6	4	297	250	209	164	147					
MILLVILLE	100	7-23	-	-	-	-	-	-	-	-	-	-	4-11	28	4-16	30	10-28	32	11-11	28	11-12	21	12-12	16	-	-	-	-	-	-	-	-	-	
MILLVILLE AIRPORT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MOORESTOWN	102	7-21	1	1-15	1-20	9	2-12	19	3- 5	23	4-16	28	4-16	28	9-27	32	11-11	26	11-13	23	12- 6	19	12-12	14	326	297	253	209	164					
MORRIS PLAINS	99	7-22	- 8	1-18	2-12	14	3- 6	18	4-11	24	4-16	25	5- 3	30	9-27	29	10-21	28	11-11	22	11-13	20	12- 6	9	297	252	214	188	147					
NEWARK WB AIRPORT	101	7-22	0	1-15	1-24	16	2-12	18	3- 5	23	3-11	28	4-11	31	11-10	32	11-27	26	12- 6	20	12- 6	20	12-13	16	323	297	276	261	213					
NEW BRUNSWICK EXP STA	102	7-22	- 5	1-18	2-12	15	3- 4	20	3- 6	24	4-15	28	4-16	29	10-26	32	11-11	24	11-11	24	12- 6	16	12- 6	16	297	277	250	210	193					
NEWTON	98	7-22+	-13	1-17	3- 6	16	3- 6	16	4-16	23	4-16	23	5-17	31	9-28	30	9-29	28	11-11	18	11-11	18	11-27	16	266	250	209	166	134					
PATERSON	102	7-23	- 3	1-16	2-13	16	2-28	20	3- 6	24	3-11	27	4-16	32	10-26	32	11-11	25	11-27	21	12- 6	19	12-12	12	302	281	266	245	193					
PEMBERTON 3 E	103	7-21+	-16	1-18	1-24	16	3- 4	18	4-16	24	4-16	24	5- 4	30	9-27	28	9-27	28	11-11	22	11-12	20	12- 6	14	316	253	209	164	146					
PHILLIPSBURG	101	7-22	- 5	1-18+	2-12	15	3- 4	20	3- 5	21	4-16	27	5- 4	32	10-13	31	11-11	26	11-12	24	12- 6	13	12- 6	13	297	277	252	209	162					
PLAINFIELD	101	7-21	- 3	1-18	2- 3	16	3- 4	20	3- 6	24	4-16	27	5- 4	32	9-27	31	11-11	25	11-12	23	11-27	20	12- 6	13	306	268	251	209	146					
PLEASANTVILLE 1 N	100	7-23	- 3	1-18	1-25	16	3- 5	20	4-11	24	4-16	28	5- 6	32	9-28	32	11-10	28	11-11	21	11-12	19	12-12	13	321	252	214	208	145					
RIDGEFIELD	100	7-22	- 1	1-15	2-12	15	2-12	15	3- 6	24	4-15	28	4-16	30	11- 7	32	11-11	24	11-11	24	12- 6	19	12-12	16	303	297	250	210	205					
RUNYON	106	7-22	-16	1-18	3- 5	15	3- 6	18	4-16	21	5- 3	28	5- 5	31	9-27	25	9-27	25	10-12	24	11-12	15	11-12	15	252	251	179	147	145					
SANDY HOOK LBSTA	101	7-22	5	1-15	1-24	16	2-12	20	3- 4	23	3-11	26	3-26	32	11-26	32	None	-	None	-	None	-	None	-	-	-	-	-	-	-	-	-	-	-
SOMERVILLE</																																		

SOIL TEMPERATURES

NEW JERSEY
1857

Station and Depth	January		February		March		April		May		June		July		August		September		October		November		December		Annual	
	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes	Average	Extremes
<u>NEW BRUNSWICK EXP STA</u>																										
MEASURED UNDER SOD																										
1 INCH	30.4	44/28	35.6	52/29	40.7	56.31	49.8	70/38	62.9	83/44	77.1	102/52	80.3	105/60	74.9	100/58	69.0	88/49	54.8	68/43	47.4	81/34	38.8	54/33	55.2	105/26
2 INCHES	30.9	38/27	35.3	49/30	40.3	52/32	49.1	67/37	59.7	74/48	73.2	88/55	76.1	93/63	72.2	85/62	71.3	78/52	54.2	85/44	47.0	58/38	38.8	52/34	54.1	83/27
4 INCHES	30.9	35/27	35.3	49/30	39.7	51/32	49.3	64/38	60.1	71/48	72.8	86/52	75.7	90/64	72.2	83/63	87.8	77/52	54.4	85/44	47.1	57/37	40.0	52/35	53.8	80/27
8 INCHES	32.7	36/30	35.5	45/31	39.8	49/34	47.9	60/40	58.8	65/50	70.3	78/80	73.8	82/67	71.6	79/68	67.7	73/56	55.3	82/47	48.0	58/40	41.2	49/37	53.5	82/30
16 INCHES	34.5	38/32	35.9	42/32	39.5	43/36	48.7	57/41	57.3	62/51	67.6	73/61	71.7	78/88	70.9	75/87	68.0	71/59	58.8	81/50	49.5	55/44	42.8	47/39	53.4	78/32
32 INCHES	37.3	42/34	37.2	40/35	39.8	42/37	44.9	52/42	54.3	58/51	62.5	68/57	67.9	70/66	68.7	70/87	68.8	68/82	58.8	83/54	51.7	55/48	45.1	49/43	52.8	70/34

Monthly averages are obtained by taking the average of max and min values.

Cover: Kentucky bluegrass.

† CHANGES IN STATION NAMES

NEW NAME

TUCKERTON
WOODSTOWN 5 WSW

OLD NAME

TUCKERTON 2 SW
WOODSTOWN 2 NW

DATE

July 1857
July 1857

RELOCATION AND CHANGES IN EQUIPMENT

CANTON
GREAT MEADOWS 4 N
LAKEWOOD 2 RNE
MAIRFAH
MILLVILLE

All equipment moved 1.3 miles N
All equipment moved 0.8 mile W
Moved 4.0 miles SE to Laurelton 1 E
All equipment moved 150 feet SE
Temperature equipment added

June 5, 1857
November 4, 1857
July 1, 1857
October 15, 1857
March 18, 1857


TUCKERTON
WESTFIELD
WOODSTOWN 5 WSW

All equipment moved 2.2 miles NE
All equipment moved 0.5 mile NE
All equipment moved 4.0 miles WSW

July 1, 1857
January 28, 1857
July 1, 1857

TOTAL PRECIPITATION


NEW JERSEY
1957



isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

AVERAGE TEMPERATURE

NEW JERSEY
1957



Isolines are drawn through points of approximately equal values. Hourly precipitation data from recorder substations will be available in the publication "Hourly Precipitation Data".

STATION INDEX

NEW JERSEY
1957

Station	Index No.	County	Drainage†	Latitude	Longitude	Elevation	Years of record			Opened or closed during yr.		Refer to tables	
							Temp.	Precip.	Evap.	Month opened	Month closed		
ALLENDALE	0100	BERGEN	8 41 02	74 08	270								C
ATLANTIC CITY WB	0325	ATLANTIC	1 39 22	74 25	8	84	84					1 2 3	C
AUBURN	0346	CAMDEN	2 39 54	75 04	50	5	8					1 2 3	
BASS RIVER STATE FOREST	0529	BURLINGTON	1 39 37	74 26	20		11					2	
BELLEPLAIN	0690	CAPE MAY	1 39 16	74 52	49	63	63					1 2 3	
BELMAR	0721	MANMOUTH	1 40 10	74 02	19		16					2	
BELVIDERE	0729	WARREN	2 40 50	75 05	289	65	65					1 2 3	
BERLIN 1 W	0787	CAMDEN	7 39 48	74 57	150		16					2	
BLACKWELLS MILLS	0847	SOMERSET	1 40 29	74 35	27		1					2	
BOONTON 2 SE	0907	MORRIS	8 40 54	74 24	280	49	67					1 2 3	
BOUNO BROOK 1 W	0927	SOMERSET	10 40 33	74 33	20		1					2	
BRANCHVILLE	0978	SUSSEX	2 41 09	74 47	570	56						2	
BRIGGETON 1 NE	1028	CUMBERLAND	2 39 28	75 12	114	67	72					1 2 3	
BURLINGTON	1211	BURLINGTON	2 40 04	74 53	12	45	71					1 2 3	
CANISTEAR RESERVOIR	1323	SUSSEX	8 41 07	74 30	1040		17					2	
CANOE BROOK	1333	ESSEX	8 40 45	74 21	180	27	27					1 2 3 4	
CANTON	1343	SALEM	2 39 28	75 25	20		11					2	
CAPE MAY 3 W	1351	CAPE MAY	1 38 56	74 57	17	32	69					1 2 3	
CEAR GROVE	1472	ESSEX	8 40 52	74 13	400		17					2	
CERTON	1512	SALEM	6 39 31	75 10	80							C	
CHARLOTTEBURG	1582	PASSAIC	8 41 03	74 26	760	65	65					1 2 3	
CHATHAM	1590	MORRIS	8 40 44	74 23	105		53					2	
CHATS WORTH 5 S	1598	BURLINGTON	1 39 44	74 32	90	15	15					1 2 3	
CLAYTON	1708	GLOUCESTER	6 39 39	75 06	120	44	64					1 2 3	
CLINTON	1749	HUNTERDON	10 40 38	74 55	300		14					2	
DEEPWATER	2209	SALEM	2 39 41	75 30	12		17					2	
ELIZABETH	2644	UNION	1 40 40	74 14	33	78	78					1 2 3	
ELIZABETHPORT	2652	UNION	8 40 39	74 12	30		18					1 2 3	
ESSEX FELS SERVICE BLOC	2768	ESSEX	8 40 50	74 18	250	9	9					1 2 3	
FLEMINGTON 1 NE	3029	HUNTERDON	10 40 31	74 51	134	60	71					1 2 3	
FORTESCUE	3102	CUMBERLAND	2 39 14	75 10	5		11					2	
FREEMOLD	3181	MONMOUTH	10 40 15	74 17	194	53	53					1 2 3	
GLASSBORO	3291	GLOUCESTER	2 39 42	75 07	150							C	
GREAT MEADOWS & N	3416	WARREN	2 40 56	74 55	540							C	
GREENWOOD LAKE	3516	PASSAIC	8 41 09	74 20	660		17					2	
HACKENSACK	3572	BERGEN	4 40 53	74 03	10							C	
HAMMONTON 2 NNE	3662	ATLANTIC	7 39 39	74 48	85	25	51					1 2 3	
HIGH POINT PARK	3935	SUSSEX	2 43 18	74 40	1600		1					1 2 3	
HIGHTSTOWN 1 N	3951	MERCER	10 40 16	74 31	100	61	64					1 2 3	
HIGHTSTOWN PUMPING STATION	3956	MERCER	10 40 17	74 32	75							C	
INDIAN MILLS 2 W	4229	BURLINGTON	7 39 48	74 47	100	67	68					1 2 3	
IRVINGTON	4260	ESSEX	1 40 43	74 15	120	18						2 C	
JERSEY CITY	4339	HUDSON	1 40 44	74 04	135	59	18					1 2 3	
LAKEMOOD 2 ENE	4627	OCEAN	1 40 06	74 11	54	53	53			JULY		1 2 3	
LAMBERTVILLE	4635	HUNTERDON	2 40 22	74 57	75	70	70					1 2 3	
LAURELTON 1 E	4700	OCEAN	1 40 04	74 07	20	53	53					1 2 3	
LAYTON 3 NW	4735	SUSSEX	2 41 15	74 51	480	56	56					1 2 3	
LEESBURG STATE FARM	4762	CUMBERLAND	6 39 14	74 58	10	7	7					1 2 3	
LITTLE FALLS 1 E	4847	PASSAIC	8 40 53	74 14	157	43	54					1 2 3	
LONG BRANCH	4987	MONMOUTH	1 40 18	73 59	34	49	49					1 2 3	
LONG VALLEY	5003	MORRIS	10 40 48	74 46	660	27	27					1 2 3	
LUMBERTON	5055	BURLINGTON	2 39 58	74 48	25								C
MACOPIN INTAKE	5071	PASSAIC	8 41 01	74 24	584		17					2	
MAHWAH	5104	BERGEN	8 41 06	74 10	259		1					2	
MAVILLE	5197	SOMERSET	10 40 33	74 34	50		17					2	
MARLBORO 5CS	5244	MONMOUTH	1 40 20	74 14	120							C	
MARLTON 1 W	5252	BURLINGTON	2 39 54	74 57	90		16					2	
MAYS LANDING	5346	ATLANTIC	3 39 27	74 44	50		13					2	
MIDLAND PARK	5503	BERGEN	1 40 59	74 09	210		11					2	
MILLVILLE	5576	CUMBERLAND	6 39 24	75 03	60		17					1 2 3	
MILLVILLE AIRPORT	5581	CUMBERLAND	6 39 22	75 04	68	10	10					MAR	1 2 3
MILTON	5597	MORRIS	8 41 01	74 32	950		17					2	
MOORESTOWN	5728	BURLINGTON	2 39 58	74 58	55	94	94					1 2 3	
MORRIS PLAINS	5769	MORRIS	8 40 50	74 30	500	12	16					1 2 3	
NEWARK WB AIRPORT	6026	ESSEX	1 40 42	74 10	11	58	103					1 2 3	
NEW BRUNSWICK EXP STATION	6062	MIDDLESEX	10 40 28	74 26	80	100	103					1 2 3	
NEW MILFORD	6146	BERGEN	4 40 57	74 02	12		39					2 C	
NEWTON	6177	SUSSEX	2 41 03	74 45	565	74	74					1 2 3	
OAK RIDGE RESERVOIR	6460	PASSAIC	8 41 02	74 30	870		17					2	
OLDWICK	6544	HUNTERDON	10 40 40	74 45	260		1					2	
ORANGE	6560	ESSEX	8 40 47	74 14	140		17					C	
PATERSON	6775	PASSAIC	8 40 55	74 09	100	87	86					1 2 3	
PERMERTON 3 E	6843	BURLINGTON	2 39 58	74 38	60	28	28					1 2 3	
PHILLIPSBURG	6974	WARREN	2 40 41	75 12	182	66	74					1 2 3	
PHILLIPSBURG BRIDGE	6979	WARREN	2 40 42	75 12	196		18					1 2 3	
PLAINFIELD	7079	UNION	10 40 36	74 25	120	66	65					2	
PLEASANT RUN	7123	HUNTERDON	10 40 34	74 48	140		1					2	
PLEASANTVILLE 1 N	7131	ATLANTIC	1 39 25	74 31	8	34	54					1 2 3 4	
PRINCETON WATER WORKS	7328	MERCER	10 40 19	74 40	90		9					2	
RAHWAY	7393	UNION	9 40 36	74 15	20		18					2 C	
RIDGEFIELD	7545	BERGEN	4 40 50	74 01	80	40	40					1 2 3	
RINGWOOD	7587	PASSAIC	8 41 08	74 16	305		17					2	
RUNYON	7825	MIDDLESEX	1 40 26	74 20	18	33	34					1 2 3 4	
SANDY HOOK LBSTA	7869	MONMOUTH	1 40 28	74 01	22	59	58					1 2 3	
SOMERVILLE	8194	SOMERSET	10 40 34	74 37	75	71	74					1 2 3	
SPLIT ROCK POND	8402	MORRIS	8 40 58	74 28	800		17					2	
SPRINGFIELD	8423	UNION	1 40 43	74 18	-							C	
SUSSEX 3 N	8644	SUSSEX	5 41 14	74 35	530	59	62					1 2 3	
SWAGESBORO S NW	8685	GLOUCESTER	2 39 47	75 24	10		11					2	
TOMS RIVER	8816	OCEAN	1 39 57	74 14	10		36					2	
TRANQUILLITY 2 W	8858	WARREN	2 40 57	74 50	551							C	
TRENTON 2	8878	MERCER	2 40 14	74 46	105	27	27					1 2 3	
TRENTON WB CITY	8883	MERCER	2 40 13	74 46	56	85	85					1 2 3	
TUCKERTON	8899	OCEAN	1 39 36	74 20	10	57	62					1 2 3	
VINELAND	9135	CUMBERLAND	6 39 29	75 00	110	59	57					2	
WANAQUE RAYMOND DAM	9187	PASSAIC	8 41 03	74 18	320		17					2 C	
WATCHUNG	9271	UNION	8 40 40	74 25	-							C	
WERTSVILLE	9363	HUNTERDON	10 40 27	74 48	160		1					2	
WESTFIELD	9455	UNION	9 40 39	74 21	138		18					2 C	
WOODCLIFF LAKE	9832	BERGEN	4 41 01	74 03	103		39					2 C	
WOODSTOWN S WSW	9910	SALEM	2 39 38	75 25	30		9					INAC	1 2 3

† 1-COASTAL; 2-DELAWARE; 3-GREAT EGG HARBOR; 4-HACKENSACK; 5-HUDSON; 6-MAURICE; 7-MULLICA; 8-PASSAIC; 9-RAHWAY; 10-RARITAN; 11-ROCKAWAY

REFERENCE NOTES

Additional information regarding the climate of New Jersey may be obtained by writing to the State Climatologist at the Weather Bureau Office, 5 General Delivery, Trenton, New Jersey, or to any Weather Bureau Office near you.

Unless otherwise indicated, dimensional units used in this bulletin are: Temperature in °F; precipitation and evaporation in inches, and wind movement in miles.

Evaporation is measured in the standard Weather Bureau type pan of 4 foot diameter unless otherwise shown by footnote following Table 4.

Climatological divisions, outlined on the maps in this bulletin became effective with data for September 1958.

Long-term means for full-time stations (those shown in the Station Index as "U. S. Weather Bureau") are based on the period 1921-1950, adjusted to represent observations taken at the present location. Long-term means for all stations except full-time Weather Bureau stations are based on the period 1831-1855.

Figures and letters following the station name, such as 12 SW, indicate distance in miles and direction from the post office.

Delayed data and corrections will be carried in the June and December issues of Climatological Data.

- No record.

+ Also later date (dates) or months.

* Amount included in following measurement.

Thermometers are generally exposed in a shelter located a few feet above sod covered ground; however the reference indicates that the thermometers are exposed in a shelter located on the roof of a building.

B Adjusted to a full month.

C Data for recorder stations denoted by "C" in the Refer to Tables column of the Station Index are processed for special purposes and published in "Monthly Precipitation Data". Length of record for recorder only stations may be found in the annual issue of "Monthly Precipitation Data".

E Amount is wholly or partially estimated.

G In the "Refer to Tables" column of the Station Index the letter "G" indicates that soil temperatures are published.

M One or more days record missing; if average value is entered, less than 10 days record is missing. See monthly Climatological Data for detailed daily record.

T Trace, an amount too small to measure.

V Includes total for previous month. V in annual column means total is for a two-year period.

Information concerning the history of changes in location, elevations, exposures, etc., of substations through 1855 may be found in the publication "Substation History" for this state. That publication may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C. for 15 cents. Similar information for regular Weather Bureau stations may be found in the latest annual issue of Local Climatological Data, obtained as indicated above, price 15 cents.

Subscription Price: 20 cents per copy, monthly and annual; \$2.50 per year. (Yearly subscription includes the Annual Summary.) Checks, and money orders should be made payable to the Superintendent of Documents. Resolutions and correspondence regarding subscriptions should be sent to the Superintendent of Documents, Government Printing Office, Washington 25, O. C.

USCOM-WB-Asheville, N. C. --- 3/5/58 --- 850

UNIVERSITY OF ILLINOIS-URBANA



3 0112 084237962